INCH POUND

MIL-S-64045 (AR)
SUPPLEMENT 1C
29 September 2003

SUPERSEDING 1B
1 February 1987

MILITARY SPECIFICATION

SCALE, GRAPHICAL FIRING, GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specification MIL-S-64045 (AR), dated 15 July 1983, and is approved for use by all Departments and Agencies of the Department of Defense.

SPECIFICATION SHEETS

Number	Title
MIL-S-64045/1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) Chgs 1 & 3, (P/N 11785434-1)
MIL-S-64045/2	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) Chgs 4 & 5, (P/N 11785434-2)
MIL-S-64045/3	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) Chgs 6 & 7, (P/N 11785434-3)
MIL-S-64045/4	SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-H-7), (P/N 11785434-4)
MIL-S-64045/5	SCALE, GRAPHICAL FIRING, ILLIMINATING, M314, (105-H-7) Chgs 3 & 4, (P/N 11785434-5)
MIL-S-64045/6	SCALE, GRAPHICAL FIRING, ILLIMINATING, M314, (105-H-7) Chgs 5 & 7, (P/N 11785434-6)
MIL-S-64045/7	SCALE, GRAPHICAL FIRING, SITE, HE M1, (105-H-6), (P/N 11785434-7)
MIL-S-64045/15	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4), Chgs 1 & 3, (P/N 11785434-15)
MIL-S-64045/16	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4), Chgs 4 & 5, (P/N 11785434-16)
MIL-S-64045/17	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4), Chgs 6 & 7, (P/N 11785434-17)
MIL-S-64045/18	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-Q-4), (P/N 11785434-18)
MIL-S-64045/19	SCALE, GRAPHICAL FIRING, ILLIMINATING, M485, (155-Q-4), Chgs 1 & 3, (P/N 11785434-19)
MIL-S-64045/20	SCALE, GRAPHICAL FIRING, ILLIMINATING, M485, (155-Q-4), Chgs 5 & 7, (P/N 11785434-20)
MIL-S-64045/21	SCALE, GRAPHICAL SITE, HE M107, (155-Q-3), (P/N 11785434-21)
MIL-S-64045/22	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), Chgs 1 & 3, (P/N 11785434-22)

FSC 1220

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

MIL-S-64045/23	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), Chgs 4 & 5, (P/N 11785434-23)
MIL-S-64045/24	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), Chgs 6 & 7, (P/N 11785434-24)
MIL-S-64045/25	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-3), (P/N 11785434-25)
MIL-S-64045/26	SCALE, GRAPHICAL FIRING, ILLIMINATING, M485, (155-AH-3), Chgs 1 & 3, (P/N 11785434-26)
MIL-S-64045/27	SCALE, GRAPHICAL FIRING, ILLIMINATING, M485, (155-AH-3), Chgs 5 & 7, (P/N 11785434-27)
MIL-S-64045/28	SCALE, GRAPHICAL SITE, HE M107, (155-AH-3), (P/N 11785434-28)
MIL-S-64045/29	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2), Chgs 1 & 3, (P/N 11785434-29)
MIL-S-64045/30	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2), Chgs 4 & 5, (P/N 11785434-30)
MIL-S-64045/31	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2), Chgs 6 & 7, (P/N 11785434-31)
MIL-S-64045/32	SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AK-2), (P/N 11785434-32)
MIL-S-64045/33	SCALE, GRAPHICAL SITE, HE M483A1, (155-AK-2), (P/N 11785434-33)
MIL-S-64045/34	SCALE, GRAPHICAL FIRING, M549A1, LOW ANGLE, (155-AL-1), Chg 7R, (P/N 11785434-34)
MIL-S-64045/35	SCALE, GRAPHICAL FIRING, M549A1, HIGH ANGLE, (155-AL-1), Chg 7R, (P/N 11785434-35)
MIL-S-64045/36	SCALE, GRAPHICAL SITE, M549A1, (155-AL-1), Chg 7R, (P/N 11785434-36)
MIL-S-64045/49A	SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0), Chgs 7R & 8R, (P/N 11785434-49)
MIL-S-64045/50A	SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0), Chg 8R, (P/N 11785434-50)
MIL-S-64045/51	SCALE, GRAPHICAL FIRING, HE M549A1, HIGH ANGLE, (155-AO-0), (P/N 11785434-51)
MIL-S-64045/52	SCALE, GRAPHICAL SITE, HE M549A1, (155-AO-0), (P/N 11785434-52)
MIL-S-64045/53A	SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0), Chg 4G & 5G, (P/N 11785434-53)
MIL-S-64045/54A	SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0), Chg 4W & 5W, (P/N 11785434-54)
MIL-S-64045/55A	SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0), Chg 6W & 7W, (P/N 11785434-55)
MIL-S-64045/59A	SCALE, GRAPHICAL FIRING, M712 CLGP, LOW ANGLE, (155-AS-0), Chg 8G, (P/N 11785434-59)
MIL-S-64045/60A	SCALE, GRAPHICAL SITE, M712 CLGP, (155-AS-0), (P/N 11785434-60)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

MIL-S-64045/61A	SCALE, GRAPHICAL FIRING, M712 CLGP, HIGH ANGLE, (155-AS-0), (P/N 11785434-61)
MIL-S-64045/62	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4), Chgs 1 & 3, (P/N 11785434-62)
MIL-S-64045/63	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4), Chgs 4 & 5, (P/N 11785434-63)
MIL-S-64045/64	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4), Chgs 6 & 7, (P/N 11785434-64)
MIL-S-64045/65	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-J-4), (P/N 11785434-65)
MIL-S-64045/66	SCALE, GRAPHICAL SITE, HE M106, (8-J-3), (P/N 11785434-66)
MIL-S-64045/70A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1), Chgs 1 & 2, (P/N 11785434-70)
MIL-S-64045/71A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1), Chgs 3 & 4, (P/N 11785434-71)
MIL-S-64045/72A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1), Chgs 5 & 6, (P/N 11785434-72)
MIL-S-64045/73A	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1), Chgs 7 & 8, (P/N 11785434-73)
MIL-S-64045/74	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-Q-1), (P/N 11785434-74)
MIL-S-64045/75	SCALE, GRAPHICAL SITE, HE M106, (8-Q-1), (P/N 11785434-75)
MIL-S-64045/79	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 1G & 2G, (P/N 11785434-79)
MIL-S-64045/80	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 3G & 4G, (P/N 11785434-80)
MIL-S-64045/81	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 5G & 5W, (P/N 11785434-81)
MIL-S-64045/82	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 6W & 7W, (P/N 11785434-82)
MIL-S-64045/83	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 8 & 9, (P/N 11785434-83)
MIL-S-64045/84	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chgs 7WR & 8R, (P/N 11785434-84)
MIL-S-64045/85	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1), Chg 9R, (P/N 11785434-85)
MIL-S-64045/86	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), Chgs 1 to 9, (P/N 11785434-86)
MIL-S-64045/87	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), Chgs 7WR, 8R & 9R, (P/N 11785434-87)
MIL-S-64045/88	SCALE, GRAPHICAL SITE, HE M650, (8-S-1), (P/N 11785434-88)
MIL-S-64045/92	SCALE, GRAPHICAL FIRING, LOW ANGLE & HIGH ANGLE, (14.5-A-1), Chg 1, (P/N 11785434-92)
MIL-S-64045/93	SCALE, GRAPHICAL SITE, (14.5-A-1), Chg 1, (P/N 11785434-93)
MIL-S-64045/95A	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-2), Chg 2 & 4, (P/N 11785434-103)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

MIL-S-64045/96A	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-2), Chg 5 & 6, (P/N 11785434-104)
MIL-S-64045/97A	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-2), Chg 7 & 8, (P/N 11785434-105)
MIL-S-64045/98	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-2), (P/N 11785434-106)
MIL-S-64045/99	SCALE, GRAPHICAL SITE, HE M107, (155-AM-2), (P/N 11785434-107)
MIL-S-64045/100A	SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2), Chg 2 & 3, (P/N 11785434-108)
MIL-S-64045/101A	SCALE, GRAPHICAL FIRING, HE M485, ILLUMINATION, (155-AM-2), Chg 5 & 7, (P/N 11785434-109)
MIL-S-64045/102A	SCALE, GRAPHICAL FIRING, HE M107/M825, LOW ANGLE, (155-AM-2), Chg 3, (P/N 11785434-110)
MIL-S-64045/103	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), Chgs 3 & 4, (P/N 11785434-112)
MIL-S-64045/104	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), Chgs 5 & 6, (P/N 11785434-113)
MIL-S-64045/105	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), Chgs 7 & 8, (P/N 11785434-114)
MIL-S-64045/108	SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864), Chg 8, (P/N 11785434-117)
MIL-S-64045/109	SCALE, GRAPHICAL SITE, PAD M864, (155-AU-PADM864), Chgs 7W, 7R & 8, (P/N 11785434-118)
MIL-S-64045/110	SCALE, GRAPHICAL FIRING, PAD M864, LOW ANGLE, (155-AU-PADM864), Chgs 7W & 7R, (P/N 11785434-119)
MIL-S-64045/111	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1), Chg 9, (P/N 11785434-132)
MIL-S-64045/112	SCALE, GRAPHICAL FIRING, HE M483A1/M825, LOW ANGLE, (155-ADD-Q-0), Chg 8R, (P/N 11785434-133)
MIL-S-64045/113	SCALE, GRAPHICAL SITE, HE M483A1/M825, (155-ADD-Q-0), (P/N 11785434-134)
MIL-S-64045/114	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, LOW ANGLE, (8-T-1), Chgs 1 & 2, (P/N 11785434-135)
MIL-S-64045/115	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, LOW ANGLE, (8-T-1), Chgs 3 & 4, (P/N 11785434-136)
MIL-S-64045/116	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, LOW ANGLE, (8-T--1), Chgs 5G & 5W, (P/N 11785434-137)
MIL-S-64045/117	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, LOW ANGLE, (8-T-1), Chgs 6 & 7, (P/N 11785434-138)
MIL-S-64045/118	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, LOW ANGLE, (8-T-1), Chgs 8 & 9, (P/N 11785434-139)
MIL-S-64045/119	SCALE, GRAPHICAL FIRING, HE M509A1, DPICM, HIGH ANGLE, (8-T-1), (P/N 11785434-140)
MIL-S-64045/120	SCALE, GRAPHICAL SITE, HE M509A1, DPICM, LOW ANGLE, (8-T-1), (P/N 11785434-141)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

MIL-S-64045/121	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 3G & 4G, (P/N 11785434-142)
MIL-S-64045/122	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chg 5G, (P/N 11785434-143)
MIL-S-64045/123	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 3W & 4W, (P/N 11785434-144)
MIL-S-64045/124	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 5W & 6W, (P/N 11785434-145)
MIL-S-64045/125	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 7W & 7R, (P/N 11785434-146)
MIL-S-64045/126	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 3G, 4G & 5G, (P/N 11785434-147)
MIL-S-64045/127	SCALE, GRAPHICAL FIRING, HE M483A1/M825A1, LOW ANGLE, W/ICM, (155-AN-2), Chgs 3W, 4W, 5W, 6W, 7W & 7R, (P/N 11785434-148)
MIL-S-64045/128	SCALE, GRAPHICAL SITE, HE M483A1/M825A1, W/ICM, (155-AN-2), Chgs 3G, 4G & 5G, (P/N 11785434-149)
MIL-S-64045/129	SCALE, GRAPHICAL SITE, HE M483A1/M825A1, W/ICM, (155-AN-2), Chgs 3W, 4W, 5W, 6W, 7W & 7R, (P/N 11785434-150)
MIL-S-64045/130	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-3), Chgs 3 & 4, (P/N 11785434-129)
MIL-S-64045/131	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-3), Chgs 5 & 6, (P/N 11785434-130)
MIL-S-64045/132	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-3), Chg 7, (P/N 11785434-130)
MIL-S-64045/133	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-3), Chg 1 & 2, (P/N 11785434-120)
MIL-S-64045/134	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-3), Chg 3 & 4, (P/N 11785434-121)
MIL-S-64045/135	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-3), Chg 5 & 6, (P/N 11785434-122)
MIL-S-64045/136	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-3), Chg 7, (P/N 11785434-123)
MIL-S-64045/137	SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-AS-3), (P/N 11785434-124)
MIL-S-64045/138	SCALE, GRAPHICAL FIRING, HE M760, LOW ANGLE/HIGH ANGLE, (105-AS-3), Chg 8, (P/N 11785434-125)
MIL-S-64045/139	SCALE, GRAPHICAL SITE, HE M1, (105-AS-3), (P/N 11785434-126)
MIL-S-64045/140	SCALE, GRAPHICAL SITE, HE M760, (105-AS-3), (P/N 11785434-127)
MIL-S-64045/141	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-3), Chg 1 & 2, (P/N 11785434-128)

Preparing activity:
Army-AR

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at www.dodssp.daps.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.