DATA ITEM DESCRIPTION
Title: Installation Deficiency Test Report

Number: DI-FACR-82283
AMSC Number: 10065
DTIC Applicable: No
Preparing Activity: MDA
Applicable Forms: No

Approval Date: 20190809
Limitation:
GIDEP Applicable: No
Project Number: FACR-2019-007

Use/Relationship: The Installation Deficiency Test Report provides documented data and results of the testing conducted in accordance with the Commissioning (Cx) Plan and Installation Test Procedures work task described in the contract. The Installation Deficiency Test Report provides an analysis of the data and results to identify which specifications were or were not attained. After facility acceptance, the data shall be used for reference by the operations and maintenance personnel.

This Data Item Description (DID) contains the format, content, and intended use information for the Installation Deficiency Test Report re resulting from the work task described in the contract. It is intended that all requirements contained herein shall apply to all applicable Department of Defense acquisition programs through all program phases.

Requirements:

1. Reference Documentation. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract. List the applicable reference documentation.

2. Format: The Installation Deficiency Test Report shall be in contractor format. Format shall be machine-readable by the Government.

3. Content: The Installation Deficiency Test Report shall contain the following:

3.1 Cover Page and Document Tracking Information:

3.1.1 Cover Page: Title, Date of Issue, Revision Date, Contract Number, Contractor's name and address, Distribution Statement (ref: DoD Instruction (DoDI) 5230.24 (https://www.esd.whs.mil/Portals/54/Documents/DD/issuances/dodi/523024p.pdf)), Export Control Warning Label, and Security classification.

3.1.2 Record of Change Page: A record of all changes made to the Installation Deficiency Test Report.

3.2 Table of Contents: A listing of the major sections identified below in 3.3-3.9.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:01Z
Check the source to verify that this is the current version before use.

3.3 Overview: A description of the purpose of the In Installation Deficiency Test Report and the system(s) to which it applies.

3.4 Test Description: Provide a description of the test.

3.5 Data Sheets: The data sheets shall contain the actual measurements (in English and metric or as specified by the contract or in writing by the procuring contract officer) made on each facility and equipment during the pre-shakedown, shakedown, and operational tests, and the acceptance limits or criteria for each measurement.

3.6 Test Equipment: A list of all test equipment used for the tests, including manufacturer and model number, the test date, and the name of the activity performing the calibration of each test equipment item.

3.7 Item or Parts: A list of items or parts used during the installation testing. Denote if the item is a Configuration Item, mission-critical item, or safety-critical item (ref. MDS-QS-003-PMAP-Rev B (https://mko.mda.mil/sites/qs/QSResources/MDAQS%20Directives%20Policies%20%20Memorandums/MDA_QS_003_PMAP_Rev%20B%203_2_2012b.pdf)).

3.8 Major Equipment and Facilities: Provide a list of major (as defined in the contract or in writing by the Procuring Contract Officer) equipment/facilities installed and tested at each location.

3.9 Analysis: An analysis of the test conducted and a description of the results documenting deficiencies and issues. Include a description of how deficiencies and issues were identified, evaluated, and analyzed. Provide a risk analysis based on the deficiencies and issues discovered during the test. Include a description of correction and re-testing re requirements and activities to provide deficiency and is issue resolution.

END OF DI-FACR-82283

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:01Z
Check the source to verify that this is the current version before use.