INCH-POUNDS

MIL-C-10190D
AMENDMENT 3
29 August 1997

SUPERSEDING
AMENDMENT 2
6 January 1992

MILITARY SPECIFICATION

CARTRIDGE CALIBER .50, BALL, M33

This amendment forms a part of MIL-C-10190D, dated 3 April 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

* 3.3, Delete in its entirety and substitute:

"3.3 Residual stress. The cartridge shall not split when subjected to a 1% mercurous nitrate solution for 15 minutes when tested as specified in 4.5.2."

3.5: Delete in its entirety and substitute:

"3.5 Accuracy: The average of the mean radii of all targets of the sample cartridges, fired at 600 yards, shall not exceed 12.0 inches or, when fired at 200 yards, shall not exceed 3.75 inches. The test shall be performed as specified in 4.5.4."

PAGE 4

3.9: Delete in its entirety and substitute:

"3.9 Function and Casualty. The cartridge shall function without casualty. The test shall be performed as specified in 4.5.8."

PAGE 5

4.3.1: Delete "1880" and substitute "1680".

4.3.1: Delete "5/machine or tool" and substitute "5/tool/machine" in four places.

4.3.1: Add: Filler, Base 7577031 5/tool/machine"

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:39Z
Check the source to verify that this is the current version before use.

PAGE 6

Table I: Add:

"8. Cyclic rate	0	2/

2/ If any burst fails to meet the cyclic rate requirement specified in 3.9, the first article sample shall be rejected."

PAGE 7

Table II, NO. OF SAMPLE UNITS: Delete "5" and substitute "5/tool/machine" in four places.

Table II: Delete "1880" and substitute "1680".

Table II, NO. OF SAMPLE UNITS, Delete: "5/tool/machine" in four places and substitute "5".

Table II: Delete:

"Filler, Base (Dwg. 7577031)				
Examination for defects	5/tool /machine	Acc-0 Rej-1	3.1 3.11"	Gage 1/

PAGE 9

4.4.1.2 a thru d: Delete and substitute:

"a. Cartridge cases from one unchanged process and from one manufacturer.
b. Bullets from one unchanged process and from one manufacturer.
c. Primers from one lot interfix number and from one manufacturer.
d. Propellant from no more than two lot numbers and from one manufacturer."

PAGE 17

Table III: Add:

"8. Cyclic rate	0	5/	Major"

Table III: Delete:

"8. Cyclic rate	0	5/	Major"

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:39Z
Check the source to verify that this is the current version before use.

PAGE 18

Table III, NOTES: Add:

"5/ Failure of any burst to comply with the applicable requirement shall be cause for rejection of the lot subject to the testing of a second sample consisting of double the number of cartridges in the first sample. Failure of any burst in the second sample to comply with the applicable requirement shall be cause for rejection of the lot. The second sample, if required, shall only be fired in the weapon type in which the failure occurred."

Table III, NOTES: Delete Note 5 in its entirety.

PAGE 19

4.5.4: Add: "The size of the target shall be adjusted to suit the target range (200 or 600 yards)."

4.5.6 and 4.5.7: Add: "Prior to this test the cartridge shall be temperature conditioned in accordance with 4.5.10."

4.5.8: Change from:

"Observation for compliance with Table I and Table III, as applicable, and the cyclic rate of each test weapon shall be made. Cyclic rate of each weapon shall be recorded."

To:

"Observation for compliance with Table I and Table III, as applicable, shall be made. Cyclic rate of each weapon shall be recorded."

PAGE 20

5.2, Delete the following drawing numbers: "D7553544, D7553346", and add the following drawing numbers:D12576456, D12576567".

5.3, Delete the following drawing numbers: "D7553544, D7553346", and add the following drawing numbers:D12576456, D12576567".

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:39Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR
Air Force-70

Preparing activity:
Army-AR

(Project 1305-0176)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:39Z
Check the source to verify that this is the current version before use.