
MILITARY STANDARD

MIL-STD-1663-1
(NAVY)
30 JANUARY 1981

COMMERCIAL CONTAINER LOADING
EXPLOSIVE SECTION MK 1 MOD 0
FOR MINE MK 56 MOD 0
IN CRATE MK 101 MOD 0
FLEET ISSUE UNIT LOAD

UNIT LOAD DATA

DIMENSIONS . . . . 53 5/8 L X 50 W X 31 5/16 H
CUBE . . . . . 48.5 CU. FT.
WEIGHT . . . . . 2474 LBS.
UNIT LOAD DRAWING WR-54/161
HAZARD CLASSIFICATION . . . DOT - EXPLOSIVES A
CG - X-A



NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236, (NAVY)

INDEX

ITEM	PAGE
GENERAL NOTES	2
TOFC/COFC, HIGHWAY AND CONTAINERSHIP	3
DETAILS	4

FSC 8140

AUTHORIZED FOR TRAILER-ON-FLAT-CAR (TOFC), CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENT

APPROVED BY U.S. COAST GUARD
J. M. Norris LT USCG
DATE 10/9/80

APPROVED BY BUREAU OF EXPLOSIVES
Michael R Miller
DATE 10/21/80

M.S. Gray NWHC 11/6/80
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J E Kelly 11/6/80
SIGNATURE SEASYSCOM, BY DIRECTION DATE

ORIGINATOR Wm Robinson 11/4/80
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

*GPO: 1981—703-023/893

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.


GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING COMMERCIAL CONTAINERS WITH FLEET ISSUE UNIT LOADS OF THE EXPLOSIVE SECTION MK 1 MOD 1 IN CRATE MK 101 MOD 0. THE EXPLOSIVE SECTIONS SHALL BE PALLETIZED IN ACCORDANCE WITH WR-54/161.
2. THIS LOAD IS BASED ON A 20' LONG BY 8' OR 8'-6" HIGH CONTAINER.
3. THE INTERNAL RESTRAIN SYSTEM KIT (IRSKIT) SHALL BE INSTALLED IN ACCORDANCE WITH INSTRUCTIONS GIVEN IN THE BASIC DOCUMENT MIL-STD-1663 (NAVY). CABLES SHALL BE TENSIONED SUFFICIENTLY TO REMOVE ALL SLACK. JAM NUTS SHALL BE IN PLACE AND TIGHTENED.
4. WHEN THE LOADED CONTAINER IS BEING SHIPPED TOFC, THE CONTAINER SHALL BE ON A 20 FT. MILVAN CHASIS EQUIPPED WITH DOUBLE BOGIES.
5. WHEN THE LOADED CONTAINER IS BEING SHIPPED IN TOFC OR COFC SERVICE, IT SHALL BE ON FLAT RAIL CARS THAT COMPLY WITH BUREAU OF EXPLOSIVES PAMPHLET 6C.
6. THE LOADED CONTAINER MAY BE MOVED OVER PUBLIC HIGHWAYS ON A MILVAN CHASIS EQUIPPED WITH DOUBLE BOGIES OR ON SUITABLE COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY.

NOTE


IN CERTAIN STATES THE GROSS VEHICLE WEIGHT (GVW) IS LIMITED BY THE DISTANCE BETWEEN THE FRONT AND REAR AXLES OF THE ASSEMBLED RIG. CARE SHOULD BE TAKEN TO SEE THAT THE PROPOSED GVW DOES NOT EXCEED THESE LIMITATIONS

7. LENGTH OF STRUT, PIECE 7, IS TO SUIT. SIDE BLOCKING ASSEMBLIES, DETAIL B, SHALL COMPLETELY FILL THE VOID BETWEEN THE LADING AND THE SIDE WALLS OF THE CONTAINER.
8. APPLICABLE MATERIAL SPECIFICATIONS:
   DUNNAGE LUMBER - MM-L-781
   NAILS - FF-N-105, TYPE II, STYLE 10, COMMON BRIGHT
9. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO DUNNAGE IN AN ACCESSIBLE AREA. ATTACH EXPLOSIVES A PLACARD TO BOTH SIDES, FRONT AND REAR OF CONTAINER.
10. FOR GENERAL COMMERCIAL CONTAINER LOADING PROCEDURES, REFER TO THE GENERAL DOCUMENT MIL-STD-1663 (NAVY).



DETAIL A

FRONT BULKHEAD
1 REQUIRED




DETAIL B


SIDE BLOCKING ASSEMBLY
8 REQUIRED

*CW = CONTAINER WIDTH

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.



SECTION C-C



CONTAINER LOAD DATA

NUMBER OF UNIT LOADS	8
NET WEIGHT (APPROX)	19,792 LBS.
DUNNAGE WEIGHT W/IRSKIT (APPROX)	1780 LBS.
CONTAINER WEIGHT (APPROX)	4000 LBS.
GROSS WEIGHT OF CONTAINER (APPROX)	25,572 LBS.

*CW = CONTAINER WIDTH
** = CLINCHED


LIST OF MATERIALS & NAILING DATA

PIECE NO.	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NAILS NUMBER	NAILS SIZE
16	IRSKIT	DL 5166424	1 KIT	SEE GENERAL NOTE 3		
15	FILLER	2 X 6 X 72	4	LAMINATE 2 PIECES	4/PIECE	10d
14	END UPRIGHT	2 X 4 X 59	2	1	2/JOINT	10d
13	AFT UPRIGHT	2 X 6 X 64	2	1	3/JOINT	10d
12	UPRIGHT	2 X 6 X 68	3	11	3/JOINT	10d
11	BEAM ASSEMBLY	2 X 6 X CW*-2 1/2	12	LAMINATE 3 PIECES	10/PIECE	10d
10	HORIZONTAL	1 X 6 X CW*-1	6	9	3/JOINT	10d**
9	VERTICAL	1 X 6 X 64 3/8	9	SEE 8 & 10	-	-

LIST OF MATERIALS & NAILING DATA


PIECE NO.	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NAILS NUMBER	NAILS SIZE
8	HORIZONTAL	1 X 6 X 57	6	9	3/JOINT	10d**
7	STRUT	2 X 4 X TO SUIT	48	TOENAIL TO 5	3/JOINT	12d
6	HORIZONTAL	2 X 4 X 50	48	5	3/JOINT	10d
5	VERTICAL	2 X 4 X 68	32	SEE 6	-	-
4	END UPRIGHT	2 X 4 X 57 1/2	2	1	2/JOINT	10d
3	BUFFER	2 X 6 X 71	2	1 15	3/JOINT 4	10d 10d
2	UPRIGHT	2 X 6 X 68	3	1	3/JOINT	10d
1	BEAM ASSEMBLY	2 X 6 X CW*-1	12	LAMINATE 3 PIECES	10/PIECE	10d

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.



DETAIL D

SEPARATOR GATE
3 REQUIRED



DETAIL E

REAR BULKHEAD
1 REQUIRED

Source: https://assist.dla.mil/ -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1663-1 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.