MILITARY STANDARD

MIL-STD-1663-2
(NAVY)


30 JANUARY 1981

COMMERCIAL CONTAINER LOADING

MINE, UNDERWATER MK 52 AND MODS
IN CRATE MK 52 AND MODS
FLEET ISSUE UNIT LOAD

UNIT LOAD DATA

DIMENSIONS ..... 66 1/4 L X 49 3/4 W X 27 3/4 H
CUBE ..... 52.9 CU. FT.
WEIGHT ..... SEE TABLE I
HAZARD CLASSIFICATION;
DOT - EXPLOSIVES A
C G - CLASS X-A
UNIT LOAD DWG. NO. WR-54/208



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, TRUCKLOADING, CONTAINER LOADING AND CARLOADING MILITARY STANDARDS REFER TO THE INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

INDEX

ITEM	PAGE
GENERAL NOTES	2
TOFC/COFC, HIGHWAY & CONTAINERSHIP	2 & 3
DETAILS	2 & 4
TABLE I	4

FSC8140

AUTHORIZED FOR TRAILER-ON-FLAT-CAR (TOFC), CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENT

M.S. Gray NWHC 11-6-80
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE NAVSEA SYSCOM, BY DIRECTION DATE

APPROVED BY U.S. COAST GUARD

R. M. Morris
DATE 11/24/80

APPROVED BY BUREAU OF EXPLOSIVES

Michael R. Miller
DATE Octo 24, 1980

ORIGINATOR W. Cagnon 11-6-80
SIGNATURE DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

☆GPO: 1981—703-023/892

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING COMMERCIAL CONTAINERS WITH FLEET ISSUE UNIT LOADS OF THE UNDERWATER MINE MK 52 AND MODS IN CRATE MK 52 AND MODS. THE MINES SHALL BE PALLETIZED IN ACCORDANCE WITH WR-54/208.
2. THIS LOAD IS BASED ON A 8FT WIDE BY 8FT 6IN HIGH CONTAINER.

NOTE


THIS LOAD CANNOT BE PUT
IN A 8FT HIGH CONTAINER.

3. THE INTERNAL RESTRAINT SYSTEM KIT (IRSKIT) SHALL BE INSTALLED IN ACCORDANCE WITH THE INSTRUCTIONS GIVEN IN THE BASIC DOCUMENT MIL-STD-1663 (NAVY). CABLES SHALL BE TENSIONED SUFFICIENTLY TO REMOVE ALL SLACK . JAM NUTS SHALL BE IN PLACE AND TIGHTENED.
4. WHEN THE LOADED CONTAINER IS BEING SHIPPED TOFC, THE CONTAINER SHALL BE ON A 20FT MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES.
5. WHEN THE LOADED CONTAINER IS BEING SHIPPED IN TOFC OR COFC SERVICE, IT SHALL BE ON FLAT RAIL CARS THAT COMPLY WITH BUREAU OF EXPLOSIVES PAMPHLET 6C.
6. THE LOADED CONTAINER MAY BE MOVED OVER PUBLIC HIGHWAYS ON A MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES OR ON SUITABLE COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY.

NOTE


IN CERTAIN STATES, THE GROSS VEHICLE WEIGHT (GVW)
IS LIMITED BY THE DISTANCE BETWEEN THE FRONT AND
REAR AXLES OF THE ASSEMBLED RIG. CARE SHOULD BE
TAKEN TO SEE THAT THE PROPOSED GVW DOES NOT
EXCEED THESE LIMITATIONS.

7. LENGTH OF STRUT, PIECE 9, IS TO SUIT. SIDE BLOCKING ASSEMBLY DETAIL D. SHALL COMPLETELY FILL THE VOID BETWEEN THE LADING AND THE SIDE WALLS OF THE CONTAINER.
8. APPLICABLE MATERIAL SPECIFICATIONS: DUNNAGE LUMBER-FED.SPEC. MM-L-751; NAILS-FED.SPEC. FF-N-105, TYPE II, STYLE 10, COMMON BRIGHT.
9. AFTER THE BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO DUNNAGE IN AN ACCESSIBLE AREA. ATTACH EXPLOSIVES A PLACARD TO BOTH SIDES, FRONT AND REAR OF CONTAINER.
10. FOR GENERAL COMMERCIAL CONTAINER LOADING PROCEDURES, REFER TO THE GENERAL DOCUMENT MIL-STD-1663 (NAVY).



DETAIL A

FRONT BULKHEAD
1 REQUIRED




DETAIL B


REAR BULKHEAD
1 REQUIRED

*CW = CONTAINER WIDTH

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.



SECTION C-C



*CW - CONTAINER WIDTH


PIECE NO.	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NUMBER NAILS	SIZE
11	IRSKIT	DL5166424	1 KIT	-	-	-
10	FILLER	2 X 6 X 75	4	LAMINATE 2 PIECES	4/PIECE	10d
9	STRUT	2 X 4 X TO SUIT	48	TOENAIL TO 8	3 PER JOINT	12d
8	VERTICAL	2 X 4 X 87	24	SEE 7	-	-
7	HORIZONTAL	2 X 4 X 100	32	8	3 PER JOINT	10d
6	AFT UPRIGHT	2 X 6 X 82	2	4	3 PER JOINT	10d
5	UPRIGHT	2 X 6 X 87	3	4	3 PER JOINT	10d
4	BEAM ASSEMBLY	2 X 8 X CW* -2 1/2	12	LAMINATE 2 PIECES	10 LAMINATE	10d
3	BUFFER	2 X 6 X 76 1/2	2	1	3/JOINT	10d
				10	3/JOINT	10d
2	UPRIGHT	2 X 6 X 87	3	1	3 PER JOINT	10d
1	BEAM ASSEMBLY	2 X 8 X CW*- 1	12	LAMINATE 2 PIECES	10 LAMINATE	10d

LIST OF MATERIALS & NAILING DATA

CONTAINER LOAD DATA

NUMBER OF UNIT LOADS 12
WEIGHT OF DUNNAGE (APPROX) ..... 1842 LBS.
GROSS WEIGHT OF LOAD (APPROX) ..... SEE TABLE I

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.



DETAIL D

SIDE BLOCKING ASSEMBLY
4 REQUIRED

TABLE I
CONTAINER LOAD DATA

DODIC/ NALC NO.	MINE MK 52 MOD	CONFIG-URATION	GROSS WEIGHT (APPROX.) LBS		
			CRATED MINE	UNIT LOAD	CONTAINER LOAD
U776	1	C	1192	2492	31,746
U777	1	D	1128	2364	30,210
U792	2	C	1142	2392	30,546
U793	2	D	1170	2448	31,218
U808	3	C	1278	2664	33,810
U809	3	D	1298	2704	34,290
U824	4	C	1210	2528	32,178
U825	4	D	1150	2408	30,738
U840	5	C	1252	2612	33,186
U841	5	D	1196	2500	31,842
U847	6	C	1237	2582	32,826
U848	6	D	1167	2442	31,146
U854	7	C	1215	2538	32,298
U855	7	D	1160	2428	30,978
U861	8	C	1255	2618	33,258
U864	8	D	1246	2600	33,042

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1663-2 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:51Z
Check the source to verify that this is the current version before use.