

4/22 PROOF JK

MS9770

FED. SUP CLASS
5330





SECTION A-A

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9770-001	0.025	0.033	0.635	0.838	0.037	0.043	0.940	1.092	.002	.0009
MS9770-002	0.038	0.046	0.965	1.168	0.047	0.053	1.194	1.346	.005	.002
MS9770-003	0.052	0.060	1.321	1.524	0.057	0.063	1.448	1.600	.008	.004
MS9770-004	0.065	0.075	1.65	1.90	0.067	0.073	1.702	1.854	.013	.006
MS9770-005	0.096	0.106	2.44	2.69	0.067	0.073	1.702	1.854	.016	.007
MS9770-006	0.109	0.119	2.77	3.02	0.067	0.073	1.702	1.854	.017	.008
MS9770-007	0.140	0.150	3.56	3.81	0.067	0.073	1.702	1.854	.020	.009
MS9770-008	0.171	0.181	4.34	4.60	0.067	0.073	1.702	1.854	.023	.010
MS9770-009	0.203	0.213	5.16	5.41	0.067	0.073	1.702	1.854	.027	.012
MS9770-010	0.234	0.244	5.94	6.20	0.067	0.073	1.702	1.854	.029	.013
MS9770-011	0.296	0.306	7.52	7.77	0.067	0.073	1.702	1.854	.035	.016
MS9770-012	0.359	0.369	9.12	9.37	0.067	0.073	1.702	1.854	.041	.019
MS9770-013	0.421	0.431	10.69	10.95	0.067	0.073	1.702	1.854	.047	.021
MS9770-014	0.484	0.494	12.29	12.55	0.067	0.073	1.702	1.854	.053	.024
MS9770-015	0.546	0.556	13.87	14.12	0.067	0.073	1.702	1.854	.058	.026
MS9770-016	0.609	0.619	15.47	15.72	0.067	0.073	1.702	1.854	.065	.029
MS9770-017	0.671	0.681	17.04	17.30	0.067	0.073	1.702	1.854	.070	.032
MS9770-018	0.734	0.744	18.64	18.90	0.067	0.073	1.702	1.854	.076	.034
MS9770-019	0.795	0.807	20.19	20.50	0.067	0.073	1.702	1.854	.082	.037
MS9770-020	0.858	0.870	21.79	22.10	0.067	0.073	1.702	1.854	.088	.040
MS9770-021	0.920	0.932	23.37	23.67	0.067	0.073	1.702	1.854	.094	.043
MS9770-022	0.983	0.995	24.97	25.27	0.067	0.073	1.702	1.854	.100	.045
MS9770-023	1.045	1.057	26.54	26.85	0.067	0.073	1.702	1.854	.106	.048
MS9770-024	1.108	1.120	28.14	28.45	0.067	0.073	1.702	1.854	.112	.051
MS9770-025	1.170	1.182	29.72	30.02	0.067	0.073	1.702	1.854	.118	.054
MS9770-026	1.233	1.245	31.32	31.62	0.067	0.073	1.702	1.854	.123	.056
MS9770-027	1.295	1.307	32.89	33.20	0.067	0.073	1.702	1.854	.129	.059
MS9770-028	1.358	1.370	34.49	34.80	0.067	0.073	1.702	1.854	.135	.061
MS9770-029	1.479	1.499	37.57	38.07	0.067	0.073	1.702	1.854	.147	.067
MS9770-030	1.604	1.624	40.74	41.25	0.067	0.073	1.702	1.854	.159	.072
MS9770-031	1.729	1.749	43.92	44.42	0.067	0.073	1.702	1.854	.171	.078
MS9770-032	1.854	1.874	47.09	47.60	0.067	0.073	1.702	1.854	.183	.083
MS9770-033	1.979	1.999	50.27	50.77	0.067	0.073	1.702	1.854	.194	.088
MS9770-034	2.104	2.124	53.44	53.95	0.067	0.073	1.702	1.854	.206	.093
MS9770-035	2.229	2.249	56.62	57.12	0.067	0.073	1.702	1.854	.218	.099
MS9770-036	2.354	2.374	59.79	60.30	0.067	0.073	1.702	1.854	.229	.104
MS9770-037	2.479	2.499	62.97	63.47	0.067	0.073	1.702	1.854	.241	.109
MS9770-038	2.604	2.624	66.14	66.65	0.067	0.073	1.702	1.854	.253	.115
MS9770-039	2.724	2.754	69.19	69.95	0.067	0.073	1.702	1.854	.265	.120
MS9770-040	2.849	2.879	72.36	73.13	0.067	0.073	1.702	1.854	.277	.126
MS9770-041	2.974	3.004	75.54	76.30	0.067	0.073	1.702	1.854	.289	.131
MS9770-042	3.224	3.254	81.89	82.65	0.067	0.073	1.702	1.854	.312	.142
MS9770-043	3.474	3.504	88.24	89.00	0.067	0.073	1.702	1.854	.336	.152
MS9770-044	3.724	3.754	94.59	95.35	0.067	0.073	1.702	1.854	.359	.163
MS9770-045	3.974	4.004	100.94	101.70	0.067	0.073	1.702	1.854	.383	.174
MS9770-046	4.224	4.254	107.29	108.05	0.067	0.073	1.702	1.854	.406	.184
MS9770-047	4.474	4.504	113.64	114.40	0.067	0.073	1.702	1.854	.430	.195
MS9770-048	4.724	4.754	119.99	120.75	0.067	0.073	1.702	1.854	.454	.206
MS9770-049	4.966	5.012	126.14	127.30	0.067	0.073	1.702	1.854	.477	.216
MS9770-050	5.216	5.262	132.49	133.65	0.067	0.073	1.702	1.854	.500	.227
MS9770-102	0.044	0.054	1.12	1.37	0.100	0.106	2.540	2.692	.031	.014
MS9770-103	0.076	0.086	1.93	2.18	0.100	0.106	2.540	2.692	.037	.017
MS9770-104	0.107	0.117	2.72	2.97	0.100	0.106	2.540	2.692	.044	.020
MS9770-105	0.138	0.148	3.51	3.76	0.100	0.106	2.540	2.692	.050	.023

APPROVED 22 Dec 71 REVISED

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force - 11 Other Cust Navy - AS	ASCC 12/27	PACKING, PREFORMED - AMS 3650, 'O' RING	MS9770
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 1 OF 7

DD FORM 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED.

...ed has been approved by the Dept. of the Air Force (11) and the ...partment of the Navy(AS)and is mandatory for use by ...ese activities. All other military activities are required ...to employ this standard where suitable.

...ese activities:
Navy - AS
Air Force - 82

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

MS9770

FED. SUP CLASS
5330

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9770-106	0.169	0.179	4.29	4.55	0.100	0.106	2.540	2.692	.057	.026
MS9770-107	0.201	0.211	5.11	5.36	0.100	0.106	2.540	2.692	.063	.029
MS9770-108	0.232	0.242	5.89	6.15	0.100	0.106	2.540	2.692	.069	.031
MS9770-109	0.294	0.304	7.47	7.72	0.100	0.106	2.540	2.692	.082	.037
MS9770-110	0.357	0.367	9.07	9.32	0.100	0.106	2.540	2.692	.095	.043
MS9770-111	0.419	0.429	10.64	10.90	0.100	0.106	2.540	2.692	.108	.049
MS9770-112	0.482	0.492	12.24	12.50	0.100	0.106	2.540	2.692	.120	.054
MS9770-113	0.544	0.554	13.82	14.07	0.100	0.106	2.540	2.692	.133	.060
MS9770-114	0.607	0.617	15.42	15.67	0.100	0.106	2.540	2.692	.146	.066
MS9770-115	0.669	0.679	16.99	17.25	0.100	0.106	2.540	2.692	.158	.072
MS9770-116	0.732	0.742	18.59	18.85	0.100	0.106	2.540	2.692	.172	.078
MS9770-117	0.793	0.805	20.14	20.45	0.100	0.106	2.540	2.692	.184	.083
MS9770-118	0.856	0.868	21.74	22.05	0.100	0.106	2.540	2.692	.197	.089
MS9770-119	0.918	0.930	23.32	23.62	0.100	0.106	2.540	2.692	.210	.095
MS9770-120	0.981	0.993	24.92	25.22	0.100	0.106	2.540	2.692	.222	.101
MS9770-121	1.043	1.055	26.49	26.80	0.100	0.106	2.540	2.692	.236	.107
MS9770-122	1.106	1.118	28.09	28.40	0.100	0.106	2.540	2.692	.248	.112
MS9770-123	1.168	1.180	29.67	29.97	0.100	0.106	2.540	2.692	.261	.118
MS9770-124	1.231	1.243	31.27	31.57	0.100	0.106	2.540	2.692	.274	.124
MS9770-125	1.293	1.305	32.84	33.15	0.100	0.106	2.540	2.692	.286	.130
MS9770-126	1.356	1.368	34.44	34.75	0.100	0.106	2.540	2.692	.299	.136
MS9770-127	1.418	1.430	36.02	36.32	0.100	0.106	2.540	2.692	.312	.142
MS9770-128	1.481	1.493	37.62	37.92	0.100	0.106	2.540	2.692	.324	.147
MS9770-129	1.539	1.559	39.09	39.60	0.100	0.106	2.540	2.692	.337	.153
MS9770-130	1.602	1.622	40.69	41.20	0.100	0.106	2.540	2.692	.350	.159
MS9770-131	1.664	1.684	42.27	42.77	0.100	0.106	2.540	2.692	.363	.165
MS9770-132	1.727	1.747	43.87	44.37	0.100	0.106	2.540	2.692	.376	.171
MS9770-133	1.789	1.809	45.44	45.95	0.100	0.106	2.540	2.692	.388	.176
MS9770-134	1.852	1.872	47.04	47.55	0.100	0.106	2.540	2.692	.401	.182
MS9770-135	1.915	1.935	48.64	49.15	0.100	0.106	2.540	2.692	.414	.188
MS9770-136	1.977	1.997	50.22	50.72	0.100	0.106	2.540	2.692	.427	.194
MS9770-137	2.040	2.060	51.82	52.32	0.100	0.106	2.540	2.692	.440	.200
MS9770-138	2.102	2.122	53.39	53.90	0.100	0.106	2.540	2.692	.452	.205
MS9770-139	2.165	2.185	54.99	55.50	0.100	0.106	2.540	2.692	.465	.211
MS9770-140	2.227	2.247	56.57	57.07	0.100	0.106	2.540	2.692	.477	.216
MS9770-141	2.290	2.310	58.17	58.67	0.100	0.106	2.540	2.692	.491	.223
MS9770-142	2.352	2.372	59.74	60.25	0.100	0.106	2.540	2.692	.503	.228
MS9770-143	2.415	2.435	61.34	61.85	0.100	0.106	2.540	2.692	.516	.234
MS9770-144	2.477	2.497	62.92	63.42	0.100	0.106	2.540	2.692	.529	.240
MS9770-145	2.540	2.560	64.52	65.02	0.100	0.106	2.540	2.692	.541	.245
MS9770-146	2.602	2.622	66.09	66.60	0.100	0.106	2.540	2.692	.555	.252
MS9770-147	2.660	2.690	67.56	68.33	0.100	0.106	2.540	2.692	.567	.257
MS9770-148	2.722	2.752	69.14	69.90	0.100	0.106	2.540	2.692	.580	.263
MS9770-149	2.785	2.815	70.74	71.50	0.100	0.106	2.540	2.692	.593	.269
MS9770-150	2.847	2.877	72.31	73.08	0.100	0.106	2.540	2.692	.605	.274
MS9770-151	2.972	3.002	75.49	76.25	0.100	0.106	2.540	2.692	.631	.286
MS9770-152	3.222	3.252	81.84	82.60	0.100	0.106	2.540	2.692	.682	.309
MS9770-153	3.472	3.502	88.19	88.95	0.100	0.106	2.540	2.692	.733	.332
MS9770-154	3.722	3.752	94.54	95.30	0.100	0.106	2.540	2.692	.784	.356
MS9770-155	3.972	4.002	100.89	101.65	0.100	0.106	2.540	2.692	.835	.379
MS9770-156	4.222	4.252	107.24	108.00	0.100	0.106	2.540	2.692	.886	.402
MS9770-157	4.472	4.502	113.59	114.35	0.100	0.106	2.540	2.692	.938	.425
MS9770-158	4.722	4.752	119.94	120.70	0.100	0.106	2.540	2.692	.988	.448
MS9770-159	4.972	5.002	126.29	127.05	0.100	0.106	2.540	2.692	1.039	.471
MS9770-160	5.214	5.260	132.44	133.60	0.100	0.106	2.540	2.692	1.090	.494

APPROVED 22 Dec 71 REVISED

Review activities:
Navy - AS
Air Force - 82

This standard has been approved by the Dept. of the Air Force and the Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to apply this standard where suitable.

P.A. Air Force - 11 Other Cust Navy - AS	INTERNATIONAL INTEREST ASCC 17/27	TITLE: PACKING, PREFORMED - AMS 3650, 'O' RING	MILITARY STANDARD MS9770
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 2 OF 7

DD FORM 1426 672-1 (Limited coordination)

EDITION OF 1 SEP 67 MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

MS9770

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9770-161	5.464	5.510	138.79	139.95	0.100	0.106	2.540	2.692	1.141	.518
MS9770-162	5.714	5.760	145.14	146.30	0.100	0.106	2.540	2.692	1.193	.541
MS9770-163	5.964	6.010	151.49	152.65	0.100	0.106	2.540	2.692	1.243	.564
MS9770-164	6.214	6.260	157.84	159.00	0.100	0.106	2.540	2.692	1.293	.586
MS9770-165	6.464	6.510	164.19	165.35	0.100	0.106	2.540	2.692	1.345	.610
MS9770-166	6.714	6.760	170.54	171.70	0.100	0.106	2.540	2.692	1.395	.633
MS9770-167	6.964	7.010	176.89	178.05	0.100	0.106	2.540	2.692	1.446	.656
MS9770-168	7.207	7.267	183.06	184.56	0.100	0.106	2.540	2.692	1.498	.679
MS9770-169	7.457	7.517	189.41	190.93	0.100	0.106	2.540	2.692	1.548	.702
MS9770-170	7.707	7.767	195.76	197.28	0.100	0.106	2.540	2.692	1.600	.726
MS9770-171	7.957	8.017	202.11	203.63	0.100	0.106	2.540	2.692	1.650	.748
MS9770-172	8.207	8.267	208.46	209.98	0.100	0.106	2.540	2.692	1.701	.772
MS9770-173	8.457	8.517	214.81	216.33	0.100	0.106	2.540	2.692	1.753	.795
MS9770-174	8.707	8.767	221.16	222.68	0.100	0.106	2.540	2.692	1.803	.818
MS9770-175	8.957	9.017	227.51	229.03	0.100	0.106	2.540	2.692	1.854	.841
MS9770-176	9.207	9.267	233.86	235.38	0.100	0.106	2.540	2.692	1.906	.865
MS9770-177	9.457	9.517	240.21	241.73	0.100	0.106	2.540	2.692	1.956	.887
MS9770-178	9.707	9.767	246.56	248.08	0.100	0.106	2.540	2.692	2.008	.911
MS9770-201	0.166	0.176	4.22	4.47	0.135	0.143	3.429	3.632	.115	.052
MS9770-202	0.229	0.239	5.82	6.07	0.135	0.143	3.429	3.632	.139	.063
MS9770-203	0.291	0.301	7.39	7.65	0.135	0.143	3.429	3.632	.161	.073
MS9770-204	0.354	0.364	8.99	9.25	0.135	0.143	3.429	3.632	.185	.084
MS9770-205	0.416	0.426	10.57	10.82	0.135	0.143	3.429	3.632	.208	.094
MS9770-206	0.479	0.489	12.17	12.42	0.135	0.143	3.429	3.632	.232	.105
MS9770-207	0.541	0.551	13.74	14.00	0.135	0.143	3.429	3.632	.255	.116
MS9770-208	0.604	0.614	15.34	15.60	0.135	0.143	3.429	3.632	.278	.126
MS9770-209	0.666	0.676	16.92	17.17	0.135	0.143	3.429	3.632	.301	.137
MS9770-210	0.728	0.740	18.49	18.80	0.135	0.143	3.429	3.632	.324	.147
MS9770-211	0.790	0.802	20.07	20.37	0.135	0.143	3.429	3.632	.348	.158
MS9770-212	0.853	0.865	21.67	21.97	0.135	0.143	3.429	3.632	.371	.168
MS9770-213	0.915	0.927	23.24	23.55	0.135	0.143	3.429	3.632	.394	.179
MS9770-214	0.978	0.990	24.84	25.15	0.135	0.143	3.429	3.632	.417	.189
MS9770-215	1.040	1.052	26.42	26.72	0.135	0.143	3.429	3.632	.441	.200
MS9770-216	1.103	1.115	28.02	28.32	0.135	0.143	3.429	3.632	.464	.210
MS9770-217	1.165	1.177	29.59	29.90	0.135	0.143	3.429	3.632	.487	.221
MS9770-218	1.228	1.240	31.19	31.50	0.135	0.143	3.429	3.632	.512	.232
MS9770-219	1.290	1.302	32.77	33.07	0.135	0.143	3.429	3.632	.534	.242
MS9770-220	1.353	1.365	34.37	34.67	0.135	0.143	3.429	3.632	.557	.253
MS9770-221	1.415	1.427	35.94	36.25	0.135	0.143	3.429	3.632	.580	.263
MS9770-222	1.478	1.490	37.54	37.85	0.135	0.143	3.429	3.632	.604	.274
MS9770-223	1.599	1.619	40.61	41.12	0.135	0.143	3.429	3.632	.650	.295
MS9770-224	1.724	1.744	43.79	44.30	0.135	0.143	3.429	3.632	.697	.316
MS9770-225	1.849	1.869	46.96	47.47	0.135	0.143	3.429	3.632	.743	.337
MS9770-226	1.974	1.994	50.14	50.65	0.135	0.143	3.429	3.632	.789	.358
MS9770-227	2.099	2.119	53.31	53.82	0.135	0.143	3.429	3.632	.836	.379
MS9770-228	2.224	2.244	56.49	57.00	0.135	0.143	3.429	3.632	.882	.400
MS9770-229	2.349	2.369	59.66	60.17	0.135	0.143	3.429	3.632	.929	.421
MS9770-230	2.474	2.494	62.84	63.35	0.135	0.143	3.429	3.632	.975	.442
MS9770-231	2.599	2.619	66.01	66.52	0.135	0.143	3.429	3.632	1.022	.464
MS9770-232	2.719	2.749	69.06	69.82	0.135	0.143	3.429	3.632	1.069	.485
MS9770-233	2.844	2.874	72.24	73.00	0.135	0.143	3.429	3.632	1.115	.506
MS9770-234	2.969	2.999	75.41	76.17	0.135	0.143	3.429	3.632	1.161	.527
MS9770-235	3.094	3.124	78.59	79.35	0.135	0.143	3.429	3.632	1.207	.547

APPROVED 22 Dec 71 REVISED

P.A. Air Force—II Other Cust Navy—AS	INTERNATIONAL INTEREST ASCC 17/27	TITLE PACKING, PREFORMED - AMS 3650, 'O' RING	MILITARY STANDARD MS9770
PROCUREMENT SPECIFICATION NONE		SUPERSEDES	SHEET 3 OF 7

DD FORM 1 SEP 63 672-1 (Limited coordination) EDITION OF 1 SEP 57 MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

MS9770

FED. SUP CLASS
5330

PART NUMBER	ID IN. MIN	ID IN. MAX	ID (mm) MIN	ID (mm) MAX	T IN. MIN	T IN. MAX	T (mm) MIN	T (mm) MAX	APPROX MASS LB/100	APPROX MASS kg/100
MS9770-236	3.219	3.249	81.76	82.52	0.135	0.143	3.429	3.632	1.254	.569
MS9770-237	3.344	3.374	84.94	85.70	0.135	0.143	3.429	3.632	1.301	.590
MS9770-238	3.469	3.499	88.11	88.87	0.135	0.143	3.429	3.632	1.347	.611
MS9770-239	3.594	3.624	91.29	92.05	0.135	0.143	3.429	3.632	1.394	.632
MS9770-240	3.719	3.749	94.46	95.22	0.135	0.143	3.429	3.632	1.440	.653
MS9770-241	3.844	3.874	97.64	98.40	0.135	0.143	3.429	3.632	1.487	.674
MS9770-242	3.969	3.999	100.81	101.57	0.135	0.143	3.429	3.632	1.533	.695
MS9770-243	4.094	4.124	103.99	104.75	0.135	0.143	3.429	3.632	1.580	.717
MS9770-244	4.219	4.249	107.16	107.92	0.135	0.143	3.429	3.632	1.626	.738
MS9770-245	4.344	4.374	110.34	111.10	0.135	0.143	3.429	3.632	1.672	.758
MS9770-246	4.469	4.499	113.51	114.27	0.135	0.143	3.429	3.632	1.719	.780
MS9770-247	4.594	4.624	116.69	117.45	0.135	0.143	3.429	3.632	1.766	.801
MS9770-248	4.719	4.749	119.86	120.62	0.135	0.143	3.429	3.632	1.812	.822
MS9770-249	4.844	4.874	123.04	123.80	0.135	0.143	3.429	3.632	1.859	.843
MS9770-250	4.969	4.999	126.21	126.97	0.135	0.143	3.429	3.632	1.905	.864
MS9770-251	5.086	5.132	129.18	130.35	0.135	0.143	3.429	3.632	1.952	.885
MS9770-252	5.211	5.257	132.36	133.53	0.135	0.143	3.429	3.632	2.000	.907
MS9770-253	5.336	5.382	135.53	136.70	0.135	0.143	3.429	3.632	2.044	.927
MS9770-254	5.461	5.507	138.71	139.88	0.135	0.143	3.429	3.632	2.091	.948
MS9770-255	5.586	5.632	141.88	143.05	0.135	0.143	3.429	3.632	2.137	.969
MS9770-256	5.711	5.757	145.06	146.23	0.135	0.143	3.429	3.632	2.184	.991
MS9770-257	5.836	5.882	148.23	149.40	0.135	0.143	3.429	3.632	2.230	1.012
MS9770-258	5.961	6.007	151.41	152.58	0.135	0.143	3.429	3.632	2.277	1.033
MS9770-259	6.211	6.257	157.76	158.93	0.135	0.143	3.429	3.632	2.370	1.075
MS9770-260	6.461	6.507	164.11	165.28	0.135	0.143	3.429	3.632	2.462	1.117
MS9770-261	6.711	6.757	170.46	171.63	0.135	0.143	3.429	3.632	2.555	1.159
MS9770-262	6.961	7.007	176.81	177.98	0.135	0.143	3.429	3.632	2.649	1.202
MS9770-263	7.204	7.264	182.98	184.51	0.135	0.143	3.429	3.632	2.742	1.244
MS9770-264	7.454	7.514	189.33	190.86	0.135	0.143	3.429	3.632	2.835	1.286
MS9770-265	7.704	7.764	195.68	197.21	0.135	0.143	3.429	3.632	2.927	1.328
MS9770-266	7.954	8.014	202.03	203.56	0.135	0.143	3.429	3.632	3.020	1.370
MS9770-267	8.204	8.264	208.38	209.91	0.135	0.143	3.429	3.632	3.114	1.412
MS9770-268	8.454	8.514	214.73	216.26	0.135	0.143	3.429	3.632	3.207	1.455
MS9770-269	8.704	8.764	221.00	222.61	0.135	0.143	3.429	3.632	3.300	1.497
MS9770-270	8.954	9.014	227.43	228.65	0.135	0.143	3.429	3.632	3.392	1.539
MS9770-271	9.204	9.264	233.78	235.31	0.135	0.143	3.429	3.632	3.485	1.581
MS9770-272	9.454	9.514	240.13	241.66	0.135	0.143	3.429	3.632	3.579	1.623
MS9770-273	9.704	9.764	246.48	248.01	0.135	0.143	3.429	3.632	3.671	1.665
MS9770-274	9.954	10.014	252.83	254.36	0.135	0.143	3.429	3.632	3.764	1.707
MS9770-275	10.454	10.514	265.53	267.06	0.135	0.143	3.429	3.632	3.950	1.792
MS9770-276	10.954	11.014	278.23	279.76	0.135	0.143	3.429	3.632	4.136	1.876
MS9770-277	11.454	11.514	290.93	292.46	0.135	0.143	3.429	3.632	4.322	1.960
MS9770-278	11.954	12.014	303.63	305.16	0.135	0.143	3.429	3.632	4.508	2.045
MS9770-279	12.954	13.014	329.03	330.56	0.135	0.143	3.429	3.632	4.880	2.214
MS9770-280	13.954	14.014	354.43	355.96	0.135	0.143	3.429	3.632	5.252	2.382
MS9770-281	14.954	15.014	379.83	381.36	0.135	0.143	3.429	3.632	5.624	2.551
MS9770-282	15.910	16.000	404.11	406.40	0.135	0.143	3.429	3.632	5.987	2.716
MS9770-283	16.910	17.000	429.51	431.80	0.135	0.143	3.429	3.632	6.361	2.885
MS9770-284	17.910	18.000	454.91	457.20	0.135	0.143	3.429	3.632	6.729	3.052
MS9770-309	0.407	0.417	10.34	10.59	0.205	0.215	5.21	5.46	.528	.239
MS9770-310	0.470	0.480	11.94	12.19	0.205	0.215	5.21	5.46	.581	.264
MS9770-311	0.532	0.542	13.51	13.77	0.205	0.215	5.21	5.46	.634	.288
MS9770-312	0.595	0.605	15.11	15.37	0.205	0.215	5.21	5.46	.687	.312
MS9770-313	0.657	0.667	16.69	16.94	0.205	0.215	5.21	5.46	.740	.336

APPROVED 22 Dec 71 REVISED

Review activities:
Navy - AS
Air Force - 82

This standard has been approved by the Dept. of the Air Force (III) and the Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A.	INTERNATIONAL INTEREST	TITLE
Air Force-11 Other Cust Navy-AS	ASCC 17/27	PACKING, PREFORMED - AMS 3650, 'O' RING
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	MILITARY STANDARD MS9770 SHEET 4 OF 7

DD FORM 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

MS9770

FED. SUP CLASS

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9770-314	0.719	0.731	18.26	18.57	0.205	0.215	5.21	5.46	.793	.360
MS9770-315	0.781	0.793	19.84	20.14	0.205	0.215	5.21	5.46	.846	.384
MS9770-316	0.844	0.856	21.44	21.74	0.205	0.215	5.21	5.46	.899	.408
MS9770-317	0.906	0.918	23.01	23.32	0.205	0.215	5.21	5.46	.952	.432
MS9770-318	0.969	0.981	24.61	24.92	0.205	0.215	5.21	5.46	1.005	.456
MS9770-319	1.031	1.043	26.19	26.49	0.205	0.215	5.21	5.46	1.058	.480
MS9770-320	1.094	1.106	27.79	28.09	0.205	0.215	5.21	5.46	1.112	.504
MS9770-321	1.156	1.168	29.36	29.67	0.205	0.215	5.21	5.46	1.165	.528
MS9770-322	1.219	1.231	30.96	31.27	0.205	0.215	5.21	5.46	1.218	.552
MS9770-323	1.281	1.293	32.54	32.84	0.205	0.215	5.21	5.46	1.271	.577
MS9770-324	1.344	1.356	34.14	34.44	0.205	0.215	5.21	5.46	1.324	.601
MS9770-325	1.465	1.485	37.21	37.72	0.205	0.215	5.21	5.46	1.430	.649
MS9770-326	1.590	1.610	40.39	40.89	0.205	0.215	5.21	5.46	1.537	.697
MS9770-327	1.715	1.735	43.56	44.07	0.205	0.215	5.21	5.46	1.643	.745
MS9770-328	1.840	1.860	46.74	47.24	0.205	0.215	5.21	5.46	1.749	.733
MS9770-329	1.965	1.985	49.91	50.42	0.205	0.215	5.21	5.46	1.855	.841
MS9770-330	2.090	2.110	53.09	53.59	0.205	0.215	5.21	5.46	1.961	.889
MS9770-331	2.215	2.235	56.26	56.77	0.205	0.215	5.21	5.46	2.067	.938
MS9770-332	2.340	2.360	59.44	59.94	0.205	0.215	5.21	5.46	2.173	.986
MS9770-333	2.465	2.485	62.61	63.12	0.205	0.215	5.21	5.46	2.279	1.034
MS9770-334	2.590	2.610	65.79	66.29	0.205	0.215	5.21	5.46	2.385	1.082
MS9770-335	2.710	2.740	68.83	69.60	0.205	0.215	5.21	5.46	2.491	1.130
MS9770-336	2.835	2.865	72.01	72.77	0.205	0.215	5.21	5.46	2.597	1.178
MS9770-337	2.960	2.990	75.18	75.95	0.205	0.215	5.21	5.46	2.703	1.226
MS9770-338	3.085	3.115	78.36	79.12	0.205	0.215	5.21	5.46	2.810	1.275
MS9770-339	3.210	3.240	81.53	82.30	0.205	0.215	5.21	5.46	2.916	1.323
MS9770-340	3.335	3.365	84.71	85.47	0.205	0.215	5.21	5.46	3.022	1.371
MS9770-341	3.460	3.490	87.88	88.65	0.205	0.215	5.21	5.46	3.128	1.419
MS9770-342	3.585	3.615	91.06	91.82	0.205	0.215	5.21	5.46	3.234	1.467
MS9770-343	3.710	3.740	94.23	95.00	0.205	0.215	5.21	5.46	3.340	1.515
MS9770-344	3.835	3.865	97.41	98.17	0.205	0.215	5.21	5.46	3.446	1.563
MS9770-345	3.960	3.990	100.58	101.35	0.205	0.215	5.21	5.46	3.552	1.611
MS9770-346	4.085	4.115	103.76	104.52	0.205	0.215	5.21	5.46	3.658	1.659
MS9770-347	4.210	4.240	106.93	107.70	0.205	0.215	5.21	5.46	3.764	1.707
MS9770-348	4.335	4.365	110.11	110.87	0.205	0.215	5.21	5.46	3.870	1.755
MS9770-349	4.460	4.490	113.28	114.05	0.205	0.215	5.21	5.46	3.976	1.803
MS9770-350	4.585	4.615	116.46	117.22	0.205	0.215	5.21	5.46	4.090	1.855
MS9770-351	4.710	4.740	119.63	120.40	0.205	0.215	5.21	5.46	4.196	1.903
MS9770-352	4.835	4.865	122.81	123.57	0.205	0.215	5.21	5.46	4.302	1.951
MS9770-353	4.960	4.990	125.98	126.75	0.205	0.215	5.21	5.46	4.409	2.000
MS9770-354	5.077	5.123	128.96	130.12	0.205	0.215	5.21	5.46	4.515	2.048
MS9770-355	5.202	5.248	132.13	133.30	0.205	0.215	5.21	5.46	4.621	2.096
MS9770-356	5.327	5.373	135.31	136.47	0.205	0.215	5.21	5.46	4.727	2.144
MS9770-357	5.452	5.498	138.48	139.65	0.205	0.215	5.21	5.46	4.834	2.193
MS9770-358	5.577	5.623	141.66	142.82	0.205	0.215	5.21	5.46	4.940	2.241
MS9770-359	5.702	5.748	144.83	146.00	0.205	0.215	5.21	5.46	5.046	2.289
MS9770-360	5.827	5.873	148.01	149.17	0.205	0.215	5.21	5.46	5.152	2.337
MS9770-361	5.952	5.998	151.18	152.35	0.205	0.215	5.21	5.46	5.259	2.385
MS9770-362	6.202	6.248	157.53	158.70	0.205	0.215	5.21	5.46	5.471	2.482
MS9770-363	6.452	6.498	163.88	165.05	0.205	0.215	5.21	5.46	5.684	2.578
MS9770-364	6.702	6.748	170.23	171.40	0.205	0.215	5.21	5.46	5.896	2.674
MS9770-365	6.952	6.998	176.58	177.75	0.205	0.215	5.21	5.46	6.109	2.771
MS9770-366	7.195	7.255	182.75	184.28	0.205	0.215	5.21	5.46	6.321	2.867
MS9770-367	7.445	7.505	189.10	190.63	0.205	0.215	5.21	5.46	6.536	2.965
MS9770-368	7.695	7.755	195.45	196.98	0.205	0.215	5.21	5.46	6.746	3.060

APPROVED 22 DEC 71 REVISED

Review activities: Navy - AS Air Force - 82

User activities: Air Force - 11 Other Cust Navy - AS

INTERNATIONAL INTEREST: ASCC 17/27

TITLE: PACKING, PREFORMED - AMS 3650 "O" RING

PROCUREMENT SPECIFICATION: NONE

SUPERSEDES:

MILITARY STANDARD

MS9770

SHEET 5 OF 7

DD FORM 672-1 (Limited coordination)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

MS9770

PART NUMBER	ΔD IN. MIN	ΔD IN. MAX	ID (mm) MIN	ID (mm) MAX	T IN. MIN	T IN. MAX	T (mm) MIN	T (mm) MAX	APPROX MASS LB/100	APPROX MASS kg/100
MS9770-369	7.945	8.005	201.80	203.33	0.205	0.215	5.21	5.46	6.959	3.157
MS9770-370	8.195	8.255	208.15	209.68	0.205	0.215	5.21	5.46	7.171	3.253
MS9770-371	8.445	8.505	214.50	216.03	0.205	0.215	5.21	5.46	7.384	3.349
MS9770-372	8.695	8.755	220.85	222.38	0.205	0.215	5.21	5.46	7.596	3.445
MS9770-373	8.945	9.005	227.20	228.73	0.205	0.215	5.21	5.46	7.809	3.542
MS9770-374	9.195	9.255	233.55	235.08	0.205	0.215	5.21	5.46	8.022	3.639
MS9770-375	9.445	9.505	239.90	241.43	0.205	0.215	5.21	5.46	8.234	3.735
MS9770-376	9.695	9.755	246.25	247.78	0.205	0.215	5.21	5.46	8.447	3.832
MS9770-377	9.945	10.005	252.60	254.13	0.205	0.215	5.21	5.46	8.660	3.928
MS9770-378	10.445	10.505	265.30	266.83	0.205	0.215	5.21	5.46	9.085	4.121
MS9770-379	10.945	11.005	278.00	279.53	0.205	0.215	5.21	5.46	9.510	4.314
MS9770-380	11.445	11.505	290.70	292.23	0.205	0.215	5.21	5.46	9.935	4.506
MS9770-381	11.945	12.005	303.40	304.93	0.205	0.215	5.21	5.46	10.360	4.699
MS9770-382	12.945	13.005	328.80	330.33	0.205	0.215	5.21	5.46	11.210	5.085
MS9770-383	13.945	14.005	354.20	355.73	0.205	0.215	5.21	5.46	12.060	5.470
MS9770-384	14.945	15.005	379.60	381.13	0.205	0.215	5.21	5.46	12.911	5.856
MS9770-385	15.910	16.000	404.11	406.40	0.205	0.215	5.21	5.46	13.744	6.234
MS9770-386	16.910	17.000	429.51	431.80	0.205	0.215	5.21	5.46	14.594	6.620
MS9770-387	17.910	18.000	454.91	457.20	0.205	0.215	5.21	5.46	15.444	7.005
MS9770-388	18.910	19.000	480.31	482.60	0.205	0.215	5.21	5.46	16.294	7.391
MS9770-389	19.860	20.000	505.71	508.00	0.205	0.215	5.21	5.46	17.144	7.776
MS9770-390	20.860	21.000	531.11	533.40	0.205	0.215	5.21	5.46	17.995	8.162
MS9770-391	21.910	22.000	556.51	558.80	0.205	0.215	5.21	5.46	18.845	8.548
MS9770-392	22.880	23.000	581.2	584.2	0.205	0.215	5.21	5.46	19.683	8.928
MS9770-393	23.880	24.000	606.6	609.6	0.205	0.215	5.21	5.46	20.533	9.314
MS9770-394	24.880	25.000	632.0	635.0	0.205	0.215	5.21	5.46	21.383	9.699
MS9770-395	25.880	26.000	657.4	660.4	0.205	0.215	5.21	5.46	22.233	10.085
MS9770-425	4.460	4.490	113.28	114.05	0.269	0.281	6.83	7.14	6.913	3.136
MS9770-426	4.585	4.615	116.46	117.22	0.269	0.281	6.83	7.14	7.096	3.219
MS9770-427	4.710	4.740	119.63	120.40	0.269	0.281	6.83	7.14	7.277	3.301
MS9770-428	4.835	4.865	122.81	123.57	0.269	0.281	6.83	7.14	7.459	3.383
MS9770-429	4.960	4.990	125.98	126.75	0.269	0.281	6.83	7.14	7.641	3.466
MS9770-430	5.077	5.123	128.96	130.12	0.269	0.281	6.83	7.14	7.823	3.548
MS9770-431	5.202	5.248	132.13	133.30	0.269	0.281	6.83	7.14	8.005	3.631
MS9770-432	5.327	5.373	135.31	136.47	0.269	0.281	6.83	7.14	8.187	3.714
MS9770-433	5.452	5.498	138.48	139.65	0.269	0.281	6.83	7.14	8.369	3.796
MS9770-434	5.577	5.623	141.66	142.82	0.269	0.281	6.83	7.14	8.550	3.878
MS9770-435	5.702	5.748	144.83	146.00	0.269	0.281	6.83	7.14	8.733	3.961
MS9770-436	5.827	5.873	148.01	149.17	0.269	0.281	6.83	7.14	8.915	4.044
MS9770-437	5.952	5.998	151.18	152.35	0.269	0.281	6.83	7.14	9.096	4.126
~~MS9770-438~~	~~6.090~~	~~6.140~~	~~154.69~~	~~155.96~~	~~0.269~~	~~0.281~~	~~6.83~~	~~7.14~~	9.461	4.291
MS9770-439	6.452	6.498	163.88	165.05	0.269	0.281	6.83	7.14	9.824	4.456
MS9770-440	6.702	6.748	170.23	171.40	0.269	0.281	6.83	7.14	10.188	4.621
~~MS9770-441~~	~~6.952~~	~~6.998~~	~~176.58~~	~~177.75~~	~~0.269~~	~~0.281~~	~~6.83~~	~~7.14~~	~~10.552~~	~~4.786~~
MS9770-442	7.195	7.255	182.75	184.28	0.269	0.281	6.83	7.14	10.916	4.951
~~MS9770-443~~	~~7.445~~	~~7.505~~	~~189.10~~	~~190.63~~	~~0.269~~	~~0.281~~	~~6.83~~	~~7.14~~	~~11.280~~	~~5.117~~
~~MS9770-444~~	7.695	7.755	195.45	196.98	0.269	0.281	6.83	7.14	11.644	5.282
MS9770-445	7.945	8.005	201.80	203.33	0.269	0.281	6.83	7.14	12.007	5.446
MS9770-446	8.445	8.505	214.50	216.03	0.269	0.281	6.83	7.14	12.735	5.776
MS9770-447	8.945	9.005	227.20	228.73	0.269	0.281	6.83	7.14	13.463	6.107
MS9770-448	9.445	9.505	239.90	241.43	0.269	0.281	6.83	7.14	14.191	6.437

APPROVED 22 Dec 71 REVISED

Navy - AS
Air Force-82

P.A.	SUPERVISORY INTEREST	TITLE	MILITARY STANDARD
Air Force - 11 Navy - AS	ASCC 17/27	PACKING, PREFORMED - AMS 3650, 'O' RING	MS9770
PROCUREMENT SPECIFICATION NONE		SUPERSEDES	SHEET 1 OF 2

DD FORM 672-1 (Limited coordination)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5330

MS9770

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9770-449	9.945	10.005	252.60	254.13	0.269	0.281	6.83	7.14	16.918	6.767
MS9770-450	10.445	10.505	265.30	266.83	0.269	0.281	6.83	7.14	15.646	7.097
MS9770-451	10.945	11.005	278.00	279.53	0.269	0.281	6.83	7.14	16.374	7.427
MS9770-452	11.445	11.505	290.70	292.23	0.269	0.281	6.83	7.14	17.102	7.757
MS9770-453	11.945	12.005	303.40	304.93	0.269	0.281	6.83	7.14	17.829	8.087
MS9770-454	12.445	12.505	316.10	317.63	0.269	0.281	6.83	7.14	18.557	8.417
MS9770-455	12.945	13.005	328.80	330.33	0.269	0.281	6.83	7.14	19.285	8.748
MS9770-456	13.445	13.505	341.50	343.03	0.269	0.281	6.83	7.14	20.012	9.077
MS9770-457	13.945	14.005	354.20	355.73	0.269	0.281	6.83	7.14	20.740	9.407
MS9770-458	14.445	14.505	366.90	368.43	0.269	0.281	6.83	7.14	21.468	9.738
MS9770-459	14.945	15.005	379.60	381.13	0.269	0.281	6.83	7.14	22.196	10.068
MS9770-460	15.445	15.505	392.30	393.83	0.269	0.281	6.83	7.14	22.924	10.398
MS9770-461	15.910	16.000	404.11	406.40	0.269	0.281	6.83	7.14	23.673	10.738
MS9770-462	16.410	16.500	416.81	419.10	0.269	0.281	6.83	7.14	24.402	11.069
MS9770-463	16.910	17.000	429.51	431.80	0.269	0.281	6.83	7.14	25.132	11.400
MS9770-464	17.410	17.500	442.21	444.50	0.269	0.281	6.83	7.14	25.861	11.730
MS9770-465	17.910	18.000	454.91	457.20	0.269	0.281	6.83	7.14	26.590	12.061
MS9770-466	18.410	18.500	467.61	469.90	0.269	0.281	6.83	7.14	27.320	12.392
MS9770-467	18.910	19.000	480.31	482.60	0.269	0.281	6.83	7.14	28.049	12.723
MS9770-468	19.410	19.500	493.01	495.30	0.269	0.281	6.83	7.14	28.778	13.053
MS9770-469	19.910	20.000	505.71	508.00	0.269	0.281	6.83	7.14	29.507	13.384
MS9770-470	20.910	21.000	531.11	533.40	0.269	0.281	6.83	7.14	30.966	14.046
MS9770-471	21.910	22.000	556.51	558.80	0.269	0.281	6.83	7.14	32.425	14.708
MS9770-472	22.880	23.000	581.2	584.2	0.269	0.281	6.83	7.14	33.861	15.359
MS9770-473	23.880	24.000	606.8	609.6	0.269	0.281	6.83	7.14	35.320	16.021
MS9770-474	24.880	25.000	632.0	635.0	0.269	0.281	6.83	7.14	36.779	16.683
MS9770-475	25.880	26.000	657.4	660.4	0.269	0.281	6.83	7.14	38.237	17.344

1. MATERIAL: POLYTETRAFLUOROETHYLENE AMS 3650.
2. DIMENSIONS IN INCHES. METRIC CONVERSIONS ARE IN PARENTHESES. INTERNATIONAL SYSTEM UNITS (SI) SHOWN ARE FOR REFERENCE ONLY.
3. IDENTIFICATION AND PACKAGING PER AMS 2817. PACKING SHALL NOT BE COILED OR LOOPED.
4. DIMENSIONAL INSPECTION PER AS871.
5. DO NOT USE UNASSIGNED PART NUMBERS.

AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS.
THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE MILITARY SERVICES BY THE AEROSPACE PART STANDARDS DIVISION.

APPROVED 22 Dec 71 REVISED

P.A.	INTERNATIONAL INTEREST	TITLE
Air Force-11 / Other Govt		
Navy-AS	ASCC 17/27	
PREPARING SPECIFICATION: NONE	SUPERSEDES	

MILITARY STANDARD
MS9770

DD FORM 672-1 (Reverse side)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:24Z
Check the source to verify that this is the current version before use.