INCH-POUND

MIL-C-50471 (AR)
AMENDMENT 5
20 April 1990
SUPERSEDING
AMENDMENT 4
7 December 1987

MILITARY SPECIFICATION

CHARGE, SUPPLEMENTARY ASSEMBLY WITH SPACER FOR DEEP CAVITY LOADED PROJECTILE, LOADING ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-50471 (MU), 14 January 1970, and is approved for use within the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 5

Change the following incorrect paragraph numbers:

"4.2.3.2" to "4.2.2.2"
"4.2.3.3" to "4.2.2.3"
"4.2.3.4" to "4.2.2.4"

4.2.2.4: Paragraph title, delete "(without pad and tab)" and substitute "(without pad, tab and tape)".

PAGE 6

4.2.2.5: Delete Major 102 in its entirety and add the following Minors:

	"208	Pellets loose	Manual 06002
*	209	Tape missing, incorrect or inadequate (100% Examination)	Visual 06011
*	210	Pad adhesive missing, incorrect or inadequate (100% Examination)	Visual 06012".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:26Z
Check the source to verify that this is the current version before use.

4.2.3.1.1 Delete the last sentence in its entirety and substitute the following:

"Testing shall be performed as specified in 4.3.1.1 or 4.3.1.1.1".

Add the following paragraph 4.2.3.1.1.1:

"4.2.3.1.1.1 Pellets (Alternate sampling plan). - One sample pellet shall be selected from each pelleting press after each hour of production. Failure of the sample shall be cause for rejection of the hour's production represented by the sample. Testing shall be performed as specified in 4.3.1.1 or 4.3.1.1.1."

4.2.3.1.2: Delete in its entirety.

4.2.3.2, line 2: Delete the following: (applicable to pellets)

Add the following paragraph 4.3.1.1.1:

"4.3.1.1.1 Pellet specific gravity alternate method. The pellets shall be measured by averaging two diameters at right angles and 4 heights at 90 degree segments; measurements shall be made to one thousandth of an inch. the volume shall be determined and the specific gravity calculated as follows:

$$\text{Specific Gravity} = \frac{W}{16.39V}$$

Where: W = Weight of sample in grams
V = Volume in cubic inches

No chipped or broken pellets shall be used in determination of specific gravity."

4.3.1.2: Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 20260-22T20:26Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only, and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1315-AB37)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:26Z
Check the source to verify that this is the current version before use.