
MILITARY SPECIFICATION

CIRCUIT CARD ASSEMBLY: 10548638
(DELAY, FINE/FINE)

This amendment forms a part of Military Specification MIL-C-50652/17 (MU) dated 15 April 1971 and is approved for use by the US Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

Figure 1: Delete in its entirety and substitute new Figure 1.



FSC 1285

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:32Z
Check the source to verify that this is the current version before use.

SIGNAL	CHARACTERISTICS	TERMINALS
E/L Trigger (Search)	6.7 + 0 - 0.5 nsec 1.7 nsec between leading edges	P1-15




FIGURE 1. INPUT AND OUTPUT SIGNALS.

PAGE 4

3.5.6.2, Delete in its entirety and substitute new paragraph:


"3.5.6.2 E/L Trigger Pulse Parameters - The E/L trigger output signal at P1-15 shall be 0.45 ± 0.15 usec wide at a 20khz PRF. With a logic 1 applied to P1-3 there shall be a delay of 20 to 70 nsec between the leading edge of the input signal at P1-19 and the leading edge of the E/L output signal at P1-15. With a logic 0 applied to P1-3, there shall be an additional delay of 15 to 185 nsec from the delay present with a logic 1 applied to P1-3."

PAGE 6

Table II, Under Item Number 2: Delete the word "Dual" and under description first word change "Two" to "Three"

PAGE 7

Figure 2, Add delineation of J4 as shown:



PAGE 8

Table III, Add the following:

"J4 Same as J2"

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:32Z
Check the source to verify that this is the current version before use.

* Figure 3, Delete in its entirety and substitute new Figure 3:





FIGURE 3. ♣ 5 Timing Circuit

PAGE 11

* Figure 4: Change delineation of pulse generator and add delineation of J4 as shown:



* NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR
(Project 1285-A542)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:32Z
Check the source to verify that this is the current version before use.