METRIC

MIL-C-50872C (AR)
AMENDMENT 2
24 September 1993
SUPERSEDING
AMENDMENT 1
30 July 1991

MILITARY SPECIFICATION

CARTRIDGE, 40MM, HEDP, M433
LOADING, ASSEMBLING AND PACKAGING

This amendment forms a part of MIL-C-50872C (AR), dated 22 July 1981, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 10

4.4.2.5, Delete MAJOR 102 in its entirety and substitute:

"102. Air Pressure 4.5.7 4.5.7 3.2 4.5.7"

PAGE 20

Add new paragraph 4.5.4.1:

"4.5.4.1 Alternate method for Specific Gravity determination.

Prior to assembly, weigh empty body assembly with liner assembly and retainer in air (grams). Record the weight as "A".

Prior to assembly, weigh the same empty body assembly with liner assembly and retainer submerged in water (grams). Record the weight as "B".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

Dry the components and load with explosive composition using normal production methods.

Weigh the loaded assembly in air (grams). Record the weight as "C".

Weigh the loaded assembly submerged in water (grams). Record the weight as "D".

Calculate the specific gravity of charge as follows:

$$\text{Sp. Gr.} = \frac{C - A}{(C-A) - (D-B)}$$ "

4.5.7, Add:

"Fourteen (14) samples shall be selected from every thirty (30) minutes of production. The last sample shall be air tested. If it is acceptable the thirty (30) minutes of production shall be considered acceptable; and the samples shall be returned to the lot. If the sample is unacceptable, the remaining thirteen (13) samples shall be air tested. If no failure occurs, the thirty (30) minutes of production shall be considered acceptable. If one (1) or more failures occur, the thirty (30) minutes of production shall be rejected and segregated from the lot."

PAGE 21

* 4.5.9 Delete "...70°F + 5°..." and substitute "...70°F $\pm$ 5°F..."

Source: https://assist.dla.mil -- Downloaded: 20260-22T20:41Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-A542)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.