NOT MEASUREMENT SENSITIVE

MIL-DTL-11589/148G
15 September 1995
SUPERSEDING
MIL-R-11589/148F
28 March 1994

DETAIL SPECIFICATION SHEET

RIBBON, WORLD WAR I VICTORY MEDAL

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of MIL-DTL-11589 listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation.

COLOR PATTERN FINISH: Moire___

| TOTAL WIDTH | NUMBER OF ENDS 1-3/8" | 11/16" | 2-3/4" | FUNCTION OF ENDS | COLOR & CABLE NUMBER ENDS | | FILLING YARN |
|---|---|---|---|---|---|---|---|
| | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| 1-3/8 in | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| (35.0 mm) | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| 11/16 in | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| (17.5 mm) | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| 2-3/4 in | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| (70.0 mm) | 2 | 2 | 2 | Ground | Brown | HAL 67136 | |
| | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| | 2 | - | - | Ground | Brown | HAL 67136 | |
| | 2 | - | - | Ground | Purple | HP 67115 | |
| | 2 | - | - | Ground | Brown | HAL 67136 | |
| | 2 | - | - | Ground | Purple | HP 67115 | |
| | 2 | - | - | Ground | Brown | HAL 67136 | |
| | 2 | - | - | Ground | Purple | HP 67115 | |
| | 2 | - | - | Ground | Brown | HAL 67136 | |
| | 2 | - | - | Ground | Purple | HP 67115 | |
| | 6 | 3 | 10 | Ground | Purple | HP 67115 | |
| | 2 | 2 | - | Ground | Imperial Blue | HBZ 67175 | |
| | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| | 2 | 2 | 2 | Ground | Imperial Blue | HBZ 67175 | |
| | 2 | 2 | 2 | Ground | Purple | HP 67115 | |
| | 2 | - | 2 | Ground | Imperial Blue | HBZ 67175 | |
| | 2 | - | 2 | Ground | Purple | HP 67115 | |

AMSC N/A FSC 8455

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T19:09Z
Check the source to verify that this is the current version before use.

COLOR PATTERN (Continued) FINISH: Moire___

| TOTAL WIDTH | NUMBER OF ENDS 1-3/8" | 11/16" | 2-3/4" | FUNCTION OF ENDS | COLOR & CABLE NUMBER ENDS | FILLING YARN |
|---|---|---|---|---|---|---|
| | - | - | 2 | Ground | Imperial Blue HBZ 67175 | |
| | - | - | 2 | Ground | Purple HP 67115 | |
| | - | - | 2 | Ground | Imperial Blue HBZ 67175 | |
| | - | - | 2 | Ground | Purple HP 67115 | |
| | - | - | 2 | Ground | Imperial Blue HBZ 67175 | |
| | 10 | 4 | 32 | Ground | Imperial Blue HBZ 67175 | |
| | 2 | 2 | - | Ground | Victory Medal Blue # 2 HBY 67174 | |
| | 2 | 2 | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | - | - | Ground | Victory Medal Blue # 2 HBY 67174 | |
| | 2 | - | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | 2 | - | Ground | Victory Medal Blue # 2 HBY 67174 | |
| | 2 | 2 | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | - | - | Ground | Victory Medal Blue # 2 HBY 67174 | |
| | 2 | - | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | 2 | - | Ground | Cannes Blue HBV 67171 | |
| | 2 | 2 | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | - | - | Ground | Cannes Blue HBV 67171 | |
| | 2 | - | - | Ground | Imperial Blue HBZ 67175 | |
| | 2 | 2 | 2 | Ground | Ostende Blue HBU 67170 | |
| | - | - | 2 | Ground | Imperial Blue HBZ 67175 | |
| | - | - | 2 | Ground | Ostende Blue HBU 67170 | |
| | - | - | 2 | Ground | Imperial Blue HBZ 67175 | |
| | - | - | 2 | Ground | Ostende Blue HBU 67170 | |
| | 2 | 2 | 2 | Ground | Emerald HAC 67128 | |
| | - | - | 2 | Ground | Ostende Blue HBU 67170 | |
| | 2 | - | - | Ground | Cannes Blue HBV 67171 | |
| | 2 | - | 2 | Ground | Emerald HAC 67128 | |
| | - | - | 2 | Ground | Ostende Blue HBU 67170 | |
| | 2 | 2 | - | Ground | Imperial Blue HBZ 67175 | |
| | 12 | 7 | 26 | Ground | Emerald HAC 67128 | |
| | 2 | 2 | 2 | Ground | Mosstone Green HAB 67127 | |
| | 2 | 2 | 2 | Ground | Emerald HAC 67128 | |
| | 2 | - | 2 | Ground | Mosstone Green HAB 67127 | |
| | 2 | - | 2 | Ground | Emerald HAC 67128 | |
| | 2 | 2 | 4 | Ground | Mosstone Green HAB 67127 | |
| | 2 | 2 | 2 | Ground | Aspic Green HCJ 67184 | |
| | 2 | 2 | 2 | Ground | Mosstone Green HAB 67127 | |
| | 2 | 2 | 2 | Ground | Aspic Green HCJ 67184 | |
| | 2 | - | 2 | Ground | Mosstone Green HAB 67127 | |
| | 2 | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | - | - | 2 | Ground | Mosstone Green HAB 67127 | |
| | 2 | 2 | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T19:09Z
Check the source to verify that this is the current version before use.

COLOR PATTERN (Continued) FINISH: Moire___

| TOTAL WIDTH | NUMBER OF ENDS 1-3/8" | 11/16" | 2-3/4" | FUNCTION OF ENDS | COLOR & CABLE NUMBER ENDS | FILLING YARN |
|---|---|---|---|---|---|---|
| | - | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Aspic Green HCJ 67184 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | 2 | 2 | Ground | Lemon Yellow HAT 67144 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 8 | Ground | Lemon Yellow HAT 67144 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Lemon Yellow HAT 67144 | |
| | 2 | 2 | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | 2 | 2 | Ground | Golden Yellow HD 67104 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Golden Yellow HD 67104 | |
| | 2 | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | 2 | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Nugget Gold HAV 67146 | |
| | - | - | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Golden Yellow HD 67104 | |
| | - | - | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Yellow HH 67108 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | - | Ground | Golden Orange HJ 67109 | |
| | 2 | 2 | - | Ground | Yellow HH 67108 | |
| | 2 | 2 | - | Ground | Golden Orange HJ 67109 | |
| | 2 | - | - | Ground | Yellow HH 67108 | |
| | 2 | - | - | Ground | Golden Orange HJ 67109 | |
| | 2 | 2 | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Golden Orange HJ 67109 | |
| | 2 | - | 2 | Ground | Orange HK 67110 | |
| | 2 | - | 2 | Ground | Golden Orange HJ 67109 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T19:09Z
Check the source to verify that this is the current version before use.

COLOR PATTERN (Continued) FINISH: Moire___

| TOTAL WIDTH | NUMBER OF ENDS 1-3/8" | 11/16" | 2-3/4" | FUNCTION OF ENDS | COLOR & CABLE NUMBER ENDS | FILLING YARN |
|---|---|---|---|---|---|---|
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | - | - | 2 | Ground | Orange HK 67110 | |
| | - | - | 2 | Ground | Golden Orange HJ 67109 | |
| | 2 | 2 | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Paprica HBA 67151 | |
| | 2 | 2 | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Paprica HBA 67151 | |
| | 2 | 2 | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Paprica HBA 67151 | |
| | 2 | 2 | 2 | Ground | Orange HK 67110 | |
| | 2 | 2 | 2 | Ground | Paprica HBA 67151 | |
| | - | - | 2 | Ground | Scarlet HL 67111 | |
| | - | - | 2 | Ground | Paprica HBA 67151 | |
| | - | - | 2 | Ground | Scarlet HL 67111 | |
| | - | - | 2 | Ground | Paprica HBA 67151 | |
| | - | - | 2 | Ground | Scarlet HL 67111 | |
| | - | - | 2 | Ground | Paprica HBA 67151 | |
| | 4 | 2 | - | Ground | Paprica HBA 67151 | |
| | - | - | 4 | Ground | Scarlet HL 67111 | |

| | | | | |
|---|---|---|---|---|
| TOTAL ENDS: | 210 | 114 | 322 | Total Ends One Repeat |
| | 210 | 114 | 322 | Repeat in reverse |
| | 420 | 228 | 644 | Total Ends |

420 ends - Regular Size
228 ends - Miniature Size
644 ends - Streamer Size



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T19:09Z
Check the source to verify that this is the current version before use.

PHYSICAL REQUIREMENTS OF THE FINISHED RIBBON

REGULAR SIZE:

| | |
|---|---|
| WIDTH: 1-3/8 inch + 1/16 inch - 0 (35.0 mm + 1.6 mm - 0) | |
| TOTAL WARP ENDS (Minimum): | 420 |
| PICKS PER INCH: | 40 (2 thread single shot) |
| WEIGHT PER LINEAR YARD (Minimum): | 0.29 ounces (8.22 g) |
| LINEAR BREAKING STRENGTH FULL WIDTH (Minimum): | 100 pounds (45.4 kg) |

MINIATURE SIZE:

| | |
|---|---|
| WIDTH: 11/16 inch + 1/16 inch - 0 (17.5 mm + 1.6 mm - 0) | |
| TOTAL WARP ENDS (Minimum): | 228 |
| PICKS PER INCH: | 40 (2 thread single shot) |
| WEIGHT PER LINEAR YARD (Minimum): | 0.145 ounces (4.11 g) |
| LINEAR BREAKING STRENGTH FULL WIDTH (Minimum): | 50 pounds (22.7 kg) |

STREAMER SIZE:

| | |
|---|---|
| WIDTH: 2-3/4 inch + 1/16 inch - 0 (70.0 mm + 1.6 mm - 0) | |
| TOTAL WARP ENDS (Minimum): | 644 |
| PICKS PER INCH: | 70 (1 thread single shot) |
| WEIGHT PER LINEAR YARD (Minimum): | 0.31 ounces (8.79 g) |
| LINEAR BREAKING STRENGTH FULL WIDTH (Minimum): | 90 pounds (40.9 kg) |

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:
Army - IH
Air Force - 45
Navy - NU
Coast Guard - CG

Preparing activity:
Army - IH

Review activities:
Air Force - 32, 82, 99
Navy - MC
DLA - CT

(Project No. 8455-0815)



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T19:09Z
Check the source to verify that this is the current version before use.