INCH-POUND

MIL-R-83725B
AMENDMENT 2
15 June 1994
SUPERSEDING
AMENDMENT 1
13 March 1980

MILITARY SPECIFICATION

RELAYS, VACUUM, GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-R-83725B, dated 3 October 1977, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* STANDARD, MILITARY, delete "MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes."

PAGE 3

3.4.6, last sentence, delete and substitute: "Unless otherwise specified (see 3.1), gold plated terminals shall not be used."

PAGE 4

3.16, delete and substitute:

"3.16 Thermal shock. When relays are tested as specified in 4.16, there shall be no damage to the relay, loosening of terminals, or cracking or flaking of glass insulation."

PAGE 6

* 4.6.1.2.1, delete and substitute:

"4.6.1.2.1 Sampling plan. Each relay offered for inspection shall be subjected to the tests in subgroup 1. Inspection lots rejected in subgroup 1 shall not be offered for reinspection. For subgroup 2, a sample of parts shall be randomly selected in accordance with table IIa. If one or more defects are found, the lot shall be rescreened and the defective parts removed. After screening and removal of defective parts, a new sample of parts shall be randomly selected in accordance with table IIa. If one or more defects are found in the second sample, the lot shall be rejected and shall not be supplied to this specification."

* 4.6.1.2.2, delete in its entirety.

PAGE 7

TABLE I, Examination or test column, Group IV, delete: "Shelf life (accelerated)" and substitute "Thermal shock".


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:24Z
Check the source to verify that this is the current version before use.

PAGE 8

* TABLE II, delete and substitute:

" TABLE II. Group A inspection.

| Inspection | Requirement paragraph | Test method paragraph | Sampling plan |
|---|---|---|---|
| Subgroup 1 | | | |
| Dielectric withstanding voltage | 3.5 | 4.7.2 | 100% inspection |
| Electrical characteristics | 3.7 | 4.7.4 | |
| Subgroup 2 | | | |
| Visual and mechanical examination 1/ | 3.1, 3.3, 3.4, 3.19, 3.20 | 4.7.1 | See table IIa |
| Insulation resistance | 3.6 | 4.7.3 | |

1/ Two samples unit only for physical dimensions. "

* After table II, add:

" TABLE IIa. Group A, subgroup 2, inspection sampling plan.

| Lot size | Sample size for visual and mechanical examination and insulation resistance |
|---|---|
| 2 to 8 | All |
| 9 to 15 | 13 |
| 16 to 25 | 13 |
| 26 to 50 | 13 |
| 51 to 90 | 13 |
| 91 to 150 | 13 |
| 151 to 280 | 20 |
| 281 to 500 | 29 |
| 501 to 1,200 | 34 |
| 1,201 to 3,200 | 42 |
| 3,201 to 10,000 | 50 |

"

PAGE 10

4.15, delete first sentence and substitute: "Relays shall be cycled for the number of cycles and at the rate specified (see 3.1)."

4.16, delete and substitute:

"4.16 Thermal shock (see 3.16). Relays shall be tested in accordance with method 107, test condition B, MIL-STD-202 for the relay temperature range specified (see 3.1). After cycling, relays shall be visually examined for breaking, cracking, chipping or flaking of the finish or loosening of the terminals and the dielectric withstanding voltage shall be measured as specified in 4.7.2. "



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:24Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Air Force - 99
Navy - AS, OS
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5945-0932)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:24Z
Check the source to verify that this is the current version before use.