INCH-POUND

MIL-D-50908B (AR)
AMENDMENT 1
24 September 1992

MILITARY SPECIFICATION

DEMOLITION KIT, CRATERING: M180
ASSEMBLING AND PACKING

This amendment forms a part of MIL-D-50908B (AR), dated 23 March 1983, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense

PAGE 4

TABLE I: Delete reference to "M57 Firing Device, Modified" in its entirety and substitute with the following:

"Firing Divice, Antipersonnel Mine, Electrical M57 (Dwg. 8800924)				
Examination for defects	10	100%	3.3	4.4.2.1
Functioning	(2)	100%	3.3	4.5.2
Cover, Protective (Dwg. 12598668)				
Examination for defects	10	100%	3.2	4.4.2.1A"

Under "NOTES" add the following:

"2. This test shall be performed on ten (10) samples subjected to the examination for defects".

PAGE 5

4.4.1.c: Delete the term "(modified)".

PAGE 6

4.4.2.1: Delete in its entirety and substitute with new 4.4.2.1 included.

PAGE 6A

4.4.2.1A: Add new 4.4.2.1A included.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:43Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Firing Device, Antipersonnel Mine, Electrical M57	1 OF 1	8800924
			NEXT HIGHER ASSEMBLY 9244400

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Case cracked or split	0.40%	3.3	Visual
102	Functioning	100%	3.3	4.5.2
Minor				
201	Poor workmanship	1.0%	3.6	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:43Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1A	Cover, Protective	1 OF 1	12598668
			NEXT HIGHER ASSEMBLY 9244400

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Largest height	0.40%	3.2	Gage
102	Top width	0.40%	3.2	Gage
103	Angle between top and largest height	0.40%	3.2	Gage
104	Angle between top and slanted side	0.40%	3.2	Gage
105	Height from top to bottom of rivet tabs	0.40%	3.2	Gage
106	Height of top lip	0.40%	3.2	Gage
107	True position of bolt slots	0.40%	3.2	Gage
108	Rear flap above flush with datum A	0.40%	3.2	Straightedge
109	Inside depth	0.40%	3.2	Gage
110	Material thickness	0.40%	3.2	Gage
111	Presence of rivets	0.40%	3.2	Visual
112	Markings present & properly located	0.40%	3.2	Visual
Minor				
201	Protective finish missing or incomplete	0.65%	3.2	Visual
202	Poor workmanship	1.0%	3.6	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:43Z
Check the source to verify that this is the current version before use.

PAGE 8

4.4.2.3: Add the following under "Critical":

"2 M57 Protective Cover missing 100% 3.3 Visual"

PAGE 9

4.4.2.3: Add the following under "Major":

"108 Bail visible (1) 100% 3.3 Visual"

Add the following under notes:

"(1) If bail is visible, the protective cover should be removed, the bail placed in the safe/vertical position and the cover reinstalled."

PAGE 12

4.5.2: Add 4.5.2 as follows:

"4.5.2 Functioning of M57 Firing device (Dwg. 8800924). - This check test shall be performed 100% as specified in the applicable drawing. The test shall be performed as follows: Place the bail in the angular slot (functioning position) and depress the handle fully once and observe for a flash of the red light on the M40 test set. Place the bail in the vertical slot (safe position). The bail must remain in the safe position following completion of this test. If the red light on the M40 Test set fails to flash, the M57 Firing Device shall be classed defective and not used in production. A record shall be kept of any defective devices for Governmental informational use."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1375-A488)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:43Z
Check the source to verify that this is the current version before use.