
MILITARY SPECIFICATION SHEET

POSTS, BINDING, ELECTRICAL, WATERPROOF AND NONWATERPROOF

(UNINSULATED), TYPES PB09NC01 TO PB09NC07, INCLUSIVE

The complete requirements for procuring the binding posts described herein shall consist of this document and the latest issue of Specification MIL-P-55149.

This specification is mandatory for use by all Departments and Agencies of the Department of Defense



Type designation	A	B ref	C	D	E	Waterproofness
PB09NC01	406	1 065	1/4-28UNF-2A	#8-32UNC-2B x 250	500	"O" ring+groove required
PB09NC02	625	1 074	1/4-28UNF-2A	None	500	"O" ring+groove required
PB09NC03	720	1 074	#10-32UNF-2A	None	500	"O" ring+groove required
PB09NC04	900	1 065	#10-32UNF-2A	None	500	"O" ring+groove required
PB09NC05	509	1 065	1/4-28UNF-2A	None	438	Not required
PB09NC06	720	1 074	#10-32UNF-2A	None	500	Not required
PB09NC07	509	1 065	#10-32UNF-2A	#8-32UNC-2B x 250	500	"O" ring+groove required

NOTES
1. Dimensions are in inches
2. Metric equivalents (to the nearest 01 mm) are given for general information only and are based upon 1 inch = 25 4 mm
3. Unless otherwise specified, tolerance is xxx ± .015(38 mm).
4. This is insulated portion
5. Drawing depicts only general characteristics and is not intended to limit
6. Material Nylon, Color Natural
7. The outer OD of the wire hole should touch the base

INCHES	MM	INCHES	MM
090	2 29	500	12 70
140	3 56	509	12 93
189	4 80	625	15 88
250	6 35	720	18 29
330	8 38	900	22 86
406	10 31	1 065	27 05
.438	11 13	1 074	27 28

FSC 5940

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:29Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:
Dimensions and configuration. See figure.
Metal finish: Nickel plate.
Cap spring pressure: 3 pounds minimum; 5 pounds maximum.
Contact resistance test: Applicable.
Conductor retention: Method I.
Panel seal test: Applicable, except for PB09NC05 and PB09NC06
Vibration test: Applicable.
Shock test: Applicable.
Cap retention test: Applicable.

Custodians
Army - EL
Navy - EC
Air Force - 80

Review activities
Army - EL, MI, AT
Navy - AS
Air Force -
DSA - GS

User activities
Army - WC
Navy - OS, SH, MC
Air Force - 17

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5940-0606)

Source: https://assist.dla.mil -- Downloaded: 20261O-22T22:29Z
Check the source to verify that this is the currentversion before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET	Form Approved Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner, and send to preparing activity Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION MIL-P-55149/9 POSTS, BINDING, ELECTRICAL, WATERPROOF AND NONWATERPROOF (UNINSULATED), TYPES PBO9NC01 TO PBO9NC07, INCLUSIVE

ORGANIZATION

CITY AND STATE	CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes" in what way?)*

4 REMARKS *(Attach any pertinent data which may be of use in improving this specification If there are additional papers attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*	DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

ESC-FM 1068-68

Source: https://assist.dla.mil -- Downloaded: 20260-22T22:29Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN: AMSEL-PP-ED
Fort Monmouth, New Jersey 07703

FOLD

To detach this form, cut along this line

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:29Z
Check the source to verify that this is the current version before use.