INCH-POUND

MIL-T-49247(CR)
AMENDMENT 2
23 January 1991

SUPERSEDING
AMENDMENT 1
10 June 1981

MILITARY SPECIFICATION

TRANSCEIVER MULTIPLEXERS TD-1288( )/GRC
and TD-1289( )(V)/GRC

This amendment forms a part of MIL-T-49247(CR), dated 24 April 1981, and is approved for use by the Communications-Electronics Command, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

DD Form 1426 note, change "Commander, US Army Communications Research and Development Command, ATTN: DRDCO-PE-EC-1, Fort Monmouth, New Jersey 07703" to "Commander, U.S. Army Communications-Electronics Command and Fort Monmouth, ATTN: AMSEL-ED-TM, Fort Monmouth, NJ 07703-5000".

PAGE 2

2.1, under SPECIFICATIONS, Military, in title of MIL-M-13231, change "at" to "of". Delete "MIL-P-116 Preservation - Packaging, Methods of". Delete "MIL-E-55585 Electronic Equipment & Parts, Packaging of".

Under STANDARDS, Military, in title of MIL-STD-105, change "Attribution" to "Attributes". Delete "MIL-STD-726 Packaging Requirements Code".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:57Z
Check the source to verify that this is the current version before use.

Under DRAWINGS, change "Communications Research and Development Command" to "Communications-Electronics Command".

PAGE 4

3.4, add "The final paint film on Type I surfaces shall be lusterless Green 383 CARC in accordance with MIL-F-14072".

PAGE 5

3.8, delete and substitute:

"3.8 Systems safety engineering. (See 4.26).

3.8.1 Personnel hazards. Personnel hazards shall be kept to a minimum. The criteria of MIL-STD-454, Requirements 1 and 8 shall be made applicable for tasks and efforts such as the selection of parts, the complete manufacturing and assembly process and any product baseline configuration changes that may be implemented during the course of the contract. Verification that compliance with this requirement has been achieved shall be through a visual inspection.

3.8.2 Edge rounding exposed. Exposed edges shall be rounded to a minimum radius of 0.04 inch (1 mm) and exposed corners to a minimum radius of 0.5 inch (13 mm).

3.8.3 Radioactive materials. Radioactive materials shall not be used".

PAGE 12

4.2c.(2), delete in its entirety.

PAGE 13

Table III, line 1, under Reqt Para, delete "3.8". Add new line 1.1:

"1.1 Systems Safety 3.8 4.26 Perform on any one unit".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:57Z
Check the source to verify that this is the current version before use.

PAGE 14

4.4, delete "Safety 3.8" in table.

PAGE 18

Between 4.5.3 and 4.5.3.1.1 insert:

"4.5.3.1 Sampling for Group C Inspection.".

PAGE 22

4.23, delete in its entirety.

PAGE 25

Add the following new paragraph:

"4.26 Visual and mechanical inspection. An inspection shall be performed to verify compliance with those portions of 3.8 which can be determined visually. The inspection shall be performed on one unit only during the First Article Test only to verify compliance with 3.8".

PAGE 26

5., delete entire section and substitute:

"5. PACKAGING

5.1 Packaging requirements. The packaging requirements for the desired level(s) of protection shall be as specified by the acquisition activity".

PAGE 27

6.2b., delete in its entirety.

6.3, delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:57Z
Check the source to verify that this is the current version before use.

AMENDMENT 2

NOTE: The margins of this amendment are marked with verticle lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the previous amendment.

Custodian:
Army - CR

Preparing Activity:
Army - CR

(Project 5805-A354)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:57Z
Check the source to verify that this is the current version before use.