INCH-POUND


MS39133H
28 April 2015
SUPERSEDING
MS39133G
24 May 2010

DETAIL SPECIFICATION SHEET

ADAPTER, STRAIGHT, PIPE TO HOSE-AUTOMOTIVE AIR BRAKE HOSE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet.



Inches	mm
0.97	24.64
1.06	26.92


NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. All dimensions are “reference” dimensions.
4. “B” or “S” designators are for brass (B) and steel (S), see table I.

FIGURE 1. Adapter assembly.

AMSC N/A

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.



Inches	mm
.015	0.38

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. All dimensions are “reference” dimensions.
4. “B” or “S” designators are for brass (B) and steel (S), see table II.

FIGURE 2. Alternate design adapter assembly.

REQUIREMENTS:

Adapter assemblies shall be specified on figures 1 and 2 and tables I and II.

Materials shall conform to formed rod, tempered, half-hard brass as specified in ASTM-B16/B16M and steel as specified in ASTM-A108.

Adapter assembly shall consist of components in accordance with MS39134, MS39135, and MS39137. Table I lists MS PIN’s to be used to make an assembly, brass and steel component parts shall not be mixed to make an assembly.

TABLE I. Adapter assembly dimensions and materials.

MS dash no.	Pipe end (NPTF Short)	Material designator	Material	MS39135 PIN	MS39137 PIN
-1	1/4	-B	Brass	MS39135-1-B	MS39137-1-B
-1		-S	Steel	MS39135-1-S	MS39137-1-S
-2	1/2	-B	Brass	MS39135-1-B	MS39137-2-B
-2		-S	Steel	MS39135-1-S	MS39137-2-S

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.


Alternate design adapter assembly shall consist of components in accordance with MS39134, MS39135, and MS39137. Table II lists MS PIN's to be used to make an assembly, brass, and steel component parts shall not be mixed to make an assembly.

TABLE II. Alternate design adapter assembly dimensions and materials.

MS dash no.	Pipe end (NPTF Short)	Material designator	Material	MS39135 PIN	MS39137 PIN
-A-1	1/4	-B	Brass	MS39135-A-1-B	MS39137-A-1-B
-A-1		-S	Steel	MS39135-A-1-S	MS39137-A-1-S
-A-2	1/2	-B	Brass	MS39135-A-1-B	MS39137-A-2-B
-A-2		-S	Steel	MS39135-A-1-S	MS39137-A-2-S


Finishes for brass shall be uncoated and steel shall be zinc coated thickness not less than 25µm, type II, in accordance with ASTM-B633.

Part or Identifying Number (PIN).



Example of a PIN: MS39133-1-B indicates an adapter assembly 1/4 NPTF made of brass.

PIN alternate design:



Example of a PIN alternate design: MS39133-A-1-B indicates an adapter assembly alternate design 1/4 NPTF made of steel.

For design feature purposes, this document takes precedence over acquisition documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.

In the event of a conflict between the text of this specification sheet and the references cited herein, the text of this specification sheet shall take precedence.

Changes from previous issue. Marginal notations are not used in the revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Referenced documents. This document references the following:

MS39134
MS39135
MS39136
MS39137
ASTM-A108
ASTM-B16/B16M
ASTM-B633

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - SH
Air Force - 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-2015-032)

Review activities:
Army - AR, EA
Navy - MC, SA

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.