HHH-V-002132(Army-GL)
June 28, 1983

INTERIM FEDERAL SPECIFICATION

PEAS AND CARROTS, THERMOSTABILIZED, TRAY PACK

This interim Federal specification was developed by the US Army Natick Research and Development Laboratories, Natick, MA 01760, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

1. SCOPE

1.1 Scope. This specification covers peas and carrots, thermostabilized in tray pack cans for use by the Department of Defense as a component of operational rations.

1.2 Classification. The tray pack peas and carrots shall be of the following types as specified (see 6.1).

Type I - Processed from fresh peas and carrots.
Type II - Processed from frozen peas and carrots.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

TT-C-495 - Coatings, Exterior, For Tinned Food Cans
PPP-B-636 - Boxes, Shipping, Fiberboard

(Activities outside the Federal Government may obtain copies of Federal specifications, standards, and commercial item descriptions as outlined under General Information in the Index of Federal Specifications, Standards and Commercial Item Descriptions. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification, and other Federal specifications, and commercial item descriptions required by activities outside the Federal Government for bidding purposes are available without charge from General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Houston, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

FSC 8915

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

(Federal Government activities may obtain copies of Federal standardization documents, and the Index of Federal Specifications, Standards and Commercial Item Descriptions from established distribution points in their agencies.)

Military Specifications:

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items
MIL-L-35078 - Loads, Unit: Preparation of Nonperishable Subsistence Items; General Specification for

Military Standards:

MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks and Sugars Used in the Preparation of Canned Foods for the Armed Forces

(Copies of Military specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

U.S. Department of Health and Human Services

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Department of Agriculture (USDA)

U.S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Food Quality Assurance Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof, and Certain Other Processed Food Products

U.S. Standards for Grades of Canned Peas and Carrots

U.S. Standards for Grades of Frozen Peas

U.S. Standards for Grades of Frozen Carrots

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

(Application for copies should be addressed to the Director, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.3, 6.1, and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Carrots. The carrots shall be Danvers, Red Cored Chantenay, or similar varieties with comparable quality and suitability for canning. They shall be clean, sound, mature, of good typical orange color, and of good cooking quality. For type I, only fresh carrots shall be used. For type II, only frozen carrots conforming to U.S. Grade A of the United States Standards for Grades of Frozen Carrots, of the latest season's pack, shall be used.

3.2.2 Peas. The peas shall be fresh, clean, sound, succulent seed of a canning variety (Alaskas or No. 3 extra standard sweets). For type I, only fresh peas conforming to U.S. Grade A of the United States Standards for Grades of Frozen Peas, of the latest season's pack, shall be used.

3.2.3 Salt. Salt shall be white, refined, sodium chloride with or without anitcaking agent. Iodized salt shall not be used.

3.2.4 Sugar. Sugar shall be white, refined, granulated cane or beet sugar, or a combination thereof. It shall meet the bacterial requirements of MIL-STD-900.

3.3 Preparation.

3.3.1 Carrots. The carrots shall be washed thoroughly to remove soil and foreign material and sorted to remove any which are diseased or otherwise damaged. The sound stock shall be peeled and trimmed to remove discolored, damaged, or other undesirable portions. The carrots shall be cut into a nominal 3/8 by 3/8 by 3/8 inch dice. Fresh diced carrots shall be blanched for 2 to 4 minutes in near boiling water (190° to 205°F). Previously blanched frozen carrots shall not be reblanched.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

3.3.2 Peas. The peas shall be put through a dry cleaner, washed, screened, and cleaned to remove pieces of sticks, pods, stones, empty skins, thistle buds, or other extraneous material present. The fresh peas shall be blanched for approximately 3 minutes in near boiling water (190° to 205°F). The peas shall be of such size that not more than 5 percent, by weight, are less than 10/32 inch nor more than 5 percent are greater than 14/32 inch in diameter. Previously blanched frozen peas shall not be reblanched.

3.3.3 Brine preparation. The brine shall consist of 2 percent salt and 4 percent sucrose by weight in water solution. It shall be heated to 190°F or higher prior to adding to the product.

3.3.4 Mixing peas and carrots. The peas and carrots shall be mixed prior to being added to the tray cans at the rate of not less than 50 percent peas and 25 percent carrots, by weight, based on the drained weight requirement (see 3.4(c)). Any method for mixing may be used that guarantees a uniform blend and prevents crushing of the peas.

3.4 Tray pack filling and sealing. Each tray pack can (see 5.1.1) shall be filled with blanched carrots, peas and brine such as to conform to the following finished product requirements:

a. The average net weight shall be 105 ounces minimum.
b. No individual can shall contain less than 103 ounces of product.
c. No individual can shall contain less than 71 ounces of drained carrots and peas.

The temperature of the brine at time of filling shall not be less than 190°F. Each can shall be hermetically sealed immediately after filling.

3.5 Tray pack thermoprocessing. The filled and sealed tray pack cans shall be thermostabilized by retorting until a sterilization value (F_o) of not less than 6.0 has been achieved.

3.6 Finished product. The finished product shall meet the requirements for U.S. Grade A of the United States Standards for Grades of Canned Peas and Carrots.

3.6.1 Palatability. The product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.7 Plant qualification. The product shall be prepared, processed, and packaged under modern sanitary conditions and in accordance with good manufacturing practice. The product shall be processed in establishments meeting the sanitary requirements of the applicable government inspection agency.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

3.8 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and acceptance service. Product acceptability shall be determined by the USDA. The USDA will determine the degree of acceptance service necessary to assure compliance with the requirements of this specification. The cost of grading and acceptance services performed by the USDA involving inspection, official documentation, and related services shall be borne by the contractor.

4.3 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this specification and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this specification or any appearance or palatability failure shall be cause for rejection of the first article.

4.4 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.4.1 Ingredient examination. Conformance of ingredients to identity and condition requirements shall be determined by examination of pertinent labels, markings, U.S. Grade certificates, invoices, certificates of analysis, or other valid documents. In addition, each ingredient shall be examined organoleptically as necessary to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient lot or of any involved product.

4.5 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, can interior coating, filling, sealing and packing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or other valid documents shall be cause for rejection of the involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

4.6 Tray pack inspection. The inspection lot shall include only tray packs produced in one workshift. The USDA reserves the right to separate the inspection lot into smaller inspection lots.

4.6.1 Net weight inspection. Randomly select 30 filled and sealed tray pack cans from the inspection lot and weigh separately. Subtract the average tare weight (determined by randomly selecting and weighing 30 empty tray pack cans and lids and dividing the total weight by 30) from the weight of each tray pack in the sample. The results shall be reported to the nearest 0.1 ounce. If the average net weight is less than 105 ounces or if the net weight of any individual can is less than 103 ounces, the lot shall be rejected.

4.6.2 Product inspection. The finished product shall be inspected for conformance to the grade, vegetable proportions, and drained weight requirements in accordance with the provisions of the United States Standards for Grades of Canned Peas and Carrots, and Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof, and Certain Other Processed Food Products. Product not equal to or better than the approved preproduction sample (see 6.1) in palatability or overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by an AMS agent.)

4.7 Can condition examination. Examination of filled and sealed tray pack cans shall be in accordance with the United States Standards for Condition of Food Containers, except that inspection for labeling shall be in accordance with MIL-L-1497 (see 5.4).

4.8 Shipping container examination. Shipping containers shall be examined for defects in assembly, closure and reinforcement in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows: Major: National stock number, item description, contract number, or date of pack markings missing, incorrect, or illegible. Minor: (1) Other required markings missing, incorrect, or illegible; (2) Interior packing with fiberboard liner or pads not as specified; (3) Reinforcement with nonmetallic strapping or tape is not used.

4.9 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

5.1.1 Level A. A size 1001 by 1206 by 200 tray pack can shall be filled with 105 ounces of food product of one type, sealed, and thermoprocessed as specified in 3.4 and 3.5. The base plate of the can shall be electrolytic chromium-coated steel and shall be of sufficient weight and temper to protect the product during shipment and storage. The entire inside area of the can shall be coated. The can shall be coated overall on the outside with a coating conforming to type I of TT-C-495.

5.1.2 Level C. The product shall be packaged as specified in 5.1.1 except that cans with commercial exterior coating will be acceptable.

5.2 Packing. The product shall be packed in accordance with level A, B or C as specified (see 6.1).

5.2.1 Level A packing. Four cans of product of one type, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, grade V2s of PPP-B-636. The cans shall be packed flat, four in depth within the box. The inside of each box shall be provided with a box liner and five fiberboard pads. The pads shall be placed between the cans and on the top and bottom of the stacked cans. The pads shall be full length and width less approximately 1/4 inch in each dimension. The box liner and pads shall be fabricated of grade V3c fiberboard. Each fiberboard box shall be reinforced with nonmetallic strapping or pressure sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.2 Level B packing. Four cans of product of one type, packaged as specified in 5.1, shall be packed as specified in 5.2.1, except the box shall be constructed of grade V3c, V3s, or V4s fiberboard.

5.2.3 Level C packing. Four cans of product of one type, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, class domestic, grade 275 of PPP-B-636. The cans shall be packed flat, four in depth within the box. The inside of each box shall be provided with a box liner and five fiberboard pads. The pads shall be placed between the cans and the top and bottom of the stacked cans. The pads shall be full length and width less approximately 1/4 inch in each dimension and be fabricated of class domestic fiberboard.

5.3 Unit loads. When specified (see 6.1), the product, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

5.4 Labeling. Each package shall be labeled in accordance with MIL-L-1497. Paper labels are not permitted. Cans shall show the following statements:

TO HEAT

a. To heat in water: Submerge unopened can in boiling water. Simmer gently 10 minutes. Remove from water and open lid for serving.

b. To heat in oven: Either punch several holes in lid of tray can or open can in usual manner leaving the loose lid in place to prevent moisture loss. Place in a 350°F oven for approximately 10 minutes until contents reach an internal temperature of 165°F.

WARNING.

Do not place closed can in oven as heating will increase internal pressure which will cause the can to burst.

YIELD

25 servings of approximately 1/2 cup each

5.5 Marking.

5.5.1 Shipping containers. In addition to any special marking required by the contract, shipping containers shall be marked in accordance with MIL-STD-129.

5.5.2 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. Type of product required (see 1.2).
c. When a first article is required (see 3.1, 4.3 and 6.3).
d. Provisions for approved preproduction samples (see 3.6.1 and 6.3).
e. Level of packaging and packing required (see 5.1 and 5.2).
f. Type and class of unit load when unit loading is required (see 5.3).

6.2 Appropriate level of pack. Based on the conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the procuring activity should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.33A/DLAR 4145.7.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

6.3 First article inspection. When a first article is required, it shall be inspected and approved under the appropriate provisions of DAR 7-104.55. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

Preparing activity:

Army - GL

Project No. 8915-A647

☆ U.S. GOVERNMENT PRINTING OFFICE: 1983—605-034/3522

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
HIIH-V-002132(Army-GL)	Peas And Carrots, Thermostabilized, Tray Pack

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP, 1 APR 83

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.