JJJ-B-106G
June 28, 1977
SUPERSEDING
Int. Fed. Spec. JJJ-B-00106F(Army-GL)
October 19, 1973 and
Fed. Spec. JJJ-B-106E
August 25, 1969

FEDERAL SPECIFICATION

BEANS, DRY

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for dry beans for use by all Federal agencies.

1.2 Classification. The dry beans covered by this specification shall be of the following types and classes, as specified (see 6.1).

Type A - White beans (excluding Lima beans)

Class I	-	Pea beans (Navy beans). 1/
Class II	-	See 6.4.
Class III	-	Marrow beans (excluding Red Marrow).
Class IV	-	Great Northern beans.
Class V	-	Small white beans (excluding Tepary beans). 2/
Class VI	-	Flat small white beans. 3/
Class VII	-	See 6.4.
Class VIII	-	White kidney beans.

1/ Type grown in Great Lakes region.
2/ Type grown on Pacific coast.
3/ Type grown in Northern Idaho.

Type B - Red kidney beans (see 3.2)

Class IX	-	Light red kidney beans.
Class X	-	Dark red kidney beans.

FSC 8915

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:44Z
Check the source to verify that this is the current version before use.

Type C - Lima beans

Class XI	-	Large lima beans (large white pole or Burpee bush lima type, Ventura or Mackie bush lima type).
Class XII	-	Baby lima beans (small white lima beans of the Henderson Bush and similar types).

Type D - Colored beans (excluding red kidney)

Class XIII	-	Yelloweye beans.
Class XIV	-	See 6.4.
Class XV	-	Small red beans (Red Mexican, California Red and Idaho Red beans).
Class XVI	-	Pink beans.
Class XVII	-	See 6.4.
Class XVIII	-	Cranberry beans (known also as speckled cranberry and horticultural pole beans).
Class XIX	-	Pinto beans (including the Mexican pinto type but not the type known as Spotted Red Mexican).
Class XXII	-	Black turtle soup beans.

Type E - Blackeye beans

Class XX	-	Blackeye beans (cowpeas of the Blackeye variety).

Type F - Mung beans

Class XXI	-	Mung beans.

Type G - Miscellaneous beans. Beans that are not otherwise classified herein shall be classified and designated according to the commonly accepted commercial name of such beans.

1.3 Grades. Beans covered by this specification shall be of the following grades, as specified (see 6.1):

U.S. Choice handpicked (pea beans only)
U.S. Prime handpicked (pea beans only)
U.S. Extra No. 1 (large, baby and miscellaneous lima beans only)
U.S. No. 1
U.S. No. 2
U.S. No. 3 (except pea and large lima beans)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

1.3.1 Special grades. Choice handpicked or handpicked beans of any one of the classes except pea, blackeye, large lima, baby lima, miscellaneous lima and mixed beans shall be in accordance with the United States Standards for Beans, as specified (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

UU-S-48	-	Sacks, Shipping, Paper.
PPP-B-35	-	Bags; Textile, Shipping, Burlap, Cotton and Waterproof Laminated.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-B-1714	-	Bags, Shipping, Woven Polypropylene.

Federal Standards:

FED-STD-101	-	Preservation, Packaging and Packing Materials: Test Procedures.
FED-STD-123	-	Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

Military Specifications:

MIL-L-10547	-	Liners, Case, and Sheet, Overwrap: Water-Vaporproof or Waterproof Flexible.
MIL-T-21330	-	Treatment: Insect-Resistant, for Paper.
MIL-L-35078	-	Loads, Unit: Preparation of Nonperishable Subsistence.

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-668	-	Sanitary Standards for Food Plants.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

LAWS AND REGULATIONS:

Department of Health, Education and Welfare

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder
Code of Federal Regulations, Part 128, Title 21

(Application for copies should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.)

US Department of Agriculture

United States Standards for Beans
United States Standards for Condition of Food Containers

(Application for copies should be addressed to the Grain Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

3. REQUIREMENTS

3.1 Materials. The beans shall conform in every respect to the requirements for type, class, grade and when applicable, the special grade described in the United States Standards for Beans.

3.2 Description of grades and special grades. The requirements for the grades and special grades of beans shall be in accordance with the United States Standards for Beans.

3.2.1 Moisture. The moisture content of dry beans shall comply with the US Standards for Beans.

3.2.1.1 For Military agencies, for export shipment. Type B red kidney beans shall not contain more than 14 percent, by weight, moisture. Alternatively, when specified, type B red kidney beans shall contain not more than 18 percent, by weight, moisture (see 6.1).

3.3 Federal Food, Drug and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

3.4 Workmanship. For Civil agencies, the product shall be prepared in accordance with the Code of Federal Regulations, Part 128, Title 21, Human Foods; Current Good Manufacturing Practices (Sanitation) in Manufacturing, Processing, Packing or Holding. For Military agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T12:44Z
Check the source to verify that this is the currentversion before use.

inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Unless otherwise specified (see 6.1), the contractor is required to furnish an official inspection certificate issued by the U.S. Department of Agriculture certifying that the grade of the product supplied is as required by the contract or order.

4.2 Pre-acceptance inspection (plant sanitation inspection).

4.2.1 For Civil agencies. When specified (see 6.1), inspection of plants producing the product will be conducted upon the request of the contracting officer by the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency (see 3.4).

4.2.2 For Military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.4.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of product for quality and condition is performed by the U.S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military, see 4.3.4.)

4.3.2 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except as otherwise indicated hereinafter.

4.3.3 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.3.1 Plastic bags. Conformance to 5.1.2.2 as concerns kinds and thickness of bags shall be ascertained by examination of pertinent labels, invoices or other valid document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

4.3.3.2 Paper tape. Conformance of paper tape to basis weight requirements of 5.1.2.1, when used for pockets with sewn closures, shall be ascertained by examination of labels or invoices.

4.3.3.3 Paper pockets (not for ocean shipment). Basis weight of plies shall be ascertained by examination of pertinent invoices or other valid documents.

4.3.3.4 Testing of paper pockets (for ocean shipment). Paper pockets shall be tested for basis weight of plies in accordance with 4.4.2. Test requirement shall be an average requirement. The sample shall be the number of pockets indicated by inspection level S-1. Result shall be reported to nearest pound per ream. Lot size shall be expressed in pockets.

4.3.4 Examination of end item. Examination of end item shall be in accordance with table I and 4.3.4.1 through 4.3.4.7. Sampling plans for table I shall be as follows: Inspection level S-3; sample unit 1-filled primary container; acceptable quality level (AQL) expressed as percent defective 2.5. Lot size shall be expressed in terms of the primary container.

TABLE I. Examination for net weight 1/

Category	Defect
Minor	
201	Net weight not as specified (see 5.1)

1/ Weighing device shall be calibrated in increments no larger than the tolerance specified for the pertinent unit weight requirement contained in section 5 herein. Lot shall be rejected if the average net weight of the samples is less than the net weight specified.

4.3.4.1 Examination of primary containers. Examination of primary containers (excluding UU-S-48, bulk packed shipping sacks) for condition, labeling and marking, shall be in accordance with the United States Standards for Condition of Food Containers.

4.3.4.2 Examination of fiberboard containers. Examination of fiberboard containers shall be in accordance with the quality assurance provisions in the appendix of PPP-B-636. In addition, the following defects shall be included in the examination: Major-Markings missing, incorrect or illegible; Minor-Not a snug pack; Minor-Number of interior containers not as specified; Major-Protective pad or tape, when required, missing, not as specified or not completely covering metal stitches. For level C pack, only the defects applicable to markings, and number of interior containers shall apply.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:44Z
Check the source to verify that this is the current version before use.

4.3.4.3 Examination of case liners. Examination of case liners shall be in accordance with the quality assurance provisions in the appendix of MIL-L-10547.

4.3.4.4 Examination of paper shipping sacks. Multiwall paper shipping sacks shall be examined in accordance with the quality assurance provisions in the appendix of UU-S-48. In addition, the following defects shall be included in the examination: Contractual markings missing, incorrect; tear, hole, open seam or broken stitches; number of interior packages not as required; fabrication data for IRT sacks indicates sack will be more than 60 days old at time of shipment. For level C pack, only the additional aforementioned defects (except that pertaining to IRT sacks) shall apply.

4.3.4.5 Examination of the woven polypropylene bags. Examination of the woven polypropylene bags shall be in accordance with the quality assurance provisions of PPP-B-1714.

4.3.4.6 Examination of unit loads. Unit loads shall be examined in accordance with the quality assurance provisions of MIL-L-35078.

4.3.4.7 Examination for grade. Examination shall be in accordance with the United States Standards for Beans. A lower grade than that specified shall not be acceptable.

4.3.5 Test for moisture. Conformance to 3.2.1 or 3.2.1.1 as applicable, shall be determined in accordance with 4.4. Nonconformance shall be cause for rejection of the lot.

4.4 Test methods. Test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the contracting officer determines that such procedures and controls do not provide, as a minimum such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to test results, the procedures specified herein will govern.

4.4.1 Moisture. Moisture content of beans shall be determined in accordance with U.S. Standards for Beans (see 3.2.1).

4.4.2 Basis weight. Basis weight shall be determined in accordance with method 5022 of FED-STD-101.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Beans shall be packaged in accordance with level A, B, or C, as specified (see 6.1). The net weights and allowable individual unit variation shall be as listed below:

Container	Net weight	Allowable unit variations 1/
Cartons	1 pound (0.45 kg)	1/2 ounce (14 g)
Plastic bags	1, 2 or 4 pounds (0.45, 0.9 or 1.81 kg)	3/4 ounce (21 g) for 1 pound 1 ounce (28 g) for 2 pounds 1-1/4 ounces (35 g) for 4 pounds
Textile bags Paper pockets Plastic bags	10 pounds (4.54 kg)	3 ounces (85 g)
Multiwall paper shipping sack	25 pounds (11.34 kg) or 50 pounds (22.68 kg)	4 ounces (113 g) 8 ounces (227 g)
Burlap bag	100 pounds (45.36 kg)	1 pound (454 g)

1/ A minus tolerance as shown above will be allowed in any one container.

5.1.1 Level A.

5.1.1.1 Carton. One pound (0.45 kg) of beans shall be packaged in a paperboard carton normally used for the product, except that the carton shall not have a window.

5.1.1.2 Textile bag (military agencies). Ten pounds (4.54 kg) of beans shall be filled into a textile bag, constructed and closed in accordance with type IV, style A of PPP-B-35.

5.1.2 Level B.

5.1.2.1 Paper pocket (military agencies). Ten pounds (4.54 kg) of beans shall be packaged in a paper pocket in accordance with 5.1.2.1.1 or 5.1.2.1.2, as specified (see 6.1). The paper used for pockets shall be a heavy duty kraft. Closure of the pockets shall be by sewing or gluing. When sewn seam closures are used, the ends shall be reinforced by a flat or creped kraft paper tape having a finished basis weight of 70 pounds $\pm$ 5 percent per ream (24 x 36-500) (113.9 g/m^2 $\pm$ 5 percent) to prevent tearing and sifting. Two 9/32 inch (7 mm) wide tapes shall be used to form a double tape reinforcement. If the pockets

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

are gusseted, the gussets shall be tucked in prior to sewing, and there shall be not less than five stitches per inch (25 mm). When closure is made by gluing, the edges of the pocket shall be folded and glued in such a manner as to provide a strong and sift-proof closure. When extensible papers are used, a basis weight equal to 90 percent of the specified basis weight shall be acceptable.

5.1.2.1.1 For ocean shipment. The paper pocket shall be made from two plies. The pocket shall be either formed (pasted) bottom, open mouth, or sewn bottom, open mouth. The inner and outer plies shall each have a basis weight of 60 pounds ± 5 percent per ream (24 x 36-500) (97.7 g/m^2 ± 5 percent).

5.1.2.1.2 Not for ocean shipment. The paper pocket shall be in accordance with 5.1.2.1.1 except that the basis weight for the inner ply shall be 40 pounds ± 5 percent per ream (24 x 36-500) (65.1 g/m^2 ± 5 percent) and for the outer ply shall be 50 pounds ± 5 percent per ream (24 x 36-500) 81.4 g/m^2 ± 5 percent). Alternatively the paper pocket may be a single ply of a basis weight of 80 pounds ± 5 percent per ream (24 x 36-500) (130.2 g/m^2 ± 5 percent).

5.1.2.2 Plastic bags.

5.1.2.2.1 Plastic bags (military agencies). When specified (see 6.1), 1, 2 or 10 pounds (0.45, 0.91 or 4.54 kg) of beans shall be packaged in polyethylene or polypropylene bags in accordance with table II. Bag closure shall be effected by heat sealing or twist tie.

5.1.2.2.2 Plastic bags (civil agencies). Beans shall be packaged in polyethylene or polypropylene plastic bags in accordance with table II for the quantity specified (see 6.1).

TABLE II. Required nominal bag thickness for weight of beans

Weight		Bag wall thickness	
Pounds	(kg)	Inches	(mm)
1	(0.45)	0.0015	(0.038)
2	(0.91)	0.0015	(0.038)
4	(1.81)	0.00175	(0.044)
10	(4.54)	0.004	(0.102)

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:44Z
Check the source to verify that this is the current version before use.

5.1.3 Level C. Beans shall be packaged to afford adequate protection against deterioration and damage during shipment from the supply source to the first consuming activity. The supplier may use his standard practice when it meets these requirements.

5.2 Packing. Beans shall be packed in accordance with level A, B, or C, as specified (see 6.1). Beans of only one type, class and grade shall be packed into a shipping container.

5.2.1 Level A (military agencies).

5.2.1.1 Cartons. Twenty-four or forty-eight 1-pound (0.45 kg) cartons shall be packed into a snug-fitting fiberboard box constructed, closed and reinforced in accordance with style RSC, V2s of PPP-B-636. The box shall be fitted with a waterproof case liner fabricated and closed in accordance with MIL-L-10547 for subsistence items. When specified (see 6.1), the shipping container shall be reinforced in accordance with the appendix of PPP-B-636. When flaps are closed by stitching, the waterproof case liner shall be protected from the stitching by inserting a 0.018-inch (0.46 mm) thick chipboard pad between the case liner and the stitched flaps. The pad shall have dimensions equal to the interior of the shipping container, with a minus tolerance of not more than 3/16-inch (4.8 mm). The case liner shall be protected from stitches in the manufacturer's joint by covering the stitches with a strip of pressure-sensitive tape.

5.2.1.2 Textile bags. Five 10-pound (4.54 kg) bags of beans shall be packed into a multi-wall paper shipping sack fabricated and closed in accordance with type I, style B, or type II, style A or B, construction 9 or 9X, MB 2, of UU-S-48. The outer surface of the sack shall be insect-resistant-treated in accordance with MIL-T-21330.

5.2.1.3 Plastic bags. Twenty-four or forty-eight 1-pound (0.45 kg) plastic bags shall be packed in a fiberboard shipping container constructed and closed in accordance with RSC-L, V2s of PPP-B-636. The plastic bags shall be protected from stitching as specified in 5.2.1.1 except that the stitches in the manufacturer's joint need not be covered by tape.

5.2.2 Level B.

5.2.2.1 Cartons. Twenty-four or 48 1-pound (0.45 kg) cartons of beans shall be packed on end in a snug-fitting fiberboard box constructed, closed, and reinforced in accordance with style RSC, V3c, V3s, or V4s, of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

5.2.2.1.1 When specified (see 6.2.2), the shipping container specified in 5.2.2.1 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with PPP-B-636 except that two reinforcing bands may be used, one lengthwise and one girthwise. The shipping container shall be fitted with a waterproof case liner fabricated and closed in accordance with MIL-L-10547 for subsistence items. The case liner shall be protected from stitches as specified in 5.2.1.1.

5.2.2.2 One, 2 or 4 pound (0.45, 0.91 or 1.81 kg) plastic bags. Twenty-four or 48 1-pound (0.45 kg), 12 or 24 2-pound (0.91 kg) or 12 4-pound (1.81 kg) plastic bags of beans shall be packed on end in a snug-fitting shipping container constructed, closed, and reinforced in accordance with style RSC-L, V3c, V3s, or V4s, of PPP-B-636. The plastic bag shall be protected from stitches in the flaps as specified in 5.2.1.1. Alternatively, 12 2-pound (0.91 kg) plastic bags of beans shall be packed in a snug-fitting intermediate fiberboard box constructed and closed in accordance with style RSC, type CF or SF, class domestic, grade 175, of PPP-B-636. Two intermediate boxes shall be packed in a snug-fitting fiberboard box in accordance with 5.2.2.1.

5.2.2.2.1 When specified (see 6.2.2), the shipping container specified in 5.2.2.2 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636 except that two reinforcing bands shall be used, one lengthwise and one girthwise.

5.2.2.3 Ten pound (4.54 kg) packages, 25-and 50-pound (11.34 and 22.68 kg) bulk. Five 10-pound (4.54 kg) paper pockets or 5 10-pound (4.54 kg) plastic bags of beans or 25 or 50 pounds (11.34 or 22.68 kg) of beans in bulk shall be packed in a multi-wall paper shipping sack fabricated and closed in accordance with type I, style B or type II, style A or B, construction 5 or 5X, MB 1 of UU-S-48. The outer surface of the sack shall be insect-resistant treated in accordance with MIL-T-21330.

5.2.3 Level C.

5.2.3.1 Cartons. Twenty-four or 48 1-pound (0.45 kg) cartons of beans shall be packed on end in a shipping container in accordance with the Uniform Freight Classification or National Motor Freight Classification, as applicable.

5.2.3.2 Plastic bags. Twenty-four or forty-eight one pound (0.45 kg), twelve or twenty-four 2 pound (0.91 kg) or twelve 4 pound (1.81 kg) plastic bags of beans shall be packed on end in a shipping container in accordance with the Uniform Freight Classification or National Motor Freight Classification, as applicable.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:44Z
Check the source to verify that this is the current version before use.

5.2.3.3 Bags and sacks. One hundred pounds (45.36 kg) of beans shall be packed in a burlap bag complying with type I, B-4 or B-6, of PPP-B-35 or a cotton bag conforming to type II, C-54, of PPP-B-35. Alternatively, 100 pounds (45.36 kg) of beans shall be packed in a multi-wall paper shipping sack conforming to construction 15 - 15X, MB 1, of UU-S-48. Alternatively, 100 pounds (45.36 kg) of beans shall be packed in a woven polypropylene bag conforming to PPP-B-1714, Bag No. PP-5.

5.3 Unit loads, military agencies. When specified (see 6.1), beans, packed in shipping containers in accordance with 5.2, shall be prepared in unit loads in accordance with MIL-L-35078 for the type and class load specified (see 6.1).

5.4 Labeling and marking.

5.4.1 Unit packages. Labeling of unit packages shall comply with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

5.4.2 Marking.

5.4.2.1 Civil agencies. Shipping containers shall be marked in accordance with FED-STD-123 and, when applicable, UU-S-48.

5.4.2.2 Military agencies.

5.4.2.2.1 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129 and, when applicable, UU-S-48.

5.4.2.2.2 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number and date of this specification.
(b) Types, classes and grades required (see 1.2, 1.3 and 1.3.1).
(c) When type B is specified, indicate moisture level desired (see 3.2.1.1).
(d) When U.S. Department of Agriculture grade certificate is not required (see 4.1.1).
(e) When inspection of plants is required for civil agencies (see 4.2.1).
(f) Levels of packaging and packing (see 5.1 and 5.2).
(g) Type and size of packaging required (see 5.1).
(h) When plastic bags are required for military agencies (see 5.1.2.2.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.

(i) Quantity to be packaged in polyethylene or polypropylene bags (see 5.1.2.2.2).
(j) When level A packing of fiberboard box requires reinforcement (see 5.2.1.1).
(k) When packing specified in 5.2.2.1.1 or 5.2.2.2.1 is required.
(l) When cartons are to be packed in accordance with 5.2.2.1.1.
(m) Type and class of unit load required when unit loading is specified (see 5.3).

6.2 Military agencies.

6.2.1 Based on conditions known or expected to be encountered during shipping, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.14D/DSAR 4145.7, as applicable.

6.2.2 Packing specified in 5.2.2.1.1 and 5.2.2.2.1 is intended for transfer at sea operations or specific overseas operations.

6.3 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.4 Type A, class II Medium white beans. Deleted from classification.
Type A, class VII Large white beans. Deleted from classification.
Type D, class XIV Old fashioned yellow beans. Deleted from classification.
Type D, class XVII Bayo beans. Deleted from classification.

Military Custodians:

Army - GL
Navy - SA

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

HEW - FDA, NIH
GSA - FSS
AGR - AMS
VA - DMS

Project No. 8915-0551

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 35 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:44Z
Check the source to verify that this is the current version before use.