JJJ-J-850A
March 28, 1977
SUPERSEDING
Int. Fed. Spec. JJJ-J-00850(GSA-FSS)
December 21, 1962

FEDERAL SPECIFICATION

# JUICE, VEGETABLE, CANNED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

## 1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for a combination of vegetable juices blended and used as a beverage or food supplement.

1.2 Classification.

1.2.1 Type of pack. Canned vegetable juice shall be one of the following types, as specified (see 6.1).

Type I - Single strength
Type II - Concentrated (3+1)

## 2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specification:

PPP-C-29 - Canned Subsistence Items, Packaging and Packing of.

Federal Standard:

FED-STD-123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

FSC 8915

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

| | | |
|---|---|---|
| MIL-L-1497 | - | Labeling of Metal Cans for Subsistence Items. |
| MIL-L-35078 | - | Loads, Unit: Preparation of Nonperishable Subsistence. |

Military Standards:

| | | |
|---|---|---|
| MIL-STD-105 | - | Sampling Procedures and Tables for Inspection by Attributes. |
| MIL-STD-129 | - | Marking for Shipment and Storage. |
| MIL-STD-668 | - | Sanitary Standards for Food Plants. |

(Copies of specifications, standards and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

U.S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

Code of Federal Regulations, Part 128, Title 21

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Department of Agriculture

U.S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following document forms a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, DC 20044.)

3. REQUIREMENTS

3.1 Materials. The canned vegetable juice shall be prepared from the edible portions of succulent vegetables which have been properly trimmed, washed, and drained. The liquid or pulp shall be strained or finished to remove skins, seeds, and other coarse or hard vegetative substances so as to result in finely divided insoluble solids vegetable material. Properly processed concentrated tomato juice and optional vegetable juices may be used provided the finished product contains the single strength equivalents. Unless otherwise specified, the canned product shall be of the latest season's pack (see 6.1).

3.1.1 Product composition. The product shall be a blend of not less than four nor more than eight vegetable juices in which (based on single-strength equivalents) not less than 70 percent nor more than 90 percent, by volume, shall be tomato juice. In addition to the tomato juice ingredient, the product may contain the juice or pulp from beets, carrots, celery, lettuce, onions, parsley, spinach, sweet peppers or watercress.

3.1.2 Seasonings. Salt, lemon juice, or other suitable seasonings may be added in accordance with good commercial practice. Salt shall be white refined sodium chloride, with or without anti-caking agent. Iodized salt shall not be used.

3.2 Finished product.

3.2.1 Type I - single strength. The canned vegetable juice shall have a reasonably bright red color; shall be practically free from defects; shall possess a smooth, even consistency; and shall possess a very good flavor with no individual flavor, other than tomato, in predominance.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

3.2.2 Type II - concentrated. The canned concentrated vegetable juice upon proper reconstitution into single strength form, by the addition of three volumes of cold water to one volume of concentrate; shall show no material separation; shall have a reasonably bright red color; shall be practically free from defects; shall possess a smooth, even consistency; and shall possess a very good flavor with no individual flavor, other than tomato, in predominance.

3.3 Fill of container. The vegetable juice shall occupy not less than 90 percent of the volume of the container.

3.4 Vacuum for type I containers shall have not less than 7 inches vacuum (77 kPa) when tested in accordance with 4.1.8.

3.5 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.6 Workmanship. For Civil agencies the product shall be prepared in accordance with part 128 of the Code of Federal Regulations, Title 21, Human Foods; Current Good Manufacturing Practices (Sanitation) in Manufacturing, Processing, Packing or Holding. For Military agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of the inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Sampling. Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with requirements.

4.1.2 General inspection. Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, or after delivery to the point of destination. Nonconformance to requirements contained herein and in referenced documents shall be cause for rejection of involved product.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

4.1.3 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.1.4 Component and material inspection. In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of the referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase documents.

4.1.5 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.1, 6.2).

4.1.6 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.6.

4.1.7 Examination of primary containers for condition and labeling. Examinations shall be in accordance with the criteria in the United States Standards for Condition of Food Containers.

4.1.8 Examination of cans for vacuum and interior coating. Examination shall be in accordance with the criteria in PPP-C-29.

4.1.9 Sampling for inspection. Sampling for inspection shall be in accordance with MIL-STD-105, except as otherwise stated herein.

4.1.10 Examination of shipping containers. Examination shall be in accordance with the applicable quality assurance provisions of PPP-C-29.

4.1.11 Examination of unit loads. When unit loads are required, examination of such loads shall be in accordance with MIL-L-35078.

4.2 Tests. Test procedures and controls which differ from those specified herein, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier shall use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein shall govern.

4.2.1 Chemical and physical analyses. Chemical and physical analyses, if required by the purchaser, shall be made in accordance with methods outlined in the Official Methods of Analysis of the Association of Official Analytical Chemists.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging and packing. The product shall be packaged and packed in accordance with the requirements of PPP-C-29 for the level and can size specified.

5.1.1 Easy-open cans. When specified (see 6.1), single strength juice may be packaged in single serving cans as specified in PPP-C-29 except that the top shall be suitably scored to provide a tear strip, liquid-pour opening. A corrosion resistant hand or finger grip shall be affixed to one end of the tear strip. The scoring shall be carefully controlled to insure a score deep enough to permit hand opening of the top without impairing serviceability of the can. Alternatively, the can top may have a prepunched, liquid-pour opening sealed with a strip of peelable, pressure-sensitive, foil laminated polymeric tape normally used for the product.

5.2 Unit loads (Military agencies). When specified (see 6.1), cases of the packed product shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.3 Labeling and marking.

5.3.1 Military agencies.

5.3.1.1 Cans. Cans shall be labeled in accordance with MIL-L-1497. Labeling of cans of type II product shall include directions for use.

5.3.1.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.3.1.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

5.3.2 Civil agencies.

5.3.2.1 Cans. Any commercial labeling complying with the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder is acceptable. Labeling of cans of type II product shall include directions for use.

5.3.2.2 Shipping containers. Shipping containers shall be marked in accordance with FED-STD-123.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.



Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

(a) Title, number and date of this specification.
(b) Type of product required (see 1.2).
(c) When other than latest season's pack may be used (see 3.1).
(d) Type and size of container required (see 5.1).
(e) Level of packaging and packing required (see 5.1).
(f) Type and class of unit load required, when specified (see 5.2).
(g) When easy-open cans may be used (see 5.1.1).
(h) When final inspection shall not be made after delivery to the point of destination (see 4.1.5).

6.2 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

User activity:

Army - SM

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

VA - DMS
HEW - FDA, NIH
AGR - AMS
GSA - FSS

Project No. 8915-0572

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 30 cents each.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.