JJJ-P-002195A(Army-GL)
August 6, 1985
SUPERSEDES
JJJ-P-002195
6 January 1984

INTERIM FEDERAL SPECIFICATION

POTATO SALAD, THERMOSTABILIZED, TRAY PACK

This interim Federal specification was developed by the U.S. Army Natick Research and Development Center, Natick, MA 01760-5014, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

1. SCOPE

1.1 Scope. This specification covers potato salad, thermostabilized in tray pack cans for use by the Department of Defense as a component of operational rations.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

TT-C-495	-	Coatings, Exterior, for Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard

(Activities outside the Federal Government may obtain copies of Federal specifications, standards, and commercial item descriptions as outlined under General Information in the Index of Federal Specifications, Standards and Commercial Item Descriptions. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification, and other Federal specifications, and commercial item descriptions required by activities outside the Federal Government for bidding purposes are available without charge from General

FSC 8940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

(Federal Government activities may obtain copies of Federal standardization documents, and the Index of Federal Specifications, Standards and Commercial Item Descriptions from established distribution points in their agencies.)

Military Specifications:

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items
MIL-L-35078 - Loads, Unit; Preparation of Nonperishable Subsistence Items; General Specification for

Military Standard:

MIL-STD-129 - Marking for Shipment and Storage

(Copies of Military specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

U.S. Department of Health and Human Services

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Department of Agriculture (USDA)

Regulations Governing Inspection and Certification of Processed Fruits and Vegetables, Processed Products Thereof and Certain Other Processed Food Products

United States Standards for Grades of Canned Pimentos

United States Standards for Grades of Pickles

(Application for copies should be addressed to the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

United States Standards for Grades of White Potatoes

United States Standards for Grades of Onions (Other than Bermuda - Granex - Grano and Creole Types)

United States Standards for Grades of Celery

United States Standards for Sweet Peppers for Processing

(Application for copies should be addressed to the Chief, Fresh Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

U.S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Market Research and Development Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC, 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Association of Official Analytical Chemists (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

National Academy of Sciences

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, Washington, DC 20418.)

American Dehydrated Onion and Garlic Association (ADOGA)

Official Standards and Methods of the American Dehydrated Onion and Garlaic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, 251 Kearney Street, No. 410, San Francisco, CA 94108.)

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:45Z
Check the source to verify that this is the current version before use.

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.3, 6.1 and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent and insect infestation, extraneous material, off-flavors, off-odors, and off-colors.

3.2.1 Potatoes, fresh. The potatoes shall be fresh, firm and of a white flesh variety suitable for canning. The maximum specific gravity for the potatoes shall be 1.075 with a reducing sugar content of not more than 2.0 percent on a dry weight basis.

3.2.2 Salad dressing. Salad dressing shall conform to the standards of identity for salad dressing. The salad dressing shall have a pleasing flavor, free from rancidity and other objectionable flavors or odors. The color shall be white to ivory (off-white) and the consistency shall be smooth, uniform, semi-solid, and free from lumps, watery appearance or oil separation.

3.2.3 Celery, fresh. The celery shall be a fresh white (blanched) or green variety. It shall be trimmed, cleaned, sorted and washed for removal of black heart, brown stain, decay, pithy branches, disease, seed stems, insect, mechanical or other damage.

3.2.4 Egg yolks. The egg yolks may be liquid or frozen and shall have been processed in accordance with Regulations Governing the Inspection of Eggs and Egg Products. The egg yolks shall contain no additives and shall be in satisfactory condition, free of objectionable odors and foreign material. Liquid egg yolks shall be held at a temperature of 40°F or lower and shall not be held for more than 72 hours from the time of pasteurization until the start of formulation of the egg yolks into the product. Frozen egg yolk shall be held at 10°F or lower and used within 120 days. Thawed previously frozen egg yolks shall be held for no more than 24 hours prior to use in a product.

3.2.5 Onions. Onions shall be yellow, dry, and firm and be of the sweet spanish or yellow globe types. They shall be free from rot or other damage.

3.2.6 Sweet pickle relish. Sweet pickle relish shall consist of cured, finely cut or finely chopped cucumbers packed in a vinegar solution with suitable nutritive sweetening ingredients. Sweet pickle relish may contain other finely cut or chopped vegetables such as cabbage, onions and green and red peppers.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:45Z
Check the source to verify that this is the currentversion before use.

3.2.7 Vegetable oil. The vegetable oil shall have a stability of 15 hours (minimum), a free fatty acid content not to exceed 0.05 percent by weight, a moisture and volatile matter not to exceed 0.06 percent by weight, and pass the Cold Test of 5.5 hours (minimum).

3.2.8 Peppers, green, sweet, fresh. Green sweet peppers shall be fresh, clean, sound firm pods of a single variety or ones of similar varietal characteristics. They shall be medium size, 95 to 105 per bushel.

3.2.9 Pimentos, canned. Pimentos shall be of any style and shall be U.S. Grade C or better of the U.S. Standards for Grades of Canned Pimentos.

3.2.10 Vinegar, cider. The cider vinegar shall be prepared from apple cider, be clear, light amber in color, free from haze, sediment, suspended matter and floating particles. The cider vinegar shall contain not less than 4.0 percent and not more than 5.0 percent acetic acid.

3.2.11 Salt. Salt shall be non-iodized and white, refined sodium chloride, with or without anti-caking agents.

3.2.12 Pepper, white, ground. Ground white pepper shall be derived from the dried mature berries of Piper nigrum L. from which the outer covering or outer and inner coverings have been removed. The ground white pepper shall have a characteristic penetrating odor, a hot biting pungent flavor and a light color. The white pepper shall contain not less than 1.0 mL volatile oil per 100 grams and be of such size that not less than 95 percent shall pass through a U.S. Standard No. 40 sieve.

3.2.13 Garlic powder. Garlic powder shall be fancy grade in accordance with the Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products.

3.2.14 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The preblended spice and seasoning mixture shall comply with the requirements of this specification. The containers used for the spice and seasoning blend shall be labeled with each ingredient and the percentage of each ingredient in the blend. The ingredients shall be in the same proportions as specified in the ingredient formulation.

3.2.15 Citric acid. Citric acid shall comply with the Food Chemicals Codex.

3.2.16 Xanthan gum. Xanthan gum shall comply with the Food Chemicals Codex.

3.3 Ingredient preparation prior to mixing.

3.3.1 Potato preparation. The white potatoes shall be thoroughly cleaned to remove dirt and extraneous material, washed thoroughly, trimmed, and cut into approximately 1/2 inch dice. The potatoes shall be handled in a manner to prevent browning. Sulfite may be used at low concentrations so that the

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

sulfite does not affect the flavor of the finished product. The potato dice shall be cooked until almost tender. The cooked potato dice shall be firm but not hard.

3.3.2 Celery preparation. The celery shall be cleaned thoroughly, trimmed to remove fibrous longitudinal strands, cut transversely into approximately 1/8 to 3/8 inch slices, and blanched.

3.3.3 Egg yolk preparation. The egg yolks shall be completely cooked to a firmness equivalent to a hard boiled texture. Cooling shall follow immediately after cooking to the extent that the egg yolks shall be free from any green discoloration prior to combining the yolks with the other potato salad ingredients. The cooked egg yolks shall be diced at 3/8 by 3/8 by 3/8 inch and the dice shall be sized so that at least 75% are retained on a U.S. No. 7 sieve.

3.3.4 Onion preparation. The onions shall be peeled, washed, cut into approximately 1/8 to 1/4-inch slices, and blanched.

3.3.5 Pimento preparation. The canned pimentos shall be drained and chopped into approximately 1/2 by 1/2 inch pieces.

3.4 Potato salad preparation. The potato salad shall be prepared from the following ingredients:

A. Vegetable - egg mixture

Ingredients	Percent
Potatoes, diced, cooked	70.22
Celery	8.95
Egg yolks, cooked	7.84
Onions	4.29
Relish	3.92
Green sweet peppers	2.45
Pimientos	2.33

B. Sauce mixture

Ingredients	Percent
Salad dressing	67.41
Vegetable oil	9.00
Cider vinegar	10.88 1/
Water	6.57
Salt	5.44
White pepper	0.41
Xanthan gum	0.20
Garlic powder	0.09

1/ The percentages of cider vinegar and water shall be adjusted appropriately to achieve the pH required in the finished product.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

Sauce mixture shall be prepared by blending all of the sauce ingredients together and heating to 180°F to form a uniform fluid sauce. The volume of the final sauce mixture shall be adjusted to compensate for evaporation losses. The sauce shall be filled immediately after preparation.

3.5 Tray pack filling and sealing. Each tray pack can (see 5.1.1) shall be filled with vegetable-egg mixture (84 ± 1 ounce) and sauce such as to conform to the finished product requirements. The product shall be mixed to uniformly distribute the product prior to sealing. Each can shall be hermetically sealed (under a vacuum of not less than 10 inches of mercury) immediately after filling.

3.6 Tray pack thermoprocessing. The filled and sealed tray pack cans shall be thermostabilized by retorting at 212° to 220°F until a product temperature of 195°F has been achieved.

3.7 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material, such as but not limited to dirt, insect parts, hair, wood, paper, paint, glass, or metal.
b. There shall be no foreign odor or flavor, such as but not limited to burnt, scorched, stale, sour, rancid, musty, or moldy.
c. Product shall be a uniform distribution of off-white potato dices, naturally colored celery, green peppers, pimentos, onion and light yellow egg yolk pieces in a thick off-white to pale yellow sauce.
d. Texture of vegetables shall not be hard or mushy.
e. The average pH shall be not less than 4.15 nor more than 4.45.
f. No individual pH value shall be less than 4.10 or more than 4.50.
g. The average net weight shall be not less than 106 ounces.
h. No individual can shall contain less than 104 ounces of product.
i. The finished product shall have a salt content of not less than 0.5 nor more than 1.5 percent.

3.7.1 Palatability. The finished product shall be equal to or better than the preproduction sample (see 6.1) in palatability and overall appearance.

3.8 Plant qualification. The product shall be prepared, processed, and packaged in establishments meeting the requirements of Title 21, Code of Federal Regulations, Part 110, Current Good Manufacturing Practice in Manufacturing, Processing, Packaging or Holding of Human Foods, and the plant sanitation requirements of the appropriate Government Inspection agency.

3.9 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall assure product compliance prior to submitting it to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of supervision necessary to assure compliance with the requirements of this specification.

4.3 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.4 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.4.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, or compliance be evident by examination of pertinent labels, markings, U.S. Grade certificates, certificates of analysis, or other such valid documents acceptable to the inspection agency. In addition, prior to use, each ingredient shall be examined organoleptically, as necessary, to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.5 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, can interior coating, filling, sealing, and packing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or other valid documents shall be cause for rejection of the involved product.

4.6 Tray pack inspection. The inspection lot shall include only tray packs produced in one workshift. The USDA reserves the right to separate the inspection lot into smaller inspection lots.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

4.6.1 Net weight inspection. Randomly select 30 filled and sealed tray pack cans from the inspection lot and weigh separately. Subtract the average tare weight (determined by randomly selecting and weighing 30 empty tray pack cans and lids and dividing the total weight by 30) from the weight of each tray pack in the sample. The results shall be reported to the nearest 1 ounce. If the average net weight is less than 106 ounces or if the net weight of any individual can is less than 104 ounces, the lot shall be rejected.

4.6.2 Product inspection. The sample size shall be as indicated by the double sampling plan specified in table I. The tray pack cans shall be selected at random from the lot. The tray pack cans shall be opened and inspected for the defects listed in table II.

TABLE I. Double sampling plan for product inspection. 1/

Lot size (cans)	Sample size (No. of cans)	Cumulative sample	Acceptance number	Rejection number
0-3200	8		0	2
	8	16	1	2
3201-35000	13		0	3
	13	26	3	4

1/ a. If no defects are found in the first sample, the lot shall be acceptable.

b. If the number of defects found in the first sample equals or exceeds the rejection number, the lot shall be rejected.

c. If the number of defects found in the first sample exceeds the acceptance number but is less than the rejection number, the second sample shall be inspected. Defects found in the first and second samples shall be combined and if the number of defects in the cumulative sample equals or exceeds the rejection number, the lot shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

TABLE II. Product inspection 1/ 2/

Category	Defect
Major	
151	Texture of vegetables hard or mushy
152	Individual components not uniformly distributed.
153	Color not characteristic of product (materially darkened, scorched or oxidized).

1/ The presence of any foreign material (e.g. glass, dirt, insect parts, hair, wood, metal, etc.), foreign odor or flavor (e.g. burnt, scorched, moldy, rancid, sour, stale, etc.) or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample in palatability or overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by an AMS agent.)

4.6.3 pH testing. Three tray packs shall be randomly drawn from each lot. For each sample tray, three aliquots shall be randomly drawn from different parts of the tray and the pH determined in accordance with Paragraph 32.017, Part 3 of the Vegetable PRoducts, Processed Chapter of the 14th Edition (1984) of the Official Methods of Analysis of the Association of the Official Analytical Chemists. The results shall be reported to the nearest 0.01. The average of these three determinations will constitute the pH of the unit sample. The average of the lot shall be calculated using these sample unit determinations. Acceptance of the lot shall be based on the lot average pH being between 4.15 and 4.45 and no sample unit pH used in determining the lot average being less than 4.10 or greater than 4.50.

4.6.4 Salt content testing. Nine tray pack cans shall be selected from the lot and distributed as follows:

- three for laboratory analysis
- three for submission to the contractor
- three for retention by an AMS agent as a reserve sample.

The three tray packs for laboratory analyses shall individually be tested for salt content in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists, except that preparation of the samples shall be as follows. The cans shall be opened and the entire contents of each can shall be separately blended in a Waring blender or equivalent.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

The lot shall be rejected if the salt content in any individual tray pack is less than 0.5 or more than 1.5 percent. Analysis of reserve samples at the request of the contractor shall not be permitted unless the original laboratory analysis indicated that the involved lot will be rejected because of noncompliance with the salt content requirement. When the reserve samples are analyzed, the analyses for salt shall be made and will be considered final. Unused reserve samples shall be returned to the contractor for inclusion in subsequent lots.

4.7 Can condition examination. Examination of filled and sealed tray pack cans shall be in accordance with the United States Standards for Condition of Food Containers, except that inspection for labeling shall be in accordance with MIL-L-1497 (see 5.4).

4.8 Shipping container examination. Shipping containers shall be examined for defects in assembly, closure, and reinforcement in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows: Major: (1) National stock number, item description, contract number, or date of pack markings missing, incorrect, or illegible; (2) Reinforcement with nonmetallic strapping or tape is not used. Minor: (1) Other markings missing, incorrect, or illegible; (2) Interior packing with fiberboard liner or pads not as specified; (3) Height of box liner less than inside depth dimensions of box by more than 1/8 inch or extends above top edge of box; (4) Length or width of pads less than box dimensions by more than 1/8 inch; (5) Arrangement or number of cans not as specified.

4.9 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C as specified (see 6.1).

5.1.1 Level A. A size 1001 by 1206 by 200 tray pack can shall be filled with 106 ounces of the food product, sealed, and thermoprocessed as specified in 3.5 and 3.6. The base plate of the can shall be electrolytic chromium-coated steel and shall be of sufficient temper to protect the product during shipment and storage. The base plate weight of the body and end of each can shall be 90 pounds per base box. The entire inside area of the can shall be coated. Scratches or fractures shall not penetrate through the interior can coating.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

The interior can coating shall not peel or blister when in contact with the product. The interior can coating shall neither affect nor be affected by the packaged product. A certificate of conformance shall be furnished to certify compliance with the interior can coating requirements. The can shall be coated overall on the outside with a coating conforming to type I of TT-C-495.

5.1.2 Level C. The product shall be packaged as specified in 5.1.1, except that cans with commercial exterior coating will be acceptable.

5.2 Packing. The product shall be packed in accordance with level A, B or C as specified (see 6.1).

5.2.1 Level A packing. Four cans of product, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, grade V2s of PPP-B-636. The cans shall be packed flat, four in depth within the box. The inside of each box shall be provided with a box liner and five fiberboard pads. The height of the box liner shall be equal to the full inside depth of the box (+0 inch -1/8 inch). The pads shall not be less than 1/8 inch of the full length and width dimension of the box and shall be fabricated of grade V3c fiberboard. The pads shall be placed between the cans and on the top and bottom of the stacked cans. Each fiberboard box shall be reinforced with nonmetallic strapping or pressure sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.1). Strapping shall be limited to nonmetallic strapping except for type II, class F loads.

5.2.2 Level B packing. Four cans of product, packaged as specified in 5.1, shall be packed as specified in 5.2.1, except the box shall be constructed of grade V3c, V3s, or V4s fiberboard.

5.2.3 Level C packing. Four cans of product, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed and closed in accordance with style RSC-L, class domestic, grade 275 of PPP-B-636. The cans shall be packed flat, four in depth within the box. The inside of each box shall be provided with a box liner and five fiberboard pads. The height of the box liner shall be equal to the full inside depth of the box (+0 inch, -1/8 inch). The pads shall be placed between the cans and on top and bottom of the stacked cans. The pads shall be not less than 1/8 inch of the full length and width dimension of the box and shall be fabricated of the material as the box.

5.3 Unit loads. When specified (see 6.1), the product, packed as specified in 5.2.2 and 5.2.3, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. When unit loads are strapped, the strapping shall be limited to nonmetalic strapping.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

5.4 Labeling. Each tray pack can shall be labeled in accordance with MIL-L-1497. In addition, the name of product shall be marked, stamping is permitted, on one 1001 by 200 side of the can. The labeling shall be legible when examined in accordance with 4.7 after submerging the can in boiling water for 30 minutes. Paper labels are not permitted. Cans shall show the following statements:

DO NOT HEAT

YIELD

Approximately 18 servings of 2/3 cup each

5.5 Marking.

5.5.1 Shipping containers. In addition to any special marking required by the contract, shipping containers shall be marked in accordance with MIL-STD-129.

5.5.2 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078. In addition, the following precautionary marking in capital letters larger than other markings shall be included:

CAUTION: DO NOT STACK PALLETS IN TRANSIT OR MORE THAN TWO HIGH IN STORAGE

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. When a first article is required (see 3.1, 4.3, and 6.3).
c. Provisions for approved preproduction samples (see 3.7.1 and 4.6.2).
d. Level of packaging and packing required (see 5.1 and 5.2).
e. Type and class of load (see 5.2.1 and 5.3).

6.2 Appropriate level of pack. Based on the conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the procuring activity should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.33A/DLAR 4145.7.

6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209-4. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

Preparing activity:

Army - GL

Project No. 8940-A508

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

US ARMY NATICK RESEARCH
and DEVELOPMENT CENTER
ATTN: STRNC-ES
Natick, MA 01760-5014

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research
and Development Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
JJJ-P-002195A(Army-GL)	Potato Salad, Thermostabilized, Tray Pack

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 02 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP, 20 Nov 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.