MIL-T-38034E(USAF)
AMENDMENT 2
15 NOVEMBER 82

SUPERSEDING
AMENDMENT 1
1 February 1982

MILITARY SPECIFICATION

TIMER, FIRE CONTROL, BOMBING, DUAL

This amendment forms a part of Military Specification MIL-T-38034E dated 27 May 1970, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

Add to bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: the Engineering Division, San Antonio Air Logistics Center/MMEDO, Kelly AFB, TX 78241 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 1

*1.1 Delete in its entirety and substitute the following:

"1.1 Scope. This specification covers the requirements for 28V d-c, integrally lighted, dual-channel, fire-control bombing timers."

*2.1 Delete in its entirety and substitute the following paragraph 2.1 and 2.1.1:

"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein."

SPECIFICATION:

Federal

Delete: "QQ-P-416 Plating, Cadmium (Electrodeposited)."

Add: "QQ-Z-325 Zinc Coating, Electrodeposited, Requirements for."

PAGE 2

STANDARDS:

Military

Delete: "MIL-STD-100 Engineering Drawing Practices" and substitute "DOD-STD-100 Engineering Drawing Practices".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:50Z
Check the source to verify that this is the current version before use.

FSC 6645

PAGE 3

*2.1 Delete parenthetical source paragraph and substitute the following:

"(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

*3.1 Delete in its entirety and substitute the following new paragraph 3.1:

"3.1 Preproduction. The timers furnished under this specification shall be subjected to preproduction tests (see 4.4)."

PAGE 13

Paragraph 3.6, line 3: Delete "MIL-STD-100" and substitute "DOD-STD-100".

PAGE 14

Delete paragraph 3.14.3 in its entirety and substitute the following new paragraph:

"3.14.3 Zinc-plated parts. Zinc plated parts shall be in accordance with QQ-Z-325, Class 3, Type II."

PAGE 15

Delete paragraph 4.1 "Responsibility for inspection" and substitute the following:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspections requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

*Under paragraph 4.2, delete subparagraph a. in its entirety and substitute the following:

"a. Preproduction Tests"

PAGE 16

*4.4 Delete "Qualification testing" and substitute "Preproduction testing".

*4.4.1 Line 6, delete: "The contractor shall submit to the qualifying activity all test samples upon which qualification tests have been performed." and substitute: "Unless otherwise specified, the contractor shall perform preproduction tests at his own facility or at an approved government testing laboratory."

Source: https://assist.dla.mil - Downloaded: 2026-10-21T11:50Z
Check the source to verify that this is the current version before use.

*4.4.3 Delete and substitute the following:

"4.4.3 Preproduction tests. The preproduction tests shall consist of all the tests specified under 4.6."

PAGE 27

Delete "5. PREPARATION FOR DELVIERY" and substitute "5. PACKAGING".

PAGE 29

*Delete paragraph "6.4 Qualification" in its entirety.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Air Force - 99

Review activity:
DLA - GS

Preparing activity:
Air Force - 82

(Project 6645-F358)

FSC 6645

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:50Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:50Z
Check the source to verify that this is the current version before use.