
# MILITARY SPECIFICATION SHEET

## LOCKING DEVICE, ROD END

This specification is approved for use by all Departments and Agencies of the Department of Defense.





| PART NUMBER | WASHER | | | | |
|---|---|---|---|---|---|
| | I. D. ±.005 | O. D. +.02 -.00 | A +.02 -.00 | B ±.005 | C ±.005 |
| M81935/3-4 | .261 | .44 | .31 | .055 | .212 |
| -5 | .324 | .50 | .35 | .055 | .273 |
| -6 | .386 | .56 | .39 | .086 | .324 |
| -7 | .449 | .63 | .42 | .086 | .388 |
| -8 | .511 | .75 | .50 | .086 | .450 |



FSC 3120

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:26Z
Check the source to verify that this is the current version before use.




| ROD END TERMINAL DESIGN DATA | | |
|---|---|---|
| THREAD (MALE) | E +.005 -.000 | F +.000 -.005 |
| 1/4-28UNJF-3 | .062 | .207 |
| 5/16-24UNJF-3 | .062 | .268 |
| 3/8-24UNJF-3 | .093 | .319 |
| 7/16-20UNJF-3 | .093 | .383 |
| 1/2-20UNJF-3 | .093 | .445 |



Source: https://assist.dla.mil -- Downloaded: 202610-23T06:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. THIS ROD END LOCK IS INTENDED FOR USE WITH THE NAS509 JAM NUT FOR POSITIVE LOCKING OF ROD END BEARINGS TO HYDRAULIC CYLINDER PISTON RODS.
2. FOR CLOSE ADJUSTMENT TO WITHIN .001 USE NAS1193.
3. FOR THREAD SIZES LARGER THAN l/2-20UNJF-3A REFER TO NAS559 OR NAS1193 AS APPLICABLE.

MATERLAL:

STEEL: SAE 4130, SPEC. MIL-S-18729
HEAT TREATMENT - RC 35-39

FINISH:

CADMIUM PLATE PER QQ-P-416, TYPE II, CLASS 2

NOTES:

1. THIS STANDARD TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.
3. ALL INTERIOR PACKAGES SHALL BE MARKED PER MIL-STD-129.
4. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ON M81935/3, -4, -5 AND -6 ARE IDENTICAL TO M81935/3, -7 AND -8.
5. PARTS SHALL BE FREE FROM BURRS AND FLAT WITHIN .010 ON SIZES -4, -5, AND -6, AND WITHIN .020 ON SIZES -7 AND -8.
6. ALL LINEAR DIMENSIONS IN INCHES, ANGULAR Dimensions IN DEGREES.

TOLERANCE:

UNLESS OTHERWISE SPECIFIED: +. 010

CUSTODIANS :
ARMY - AV
NAVY - AS
AIR FORCE - 11

PREPARING ACTIVITY :
NAVY - AS
(PROJECT NO. 3120-0446)



* U. S. GOVERNMENT PRINTING OFFICE 1973-712.147, 1651

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T06:26Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-B-81935/3 LOCKING DEVICE, ROD END

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-23T06:26Z
Check the source to verify that this is the current version before use.