INCH-POUND

NOTICE
OF CANCELLATION

MS39158E
NOTICE 1
30 September 1993

MILITARY SPECIFICATION SHEET

# ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 45° FLARE TYPE, AUTOMOTIVE

MS39158E, dated 5 January 1987, is hereby cancelled. Future acquisitions for this product should refer to SAE J512, Automotive Tube Fittings.

A detailed cross-reference of cancelled MS39158E Part Identifying Numbers (PINs) to superseding SAE J512 Government Part Identifying Numbers (PINs) are contained herein.

NOTE: MS39158E superseded CNAX2 in part.

Copies of SAE J512 are stocked at the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, for issue to DoD activities only. Other Government agencies, contractors, private concerns, or other requestors must obtain documents from the following or from some other authorized distributor:

Society of Automotive Engineers, Inc.
400 Commonwealth Drive
Warrendale, PA 15096

Preparing Activity:
Army - AR

Agent:
DLA-CS

(Project 4730-0221)


DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

| CANCELLED MS PART IDENTIFYING NO. (PIN) | TUBE O.D. | PIPE THREAD NPTF | SUPERSEDING SAE PART IDENTIFYING NO. (PIN) |
|---|---|---|---|
| *STANDARD | | | |
| MS39158-1 | 1/8 (.1250) | 1/8 (.1250) | J5122-2010102B |
| MS39158-2 | 3/16 (.1875) | 1/8 (.1250) | J5123-2010102B |
| MS39158-3 | 1/4 (.2500) | 1/8 (.1250) | J5124-2010102B |
| MS39158-4 | 5/16 (.3125) | 1/8 (.1250) | J5125-2010102B |
| MS39158-5 | 3/8 (.3750) | 1/4 (.2500) | J5126-4010102B |
| MS39158-6 | 7/16 (.4375) | 1/4 (.2500) | J5127-4010102B |
| MS39158-7 | 1/2 (.5000) | 3/8 (.3750) | J5128-6010102B |
| MS39158-8 | 5/8 (.6250) | 1/2 (.5000) | J51210-8010102B |
| MS39158-9 | 3/4 (.7500) | 1/2 (.5000) | J51212-8010102B |
| MS39158-10 | 7/8 (.8750) | 3/4 (.7500) | J51214-12010102B |
| MS39158-11 | 1 (1.000) | 1 (1.000) | J51216-16010102B |
| **NONSTANDARD | | | |
| MS39158-20 | 1/4 | 1/4 | J5124-4010102B |
| MS39158-21 | 1/4 | 3/8 | J5124-6010102B |
| MS39158-22 | 1/4 | 1/2 | J5124-8010102B |
| MS39158-23 | 5/16 | 1/4 | J5125-4010102B |
| MS39158-24 | 5/16 | 3/8 | J5125-6010102B |
| MS39158-25 | 3/8 | 1/8 | J5126-2010102B |
| MS39158-26 | 3/8 | 3/8 | J5126-6010102B |
| MS39158-27 | 3/8 | 1/2 | J5126-8010102B |
| MS39158-28 | 3/8 | 3/4 | J5126-12010102B |
| MS39158-29 | 1/2 | 1/4 | J5128-4010102B |
| MS39158-30 | 1/2 | 1/2 | J5128-8010102B |
| MS39158-31 | 1/2 | 3/4 | J5128-12010102B |
| MS39158-32 | 5/8 | 1/4 | J51210-4010102B |
| MS39158-33 | 5/8 | 3/8 | J51210-6010102B |
| MS39158-34 | 5/8 | 3/4 | J51210-12010102B |
| MS39158-35 | 3/4 | 3/4 | J51212-12010102B |


* STANDARD SIZES - THESE ITEMS PREFERRED FOR NEW DESIGN AND ENGINEERING.
** NONSTANDARD SIZES - THESE ITEMS ARE NOT RECOMMENDED FOR NEW DESIGN AND ENGINEERING.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

Superseding PIN consists of identification of SAE document, nominal tube O.D., pipe thread NPTF, configuration, and brass material. SAE part numbers are constructed in accordance with SAE J846. Example: J5122-2010102B, as a replacement for PIN MS39158-1, is constructed as follows:

J512 2 2 010102B






Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.