DDD-B-151a

JUNE 5, 1947

SUPERSEDING
Fed. Spec. DDD-B-151
March 29, 1932

FEDERAL STANDARD STOCK CATALOG

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

BEDSPREADS; COTTON

This specification was approved on the above date by the Director, Bureau of Federal Supply, for the use of all departments and establishments of the Government, and shall become effective not later than August 15, 1947, for use in procurement initiated on or after that date. It may be put into effect, however, at any earlier date after promulgation.

A. APPLICABLE SPECIFICATIONS

A–1. The following Federal Specifications, of the issues in effect on date of invitation for bids, shall form a part of this specification:

V–T–276—Thread; Cotton.
CCC–T–191—Textiles; General Specifications, Test Methods.
DDD–S–751—Stitches; Seams; and Stitching.

B. TYPES, CLASSES, SIZES, AND GRADES

B–1. *Types and classes.*—Cotton bedspreads covered by this specification shall be of the following types and classes, as specified in the invitation for bids:

Type I.—Crinkle, stripe-pattern, bleached.
Type II.—Crinkle, stripe-pattern, unbleached.
Type III.—Crinkle, stripe-pattern, colored.
Type IV.—Crochet, fancy-pattern, bleached.
Type V.—Crochet, border-pattern, bleached.
Class A.—44-ounce.
Class B.—50-ounce.
Class C.—64-ounce.
Type VI.—Pique, lozenge-pattern, sand and white.

B–2. *Sizes.*—Cotton bedspreads covered by this specification shall be of the sizes shown in table I, as specified in the invitation for bids.

B–3. *Grades.*—The bedspreads shall be furnished in the grade known commercially as "firsts", except that for type VI, pique bedspreads, "seconds" will be acceptable as provided under paragraph E–5.

707296—47—(222)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

C. MATERIAL AND WORKMANSHIP

C–1. *Material.*—

C–1a. *Yarn.*—The yarn shall be evenly spun of thoroughly clean cotton of a suitable grade and length of staple to meet the requirements for the finished fabric.

C–1b. *Thread.*—The thread shall be bleached or fast-dyed to match the color of the bedspreads and shall conform to the requirements of Federal Specification V–T–276 for type IA2, 3-cord, ticket No. 40.

C–2. *Workmanship.*—Workmanship shall be first class. The finished product shall be free from avoidable imperfections in manufacture and from defects or blemishes affecting appearance or which may affect serviceability, and shall be cut and sewn so as to give a trim, tailored appearance.

D. GENERAL REQUIREMENTS

D–1. *Design.*—Cotton bedspreads shall be furnished as selected from commercial designs, unless otherwise specified in the invitation for bids.

D–2. *Construction.*—Each bedspread shall be one piece of material with straight, even selvages on both sides. The ends shall be cut parallel to the filling yarns. The hems at each end shall be not less than ¾ inch wide, straight, and of uniform width. The turn-unders on each hem shall be not less than ¼ inch wide. All stitching shall be done with not less than eight stitches to the linear inch, using stitching type EFb–1 and stitch type 301 as described in Federal Specification DDD–S–751.

D–3. *Finishing and nonfibrous materials.*—The total of sizing, finishing, and other nonfibrous materials shall not exceed 2½ percent. Finishing materials which are subject to absorption and retention of chlorine from laundry bleach solution, shall not be used. The finishing materials shall not be appreciably removed under normal laundering conditions.

D–4. *Shrinkage in laundering.*—Shrinkage in laundering shall not exceed 5 percent in either direction.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

E. DETAIL REQUIREMENTS

E–1. *Physical properties.*—The size, weight, construction, and breaking strength of the bedspreads shall conform to the requirements in table I.

TABLE I.—*Physical properties.*

Type	Class	Size, minimum	Weight of finished bedspread, minimum	Count-number of yarns per inch, minimum		Breaking strength grab method, minimum	
				Warp	Filling	Warp	Filling
		Inches	*Ounces*			*Pounds*	*Pounds*
I, II, III—Crinkle, stripe-pattern	..	63 x 90 63 x 99 72 x 90 72 x 99 81 x 90 81 x 99 90 x 90 90 x 99	21½ 24 25 27 28 30½ 31 34	72 (in plain ground) 62 (in crinkle stripe)	62	40	40
IV—Crochet, fancy-pattern	..	54 x 90 63 x 90 72 x 90 81 x 90	28½ 33 38 45	..	..	50	50
V—Crochet, border-pattern	A.... B.... C....	72 x 90 72 x 90 81 x 90	44 50 64	..	..	50	50
VI—Pique, lozenge-pattern	..	63 x 90 72 x 90 81 x 90	35 40 45	86	42	70	85

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

E–2. *Weave.*—

E–2a. *Types I, II and III.*—The bedspreads shall be of any weave or combination of weaves which will produce an alternate crinkle stripe and smooth stripe in the finished bedspread. The ground shall be reinforced as follows: eight ground ends on each side and adjacent to all crinkle stripes measuring ⅜ inch or more, shall be drawn in so that two ends are woven as one (eight ends weaving as four). The stripes shall run lengthwise in the finished bedspread.

E–2b. *Types IV and V.*—The bedspreads shall be of any weave or combination of weaves which will simulate a crochet or knit effect in the finished bedspread. When specified, an insignia shall be woven in the center of the spread.

E–2c. *Type VI.*—The bedspreads shall be of any weave or combination of weaves which will produce a finished spread having an all-over design of raised lozenges approximately ¼ inch by ⅜ inch, formed by four small squares; the lozenges shall be regularly spaced about 7/16 inch apart, with a double panel in the center of the spread. When specified in the invitation for bids, an insignia shall be woven in the center of the double panel

E–3. *Finish.*—

E–3a. *Types I, IV, and V.*—The fabric shall be bleached.

E–3b. *Type II.*—The fabric shall be unbleached.

E–3c. *Types III and VI.*—Type III and type VI bedspreads shall be dyed as indicated below. The bedspreads shall have good color fastness to laundering, light, and bleaching when tested in accordance with paragraph F–3b.

E–3c(1). *Type III.*—The color of type III bedspreads shall be as specified in the invitation for bids.

E–3c(2). *Type VI.*—The color of type VI bedspreads shall be that commercially known as "sand and white," equal in shade to the standard sample furnished by the procuring agency.

E–4. *Identification stamp.*—When specified in the invitation for bids, each type V bedspread shall be stamped on the reverse side at one corner, 1 inch from the side and 1 inch from the end, with the name of the design. Stamping shall be in black indelible ink which will withstand repeated laundering without material loss of color.

E–5. *"Seconds" of type VI bedspreads.*—When specified in the invitation for bids, bedspreads known commercially as "seconds" may be furnished in an amount not exceeding 5 percent of the total quantity ordered, at a discount to be stated in the bids and embodied in the purchase orders.

E–5a. "Seconds" shall comply with the requirements of this specification, but may have slight imperfections of manufacture which will in no way affect serviceability or wearing qualities, and which affect only slightly the general appearance. "Seconds" may have pickouts, misweave, thread runs, oil spots, kier stains, or bad selvages which make them less attractive in finish and appearance than "firsts", but a combination of these defects, or an

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

extreme instance of any of them, will be considered cause for rejection as "seconds". "Seconds" may not contain holes or tears.

E–5b. "Seconds" shall be plainly marked "SECONDS", and shall be packed separately.

F. METHODS OF SAMPLING, INSPECTION, AND TESTS

F–1. *Sampling.*—Unless otherwise specified, not less than one sample shall be taken at random from each 1,000 bedspreads or fraction thereof delivered, except that when the shipment exceeds 10,000 bedspreads, a sample shall be taken from each one-tenth of the shipment.

F–2. *Inspection.*—Unless otherwise specified, inspection shall be made at point of delivery to determine compliance with this specification with respect to material, workmanship, design, construction, dimensions, weave, finish, and marking.

F–3. *Tests.*—Tests shall be conducted in accordance with the methods described in Federal Specification CCC–T–191 and supplement thereto to determine compliance with this specification with respect to finishing materials, shrinkage in laundering, breaking strength, and color fastness.

F–3a. *Breaking strength tests.*—For type I, II, and III bedspreads, breaking strength specimens parallel to the stripes shall be taken consecutively across the spreads; the average result of 10 specimens so taken shall be recorded as the breaking strength.

F–3b. *Color fastness tests (types III and VI only).*—Color fastness tests shall be conducted as follows:

(1) Fastness to laundering—Federal Specification CCC–T–191, section XIII, paragraph 4.
(2) Fastness to light—Federal Specification CCC–T–191, section XIII, paragraph 2.
(3) Fastness to bleaching—Supplement to Federal Specification CCC–T–191, section VI, paragraph 4.

G. PACKAGING, PACKING, AND MARKING FOR SHIPMENT

G–1. *Packaging.*—Unless otherwise specified, commercial packages are acceptable.

G–2. *Packing.*—Unless otherwise specified, the subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to the point of delivery called for in the contract or purchase order.

G–3. *Marking.*—Unless otherwise specified, shipping containers shall be marked with the name of the item, type, class, color, size, and quantity as defined by contract or order under which shipment is made, the name of contractor, and the number of the contract or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

H. REQUIREMENTS APPLICABLE TO INDIVIDUAL DEPARTMENTS

H–1. The following departmental specifications and other publications, of the issues in effect on date of invitation for bids, shall form a part of this specification, and shall be applicable to purchases made under this specification by the respective departments.

H–2. *Army.*—U. S. Army Specification No. 100–2, Standard Specification for Marking Shipments by Contractors, copies of which may be obtained, without cost, upon application to the procuring agency indicated in the invitation for bids.

H–3. *Navy.*—

H–3a. Navy Department General Specifications for Inspection of Material, copies of which may be obtained without cost upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C.

H–3b. Shipments shall be made in accordance with the requirements of the Navy Handbook for Packaging, Packing, and Marking of Clothing, Small Stores, and Textiles. Sections of the Handbook may be obtained upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C. When requesting copies, bidders and contractors should state the specification number and the name of the item to be packed so that the proper sections may be forwarded.

I. NOTES

I–1. Purchasers should exercise any desired options offered herein and should specify the following:

For types I, II, IV, and VI.....	Type and size.
For type III.....	Type, size and color.
For type V.....	Type and class.

If insignia are required for types IV, V, and VI, and if special identification marking is required for type V bedspreads, detailed information relative thereto should be included in the invitation for bids. If "seconds" will be permitted for type VI bedspreads, it should be specified. (See pars. B–1, B–2, B–3, D–1, E–2b, E–2c, E–3c(1), E–4, E–5, F–1, F–2, G–1, G–2, and G–3.)

I–2. It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

I–3. Federal specifications do not include all types, classes, grades, sizes, etc. of the commodities indicated by the titles of the specification, or which are commercially available, but are intended to cover the types, etc. which are suitable for Federal Government requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

I–4. An Index of Federal Specifications may be purchased as noted in the paragraph below, price to be obtained from the Superintendent of Documents.

I–5. Copies of this specification and of V–T–276, CCC–T–191, and DDD–S–751 may be obtained upon application, accompanied by postal note, money order, coupon, or cash, to the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Price 5 cents each; except Supplement to CCC-T-191, 10 cents; and DDD–S–751, 25 cents.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

For sale by the Superintendent o Documents, Washington 25, D. C.
Price cents

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.