DDD-B-151e
AMENDMENT-2
August 22, 1968
SUPERSEDING
Amendment-1
February 16, 1967

FEDERAL SPECIFICATION

BEDSPREAD, COTTON OR COTTON/RAYON BLEND

This amendment, which forms a part of Federal Specification DDD-B-151e, dated January 25, 1966, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 1

Paragraph 1.2, second line---delete "types and sizes" and substitute "types, styles, and sizes."

Paragraph 2.1, under Federal Specifications: Delete "UU-T-111 - Tape; Paper, Gummed (Sealing and Securing)" and add "PPP-T-45 - Tape, Gummed Paper, Reinforced and Plain, for Sealing and Securing."

PAGE 2

TABLE I. Delete in its entirety and substitute the following:

TABLE I. Physical requirements

Type	Size of finished bedspread (after laundering)	Weight of finished bedspreads	Yarns/Inch		Breaking strength	
			Minimum		Minimum	
	Minimum	Minimum	Warp	Filling	Warp	Filling
	Inches	Ounces			Pounds	Pounds
I Crinkle						
Size 1	63 by 97	24.0	72 in plain ground 62 in crinkle stripe	62	50	50
Size 3	72 by 97	27.0				
Size 4	72 by 106	29.0				

FSC 7210

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:33Z
Check the source to verify that this is the current version before use.

TABLE I. Physical requirements (con.)

Type	Size of finished bedspread (after laundering)	Weight of finished bedspreads	Yarns/Inch Minimum		Breaking strength Minimum	
	Minimum	Minimum	Warp	Filling	Warp	Filling
	Inches	Ounces			Pounds	Pounds
II Dimity	81 by 103	32.5	70	60	75	45
III Herring-bone stripe 1/						
Size 1	56 by 88	23.0	68	38	80	50
Size 2	63 by 106	31.0				
Size 3	72 by 106	35.0				
IV Corded Style A Bedspreads with four square cut corners						
Size 1	63 by 103	38.0	65 including the cotton cords	32	85	70
Size 2	76 by 103	46.0				
Size 3	76 by 113	49.0				
Size 4	90 by 113	57.0				
Style B Bedspreads with two square cut corners at one end, and two round corners at the opposite end						
Size 1	63 by 103	37.0	65 including the cotton cords	32	85	70
Size 2	76 by 103	45.0				
Size 3	76 by 113	48.0				
Size 4	90 by 113	56.0				

1/ The herringbone stripes shall consist of solid color bands of narrow ribbed and chevron stripes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:33Z
Check the source to verify that this is the current version before use.

PAGE 3

Paragraph 3.4, 2nd sentence: Delete in its entirety and substitute: The ends of the bedspread shall be hemmed. As an alternate, the bedspreads may be fabricated with the sides of the bedspreads cut parallel to the warp yarns. The four corners shall be square cut, except for type IV bedspreads, which shall have either four square cut corners, or two square cut corners at one end, and two round corners at the opposite end (see table I and 6.2). The ends and sides of the bedspread shall be hemmed as specified in 3.4.2.

Paragraph 3.4.2 Delete in its entirety and substitute:

3.4.2 Hems. The finished hems for the four square cut corner bedspreads shall be not less than 3/4 inch wide, with the raw edges turned under not less than 1/4 inch, using stitching type EFb-1. The finished hems for bedspreads with two square cut corners at one end and two round corners at the opposite end shall be not less than 5/16 inch wide, with the raw edges turned under not less than 3/16 inch, using stitching type EFb-1. All hems shall be stitched with not less than 5, nor more than 8 stitches per inch, using stitch type 301. The stitching shall be 1/16 to 1/8 inch from the turned edge. Bedspreads furnished with selvage sides shall not be side hemmed.

PAGE 4

Paragraph 3.7.4 Add the following sub-paragraph:

3.7.4.3 Round corners. When specified (see 6.2), the round corners for style B bedspreads shall be made as follows: An arc 20 inches in radius shall be swung from the midpoint of the intersection of two straight lines of a 20-inch square, formed at the corners to be shaped round.

Paragraph 4.1 Delete in its entirety and substitute:

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to the prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 20260-26T12:33Z
Check the source to verify that this is the current version before use.

4.1.1 Certificate of compliance. Where certificates of compliance are submitted, the Government reserves the right to check test such items to determine the validity of the certification.

PAGE 5

Paragraph 4.3.2.1.1: Under "Hem", after "1/4 inch," add "(except for type IV, style B)."

Paragraph 4.3.2.1.1 Add the following: "Varies in width by more than 1/8 inch for type IV, style B" - defect classification - minor.

PAGE 6

Paragraph 4.3.2.3 - Delete defects listed for "Hem" and "Turnunder" and substitute "Less than specified" for each.

PAGE 8

Paragraph 5.1.1.3, line 10 - Delete "class 2 of UU-T-111" and substitute "type III, grade B or PPP-T-45."

Add the following new paragraph:

5.1.1.3.1. When specified (see 6.2), six bedspreads without individual wrapping in polyethylene bags, may be folded to approximate 14 by 23 inch dimensions for types I, II, and III bedspreads, 11 by 18 inch dimensions for type IV, sizes 1, 2 and 3 bedspreads and 9 by 22 inch dimensions for type IV, size 4 bedspreads, then stacked flat, with each bedspread reversed end to end, and completely wrapped in 30 pound, minimum basis weight kraft paper conforming to grade B of UU-P-268. The wrap shall be secured with a 2 inch minimum width gummed paper tape conforming to type III, grade B of PPP-T-45.

Paragraph 5.2.1.1, line 2: After "type" insert "style".

PAGE 9

Paragraph 5.2.2.1, line 2: After "type" insert "style".

Paragraph 5.3.3, line 11: Add "and style (when applicable)."

TABLE V: Delete in its entirety and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:33Z
Check the source to verify that this is the current version before use.

TABLE V. Number of packages in shipping containers

Type	Size	Total number of items in each shipping container
I	63 by 97	32
	72 by 97	24
	72 by 106	24
II	81 by 103	24
III	56 by 88	30
	63 by 106	24
	72 by 106	24
IV	63 by 103	24
	76 by 103	20
	76 by 113	20
	90 by 113	16

Paragraph 6.1:

(a) - Delete "(Air Force) and."

(c) - Add "and (Air Force)."

PAGE 10

Paragraph 6.2 - Add the following:

"(k) Style required for type IV bedspreads (see 3.4 and table I).
(l) When packaging in 5.1.1.3.1 is required (see 5.1.1.3.1)."

MILITARY INTERESTS:

Custodians:

Navy - SA
Air Force - 82

Review activities:

Navy - MS
Air Force - 82, 85
Defense Supply Agency - DM

User activities:

Navy - MS, CG, YD

Preparing activity:

Navy - SA

CIVIL AGENCIES INTEREST:

HEW
COM
VA
GSA
FAA

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:33Z
Check the source to verify that this is the current version before use.