METRIC

MIL-STD-2402(DMA)
21 April 1995
SUPERSEDING
(See section 6.3)

STANDARD PRACTICE FOR

MAPPING, CHARTING & GEODESY

SYMBOLS

FOR

GRAPHIC PRODUCTS

AMSC N/A

AREA MCGT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

FOREWORD

1. This standard is approved for use by the Defense Mapping Agency, and is available for use by all Departments, and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Director, Defense Mapping Agency, ATTN: ATIS, 8613 Lee Highway, Fairfax, VA 22031-2137 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
1	SCOPE	1
1.1	Scope	1
1.2	Purpose	1
1.3	Application	1
1.4	Security	1
2	APPLICABLE DOCUMENTS	2
2.1	Government Documents	2
2.1.1	Specifications, standards, and handbooks	2
2.1.2	Other government documents, drawings, and publications	2
2.2	Non-Government publications	2
2.3	Order of precedence	2
3	DEFINITIONS	3
3.1	Origin	3
3.2	Orientation	3
3.3	Parameter fields	3
3.4	Symbol	3
4	GENERAL REQUIREMENTS	6
4.1	General	6
4.1.1	Structure	6
4.2	Graphic symbol requirements	7
4.2.1	Symbol graphics	7
4.2.2	Content of symbol graphics	8
4.2.3	Reproduction of graphic symbols	8
4.3	Symbol graphics shown in combination	8
4.4	Other symbol graphic requirements	8
4.4.1	Symbol phasing requirements	8
4.4.2	Capitalization of type	9
4.4.3	Placement of type	9
4.5	Key to MC&G product abbreviations	9
4.5.1	Terrain analysis products	10
4.5.2	Other MC&G products	10
5	DETAILED REQUIREMENTS	11
5.1	MC&G Symbology	11
	TABLE I	12
6	NOTES	599
6.1	Intended use	599
6.2	Issue of DoDISS	599
6.3	Supersession	599
6.4	Subject term (key word) listing	599
6.5	Standardization Agreements	599
APPENDIX A	Symbology graphics	601
Index		735
Concluding Materials		736

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Scope. This standard defines Mapping, Charting, and Geodesy (MC&G) symbology for the Defense Mapping Agency (DMA) graphic (hardcopy) products. This is one of two military standards that document symbology for DMA products. Symbology associated with DMA Vector Products (those in Vector Product Format), are found in MIL-STD-2412, Vector Product Format Symbology.

1.2 Purpose. The purpose of this standard is to assure uniformity of treatment among mapping and charting elements, primarily DMA and its contractors, engaged in a coordinated production and maintenance program for hardcopy product covered by this standard. Feature requirements are mapped to specific symbols using DMA's Feature/Attribute Coding Standard (FACS), to maintain consistency between various DMA production methods. The use of FACS in this document is not intended to imply any external digital data coding standard. FACS is the internal coding standard used by DMA's Digital Production System (DPS), which is the primary intended, but not exclusive, method for production for numerous DMA hardcopy products. The Digital Geographic Information Exchange Standard (DIGEST) Feature Attribute Coding Catalog (FACC), not FACS, is the approved coding standard for the exchange of digital geographic data, as well as the standard for DMA's Vector Product Format product line.

1.3 Application. This standard applies to both internal and contractual development efforts by the Defense Mapping Agency; and to all levels involved in the preparation and maintenance of those graphic MC&G products covered by this standard (see 4.5).

1.4 Security. This Military Standard is UNCLASSIFIED. The symbology and technical specifications presented herein may be used for classified graphic products where appropriate security provisions are added.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks.

MILITARY STANDARDS

MIL-STD-2403(DMA)	-	MC&G Product Generation Rules
MIL-STD-2408(DMA)	-	Mapping, Charting & Geodesy Glossary of Feature and Attribute Definitions
MIL-STD-2410(DMA)	-	MC&G Reproduction and Printing

NOTE: Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094).

2.1.2 Other Government documents, drawings, and publications.

Standard Printing Color Catalog for Mapping, Charting, Geodetic Data, and Related Products, January 1987

(Copies of the above publication is available from the Defense Mapping Agency, Fairfax, VA 220031-2137).

2.2 Non-Government publications.

This section is not applicable to this standard.

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards) the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

3.1 Origin. That part of a point symbol that represents the geographic position of the feature.

3.2 Orientation. The relative position of a symbol with respect to a cardinal direction, the sheet neatline, another feature or symbol, or the surface of the earth (for example, ticks on depression contours point downhill).

3.3 Parameter fields. Parameter fields associated with each symbol contain standardized terminology to ensure consistent explanation of the symbols. Some parameter field types, not listed in this section are self-explanatory. Parameter field definitions are as follows:

a. Area:Band - A screen or pattern imprinted within, over, or along a symbol to indicate or highlight a specific area.

b. Area:Fill - A fill screen imprinted within an area feature.

c. Area:Pattern (AP) - a unique and continuous graphic pattern depicted within an area feature; i.e. AP-129.

d. Arrow - A symbol or component of a symbol indicating direction, or a vector.

e. Cap - A unique symbol appended to a basic square, circle, or rectangle that indicates a specific function or property.

f. Casing - Two parallel lines representing a linear symbol.

g. Color - The Standard Printing Color (SPC) for a given feature/symbol; i.e. SPC# 46351 (Blue)

h. Color1 .../Color2 - Two colors are used for the same symbol that when combined result in a unique process printing color; i.e. blue (31% - #48253) and yellow (79% - #57377), both used with specific screen angles, are combined to form a process printing green color.

i. Connecting Line - A line which connects separate symbols or repetitive parts of the same symbol to form one continuous symbol.

j. Dash:Perimeter - The limits of an areal feature depicted with a dashed line.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

k. Dash Spacing - The distance between two consecutive dashes.

l. Distance Between Lines/Line Spacing - Distance measured from closest edges of two lines.

m. Fill - The appropriate color or pattern existing within or overprinting the symbol.

n. Information Box/Facility Box - A permanent box that is printed on the product and contains a variety of information. The box height and width will vary in size to accommodate varying text information.

o. Label - Labels consist of a variety of terminology and abbreviations, descriptive or identifying, that are either free-standing (geographic names, text description), or directly associated with a graphic symbol (point, line or area). A label box, or "window" directly around an attribute code, i.e. NAM, on the symbol graphic indicates that variable text is required in that position, when known. For additional requirements, see 4.2.3 and 4.2.4. Any punctuation mark external to a label box must also be carried as part of the label.

p. Lower case - All letters of a word or words are in lower case text. All numbers are considered lower case to this and other referenced specifications and standards.

q. Leader line - A line leading from a location point or symbol to the supporting information or text label.

r. Lineweight - The thickness (in millimeters) of a line measured between outside edges.

s. Line:Fill - A fill screen imprinted between the bounding lines of a cased line symbol.

t. Open Square - An unfilled square whose dimensions are measured across the square; outside perimeter edge to outside perimeter edge.

u. Parallel to south neatline - Oriented in same direction as the neatline at the bottom of the map/chart. For maps/charts with significant curvature of the south neatline, parallel to a line connecting lower left and lower right corners of the map/chart.

v. Perimeter - The limits of an areal feature as centered on the peripheral edge of that feature.

w. Posicut - A unique graphic symbol with a fixed geometry and used primarily for point features.

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

x. Screen - A regular pattern of dots, defined by a predetermined percentage (100% being solid) used to create tones of a given color.

y. Tick - A short line located at specified intervals along a linear symbol and normally positioned perpendicular to that line.

z. Tick Interval - Distance between the centers of each tick in a set of two ticks.

aa. Tick Spacing - Distance between the centers of each tick in a set of two ticks.

bb. Type - All type is Swiss 742.

cc. Type sizes - 4 to 36 point.

dd. Type style - Specifications on capitalization, and appearance of the type, such as normal, light, bold, italic, and condensed.

ee. Upper case - All letters of a word or words are in capital letters.

ff. Upper & Lower case - The first letter of each word entry is a capital letter, followed by all lower case text.

gg. Wing Tick - A short angular tick located at the end-point of a linear or point symbol.

NOTE: Refer to MIL-STD-2410 for the complete specifications for all text fonts, area/line patterns, posicuts, percent printing screens, screen angles and SPC printing colors.

3.4 Symbol. An object that presents information.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 General. This document is a comprehensive listing of MC&G symbols shown on Defense Mapping Agency (DMA) graphic (hardcopy) products, and the detailed specifications for each symbol. It provides the linkage between any required FACS Feature/attribute combination (see MIL-STD-2408) and its corresponding graphic symbol.

4.1.1 Structure. Each symbol page conforms to a standardized format for data presentation. Explanatory notes accompany each segment heading to describe and define each element.

SYMBOLOGY SPECIFICATION FORMAT

FCODE - FEATURE NAME (1)

FT (2) .... Symbol# XXXXXXXXX (3)

ATTRIBUTES	**PARAMETERS**	**PRODUCTS**
ACode - Acode Category (4)	**(7)**	**(8)**
AValue (5) - Value (6)		

---

a. FCODE - FEATURE NAME (1)

FCode - Five digit alphanumeric, Feature Attribute Coding Standard (FACS) code assigned to each feature (e.g., 1A010 - Mine). The first two digits identify the category and subcategory to which each feature belongs (e.g., 1= Culture category, A= Extraction subcategory). The remaining three characters (numeric) assign a unique code to each alphabetized feature name within that subcategory.

Feature Name - The name of feature as specified in the Feature Attribute Coding Standard (FACS). A Feature is a physical (e.g., Bridge) or conceptual (e.g., Route-Nautical) entity of the real world which has one or more sets of coordinates to be included on a product.

b. FT (Feature Type) (2)

AREA FEATURE (A) - more than two sets of coordinates defining a closed area; area features may span more than one map sheet or geographic area requirement.

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE (L) - two or more sets of coordinates defining a series of linear segments; linear features may have an extent of more than one map sheet or geographic area requirement.

POINT FEATURE (P) - a single set of geographic coordinates; point features are unique to a geographic area requirement but may be shown on two adjacent map sheets when they fall directly on a map neatline.

c. SYMBOL Number (3) - A unique nine digit alpha/numeric code assigned to every symbol, consisting of the feature code, feature type, and a unique identifier. Every symbol has a unique symbol number.

Examples:

	FCode:	1A010
+	Feature Type:	A
+	Unique identifier:	001
=	Symbol Number:	1A010A001
	FCode:	1P030
+	Feature Type:	L
+	Unique identifier:	032
=	Symbol Number:	1P030L032

d. ACode (Attribute Code) - ACode Category (4) - three digit alpha or alphanumeric character/acronym code assigned to each attribute, e.g.; EXS (ACode) = Existence (ACode Category).

e. AValue (Attribute Value) (5) - a three digit numeric value assigned to each attribute code which identifies the specific Acode characteristics. Values can be coded (e.g. EXS 003 = Reported), numeric, either a unique number (e.g., LTN = 1) or range of numbers (e.g., LTN > 2 and <= 5), or a textual attribute (e.g., COL of "Fl R" or NAM of "Kingman Reef"). In the case where AValue is numeric the Value name (See section f below) is self-explanatory

f. Value (6) - AValue name, shown for coded attributes (e.g. EXS 003 = Reported).

g. Parameters (7) - The detailed specifications for symbols and label(s) that are required for each feature symbol. (See section 3.1)

h. Products (8) - The products for which a specific symbol is required: e.g. Symbol No 1A010A003 is shown on ATC, JOG-R, ONC, and TPC. (See section 4.5)

4.2 Graphic symbol requirements.

4.2.1 Symbol graphics. Appendix A of this Standard provides a generic graphic of each symbol specified in Section 5 cross-referenced with its respective symbol number (see 4.1.1.c).

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

Symbol graphics in Appendix A are not precisely to scale, and dimensions given in the symbol parameter fields (see 4.1.1.g) shall take precedence over dimensions of the graphic symbols in Appendix A. Areal and lineal feature graphics shown are simplified generic examples. Point feature graphics are close facsimiles of the posicuts specified in MIL-STD-2410.

4.2.1.1 Format of symbol graphics. The symbol graphics appearing in APPENDIX A of this document were generated using Pagemaker 3.0, a commercial software package. The use of Pagemaker in this standard is not meant to imply any particular graphics standard for DMA digital data, which is addressed in MIL-STD-2414.

4.2.2 Content of symbol graphics. The symbol graphics in Appendix A show the graphic symbol elements, fixed labels, variable labels, i.e., "windows" or "attribute windows", indicated by attribute codes with boxes around them, and their relative default locations. Fixed labels shall appear as shown in Appendix A. Where an attribute window appears, the label will normally be either the attribute value name, in the case of coded attributes, number, in the case of numeric attributes, or a text string, in the case of textual attributes. Product generation rules for a specific product feature/type may provide abbreviations or other labels for specific attribute value, or in certain cases, may call for a posicut to be shown in place of a label. Note - the symbol graphics for buoys (2C010), lighted beacons (2C050, HLT=006) and visual beacons (2C060) show the default posicut, rather than a Structure Shape Category (SSC) attribute window, to provide a more realistic impression of the symbol.

4.2.3 Reproduction of graphic symbols. MC&G symbols on DMA graphic products shall be visually identical to the symbol graphics in Appendix A of this Standard, except as described above (see 4.2.1), or as modified by applicable product generation rules, such as label modifiers. Posicuts shall be replicated as specified in the engineering drawings of MIL-STD-2410.

4.3 Symbol graphics shown in combination. In certain cases, two or more features/symbols may be shown in conjunction for complete symbolization. For example, airports on several products are represented by an overprinting of the runway pattern (FACS Feature Code 1U160) over the symbol for the aircraft facility (FACS Feature Code 1U030). Another example is the inland shoreline (2H075) shown in conjunction with the lake/pond (2H080). They are only portrayed separately in APPENDIX A because symbols are categorized by FACS feature. They would not appear on the product in isolation from one another.

4.4 Other symbol graphic requirements.

4.4.1 Symbol phasing requirements. Symbol graphics requiring the use of line segments together with spaces, dots,

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

and/or short dashed lines shall be delineated to ensure that changes in direction are always depicted with a solid line.

4.4.2 Capitalization of type. Type style is either upper case, upper and lower case, or lower case. When upper and lower case type is specified, the following sections shall apply.

4.4.2.1 Fixed type. For labels with fixed content, i.e., those labels that are not shown by an "attribute window", the case shall be as shown in the symbol graphic. An exception is if a variable type element "window" precedes the fixed label, AND the variable label is not shown, the fixed label is then capitalized as variable type (see 4.4.2.2).

4.4.2.2 Variable type. For variable type, shown by an attribute window on the symbol graphic, case may be specified one of two ways. Type case may be specified in a product rule that is applicable to a particular symbol (listed in TABLE I of the product specification for that feature/feature type). In this case, the rule shall indicate the type case. Rules applied to one product that uses a symbol shall not be carried over to other products that use the same symbol. If no rule specifies a type case, the following default rule shall be followed.

a. If the descriptive term consists of one word, capitalize the first letter, for example, Mud, Tank, Wk.

b. If the descriptive term or phrase consists of two or more words, capitalize the first letter of the first word, and use lower case for the succeeding word or words, for example, Sand and mud, Oil tanks, Recommended track, Dredged to 4m. An exception to this rule is when the word is abbreviated, where upper case is used, for example, Water Tr.

c. If the term is labeling a hydrographic area (FACS Subcategory 6C), or the proper name of any feature, capitalize the first letter in each word, for example: Harbor Limit, Precautionary Area, Mine Laying Practice Area, Submarine Exercise Area, Empire State Building, Canterbury Cathedral, Panama Canal. Exceptions are words that are not customarily capitalized in the English language, for example, Bay of Fundy.

4.4.3 Placement of type. Default positioning of labels is indicated on the graphic for each symbol in APPENDIX A. There are however, numerous labeling rules applied by products to various symbols that will override the default positions shown in the symbol graphic. Groups of labels are normally shown center justified, unless overridden by a specific product rule. Labels are moved to avoid overprints with other type and symbols, and may in certain cases, also be repositioned for aesthetic purposes.

4.5 Key to MC&G Product Abbreviations. This standard is applicable to the following products.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4.5.1 Terrain analysis products. Outlined below is the key to the abbreviations for the specific terrain analysis products as shown in the products column of TABLE I.

Abbreviation	Definition
TTADB-SC	1:50K Surface Configuration Overlay
TTADB-V	1:50K Vegetation Overlay
TTADB-SM	1:50K Surface Materials Overlay
TTADB-SD	1:50K Surface Drainage Overlay
TTADB-T	1:50K Transportation Overlay
TTADB-O	1:50K Obstacles Overlay
PTADB-SC	1:250K Surface Configuration Overlay
PTADB-V	1:250K Vegetation Overlay
PTADB-SM	1:250K Surface Materials Overlay
PTADB-SD	1:250K Surface Drainage Overlay
PTADB-T	1:250K Transportation Overlay
PTADB-O	1:250K Obstacles Overlay
TRANS 50	1:50 Transportation Map
TRANS 250	1:250K Transportation Map
CCM 50	1:50K Cross Country Movement Map
CCM 250	1:250K Cross Country Movement Map

4.5.2 Other MC&G products. All other MC&G graphic product (Aeronautical, Topographic and Hydrographic) acronyms are listed in alphabetic order as follows:

ATC 200	-	Air Target Chart
BNPC	-	Bathymetric Navigational Planning Chart
CG	-	City Graphic
CG ENV	-	City Graphic - Environs Inset
COMBAT	-	Combat Chart
HAC	-	Harbor & Approach and Coastal Charts
1	-	Scale 1:25,000 and Larger
2	-	Scale 1: 25,001 to 1:50,000
3	-	Scale 1:50,001 to 1:100,000
4	-	Scale 1:100,001 to 1:250,000
5	-	Scale 1:250,001 to 1:350,000
6	-	Scale 1:350,001 to 1:600,000
7	-	Scale 1:600,001 to 1:750,000
8	-	Scale 1:750,001 to 1:1,000,000
9	-	Scale 1:1,000,001 and Smaller
JOG A	-	Joint Operation Graphics - Air
JOG G	-	Joint Operation Graphics - Ground
JOG R	-	Joint Operation Graphics - Radar
ONC	-	Operational Navigation Chart
TLM 50	-	Topographic Line Map - 1:50,000 scale
TLM 100	-	Topographic Line Map - 1:100,000 scale
TPC	-	Tactical Pilotage Chart

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 MC&G Symbology. The detailed requirements and specifications for all MC&G symbology for graphic products (from 1A010A001 through 9D066P003) are provided in TABLE I.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1A010 – MINE
AREA FEATURE.... SYMBOL# 1A010A001 OPERATIONAL MINE

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 – UNKNOWN
028 – OPERATIONAL

MIN – MINING CATEGORY
000 – UNKNOWN
002 – HORIZONTAL SHAFT
003 – OPEN PIT
004 – PLACER
005 – PROSPECT
006 – STRIP
007 – VERTICAL SHAFT

NAM – NAME CATEGORY
ANY

PRO – PRODUCT CATEGORY
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1A010 – MINE
AREA FEATURE.... SYMBOL# 1A010A002

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)
Posicut is positioned in center of area.

PRODUCTS:

HAC 1
HAC 2
HAC 3

1A010 – MINE
AREA FEATURE.... SYMBOL# 1A010A003 ABANDONED MINE

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
006 – ABANDONED

MIN – MINING CATEGORY
002 – HORIZONTAL SHAFT
003 – OPEN PIT
004 – PLACER
005 – PROSPECT
006 – STRIP
007 – VERTICAL SHAFT

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1A010 – MINE
AREA FEATURE.... SYMBOL# 1A010A004 REPORTED OPERATIONAL MINE

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 – UNKNOWN
003 – REPORTED
028 – OPERATIONAL

MIN – MINING CATEGORY
002 – HORIZONTAL SHAFT
003 – OPEN PIT
004 – PLACER
005 – PROSPECT
006 – STRIP
007 – VERTICAL SHAFT

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1A010 — MINE
AREA FEATURE.... SYMBOL# 1A010A005 ABANDONED MINE

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
006 - ABANDONED

MIN — MINING CATEGORY
000 - UNKNOWN
002 - HORIZONTAL SHAFT
003 - OPEN PIT
004 - PLACER
005 - PROSPECT
006 - STRIP
007 - VERTICAL SHAFT

NAM — NAME CATEGORY
ANY

PRO — PRODUCT CATEGORY
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
DASH LENGTH: 2.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)
Orientation: Upside down.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TIM 100K
TIM 50K

1A010 — MINE
AREA FEATURE.... SYMBOL# 1A010A006 PEAT CUTTINGS

ATTRIBUTES:

MIN — MINING CATEGORY
008 - PEAT CUTTINGS

PARAMETERS:

AREA:FILL
Area Pattern: AP-129
Color: BLACK (#58600)

LABEL
Type Size: 6 - 12 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)
Type size: 6 TO 12 PT

PRODUCTS:

ATC 200
COMBAT
JOG A
JOG G
JOG R
OEC
TIM 100K
TIM 50K
TPC

1A010 — MINE
POINT FEATURE.... SYMBOL# 1A010P001 OPERATIONAL MINE

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
000 - UNKNOWN
028 - OPERATIONAL

MIN — MINING CATEGORY
000 - UNKNOWN
002 - HORIZONTAL SHAFT
003 - OPEN PIT
004 - PLACER
005 - PROSPECT
006 - STRIP
007 - VERTICAL SHAFT

NAM — NAME CATEGORY
ANY

PRO — PRODUCT CATEGORY
ANY

PARAMETERS:

Origin: Intersection of handles.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TIM 100K
TIM 50K

1A010 — MINE
POINT FEATURE.... SYMBOL# 1A010P002 ABANDONED MINE

ATTRIBUTES:

EXS — EXISTENCE CATEGORY

PARAMETERS:

Origin: Intersection of handles.

PRODUCTS:

CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1A010P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED		CG ENV COMBAT
MIN – MINING CATEGORY 000 – UNKNOWN 002 – HORIZONTAL SHAFT 003 – OPEN PIT 004 – PLACER 005 – PROSPECT 006 – STRIP 007 – VERTICAL SHAFT	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	JOG A JOG G TLM 100K TLM 50K
NAM – NAME CATEGORY ANY	POSICUT Posicut: #1 Color: BLACK (#58600) Orientation: Upside down.	
PRO – PRODUCT CATEGORY ANY		

1A010 – MINE
POINT FEATURE.... SYMBOL# 1A010P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Intersection of handles. POSICUT Posicut: #1 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1A010 – MINE
POINT FEATURE.... SYMBOL# 1A010P004 PEAT CUTTINGS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MIN – MINING CATEGORY 008 – PEAT CUTTINGS	CUTTING SYMBOL Lineweight: 0.100mm Color: BLACK (#58600) Five (5) rectangles, two (2) rows staggered, three (3) on the bottom row, two (2) on top. Width: 1.5 mm. Height: 1.0 mm. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1A010 – MINE
POINT FEATURE.... SYMBOL# 1A010P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED	Origin: INTERSECTION OF HANDLES LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC
MIN – MINING CATEGORY 000 – UNKNOWN 002 – HORIZONTAL SHAFT 003 – OPEN PIT 004 – PLACER 005 – PROSPECT 006 – STRIP 007 – VERTICAL SHAFT	POSICUT Posicut: #1 Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1A010 – MINE
POINT FEATURE.... SYMBOL# 1A010P006

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 - UNKNOWN
003 - REPORTED
028 - OPERATIONAL

MIN – MINING CATEGORY
000 - UNKNOWN
002 - HORIZONTAL SHAFT
003 - OPEN PIT
004 - PLACER
005 - PROSPECT
006 - STRIP
007 - VERTICAL SHAFT

PARAMETERS:

Origin: INTERSECTION OF HANDLES

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
OSC
TPC

1A010 – MINE
POINT FEATURE.... SYMBOL# 1A010P007

ATTRIBUTES:

MIN – MINING CATEGORY
008 - PEAT CUTTINGS

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
OSC
TPC

1A030 – QUARRY
AREA FEATURE.... SYMBOL# 1A030A001

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 - UNKNOWN
028 - OPERATIONAL

PRO – PRODUCT CATEGORY
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)
Posicut origin is intersection of handles.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1A030 – QUARRY
AREA FEATURE.... SYMBOL# 1A030A002

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
006 - ABANDONED

PRO – PRODUCT CATEGORY
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)
Origin of posicut is intersection of handles. Orientation of posicut is up-side-down.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1A030 – QUARRY
AREA FEATURE.... SYMBOL# 1A030A003

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
006 – ABANDONED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1A030 – QUARRY
AREA FEATURE.... SYMBOL# 1A030A004

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 – UNKNOWN
003 – REPORTED
028 – OPERATIONAL

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1A030 – QUARRY
AREA FEATURE.... SYMBOL# 1A030A005

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)
Posicut positioned in center of area.

PRODUCTS:

HAC 1
HAC 2
HAC 3

1A030 – QUARRY
POINT FEATURE.... SYMBOL# 1A030P001

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
000 – UNKNOWN
028 – OPERATIONAL

PRD – PRODUCT CATEGORY
ANY

PARAMETERS:

Origin: Intersection of handles

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #1
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1A030 – QUARRY
POINT FEATURE.... SYMBOL# 1A030P002

ATTRIBUTES:

EXS – EXISTENCE CATEGORY

PARAMETERS:

Origin: Intersection of handles

PRODUCTS:

CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1A0309002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED PRO – PRODUCT CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #1 Color: BLACK (#58600) Orientation: Upside down.	CG ESV COMBAT JOG A JOG G TLM 100K TLM 50K

1A030 – QUARRY
POINT FEATURE.... SYMBOL# 1A0309003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED	Origin: Intersection of handles LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #1 Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1A030 – QUARRY
POINT FEATURE.... SYMBOL# 1A0309004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 000 – UNKNOWN 028 – OPERATIONAL	Origin: Intersection of handles LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #1 Color: BLACK (#58600) Origin: Center of symbol, where pick and shovel handles cross.	ATC 200 JOG R OSC TPC

1A030 – QUARRY
POINT FEATURE.... SYMBOL# 1A0309005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Intersection of handles POSICUT Posicut: #1 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 4m LOC – LOCATION /ORIGIN CATEGORY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1A040P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 009 – OTHER PRD – PRODUCT CATEGORY ANY SVL – Z VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M PRD – PRODUCT CATEGORY 012 – NATURAL GAS 018 – OIL SVL – Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M PRD – PRODUCT CATEGORY 000 – UNKNOWN SVL – Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1A040P007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE PRO – PRODUCT CATEGORY ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1A040 – RIG /SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1A040P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	CG ENV

1A050 – WELL
POINT FEATURE.... SYMBOL# 1A050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 000 – UNKNOWN 003 – REPORTED 006 – ABANDONED 020 – OPERATIONAL PRO – PRODUCT CATEGORY 000 – UNKNOWN 012 – NATURAL GAS 018 – OIL	Origin: Center of circle LABEL:EXS Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:PRO Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1A050P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #4 Color: BLACK (#58600)	

1A050 — WELL
POINT FEATURE.... SYMBOL# 1A050P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 000 - UNKNOWN 003 - REPORTED 006 - ABANDONED 028 - OPERATIONAL **HYC** — HYDROGRAPHIC CATEGORY 000 - UNKNOWN 008 - PERENNIAL /PERMANENT **NAM** — NAME CATEGORY ANY **PRO** — PRODUCT CATEGORY 027 - WATER **SCC** — SPRING /WELL CHARACTERISTIC CATEGORY ANY **WFT** — WELL FEATURE TYPE ANY	Origin: Center of dot **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) **LABEL:OTHER** Type Size: 6 point Type Style: Lower Case,Condensed Color: BLUE (#48253) **POSICUT** Posicut: #5 Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1A050 — WELL
POINT FEATURE.... SYMBOL# 1A050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 003 - REPORTED 006 - ABANDONED 028 - OPERATIONAL **HYC** — HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING **NAM** — NAME CATEGORY ANY **PRO** — PRODUCT CATEGORY 027 - WATER **SCC** — SPRING /WELL CHARACTERISTIC CATEGORY ANY **WFT** — WELL FEATURE TYPE ANY	Origin: Center of circle **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) **LABEL:OTHER** Type Size: 6 point Type Style: Lower Case,Condensed Color: BLUE (#48253) **POSICUT** Posicut: #4 Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K

1A050 — WELL
POINT FEATURE.... SYMBOL# 1A050P014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 000 - UNKNOWN 003 - REPORTED 006 - ABANDONED 028 - OPERATIONAL **HYC** — HYDROGRAPHIC CATEGORY 000 - UNKNOWN 008 - PERENNIAL /PERMANENT **PRO** — PRODUCT CATEGORY 027 - WATER	Origin: Center of dot **POSICUT** Posicut: #5 Color: BLUE (#48253)	OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1A050 – WELL
POINT FEATURE.... SYMBOL# 1A050P015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 003 – REPORTED 006 – ABANDONED 028 – OPERATIONAL HYC – HYDROGRAPHIC CATEGORY 003 – DRY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING PRO – PRODUCT CATEGORY 027 – WATER	Origin: Center of circle POSICUT Posicut: #4 Color: BLUE (#48253)	OSC TPC

1A050 – WELL
POINT FEATURE.... SYMBOL# 1A050P016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 000 – UNKNOWN 003 – REPORTED 006 – ABANDONED 028 – OPERATIONAL HYC – HYDROGRAPHIC CATEGORY 000 – UNKNOWN 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY PRO – PRODUCT CATEGORY 027 – WATER	Origin: Center of dot LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Condensed Color: BLUE (#48253) POSICUT Posicut: #5 Color: BLUE (#48253)	ATC 200 JOG R

1A050 – WELL
POINT FEATURE.... SYMBOL# 1A050P017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 003 – REPORTED 006 – ABANDONED 028 – OPERATIONAL HYC – HYDROGRAPHIC CATEGORY 003 – DRY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM – NAME CATEGORY ANY PRO – PRODUCT CATEGORY 027 – WATER	Origin: Center of circle LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Condensed Color: BLUE (#48253) POSICUT Posicut: #4 Color: BLUE (#48253)	ATC 200 JOG R

1B000 – DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	DASH:PERIMETER Linewidth: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1B000 - DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY ANY	**AREA:FILL** Area Pattern: AP-150 Color: BROWN (#58252) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ONC TPC

1B000 - DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 059 - REFUSE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **PERIMETER DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1B000 - DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 000 - UNKNOWN 019 - OTHER 030 - SLAG 032 - TAILINGS	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1B000 - DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 030 - SLAG	**AREA:FILL** Area Pattern: AP-150 Color: VIOLET (#44742) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1B000 - DISPOSAL SITE /WASTE FILE
AREA FEATURE.... SYMBOL# 1B000A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 000 - UNKNOWN 032 - TAILINGS 059 - REFUSE	**AREA:FILL** Area Pattern: AP-150 Color: BROWN (#58252) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

18000 – DISPOSAL SITE /WASTE FILE
POINT FEATURE.... SYMBOL# 18000P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY ANY	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	CSC TPC

18010 – WRECKING YARD /SCRAP YARD
AREA FEATURE.... SYMBOL# 18010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TIM 100K TIM 50K

18010 – WRECKING YARD /SCRAP YARD
AREA FEATURE.... SYMBOL# 18010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CSC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2

18010 – WRECKING YARD /SCRAP YARD
AREA FEATURE.... SYMBOL# 18010A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: VIOLET (#44742) **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

18010 – WRECKING YARD /SCRAP YARD
POINT FEATURE.... SYMBOL# 18010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1B010P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS PRO – PRODUCT CATEGORY 006 – CHEMICAL 018 – OIL	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS PRO – PRODUCT CATEGORY 006 – CHEMICAL 018 – OIL	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY 006 – CHEMICAL 018 – OIL	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A007

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

PRO – PRODUCT CATEGORY
000 – UNKNOWN
001 – ALUMINUM
003 – ASPHALT
004 – BRICK
005 – CEMENT
008 – COKE
010 – COPPER
011 – EXPLOSIVES
013 – GASOLINE
014 – GLASS
015 – GOLD
016 – IRON
017 – LEAD
019 – OTHER
020 – PAPER
021 – RADIOACTIVE MATERIAL
022 – RUBBER
024 – SILVER
025 – STEEL
026 – VEGETATION PRODUCTS
027 – WATER
028 – URANIUM
029 – ZINC
033 – METAL
035 – SEWAGE
037 – HEAT

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A008

ATTRIBUTES:

PRO – PRODUCT CATEGORY
ANY

REF – RADAR SIGNIFICANCE FACTOR
001 – METAL

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
The area fill is a solid violet color.

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A009

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
≥ 9m

PRO – PRODUCT CATEGORY
ANY

REF – RADAR SIGNIFICANCE FACTOR
002 – PART METAL

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
The area fill is a solid color.

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A010

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
< 9m

PRO – PRODUCT CATEGORY

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 67%,45° Angle

PRODUCTS:

ATC 200
JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1C000A010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY ANY RSF – RADAR SIGNIFICANCE FACTOR 002 - PART METAL	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m PRO – PRODUCT CATEGORY ANY RSF – RADAR SIGNIFICANCE FACTOR 003 - STONE/BRICK	AREA:FILL Color: VIOLET (#44742) The area fill is a solid color. LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m PRO – PRODUCT CATEGORY ANY RSF – RADAR SIGNIFICANCE FACTOR 003 - STONE/BRICK 004 - COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1C000 – PROCESSING PLANT /TREATMENT PLANT
AREA FEATURE.... SYMBOL# 1C000A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m PRO – PRODUCT CATEGORY ANY RSF – RADAR SIGNIFICANCE FACTOR 003 - STONE/BRICK 004 - COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1C000 – PROCESSING PLANT /TREATMENT PLANT
POINT FEATURE.... SYMBOL# 1C000P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	Origin: Center of square	COMBAT JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1C000P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FNO – PRODUCT CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	JOG G TLM 100K TLM 50K

1C000 – PROCESSING PLANT /PETROCHEM PLANT
POINT FEATURE.... SYMBOL# 1C000P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FNO – PRODUCT CATEGORY ANY	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1C020 – CATALYTIC CRACKER
POINT FEATURE.... SYMBOL# 1C020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1C020 – CATALYTIC CRACKER
POINT FEATURE.... SYMBOL# 1C020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

1C020 – CATALYTIC CRACKER
POINT FEATURE.... SYMBOL# 1C020P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1C030 – SETTLING BASIN /SLUDGE POND
AREA FEATURE.... SYMBOL# 1C030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	**AREA:FILL** Area Pattern: AP- 95 Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1

1C030 – SETTLING BASIN /SLUDGE POND
AREA FEATURE.... SYMBOL# 1C030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 95 Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1C030 – SETTLING BASIN /SLUDGE POND
AREA FEATURE.... SYMBOL# 1C030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Color: BLACK (#58600) Type Size: 6 TO 24 pt. **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SD TTADB-SC TTADB-SD TTADB-SM TTADB-V

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

1C030 – SETTLING BASIN /SLUDGE POND
AREA FEATURE.... SYMBOL# 1C030A004

ATTRIBUTES:.	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**FILL:INTERIOR** Line Pattern: LP-15 Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) **LINE:INTERIOR** Lineweight: 0.100mm Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY PPC – POWER PLANT CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 - 16 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A005

ATTRIBUTES:

RSF – RADAR SIGNIFICANCE FACTOR
001 – METAL

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
The area fill is a solid violet color.

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A006

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
≥ 9m

RSF – RADAR SIGNIFICANCE FACTOR
002 – PART METAL

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
The area fill is a solid violet color.

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A007

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
< 9m

RSF – RADAR SIGNIFICANCE FACTOR
002 – PART METAL

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 67%,45° Angle

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.200mm
Color: VIOLET (#44742)

PRODUCTS:

ATC 200
JOG R

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A008

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
≥ 18m

RSF – RADAR SIGNIFICANCE FACTOR
003 – STONE/BRICK

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
The area fill is a solid violet color.

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A009

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
≥ 9m

RSF – RADAR SIGNIFICANCE FACTOR
003 – STONE/BRICK
004 – COMPOSITION

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 67%,45° Angle

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1D010A009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	

1D010 – POWER PLANT FACILITY
AREA FEATURE.... SYMBOL# 1D010A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1D010 – POWER PLANT FACILITY
POINT FEATURE.... SYMBOL# 1D010P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m PPC – POWER PLANT CATEGORY ANY	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1D010 – POWER PLANT FACILITY
POINT FEATURE.... SYMBOL# 1D010P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m PPC – POWER PLANT CATEGORY ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1D020 – SOLAR PANEL
POINT FEATURE.... SYMBOL# 1D020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1D030 – SUBSTATION /TRANSFORMER YARD
AREA FEATURE.... SYMBOL# 1D030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

1D030 – SUBSTATION /TRANSFORMER YARD
AREA FEATURE.... SYMBOL# 1D030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TIM 100K TIM 50K

1D030 – SUBSTATION /TRANSFORMER YARD
AREA FEATURE.... SYMBOL# 1D030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ONC TPC

1D030 – SUBSTATION /TRANSFORMER YARD
AREA FEATURE.... SYMBOL# 1D030A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: VIOLET (#44742) **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1D030 – SUBSTATION /TRANSFORMER YARD
POINT FEATURE.... SYMBOL# 1D030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TIM 100K TIM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1D030P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1D030 - SUBSTATION /TRANSFORMER YARD
POINT FEATURE.... SYMBOL# 1D030P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	HAC 1

1D030 - SUBSTATION /TRANSFORMER YARD
POINT FEATURE.... SYMBOL# 1D030P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R OPC TPC

1F010 - CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL - 2 VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1F010 - CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1F010 – CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG CG ENV

1F010 – CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle at base of chimney **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **OVERHEAD BAR** Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parentheses). Positioned 0.5mm over HGT figure. **OVERHEAD BAR TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to the ends of overhead bar, pointing down. **POSICUT** Posicut: #6 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1F010 – CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle at base of chimney **POSICUT** Posicut: #6 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1F010 – CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# 1F010P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LF010 - CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# LF010P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 60m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

LF010 - CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# LF010P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 60m RVL - 2 VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	OSC TPC

LF010 - CHIMNEY /SMOKESTACK
POINT FEATURE.... SYMBOL# LF010P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 60m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	OSC TPC

LF020 - CONVEYOR
LINE FEATURE.... SYMBOL# LF020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:LINE Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG C JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1F030 – COOLING TOWER
AREA FEATURE.... SYMBOL# 1F030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **OVERHEAD BAR** Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parenthesetheses). Positioned 0.5mm over HGT figure. **OVERHEAD BAR TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Overhead Bar Ticks are oriented 45° to the ends of the Overhead Bar, pointing down. **POSICUT** Posicut: #55 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL – 2 VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1F030 – COOLING TOWER
POINT FEATURE.... SYMBOL# 1F030P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1F040 – CRANE
POINT FEATURE.... SYMBOL# 1F040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE – USE STATUS	Origin: Center of circle	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1F040P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE – USE STATUS 010 – OTHER	**POSICUT** Posicut: #8 Color: BLACK (#58600)	HAC 2 HAC 3

1F040 – CRANE
POINT FEATURE.... SYMBOL# 1F040P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG CG ENV

1F040 – CRANE
POINT FEATURE.... SYMBOL# 1F040P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1F040 – CRANE
POINT FEATURE.... SYMBOL# 1F040P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1F040 – CRANE
POINT FEATURE.... SYMBOL# 1F040P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61m SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LF040 — CRANE
POINT FEATURE.... SYMBOL# LF040P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT — HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	OSC TPC

LF040 — CRANE
POINT FEATURE.... SYMBOL# LF040P007 Container Crane

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE — USE STATUS 080 — CONTAINER	Origin: Center of intersection of rectangles POSICUT Posicut: #222 Color: BLACK (#58600) Long arm points to/extends over water.	HAC 1 HAC 2 HAC 3

LF040 — CRANE
POINT FEATURE.... SYMBOL# LF040P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER — CERTAINTY OF EXISTENCE ANY HGT — HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUTS Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

LF070 — FLARE PIPE
POINT FEATURE.... SYMBOL# LF070P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC — CONSPICUOUS OBJECT CATEGORY 002 — NOT CONSPICUOUS LOC — LOCATION /ORIGIN CATEGORY 003 — ON GROUND SURFACE	Origin: Center of circle at base of the pipe POSICUT Posicut: #9 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LF070 — FLARE PIPE
POINT FEATURE.... SYMBOL# LF070P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC — LOCATION /ORIGIN CATEGORY 002 — OFF-SHORE	Origin: Center of circle POSICUT:CIRCLE Posicut: #7 Color: BLACK (#58600) POSICUT:FLARE Posicut: #10 Color: PURPLE (#96532)	EMPC HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F070P003

ATTRIBUTES:

COC – CONSPICUOUS OBJECT CATEGORY
001 – CONSPICUOUS

HGT – HEIGHT ABOVE SURFACE LEVEL
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

PARAMETERS:

Origin: Center of circle at base of the pipe

LABEL
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

OVERHEAD BAR
Lineweight: 0.100mm
Color: BLACK (#58600)
Length: Length of HGT figure (including parentheses). Positioned 0.5mm over HGT figure.

OVERHEAD BAR TICK
Lineweight: 0.100mm
Length: 0.500mm
Color: BLACK (#58600)
Orientation: 45° to the ends of the Overhead Bar, pointing down

POSICUT
Posicut: #9
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F070P004

ATTRIBUTES:

HGT – HEIGHT ABOVE SURFACE LEVEL
< 46m

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F070P005

ATTRIBUTES:

COE – CERTAINTY OF EXISTENCE
ANY

HGT – HEIGHT ABOVE SURFACE LEVEL
≥ 46m

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #3
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F070P006

ATTRIBUTES:

HGT – HEIGHT ABOVE SURFACE LEVEL
< 61m

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1F0709006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F0709007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M VAL – Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1F070 – FLARE PIPE
POINT FEATURE.... SYMBOL# 1F0709008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ANY VAL – Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1H020 – BATTERY
AREA FEATURE.... SYMBOL# 1H020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600) POSICUT Posicut: #11 Color: BLACK (#58600) Posicut is positioned in center of area.	HAC 1 HAC 2

1H020 – BATTERY
POINT FEATURE.... SYMBOL# 1H020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square POSICUT Posicut: #11 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1H045 – FIRING RANGE
AREA FEATURE.... SYMBOL# 1H045A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.100mm Length: 0.800mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

1H050 – FORT
AREA FEATURE.... SYMBOL# 1H050A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG COMBAT JOG A JOG G TLM 100K TLM 50K

1H050 – FORT
AREA FEATURE.... SYMBOL# 1H050A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1H050 – FORT
AREA FEATURE.... SYMBOL# 1H050A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS NAM – NAME CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1H050 – FORT
AREA FEATURE.... SYMBOL# 1H050A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 180S0A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	

180S0 - PORT
AREA FEATURE.... SYMBOL# 180S0A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
IDN - IDENTIFICATION NUMBER ANY	AREA:FILL Color: BLACK (#58600) LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862)	CG CG ENV

180S0 - PORT
POINT FEATURE.... SYMBOL# 180S0P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	Origin: Center of square LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

180S0 - PORT
POINT FEATURE.... SYMBOL# 180S0P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: Center of large square LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #12 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

180S0 - PORT
POINT FEATURE.... SYMBOL# 180S0P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	Origin: Center of large square POSICUT Posicut: #12 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H050 – POST
POINT FEATURE.... SYMBOL# 1H050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1I020 – MOBILE HOME PARK
AREA FEATURE.... SYMBOL# 1I020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1I020 – MOBILE HOME PARK
AREA FEATURE.... SYMBOL# 1I020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: VIOLET (#44742) **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1I020 – MOBILE HOME PARK
POINT FEATURE.... SYMBOL# 1I020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1J030 – FEED LOT /STOCKYARD /BUILDING PEN
AREA FEATURE.... SYMBOL# 1J030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TXT – TEXT ATTRIBUTE ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1J030A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1J030 – FEED LOT /STOCKYARD /HOLDING PEN
POINT FEATURE.... SYMBOL# 1J030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #41 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m EVL – 2 VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS PRD – PRODUCT CATEGORY 019 – OTHER	Origin: Center of circle POSICUT Posicut: #13 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M EVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1J050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# 1J050P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY	Origin: Center of circle at base	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# LM050P008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS PRO – PRODUCT CATEGORY 036 – ELECTRICITY	POSICUT Posicut: #211 Color: BLACK (#58600)	HAC 2 HAC 3

LM050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# LM050P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY PRO – PRODUCT CATEGORY 019 – OTHER	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (excluding parentheses). Positioned 0.5mm over HGT figure. OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45 ° to ends of overhead bar, pointing down. POSICUT Posicut: #13 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LM050 – WINDMILL /WINDMOTOR
POINT FEATURE.... SYMBOL# LM050P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY PRO – PRODUCT CATEGORY 036 – ELECTRICITY	Origin: Center of circle at base LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: length of HGT figure (including parentheses). Positioned 0.5mm over HGT figure. OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to ends of overhead bar, pointing down. POSICUT Posicut: #211 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1ED20 – AMUSEMENT PARK ATTRACTION
LINE FEATURE.... SYMBOL# 1ED20L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE 003 - ROLLER COASTER COC – CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	**LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE 000 - UNKNOWN 001 - ARTIFICIAL MOUNTAIN 002 - FERRIS WHEEL 004 - SPHERE 005 - OTHER COC – CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: CENTER OF CIRCLE **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #55 Color: BLACK (#58600)	HAC 1

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE 005 - OTHER COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TIM 100K TIM 50K

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE ANY HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE ANY COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:38Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1ED20P004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 4m	POSICUT Posicut: #3 Color: BLACK (#58600)	

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE ANY	Origin: Center of square	OSC TPC
HGT – HEIGHT ABOVE SURFACE LEVEL < 6m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1ED20 – AMUSEMENT PARK ATTRACTION
POINT FEATURE.... SYMBOL# 1ED20P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
APS – AMUSEMENT PARK STRUCTURE ANY	Origin: Center of dot	OSC TPC
CON – CERTAINTY OF EXISTENCE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 6m	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	
SVL – 1 VALUE ANY		

1ED30 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1ED30A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	LABEL:OTHER Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1ED30 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1ED30A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: GREEN (#52813) Screen: 210,45° Angle	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1E030A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1E030 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1E030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RMF – RADAR SIGNIFICANCE FACTOR 001 – METAL	**AREA:FILL** Color: VIOLET (#44742) The area fill is a solid violet color. **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1E030 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1E030A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m RMF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	**AREA:FILL** Color: VIOLET (#44742) The area fill is a solid violet color. **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1E030 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1E030A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m RMF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	**AREA:FILL** Color: VIOLET (#44742) Screen: 67%,45° Angle **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1E030 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1E030A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m RMF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	**AREA:FILL** Color: VIOLET (#44742) The area fill is a solid color. **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1ED30 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1ED30A007

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
≥ 9m and < 18m

RSF – RADAR SIGNIFICANCE FACTOR
003 – STONE/BRICK
004 – COMPOSITION

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 67%,45° Angle

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.200mm
Color: VIOLET (#44742)

PRODUCTS:

ATC 200
JOG R

1ED30 – AMUSEMENT PARK
AREA FEATURE.... SYMBOL# 1ED30A008

ATTRIBUTES:

PHT – PREDOMINANT HEIGHT
< 9M

RSF – RADAR SIGNIFICANCE FACTOR
003 – STONE/BRICK
004 – COMPOSITION

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 31%,45° Angle

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.200mm
Color: VIOLET (#44742)

PRODUCTS:

ATC 200
JOG R

1ED30 – AMUSEMENT PARK
POINT FEATURE.... SYMBOL# 1ED30P001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1ED40 – ATHLETIC FIELD
AREA FEATURE.... SYMBOL# 1ED40A001

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

PARAMETERS:

AREA:FILL
Color: GREEN (#52813)
Screen: 21%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

CG
CG ESV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1ED40A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1ED40 – ATHLETIC FIELD
AREA FEATURE.... SYMBOL# 1ED40A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT HAC 1 JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

1ED40 – ATHLETIC FIELD
POINT FEATURE.... SYMBOL# 1ED40P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1ED60 – CAMPGROUND /CAMPSITE
AREA FEATURE.... SYMBOL# 1ED60A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1ED70 - DRIVE-IN THEATER
AREA FEATURE.... SYMBOL# 1ED70A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1ED70 - DRIVE-IN THEATER
AREA FEATURE.... SYMBOL# 1ED70A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1ED70 - DRIVE-IN THEATER
POINT FEATURE.... SYMBOL# 1ED70P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1ED80 - DRIVE-IN THEATER SCREEN
POINT FEATURE.... SYMBOL# 1ED80P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #55 Color: BLACK (#58600)	HAC 1

1ED90 - FAIRGROUNDS
AREA FEATURE.... SYMBOL# 1ED90A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1ED90A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1ED90 – FAIRGROUNDS
AREA FEATURE.... SYMBOL# 1ED90A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

1ED90 – FAIRGROUNDS
AREA FEATURE.... SYMBOL# 1ED90A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**AREA:FILL** Color: GREEN (#52813) Screen: 21%,45° Angle **DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1K100 – GOLF COURSE
AREA FEATURE.... SYMBOL# 1K100A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1K100A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1K100 – GOLF COURSE
AREA FEATURE.... SYMBOL# 1K100A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

1K100 – GOLF COURSE
AREA FEATURE.... SYMBOL# 1K100A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	AREA:FILL Color: GREEN (#52813) Screen: 210,45° Angle DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1K110 – GRANDSTAND
AREA FEATURE.... SYMBOL# 1K110A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLACK (#58600) The area fill is a solid black.	CG CG ENV

1K115 – OUTDOOR THEATER /AMPHITHEATER
AREA FEATURE.... SYMBOL# 1K115A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1K115A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1K115 - OUTDOOR THEATER /AMPHITHEATER
AREA FEATURE.... SYMBOL# 1K115A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1K115 - OUTDOOR THEATER /AMPHITHEATER
POINT FEATURE.... SYMBOL# 1K115P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1K115 - OUTDOOR THEATER /AMPHITHEATER
POINT FEATURE.... SYMBOL# 1K115P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1K120 - PARK
AREA FEATURE.... SYMBOL# 1K120A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS **NAM** - NAME CATEGORY **ANY**	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1K120A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	

1K120 – PARK
AREA FEATURE.... SYMBOL# 1K120A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	AREA:FILL Color: GREEN (#52813) Screen: 21%,45° Angle DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1K120 – PARK
AREA FEATURE.... SYMBOL# 1K120A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY USE – USE STATUS 004 – NATIONAL	DASH Lineweight: 0.200mm Length: 6.500mm Space/Spacing: 2.500mm Color: BLACK (#58600) DOT Diameter: 0.250mm Color: BLACK (#58600) Center dot in space between dashes. LABEL:NAM Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1K130 – RACE TRACK
LINE FEATURE.... SYMBOL# 1K130L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE Lineweight: 0.800mm Color: BLACK (#58600) Screen: 54%,30/60° Biangle	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1K130 - RACE TRACK
LINE FEATURE.... SYMBOL# 1K130L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1K130 - RACE TRACK
LINE FEATURE.... SYMBOL# 1K130L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1K130 - RACE TRACK
POINT FEATURE.... SYMBOL# 1K130P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1K140 - RECREATIONAL VEHICLE AREA
AREA FEATURE.... SYMBOL# 1K140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 JOG R

1K140 - RECREATIONAL VEHICLE AREA
POINT FEATURE.... SYMBOL# 1K140P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1E1409P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1E150 – SEE JOB#
LINE FEATURE.... SYMBOL# 1E150L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Linewidth: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT OSC TLM 100K TLM 50K TPC
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1E150 – SEE JOB#
POINT FEATURE.... SYMBOL# 1E150P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle	COMBAT JOG A
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	JOG G TLM 100K TLM 50K
	POSICUT Posicut: #7 Color: BLACK (#58600)	

1E150 – SEE JOB#
POINT FEATURE.... SYMBOL# 1E150P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	COMBAT JOG A
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	JOG G TLM 100K TLM 50K
ZVL – Z VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1E150 – SEE JOB#
POINT FEATURE.... SYMBOL# 1E150P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	ATC 200 JOG R
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1K150P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #3 Color: BLACK (#58600)	

1K150 – SKI JUMP
POINT FEATURE.... SYMBOL# 1K150P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1K150 – SKI JUMP
POINT FEATURE.... SYMBOL# 1K150P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1K150 – SKI JUMP
POINT FEATURE.... SYMBOL# 1K150P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1K150 – SKI JUMP
POINT FEATURE.... SYMBOL# 1K150P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1K160 - STADIUM
AREA FEATURE.... SYMBOL# 1K160A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

1K160 - STADIUM
AREA FEATURE.... SYMBOL# 1K160A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1K160 - STADIUM
AREA FEATURE.... SYMBOL# 1K160A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1K160 - STADIUM
AREA FEATURE.... SYMBOL# 1K160A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	AREA:FILL Color: GREEN (#52813) Screen: 21%,45° Angle DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1K160A005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1K160 – STADIUM
AREA FEATURE.... SYMBOL# 1K160A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS NAM – NAME CATEGORY ANY	**LABEL: NAM** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL: OTHER** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE: PERIMETER** Lineweight: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1K160 – STADIUM
POINT FEATURE.... SYMBOL# 1K160P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #55 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1K160 – STADIUM
POINT FEATURE.... SYMBOL# 1K160P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1K160 – STADIUM
POINT FEATURE.... SYMBOL# 1K160P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1K1602P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: 03 Color: BLACK (#58600)	

1K160 - STATION
POINT FEATURE.... SYMBOL# 1K1602P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 61m SVL - Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: 03 Color: AERO BLUE (#46351)	OOC TPC

1K160 - STATION
POINT FEATURE.... SYMBOL# 1K1602P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: 02 Color: BLACK (#58600)	ATC 200 JOG A JOG G JOG R

1K160 - STATION
POINT FEATURE.... SYMBOL# 1K1602P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: 07 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1K160 - STATION
POINT FEATURE.... SYMBOL# 1K1602P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL - Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: AERO BLUE (#46351) POSICUT Posicut: 03 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1K170 – SWIMMING POOL
AREA FEATURE.... SYMBOL# 1K170A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

1K180 – ZOO
AREA FEATURE.... SYMBOL# 1K180A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1K180 – ZOO
AREA FEATURE.... SYMBOL# 1K180A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

1K180 – ZOO
AREA FEATURE.... SYMBOL# 1K180A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**AREA:FILL** Color: GREEN (#52813) Screen: 21%,45° Angle **DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1KL8CA003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 032 – HARBOR MASTER'S OFFICE	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #14 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 031 – CUSTOM HOUSE	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #15 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH IDN – IDENTIFICATION NUMBER ANY	AREA:FILL Color: BLACK (#58600) LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #21 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 006 – MINARET 009 – MOSQUE IDN – IDENTIFICATION NUMBER	AREA:FILL Color: BLACK (#58600) LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L015A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
IDN – IDENTIFICATION NUMBER ANY	POSICUT Posicut: #23 Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY		

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – BUILDING FUNCTION CATEGORY 033 – HEALTH OFFICE	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #24 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – BUILDING FUNCTION CATEGORY 006 – HOSPITAL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS NAM – NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #24 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – BUILDING FUNCTION CATEGORY 035 – POST OFFICE	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #25 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – BUILDING FUNCTION CATEGORY 004 – CASTLE COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11L015A008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	

11L015 – BUILDING
AREA FEATURE.... SYMBOL# 11L015A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 004 - CASTLE COC – CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

11L015 – BUILDING
AREA FEATURE.... SYMBOL# 11L015A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 011 - PAGODA 014 - SHRINE 016 - TEMPLE	CORNERLINE: Lineweight: 0.130mm Color: BLACK (#58600) Corner to Corner Line. Length = Extend 1 mm outside building perimeter. LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

11L015 – BUILDING
AREA FEATURE.... SYMBOL# 11L015A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 011 - PAGODA 014 - SHRINE 016 - TEMPLE	CORNERLINE Lineweight: 0.130mm Color: BLACK (#58600) Corner to Corner Line. Length = Extend 1.0mm outside building perimeter. LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

11L015 – BUILDING
AREA FEATURE.... SYMBOL# 11L015A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L015A012 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HMT – HOUSE OF WORSHIP TYPE 009 – MOSQUE	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HMT – HOUSE OF WORSHIP TYPE 009 – MOSQUE	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 2 HAC 3

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HMT – HOUSE OF WORSHIP TYPE 007 – MONASTERY, CONVENT 020 – SYNAGOGUE	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

LL015 - BUILDING
AREA FEATURE.... SYMBOL# LL015A017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS BHT - HOUSE OF WORSHIP TYPE 007 - MONASTERY, CONVENT 020 - SYNAGOGUE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Linewidth: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LL015 - BUILDING
AREA FEATURE.... SYMBOL# LL015A018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS BHT - HOUSE OF WORSHIP TYPE 021 - STUPA	**LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Linewidth: 0.130mm Color: BLACK (#58600) **POSICUT** Posicut: #29 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

LL015 - BUILDING
AREA FEATURE.... SYMBOL# LL015A019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS BHT - HOUSE OF WORSHIP TYPE 021 - STUPA	**LINE:PERIMETER** Linewidth: 0.130mm Color: BLACK (#58600) **POSICUT** Posicut: #29 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3

LL015 - BUILDING
AREA FEATURE.... SYMBOL# LL015A020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 015 - SCHOOL IDN - IDENTIFICATION NUMBER ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) **POSICUT** Posicut: #30 Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A022

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- **001** – FABRICATION STRUCTURE
- **002** – GOVERNMENT BUILDING
- **003** – CAPITOL BUILDING
- **004** – CASTLE
- **005** – GOVERNMENT ADMINISTRATION BUILDING
- **009** – MUSEUM
- **010** – OBSERVATORY
- **011** – PALACE
- **012** – POLICE STATION
- **013** – PRISON
- **014** – RANGER STATION
- **016** – HOUSE
- **017** – MULTI UNIT DWELLING
- **018** – CEMETERY BUILDING
- **019** – FARM BUILDING
- **020** – GREENHOUSE
- **022** – WATERMILL /GRISTMILL
- **023** – WIND TUNNEL
- **024** – WAREHOUSE
- **060** – PROCESSING /TREATMENT
- **061** – POWER GENERATION
- **062** – PUMPHOUSE

NAM – NAME CATEGORY
- **ANY**

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

JOG A
JOG G

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A023

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- **001** – FABRICATION STRUCTURE
- **002** – GOVERNMENT BUILDING
- **003** – CAPITOL BUILDING
- **004** – CASTLE
- **005** – GOVERNMENT ADMINISTRATION BUILDING
- **008** – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- **009** – MUSEUM
- **011** – PALACE
- **012** – POLICE STATION
- **013** – PRISON
- **014** – RANGER STATION
- **027** – PASSENGER TERMINAL
- **031** – CUSTOM HOUSE
- **035** – POST OFFICE
- **037** – FIRE STATION
- **050** – LIGHTHOUSE
- **052** – DIPLOMATIC BUILDING
- **053** – COURT HOUSE
- **057** – TELEPHONE EXCHANGE (MAIN)
- **059** – OPERA HOUSE
- **060** – PROCESSING /TREATMENT
- **061** – POWER GENERATION
- **062** – PUMPHOUSE

NAM – NAME CATEGORY
- **ANY**

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A025

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- **002** – GOVERNMENT BUILDING
- **003** – CAPITOL BUILDING
- **005** – GOVERNMENT ADMINISTRATION BUILDING
- **008** – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- **028** – ADMINISTRATION BUILDING

IDN – IDENTIFICATION NUMBER
- **ANY**

PARAMETERS:

AREA:FILL
Color: RED (#60862)

LABEL:IDN
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: RED (#60862)

PRODUCTS:

CG
CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A026

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
009 – MUSEUM
012 – POLICE STATION
013 – PRISON
014 – RANGER STATION
027 – PASSENGER TERMINAL
029 – AIRCRAFT MAINTENANCE SHOP
031 – CUSTOM HOUSE
032 – HARBOR MASTER'S OFFICE
033 – HEALTH OFFICE
051 – HOTEL

IDN – IDENTIFICATION NUMBER
ANY

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:IDN
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A027

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
001 – FABRICATION STRUCTURE
004 – CASTLE
010 – OBSERVATORY
011 – PALACE
020 – GREENHOUSE
022 – WATERMILL /GRISTMILL
023 – WIND TUNNEL
024 – WAREHOUSE
025 – ROUNDHOUSE
026 – R /R STORAGE /REPAIR FACILITY
030 – HANGAR
053 – COURT HOUSE
054 – NEWS PAPER PLANT
055 – BANK
056 – LAB /RESEARCH FACILITY
057 – TELEPHONE EXCHANGE (MAIN)
058 – AUDITORIUM
059 – OPERA HOUSE

NAM – NAME CATEGORY
ANY

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A028

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
006 – HOSPITAL

NAM – NAME CATEGORY
ANY

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #17
Color: BLACK (#58600)

PRODUCTS:

COMBAT
TLM 100%
TLM 50%

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A029

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
006 – HOSPITAL

IDN – IDENTIFICATION NUMBER
ANY

PARAMETERS:

AREA:FILL
Color: BLACK (#58600)

LABEL:IDN
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: RED (#60862)

PRODUCTS:

CG
CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L015A029 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #17 Color: BLACK (#58600)	

1L015 — BUILDING
AREA FEATURE.... SYMBOL# 1L015A030

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 015 - SCHOOL **NAM** — NAME CATEGORY ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #30 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L015 — BUILDING
AREA FEATURE.... SYMBOL# 1L015A031

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP **HWT** — HOUSE OF WORSHIP TYPE 020 - SYNAGOGUE **IDN** — IDENTIFICATION NUMBER ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL:IDN** Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) **POSICUT** Posicut: #32 Color: BLACK (#58600)	CG CG ENV

1L015 — BUILDING
AREA FEATURE.... SYMBOL# 1L015A032

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP **HWT** — HOUSE OF WORSHIP TYPE 016 - TEMPLE **IDN** — IDENTIFICATION NUMBER ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL:IDN** Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) **POSICUT** Posicut: #33 Color: BLACK (#58600)	CG CG ENV

1L015 — BUILDING
AREA FEATURE.... SYMBOL# 1L015A033

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP **HWT** — HOUSE OF WORSHIP TYPE 011 - PAGODA **IDN** — IDENTIFICATION NUMBER ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL:IDN** Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11015A033 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #34 Color: BLACK (#58600)	

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A034

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH 015 – TABERNACLE NAM – NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #26 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3 HAC 4

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A036

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH 015 – TABERNACLE NAM – NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #26 Color: BLACK (#58600) Posicut positioned in center of area feature.	HAC 1 HAC 2 HAC 3

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A038

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 – UNKNOWN 001 – FABRICATION STRUCTURE 002 – GOVERNMENT BUILDING 005 – GOVERNMENT ADMINISTRATION BUILDING 007 – HOUSE OF WORSHIP 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING 009 – MUSEUM 012 – POLICE STATION 013 – PRISON 014 – RANGER STATION 016 – HOUSE 017 – MULTI UNIT DWELLING 018 – CEMETERY BUILDING 019 – FARM BUILDING 020 – GREENHOUSE 021 – GARAGE 022 – WATERMILL /GRISTMILL 023 – WIND TUNNEL 024 – WAREHOUSE 025 – ROUNDHOUSE 026 – R /R STORAGE /REPAIR FACILITY 027 – PASSENGER TERMINAL 028 – ADMINISTRATION BUILDING 029 – AIRCRAFT MAINTENANCE SHOP 030 – HANGAR 036 – BARRACKS /DORMITORY 037 – FIRE STATION 038 – SHED	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L015A038 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:

BFC – BUILDING FUNCTION CATEGORY
- 039 – OTHER
- 040 – KENNEL
- 051 – HOTEL
- 052 – DIPLOMATIC BUILDING
- 053 – COURT HOUSE
- 054 – NEWS PAPER PLANT
- 055 – BANK
- 056 – LAB /RESEARCH FACILITY
- 057 – TELEPHONE EXCHANGE (MAIN)
- 058 – AUDITORIUM
- 059 – OPERA HOUSE
- 060 – PROCESSING /TREATMENT
- 061 – POWER GENERATION
- 062 – PUMPHOUSE
- 064 – WEATHER STATION
- 065 – DEPENDENTS HOUSING /BIVOUAC AREA
- 066 – COMMUNICATIONS BUILDING

COC – CONSPICUOUS OBJECT CATEGORY
- 001 – CONSPICUOUS

HWT – HOUSE OF WORSHIP TYPE
- 000 – UNKNOWN
- 022 – NOT APPLICABLE

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A039

ATTRIBUTES:	PARAMETERS:	PRODUCTS:

BFC – BUILDING FUNCTION CATEGORY
- 000 – UNKNOWN
- 001 – FABRICATION STRUCTURE
- 002 – GOVERNMENT BUILDING
- 005 – GOVERNMENT ADMINISTRATION BUILDING
- 007 – HOUSE OF WORSHIP
- 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- 009 – MUSEUM
- 012 – POLICE STATION
- 013 – PRISON
- 014 – RANGER STATION
- 016 – HOUSE
- 017 – MULTI UNIT DWELLING
- 018 – CEMETERY BUILDING
- 019 – FARM BUILDING
- 020 – GREENHOUSE
- 021 – GARAGE
- 022 – WATERMILL /GRISTMILL
- 023 – WIND TUNNEL
- 024 – WAREHOUSE
- 025 – ROUNDHOUSE
- 026 – R /R STORAGE /REPAIR FACILITY
- 027 – PASSENGER TERMINAL
- 028 – ADMINISTRATION BUILDING
- 029 – AIRCRAFT MAINTENANCE SHOP
- 030 – HANGAR
- 036 – BARRACKS /DORMITORY
- 037 – FIRE STATION
- 038 – SHED
- 039 – OTHER
- 040 – KENNEL
- 051 – HOTEL
- 052 – DIPLOMATIC BUILDING
- 053 – COURT HOUSE
- 054 – NEWS PAPER PLANT
- 055 – BANK
- 056 – LAB /RESEARCH FACILITY
- 057 – TELEPHONE EXCHANGE (MAIN)
- 058 – AUDITORIUM
- 059 – OPERA HOUSE
- 060 – PROCESSING /TREATMENT
- 061 – POWER GENERATION
- 062 – PUMPHOUSE
- 064 – WEATHER STATION
- 065 – DEPENDENTS HOUSING /BIVOUAC AREA
- 066 – COMMUNICATIONS BUILDING

COC – CONSPICUOUS OBJECT CATEGORY
- 002 – NOT CONSPICUOUS

HWT – HOUSE OF WORSHIP TYPE
- 000 – UNKNOWN
- 022 – NOT APPLICABLE

PARAMETERS:
LINE:PERIMETER
Lineweight: 0.130mm
Color: BLACK (#58600)

PRODUCTS:
HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A040

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	**LABEL**	OSC
000 – UNKNOWN	Type Size: 6 point	TPC
001 – FABRICATION STRUCTURE	Type Style: Upper/Lower Case,Condensed	
002 – GOVERNMENT BUILDING	Color: BLACK (#58600)	
003 – CAPITOL BUILDING		
004 – CASTLE	**LINE:PERIMETER**	
005 – GOVERNMENT ADMINISTRATION BUILDING	Linewidth: 0.200mm	
006 – HOSPITAL	Color: BLACK (#58600)	
007 – HOUSE OF WORSHIP		
008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING		
009 – MUSEUM		
010 – OBSERVATORY		
011 – PALACE		
012 – POLICE STATION		
013 – PRISON		
014 – RANGER STATION		
015 – SCHOOL		
016 – HOUSE		
017 – MULTI UNIT DWELLING		
018 – CEMETERY BUILDING		
019 – FARM BUILDING		
020 – GREENHOUSE		
021 – GARAGE		
022 – WATERMILL /GRISTMILL		
023 – WIND TUNNEL		
024 – WAREHOUSE		
025 – ROUNDHOUSE		
026 – R /R STORAGE /REPAIR FACILITY		
027 – PASSENGER TERMINAL		
028 – ADMINISTRATION BUILDING		
029 – AIRCRAFT MAINTENANCE SHOP		
030 – HANGAR		
031 – CUSTOM HOUSE		
032 – HARBOR MASTER'S OFFICE		
033 – HEALTH OFFICE		
035 – POST OFFICE		
036 – BARRACKS /DORMITORY		
037 – FIRE STATION		
038 – SHED		
040 – KENNEL		
050 – LIGHTHOUSE		
051 – HOTEL		
052 – DIPLOMATIC BUILDING		
053 – COURT HOUSE		
054 – NEWS PAPER PLANT		
055 – BANK		
056 – LAB /RESEARCH FACILITY		
057 – TELEPHONE EXCHANGE (MAIN)		
058 – AUDITORIUM		
059 – OPERA HOUSE		
060 – PROCESSING /TREATMENT		
061 – POWER GENERATION		
066 – COMMUNICATIONS BUILDING		

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A042

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RAY – RADAR SIGNIFICANCE FACTOR	**AREA:FILL**	ATC 200
001 – METAL	Color: VIOLET (#44742)	JOG R

LL015 – BUILDING
AREA FEATURE.... SYMBOL# LL015A043

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT	**AREA:FILL**	ATC 200
≥ 9m	Color: VIOLET (#44742)	JOG R
RAY – RADAR SIGNIFICANCE FACTOR		
002 – PART METAL		

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A044

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HHT – PREDOMINANT HEIGHT < 9M RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A045

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HHT – PREDOMINANT HEIGHT ≥ 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A046

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HHT – PREDOMINANT HEIGHT ≥ 9m and < 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A047

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HHT – PREDOMINANT HEIGHT < 9M RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A049

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A050

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 052 – DIPLOMATIC BUILDING IDN – IDENTIFICATION NUMBER ANY	AREA:FILL Color: BLACK (#58600) LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: ##214 Color: BLACK (#58600)	CG CG ENV

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A051

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 009 – MOSQUE NAM – NAME CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #23 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A052

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 020 – SYNAGOGUE NAM – NAME CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #32 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

11015 – BUILDING
AREA FEATURE.... SYMBOL# 11015A053

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 000 – UNKNOWN 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH NAM – NAME CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #21 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A054

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	**AREA:FILL**	CG
000 – UNKNOWN	Color: BLACK (#58600)	CG ENV
001 – FABRICATION STRUCTURE		
009 – MUSEUM		
010 – OBSERVATORY		
011 – PALACE		
013 – PRISON		
016 – HOUSE		
017 – MULTI UNIT DWELLING		
018 – CEMETERY BUILDING		
020 – GREENHOUSE		
021 – GARAGE		
022 – WATERMILL /GRISTMILL		
024 – WAREHOUSE		
025 – ROUNDHOUSE		
026 – R /R STORAGE /REPAIR FACILITY		
027 – PASSENGER TERMINAL		
028 – ADMINISTRATION BUILDING		
029 – AIRCRAFT MAINTENANCE SHOP		
030 – HANGAR		
050 – LIGHTHOUSE		
054 – NEWS PAPER PLANT		
058 – AUDITORIUM		
059 – OPERA HOUSE		
060 – PROCESSING /TREATMENT		
061 – POWER GENERATION		
066 – COMMUNICATIONS BUILDING		

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A055

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	**AREA:FILL**	COMBAT
000 – UNKNOWN	Color: BLACK (#58600)	TLM 100K
010 – OBSERVATORY		TLM 50K
016 – HOUSE		
017 – MULTI UNIT DWELLING		
018 – CEMETERY BUILDING		
019 – FARM BUILDING		
020 – GREENHOUSE		
021 – GARAGE		
022 – WATERMILL /GRISTMILL		
023 – WIND TUNNEL		
024 – WAREHOUSE		
025 – ROUNDHOUSE		
026 – R /R STORAGE /REPAIR FACILITY		
028 – ADMINISTRATION BUILDING		
029 – AIRCRAFT MAINTENANCE SHOP		
030 – HANGAR		
032 – HARBOR MASTER'S OFFICE		
033 – HEALTH OFFICE		
036 – BARRACKS /DORMITORY		
038 – SHED		
040 – KENNEL		
051 – HOTEL		
054 – NEWS PAPER PLANT		
055 – BANK		
056 – LAB /RESEARCH FACILITY		
058 – AUDITORIUM		
062 – PUMPHOUSE		
066 – COMMUNICATIONS BUILDING		

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A056

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	**LABEL**	HAC 1
006 – HOSPITAL	Type Size: 6 point	HAC 2
	Type Style: Upper Case	HAC 3
CCC – CONSPICUOUS OBJECT CATEGORY	Color: BLACK (#58600)	HAC 4
001 – CONSPICUOUS		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:38Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L015A056 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	LINE:PERIMETER Linewidth: 0.130mm Color: BLACK (#58600) POSICUT Posicut: #24 Color: BLACK (#58600) Posicut positioned in center of area feature.	

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A057

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 007 - DESTROYED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Linewidth: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A058

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP BWT – HOUSE OF WORSHIP TYPE 011 - PAGODA NAM – NAME CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #34 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
AREA FEATURE.... SYMBOL# 1L015A059

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP BWT – HOUSE OF WORSHIP TYPE 016 - TEMPLE NAM – NAME CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #33 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
LINE FEATURE.... SYMBOL# 1L015L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 - UNKNOWN 001 - FABRICATION STRUCTURE 010 - OBSERVATORY 016 - HOUSE 017 - MULTI UNIT DWELLING 018 - CEMETERY BUILDING 019 - FARM BUILDING 020 - GREENHOUSE 021 - GARAGE 022 - WATERMILL /GRISTMILL 023 - WIND TUNNEL 024 - WAREHOUSE 025 - ROUNDHOUSE 026 - R /R STORAGE /REPAIR FACILITY 028 - ADMINISTRATION BUILDING	LINE Linewidth: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1LO15L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:

BFC – BUILDING FUNCTION CATEGORY
- 029 – AIRCRAFT MAINTENANCE SHOP
- 030 – HANGAR
- 032 – HARBOR MASTER'S OFFICE
- 033 – HEALTH OFFICE
- 036 – BARRACKS /DORMITORY
- 038 – SHED
- 040 – KENNEL
- 051 – HOTEL
- 054 – NEWS PAPER PLANT
- 055 – BANK
- 056 – LAB /RESEARCH FACILITY
- 058 – AUDITORIUM
- 059 – OPERA HOUSE
- 062 – PUMPHOUSE
- 066 – COMMUNICATIONS BUILDING

1LO15 – BUILDING
LINE FEATURE.... SYMBOL# 1LO15L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:

BFC – BUILDING FUNCTION CATEGORY
- 002 – GOVERNMENT BUILDING
- 003 – CAPITOL BUILDING
- 004 – CASTLE
- 005 – GOVERNMENT ADMINISTRATION BUILDING
- 006 – HOSPITAL
- 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- 009 – MUSEUM
- 011 – PALACE
- 012 – POLICE STATION
- 013 – PRISON
- 014 – RANGER STATION
- 015 – SCHOOL
- 027 – PASSENGER TERMINAL
- 031 – CUSTOM HOUSE
- 035 – POST OFFICE
- 037 – FIRE STATION
- 050 – LIGHTHOUSE
- 052 – DIPLOMATIC BUILDING
- 053 – COURT HOUSE
- 057 – TELEPHONE EXCHANGE (MAIN)
- 060 – PROCESSING /TREATMENT
- 061 – POWER GENERATION

NAM – NAME CATEGORY
- ANY

LABEL:BFC
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.500mm
Color: BLACK (#58600)

COMBAT
TLM 100K
TLM 50K

1LO15 – BUILDING
LINE FEATURE.... SYMBOL# 1LO15L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:

BFC – BUILDING FUNCTION CATEGORY
- 007 – HOUSE OF WORSHIP

HWT – HOUSE OF WORSHIP TYPE
- 000 – UNKNOWN
- 002 – CATHEDRAL
- 003 – CHAPEL
- 004 – CHURCH

NAM – NAME CATEGORY
- ANY

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.500mm
Color: BLACK (#58600)

POSICUT
Posicut: #21
Color: BLACK (#58600)

COMBAT
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL015 — BUILDING
LINE FEATURE.... SYMBOL# LL015L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - DESTROYED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:CASING Lineweight: 0.100mm Color: BLACK (#58600) Symbol width: 0.5mm	COMBAT TLM 100K TLM 50K

LL015 — BUILDING
LINE FEATURE.... SYMBOL# LL015L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP HWT — HOUSE OF WORSHIP TYPE 009 - MOSQUE NAM — NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600) POSICUT Posicut: #23 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

LL015 — BUILDING
LINE FEATURE.... SYMBOL# LL015L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP HWT — HOUSE OF WORSHIP TYPE 020 - SYNAGOGUE NAM — NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600) POSICUT Posicut: #32 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

LL015 — BUILDING
LINE FEATURE.....SYMBOL# LL015L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP HWT — HOUSE OF WORSHIP TYPE 016 - TEMPLE NAM — NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600) POSICUT Posicut: #33 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
LINE FEATURE.... SYMBOL# 1L015L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 011 – PAGODA NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600) **POSICUT** Posicut: #34 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
LINE FEATURE.... SYMBOL# 1L015L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 006 – HOSPITAL NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600) **POSICUT** Posicut: #17 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
LINE FEATURE.... SYMBOL# 1L015L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 015 – SCHOOL NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600) **POSICUT** Posicut: #30 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 – UNKNOWN 010 – OBSERVATORY 016 – HOUSE 017 – MULTI UNIT DWELLING 018 – CEMETERY BUILDING 019 – FARM BUILDING 020 – GREENHOUSE 021 – GARAGE 022 – WATERMILL /GRISTMILL 023 – WIND TUNNEL 024 – WAREHOUSE 025 – ROUNDHOUSE 026 – R /R STORAGE /REPAIR FACILITY 028 – ADMINISTRATION BUILDING 029 – AIRCRAFT MAINTENANCE SHOP 030 – HANGAR 032 – HARBOR MASTER'S OFFICE 033 – HEALTH OFFICE 036 – BARRACKS /DORMITORY 038 – SHED 040 – KENNEL 051 – HOTEL 054 – NEWS PAPER PLANT 055 – BANK	Origin: Center of square **FILL:SQUARE** Lineweight: 0.500mm Length: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY		
056 – LAB /RESEARCH FACILITY		
058 – AUDITORIUM		
059 – OPERA HOUSE		
062 – PUMPHOUSE		
066 – COMMUNICATIONS BUILDING		
LMC – LANDMARK CATEGORY		
002 – NOT LANDMARK		

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of square	COMBAT
001 – FABRICATION STRUCTURE		JOG A
002 – GOVERNMENT BUILDING	FILL:SQUARE	JOG G
003 – CAPITOL BUILDING	Linewidth: 0.500mm	TLM 100K
004 – CASTLE	Length: 0.500mm	TLM 50K
005 – GOVERNMENT ADMINISTRATION BUILDING	Color: BLACK (#58600)	
008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING	LABEL:NAM	
009 – MUSEUM	Type Size: 6 point	
011 – PALACE	Type Style: Upper/Lower Case,Condensed	
012 – POLICE STATION	Color: BLACK (#58600)	
013 – PRISON		
014 – RANGER STATION	LABEL:OTHER	
027 – PASSENGER TERMINAL	Type Size: 6 point	
031 – CUSTOM HOUSE	Type Style: Upper/Lower Case,Condensed	
035 – POST OFFICE	Color: BLACK (#58600)	
037 – FIRE STATION		
052 – DIPLOMATIC BUILDING		
053 – COURT HOUSE		
057 – TELEPHONE EXCHANGE (MAIN)		
060 – PROCESSING /TREATMENT		
061 – POWER GENERATION		
NAM – NAME CATEGORY		
ANY		

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of square	CG
009 – MUSEUM		CG ENV
012 – POLICE STATION	LABEL:IDN	
013 – PRISON	Type Size: 6 point	
014 – RANGER STATION	Type Style: Lower Case,Condensed	
027 – PASSENGER TERMINAL	Color: RED (#60862)	
029 – AIRCRAFT MAINTENANCE SHOP		
031 – CUSTOM HOUSE	POSICUT	
032 – HARBOR MASTER'S OFFICE	Posicut: #2	
033 – HEALTH OFFICE	Color: BLACK (#58600)	
IDN – IDENTIFICATION NUMBER		
ANY		

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of square	CG
002 – GOVERNMENT BUILDING		CG ENV
003 – CAPITOL BUILDING	LABEL:IDN	
005 – GOVERNMENT ADMINISTRATION BUILDING	Type Size: 6 point	
008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING	Type Style: Lower Case,Condensed	
028 – ADMINISTRATION BUILDING	Color: RED (#60862)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
IDN – IDENTIFICATION NUMBER ANY	POSICUT Posicut: #2 Color: RED (#60862)	

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 - UNKNOWN 001 - FABRICATION STRUCTURE 009 - MUSEUM 010 - OBSERVATORY 011 - PALACE 013 - PRISON 016 - HOUSE 017 - MULTI UNIT DWELLING 018 - CEMETERY BUILDING 020 - GREENHOUSE 021 - GARAGE 022 - WATERMILL /GRISTMILL 024 - WAREHOUSE 025 - ROUNDHOUSE 026 - R /R STORAGE /REPAIR FACILITY 027 - PASSENGER TERMINAL 028 - ADMINISTRATION BUILDING 029 - AIRCRAFT MAINTENANCE SHOP 030 - HANGAR 054 - NEWS PAPER PLANT 056 - LAB /RESEARCH FACILITY 057 - TELEPHONE EXCHANGE (MAIN) 058 - AUDITORIUM 059 - OPERA HOUSE NAM – NAME CATEGORY ANY	Origin: Center of square LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 015 - SCHOOL IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #16 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 006 - HOSPITAL NAM – NAME CATEGORY ANY	Origin: Center of cross LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #18 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 006 – HOSPITAL IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #19 Color: BLACK (#58600)	CG CG ENV

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BHT – HOUSE OF WORSHIP TYPE 000 – UNKNOWN 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH HAM – HAMS CATEGORY ANY	Origin: Center of square FILL:SQUARE Lineweight: 0.630mm Length: 0.630mm Color: BLACK (#58600) LABEL:HAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #21 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BHT – HOUSE OF WORSHIP TYPE 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #20 Color: BLACK (#58600)	CG CG ENV

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 032 – HARBOR MASTER'S OFFICE	Origin: Center of oval POSICUT Posicut: #14 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of circle	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 031 – CUSTOM HOUSE	**POSICUT** Posicut: #15 Color: BLACK (#58600)	HAC 2 HAC 3 HAC 4

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 009 – MOSQUE NAM – NAME CATEGORY ANY	Origin: Center of square **FILL:SQUARE** Lineweight: 0.630mm Length: 0.630mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #23 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 009 – MOSQUE IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square **LABEL:IDN** Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) **POSICUT** Posicut: #22 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 033 – HEALTH OFFICE	Origin: Center of circle **POSICUT** Posicut: #24 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 006 – HOSPITAL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #24 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 035 - POST OFFICE	Origin: Center of rectangle **POSICUT** Posicut: #025 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 004 - CASTLE COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	Origin: Center of large square **POSICUT** Posicut: #12 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P021

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS HWT - HOUSE OF WORSHIP TYPE 002 - CATHEDRAL 003 - CHAPEL 004 - CHURCH 015 - TABERNACLE	Origin: Center of cross **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #26 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P023

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS HWT - HOUSE OF WORSHIP TYPE 002 - CATHEDRAL 003 - CHAPEL 004 - CHURCH 015 - TABERNACLE	Origin: Center of cross **POSICUT** Posicut: #26 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS HWT - HOUSE OF WORSHIP TYPE 011 - PAGODA 014 - SHRINE 016 - TEMPLE	Origin: Center of rectangle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #27 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P026

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 011 – PAGODA 014 – SHRINE 016 – TEMPLE	Origin: Center of rectangle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #27 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P027

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 006 – MINARET 009 – MOSQUE	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #28 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P028

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 006 – MINARET 009 – MOSQUE	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #28 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P029

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P030

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of square	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# LL015P030 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P031

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 003 – CAPITOL BUILDING 010 – OBSERVATORY 011 – PALACE 015 – SCHOOL COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of square POSICUT Posicut: #2 Color: BLACK (#58600)	HAC 2 HAC 3

LL015 – BUILDING
POINT FEATURE...:. SYMBOL# LL015P032

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 – UNKNOWN 001 – FABRICATION STRUCTURE 002 – GOVERNMENT BUILDING 005 – GOVERNMENT ADMINISTRATION BUILDING 007 – HOUSE OF WORSHIP 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING 009 – MUSEUM 012 – POLICE STATION 013 – PRISON 014 – RANGER STATION 016 – HOUSE 017 – MULTI UNIT DWELLING 018 – CEMETERY BUILDING 019 – FARM BUILDING 020 – GREENHOUSE 021 – GARAGE 022 – WATERMILL /GRISTMILL 023 – WIND TUNNEL 024 – WAREHOUSE 025 – ROUNDHOUSE 026 – R /R STORAGE /REPAIR FACILITY 027 – PASSENGER TERMINAL 028 – ADMINISTRATION BUILDING 029 – AIRCRAFT MAINTENANCE SHOP 030 – HANGAR 036 – BARRACKS /DORMITORY 037 – FIRE STATION 038 – SHED 039 – OTHER 040 – KENNEL 051 – HOTEL 052 – DIPLOMATIC BUILDING 053 – COURT HOUSE 054 – NEWS PAPER PLANT 055 – BANK 056 – LAB /RESEARCH FACILITY 057 – TELEPHONE EXCHANGE (COIN) 058 – AUDITORIUM 059 – OPERA HOUSE 060 – PROCESSING /TREATMENT 061 – POWER GENERATION 062 – PUMPHOUSE 064 – WEATHER STATION 065 – DEPENDENTS HOUSING /BIVOUAC AREA 066 – COMMUNICATIONS BUILDING COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 000 – UNKNOWN 022 – NOT APPLICABLE	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P033

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- 000 – UNKNOWN
- 001 – FABRICATION STRUCTURE
- 002 – GOVERNMENT BUILDING
- 005 – GOVERNMENT ADMINISTRATION BUILDING
- 007 – HOUSE OF WORSHIP
- 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- 009 – MUSEUM
- 012 – POLICE STATION
- 013 – PRISON
- 014 – RANGER STATION
- 016 – HOUSE
- 017 – MULTI UNIT DWELLING
- 018 – CEMETERY BUILDING
- 019 – FARM BUILDING
- 020 – GREENHOUSE
- 021 – GARAGE
- 022 – WATERMILL /GRISTMILL
- 023 – WIND TUNNEL
- 024 – WAREHOUSE
- 025 – ROUNDHOUSE
- 026 – R /R STORAGE /REPAIR FACILITY
- 027 – PASSENGER TERMINAL
- 028 – ADMINISTRATION BUILDING
- 029 – AIRCRAFT MAINTENANCE SHOP
- 030 – HANGAR
- 036 – BARRACKS /DORMITORY
- 037 – FIRE STATION
- 038 – SHED
- 039 – OTHER
- 040 – KENNEL
- 051 – HOTEL
- 052 – DIPLOMATIC BUILDING
- 053 – COURT HOUSE
- 054 – NEWS PAPER PLANT
- 055 – BANK
- 056 – LAB /RESEARCH FACILITY
- 057 – TELEPHONE EXCHANGE (MAIN)
- 058 – AUDITORIUM
- 059 – OPERA HOUSE
- 060 – PROCESSING /TREATMENT
- 061 – POWER GENERATION
- 062 – PUMPHOUSE
- 064 – WEATHER STATION
- 065 – DEPENDENTS HOUSING /BIVOUAC AREA
- 066 – COMMUNICATIONS BUILDING

COC – CONSPICUOUS OBJECT CATEGORY
- 002 – NOT CONSPICUOUS

HWT – HOUSE OF WORSHIP TYPE
- 000 – UNKNOWN
- 022 – NOT APPLICABLE

PARAMETERS:

Origin: Center of square

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P034

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- 007 – HOUSE OF WORSHIP

COC – CONSPICUOUS OBJECT CATEGORY
- 001 – CONSPICUOUS

HWT – HOUSE OF WORSHIP TYPE
- 007 – MONASTERY, CONVENT
- 020 – SYNAGOGUE

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P035

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 021 – STUPA	Origin: Center of Posicut LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #29 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P036

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 021 – STUPA	Origin: Center of Posicut POSICUT Posicut: #29 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P037

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 020 – SYNAGOGUE HNM – NAME CATEGORY ANY	Origin: Center of square FILL:SQUARE Lineweight: 0.630mm Length: 0.630mm Color: BLACK (#58600) LABEL:HNM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #32 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P038

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP HWT – HOUSE OF WORSHIP TYPE 020 – SYNAGOGUE IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #31 Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P039

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BHT – HOUSE OF WORSHIP TYPE 016 – TEMPLE NAM – NAME CATEGORY ANY	Origin: Center of rectangle LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #33 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P040

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BHT – HOUSE OF WORSHIP TYPE 016 – TEMPLE IDN – IDENTIFICATION NUMBER ANY	Origin: Center of rectangle LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #33 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P041

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BHT – HOUSE OF WORSHIP TYPE 011 – PAGODA NAM – NAME CATEGORY ANY	Origin: Center of square LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #34 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P042

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BHT – HOUSE OF WORSHIP TYPE 011 – PAGODA IDN – IDENTIFICATION NUMBER ANY	Origin: Center of square LABEL:IDN Type Size: 6 point Type Style: Lower Case,Condensed Color: RED (#60862) POSICUT Posicut: #34 Color: BLACK (#58600)	CG CG ENV

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P043

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY	Origin: Center of circle	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 11015P043 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 005 – MARABOUT	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #55 Color: BLACK (#58600)	HAC 2 HAC 3 HAC 4

11015 – BUILDING
POINT FEATURE.... SYMBOL# 11015P044

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS HWT – HOUSE OF WORSHIP TYPE 005 – MARABOUT	Origin: Center of Circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

11015 – BUILDING
POINT FEATURE.... SYMBOL# 11015P045

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 000 – UNKNOWN 001 – FABRICATION STRUCTURE 002 – GOVERNMENT BUILDING 003 – CAPITOL BUILDING 004 – CASTLE 005 – GOVERNMENT ADMINISTRATION BUILDING 006 – HOSPITAL 007 – HOUSE OF WORSHIP 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING 009 – MUSEUM 010 – OBSERVATORY 011 – PALACE 012 – POLICE STATION 013 – PRISON 014 – RANGER STATION 015 – SCHOOL 016 – HOUSE 017 – MULTI UNIT DWELLING 018 – CEMETERY BUILDING 019 – FARM BUILDING 020 – GREENHOUSE 021 – GARAGE 022 – WATERMILL /GRISTMILL 023 – WIND TUNNEL 024 – WAREHOUSE 025 – ROUNDHOUSE 026 – R /R STORAGE /REPAIR FACILITY 027 – PASSENGER TERMINAL 028 – ADMINISTRATION BUILDING 029 – AIRCRAFT MAINTENANCE SHOP 030 – HANGAR 031 – CUSTOM HOUSE 032 – HARBOR MASTER'S OFFICE 033 – HEALTH OFFICE 035 – POST OFFICE 036 – BARRACKS /DORMITORY 037 – FIRE STATION 038 – SHED 040 – KENNEL 051 – HOTEL 052 – DIPLOMATIC BUILDING 053 – COURT HOUSE 054 – NEWS PAPER PLANT 055 – BANK 056 – LAB /RESEARCH FACILITY 057 – TELEPHONE EXCHANGE (MAIN) 058 – AUDITORIUM 059 – OPERA HOUSE 066 – COMMUNICATIONS BUILDING	Origin: Center of Square POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P045 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m		

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P046

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 050 – LIGHTHOUSE HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P047

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 001 – FABRICATION STRUCTURE 002 – GOVERNMENT BUILDING 003 – CAPITOL BUILDING 004 – CASTLE 005 – GOVERNMENT ADMINISTRATION BUILDING 006 – HOSPITAL 007 – HOUSE OF WORSHIP 008 – MILITARY ADMINISTRATION /OPERATIONS BUILDING 009 – MUSEUM 010 – OBSERVATORY 011 – PALACE 012 – POLICE STATION 013 – PRISON 014 – RANGER STATION 015 – SCHOOL 016 – HOUSE 017 – MULTI UNIT DWELLING 018 – CEMETERY BUILDING 019 – FARM BUILDING 020 – GREENHOUSE 021 – GARAGE 022 – WATERMILL /GRISTMILL 023 – WIND TUNNEL 024 – WAREHOUSE 025 – ROUNDHOUSE 026 – R /R STORAGE /REPAIR FACILITY 027 – PASSENGER TERMINAL 028 – ADMINISTRATION BUILDING 029 – AIRCRAFT MAINTENANCE SHOP 030 – HANGAR 031 – CUSTOM HOUSE 032 – HARBOR MASTER'S OFFICE 033 – HEALTH OFFICE 035 – POST OFFICE 036 – BARRACKS /DORMITORY 037 – FIRE STATION 038 – SHED 040 – KENNEL 051 – HOTEL 052 – DIPLOMATIC BUILDING 053 – COURT HOUSE 054 – NEWS PAPER PLANT 055 – BANK 056 – LAB /RESEARCH FACILITY 057 – TELEPHONE EXCHANGE (MAIN) 058 – AUDITORIUM 059 – OPERA HOUSE 066 – COMMUNICATIONS BUILDING COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P048

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- 003 – CAPITOL BUILDING
- 004 – CASTLE
- 006 – HOSPITAL
- 007 – HOUSE OF WORSHIP
- 009 – MUSEUM
- 010 – OBSERVATORY
- 011 – PALACE
- 013 – PRISON
- 014 – RANGER STATION
- 015 – SCHOOL
- 025 – ROUNDHOUSE
- 050 – LIGHTHOUSE
- 061 – POWER GENERATION
- 062 – PUMPHOUSE

HGT – HEIGHT ABOVE SURFACE LEVEL
- < 61m

PARAMETERS:

Origin: Center of Square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P050

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- ANY

COE – CERTAINTY OF EXISTENCE
- ANY

HGT – HEIGHT ABOVE SURFACE LEVEL
- ≥ 61m

EVL – ℓ VALUE
- ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

ONC
TPC

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P051

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- 007 – HOUSE OF WORSHIP

COC – CONSPICUOUS OBJECT CATEGORY
- 002 – NOT CONSPICUOUS

HWT – HOUSE OF WORSHIP TYPE
- 007 – MONASTERY, CONVENT
- 020 – SYNAGOGUE

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

LL015 – BUILDING
POINT FEATURE.... SYMBOL# LL015P052

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- 004 – CASTLE

COC – CONSPICUOUS OBJECT CATEGORY
- 001 – CONSPICUOUS

PARAMETERS:

Origin: Center of large square

LABEL
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

POSICUT
Posicut: #12
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P053

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
015 – SCHOOL

NAM – NAME CATEGORY
ANY

PARAMETERS:

Origin: Center of square

FILL:SQUARE
Length: 0.630mm
Color: BLACK (#58600)
Width: 0.63mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #30
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P054

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
050 – LIGHTHOUSE

COE – CERTAINTY OF EXISTENCE
ANY

HGT – HEIGHT ABOVE SURFACE LEVEL
≥ 46m

PARAMETERS:

Origin: Center of dot

LABEL:LTH
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #3
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P055

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
050 – LIGHTHOUSE

COC – CONSPICUOUS OBJECT CATEGORY
002 – NOT CONSPICUOUS

EXS – EXISTENCE CATEGORY
006 – ABANDONED

NAM – NAME CATEGORY
ANY

PARAMETERS:

Origin: Center of circle

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #7
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P056

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
050 – LIGHTHOUSE

EXS – EXISTENCE CATEGORY
028 – OPERATIONAL

HGT – HEIGHT ABOVE SURFACE LEVEL

PARAMETERS:

Origin: Center of circle

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P056 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m NAM – NAME CATEGORY ANY	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed.... Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P057

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 050 – LIGHTHOUSE EXS – EXISTENCE CATEGORY 006 – ABANDONED HGT – HEIGHT ABOVE SURFACE LEVEL < 46m NAM – NAME CATEGORY ANY	Origin: Center of circle LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P058

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 050 – LIGHTHOUSE COR – CERTAINTY OF EXISTENCE ANY EXS – EXISTENCE CATEGORY 028 – OPERATIONAL HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m NAM – NAME CATEGORY ANY SVL – 2 VALUE ANY	Origin: Center of dot LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	JOG A JOG G TLM 100K TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P059

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 050 – LIGHTHOUSE COR – CERTAINTY OF EXISTENCE ANY EXS – EXISTENCE CATEGORY 006 – ABANDONED HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P059 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM — NAME CATEGORY ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	
EVL — Z VALUE ANY		

1L015 — BUILDING
POINT FEATURE.... SYMBOL# 1L015P060

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 052 - DIPLOMATIC BUILDING	Origin: Center of square	CG
IDN — IDENTIFICATION NUMBER ANY	LABEL:IDN Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: RED (#60862)	
	POSICUT Posicut: #214 Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1L015 — BUILDING
POINT FEATURE.... SYMBOL# 1L015P061

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC — ACCURACY CATEGORY 002 - APPROXIMATE	Origin: Center of rectangle	JOG A JOG G
BFC — BUILDING FUNCTION CATEGORY 027 - PASSENGER TERMINAL	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
TUC — TRANSPORTATION USE CATEGORY 003 - RAILROAD	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	RECTANGLE Lineweight: 0.500mm Length: 1.500mm Color: BLACK (#58600)	

1L015 — BUILDING
POINT FEATURE.... SYMBOL# 1L015P062

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC — BUILDING FUNCTION CATEGORY 001 - FABRICATION STRUCTURE 003 - CAPITOL BUILDING 004 - CASTLE 010 - OBSERVATORY 011 - PALACE 014 - RANGER STATION 019 - FARM BUILDING 020 - GREENHOUSE 022 - WATERMILL /GRISTMILL 023 - WIND TUNNEL 024 - WAREHOUSE 060 - PROCESSING /TREATMENT 061 - POWER GENERATION 062 - PUMPHOUSE	Origin: Center of square	COMBAT JOG A JOG G TLM 100K TLM 50K
LMC — LANDMARK CATEGORY 001 - LANDMARK	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL015 - BUILDING
POINT FEATURE.... SYMBOL# LL015P064

ATTRIBUTES:

MFC - BUILDING FUNCTION CATEGORY
- 001 - FABRICATION STRUCTURE
- 002 - GOVERNMENT BUILDING
- 003 - CAPITOL BUILDING
- 004 - CASTLE
- 005 - GOVERNMENT ADMINISTRATION BUILDING
- 006 - HOSPITAL
- 007 - HOUSE OF WORSHIP
- 008 - MILITARY ADMINISTRATION /OPERATIONS BUILDING
- 009 - MUSEUM
- 010 - OBSERVATORY
- 011 - PALACE
- 012 - POLICE STATION
- 013 - PRISON
- 014 - RANGER STATION
- 015 - SCHOOL
- 016 - HOUSE
- 017 - MULTI UNIT DWELLING
- 018 - CEMETERY BUILDING
- 019 - FARM BUILDING
- 020 - GREENHOUSE
- 021 - GARAGE
- 022 - WATERMILL /GRISTMILL
- 023 - WIND TUNNEL
- 024 - WAREHOUSE
- 025 - ROUNDHOUSE
- 026 - R /R STORAGE /REPAIR FACILITY
- 027 - PASSENGER TERMINAL
- 028 - ADMINISTRATION BUILDING
- 029 - AIRCRAFT MAINTENANCE SHOP
- 030 - HANGAR
- 031 - CUSTOM HOUSE
- 032 - HARBOR MASTER'S OFFICE
- 033 - HEALTH OFFICE
- 035 - POST OFFICE
- 036 - BARRACKS /DORMITORY
- 037 - FIRE STATION
- 038 - SHED
- 040 - KENNEL
- 041 - GUARD SHACK
- 051 - HOTEL
- 052 - DIPLOMATIC BUILDING
- 053 - COURT HOUSE
- 054 - NEWS PAPER PLANT
- 055 - BANK
- 056 - LAB /RESEARCH FACILITY
- 057 - TELEPHONE EXCHANGE (MAIN)
- 058 - AUDITORIUM
- 059 - OPERA HOUSE
- 060 - PROCESSING /TREATMENT
- 061 - POWER GENERATION
- 062 - PUMPHOUSE
- 063 - MOBILE HOME
- 064 - WEATHER STATION
- 065 - DEPENDENTS HOUSING /BIVOUAC AREA
- 066 - COMMUNICATIONS BUILDING

COR - CERTAINTY OF EXISTENCE
- ANY

HGT - HEIGHT ABOVE SURFACE LEVEL
- ≥ 4m

HWT - HOUSE OF WORSHIP TYPE
- 000 - UNKNOWN
- 022 - NOT APPLICABLE

EVL - 1 VALUE
- ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P066

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
- **000** – UNKNOWN
- **001** – FABRICATION STRUCTURE
- **002** – GOVERNMENT BUILDING
- **005** – GOVERNMENT ADMINISTRATION BUILDING
- **008** – MILITARY ADMINISTRATION /OPERATIONS BUILDING
- **012** – POLICE STATION
- **016** – HOUSE
- **017** – MULTI UNIT DWELLING
- **018** – CEMETERY BUILDING
- **019** – FARM BUILDING
- **020** – GREENHOUSE
- **021** – GARAGE
- **022** – WATERMILL /GRISTMILL
- **023** – WIND TUNNEL
- **024** – WAREHOUSE
- **026** – R /R STORAGE /REPAIR FACILITY
- **027** – PASSENGER TERMINAL
- **028** – ADMINISTRATION BUILDING
- **029** – AIRCRAFT MAINTENANCE SHOP
- **030** – HANGAR
- **031** – CUSTOM HOUSE
- **032** – HARBOR MASTER'S OFFICE
- **033** – HEALTH OFFICE
- **035** – POST OFFICE
- **036** – BARRACKS /DORMITORY
- **037** – FIRE STATION
- **038** – SHED
- **040** – KENNEL
- **051** – HOTEL
- **052** – DIPLOMATIC BUILDING
- **053** – COURT HOUSE
- **054** – NEWS PAPER PLANT
- **055** – BANK
- **056** – LAB /RESEARCH FACILITY
- **057** – TELEPHONE EXCHANGE (MAIN)
- **058** – AUDITORIUM
- **059** – OPERA HOUSE
- **060** – PROCESSING /TREATMENT
- **061** – POWER GENERATION
- **066** – COMMUNICATIONS BUILDING

HGT – HEIGHT ABOVE SURFACE LEVEL
- **< 61m**

PARAMETERS:

Origin: Center of square

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P067

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- **001** – ACCURATE

BFC – BUILDING FUNCTION CATEGORY
- **027** – PASSENGER TERMINAL

NAM – NAME CATEGORY
- **ANY**

TUC – TRANSPORTATION USE CATEGORY
- **003** – RAILROAD

PARAMETERS:

Origin: Center of square

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

JOG A
JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P072

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 007 - DESTROYED	Origin: Center of square POSICUT Posicut: #2 Color: PURPLE (#95151)	CG CG ENV

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P073

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 007 - HOUSE OF WORSHIP BWT - HOUSE OF WORSHIP TYPE 021 - STUPA NAM - NAME CATEGORY ANY	Origin: Center of square LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #200 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P074

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 006 - HOSPITAL CSC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #24 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P075

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC - BUILDING FUNCTION CATEGORY 050 - LIGHTHOUSE CSC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS EXS - EXISTENCE CATEGORY 006 - ABANDONED NAM - NAME CATEGORY ANY	Origin: Center of circle LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #55 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P076

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY	Origin: Center of square	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L015P076 (Continued)

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
007 - DESTROYED

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #41
Color: BLACK (#58600)

PRODUCTS:

TLM 100K
TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P077

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 - ACCURATE

BFC – BUILDING FUNCTION CATEGORY
027 - PASSENGER TERMINAL

NAM – NAME CATEGORY
ANY

TUC – TRANSPORTATION USE CATEGORY
003 - RAILROAD

PARAMETERS:

Origin: Center of open square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)
Positioned inside open square, touching side of open square that is parallel to RR track, on same side as terminal building.

SQUARE:OPEN
Lineweight: 0.100mm
Length: 1.200mm
Color: BLACK (#58600)
Width: 1.2mm
Centered on RR track.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P078

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 - APPROXIMATE

BFC – BUILDING FUNCTION CATEGORY
027 - PASSENGER TERMINAL

NAM – NAME CATEGORY
ANY

TUC – TRANSPORTATION USE CATEGORY
003 - RAILROAD

PARAMETERS:

Origin: Center of large square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

SQUARE:OPEN
Lineweight: 0.100mm
Length: 1.200mm
Color: BLACK (#58600)
Width: 1.2mm
Centered on RR Track.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

1L015 – BUILDING
POINT FEATURE.... SYMBOL# 1L015P079

ATTRIBUTES:

BFC – BUILDING FUNCTION CATEGORY
007 - HOUSE OF WORSHIP

HWT – HOUSE OF WORSHIP TYPE
005 - MARABOUT

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #28
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P080

ATTRIBUTES:

BFC - BUILDING FUNCTION CATEGORY
007 - HOUSE OF WORSHIP

HGT - HEIGHT ABOVE SURFACE LEVEL
< 46m

HWT - HOUSE OF WORSHIP TYPE
006 - MINARET

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #7
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

11015 - BUILDING
POINT FEATURE.... SYMBOL# 11015P081

ATTRIBUTES:

BFC - BUILDING FUNCTION CATEGORY
007 - HOUSE OF WORSHIP

COE - CERTAINTY OF EXISTENCE
ANY

HGT - HEIGHT ABOVE SURFACE LEVEL
≥ 46m

HWT - HOUSE OF WORSHIP TYPE
002 - CATHEDRAL
003 - CHAPEL
004 - CHURCH
005 - MARABOUT
006 - MINARET
007 - MONASTERY, CONVENT
009 - MOSQUE
011 - PAGODA
014 - SHRINE
015 - TABERNACLE
016 - TEMPLE
020 - SYNAGOGUE
021 - STUPA

ZVL - Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

11018 - BUILDING SUPERSTRUCTURE ADDITION
POINT FEATURE.... SYMBOL# 11018P001

ATTRIBUTES:

BFC - BUILDING FUNCTION CATEGORY
007 - HOUSE OF WORSHIP
039 - OTHER

HWT - HOUSE OF WORSHIP TYPE
007 - MONASTERY, CONVENT
015 - TABERNACLE
016 - TEMPLE
020 - SYNAGOGUE
022 - NOT APPLICABLE

RSU - ROOF SUPERSTRUCTURE CATEGORY
002 - DOME
004 - CUPOLA
005 - TOWER

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

POSICUT
Posicut: #55
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1L018 – BUILDING SUPERSTRUCTURE ADDITION
POINT FEATURE.... SYMBOL# 1L018P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BWT – HOUSE OF WORSHIP TYPE 002 – CATHEDRAL 003 – CHAPEL 004 – CHURCH RSU – ROOF SUPERSTRUCTURE CATEGORY 002 – DOME 004 – CUPOLA 005 – TOWER	Origin: Center of cross **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #26 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1L018 – BUILDING SUPERSTRUCTURE ADDITION
POINT FEATURE.... SYMBOL# 1L018P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP BWT – HOUSE OF WORSHIP TYPE 009 – MOSQUE RSU – ROOF SUPERSTRUCTURE CATEGORY 006 – MINARET	Origin: Center of circle **POSICUT** Posicut: #28 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1L020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 1L020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLACK (#58600) Screen: 21%,45° Angle **LABEL:NAM** See 9D040 Named Location **LINE:PERIMETER** Lineweight: 0.150mm Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

1L020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 1L020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	**AREA:FILL** Color: BLACK (#58600) Screen: 54%,45° Angle **LABEL:EXS** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:NAM** See 9D040 Named Location **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	JOG A JOG G ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 11020A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BAC – BUILT-UP AREA CLASSIFICATION 002 – DENSE EXS – EXISTENCE CATEGORY 035 – OTHER	AREA:FILL Color: BLACK (#58600) Screen: 54%,45° Angle LABEL:NAM See 9D040 Named Location LINE:PERIMETER Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

11020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 11020A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BAC – BUILT-UP AREA CLASSIFICATION 001 – SPARSE TO MODERATE EXS – EXISTENCE CATEGORY 035 – OTHER	AREA:FILL Color: BLACK (#58600) Screen: 31%,45° Angle LABEL:NAM See 9D040 Named Location LINE:PERIMETER Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

11020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 11020A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BAC – BUILT-UP AREA CLASSIFICATION 002 – DENSE	AREA:FILL1 Color1: BROWN (#58252) Screen1: 21%,90° Angle Color2: RED (#60862) Screen2: 12%,30° Angle Remarks: Both area fills are combined as one for process printing. LABEL:NAM See 9D040 Named Location	CG

11020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 11020A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BROWN (#58252) Screen: 21%,90° Angle LABEL:NAM See 9D040 Named Location LINE:PERIMETER Lineweight: 0.100mm Color: BLACK (#58600)	CG ENV

11020 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 11020A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BAC – BUILT-UP AREA CLASSIFICATION 001 – SPARSE TO MODERATE	AREA:FILL Color: BROWN (#58252) Screen: 21%,90° Angle	CG

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1LO20A007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM See 9D040 Named Location	

1LO20 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 1LO20A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SM PTADB-V TTADB-SM TTADB-V

1LO20 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 1LO20A023

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PB4 – PREDOMINANT HEIGHT (10 M RANGE) ANY PLU – PREDOMINANT LAND USE 021 – OTHER URBAN OR BUILT-UP LAND USP – URBAN STREET PATTERN ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm Tick length: 2.0mm Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. **LABEL:PB4** Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) **LABEL:PLU** Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:USP** Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-O TTADB-O

1LO20 – BUILT-UP AREA
AREA FEATURE.... SYMBOL# 1LO20A024

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 007 – DESTROYED	**AREA:FILL** Line Pattern: LP- 6 Color: PURPLE (#95151) **LABEL:NAM** See 9D040 Named Location	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL020 - BUILT-UP AREA
AREA FEATURE.... SYMBOL# LL020A025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 007 - DESTROYED 043 - PARTIALLY DESTROYED	**AREA:FILL** Color: BLACK (#58600) Screen: 12%,45° Angle **LABEL:EXS** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:NAM** See 9D040 Named Location **LINE:PERIMETER** Linewight: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

LL020 - BUILT-UP AREA
POINT FEATURE.... SYMBOL# LL020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **CIRCLE** Linewight: 0.100mm Diameter: 1.200mm Color: BLACK (#58600) **LABEL:NAM** See 9D040 Named Location	BNPC HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG A JOG G

LL020 - BUILT-UP AREA
POINT FEATURE.... SYMBOL# LL020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL:NAM** See 9D040 Named Location **POSICUT** Posicut: #41 Color: BLACK (#58600)	OSC TPC

LL025 - CAIRN
POINT FEATURE.... SYMBOL# LL025P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	Origin: Center of small circle at base **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #38 Color: BLACK (#58600)	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L025 – CAIRN
POINT FEATURE.... SYMBOL# 1L025P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of small circle at base **POSICUT** Posicut: #38 Color: BLACK (#58600)	HAC 1 HAC 2

1L025 – CAIRN
POINT FEATURE.... SYMBOL# 1L025P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of small circle at base **POSICUT** Posicut: #38 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1L030 – CEMETERY
AREA FEATURE.... SYMBOL# 1L030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA FILL:"L"** Lineweight: 0.100mm Color: BLACK (#58600) Upright height: 1.0mm. Base Length: 0.6mm, oriented 90 degrees to upright. Spacing between corners of adjacent L's is 3.0mm. **DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2

1L030 – CEMETERY
AREA FEATURE.... SYMBOL# 1L030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**AREA:FILL** Color: GREEN (#52813) Screen: 21%,45° Angle **DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11030 – CEMETERY
AREA FEATURE.... SYMBOL# 11030A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RELM – RELIGIOUS DENOMINATION ANY	DASH:PERIMETER Linewight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
	LABEL:RELM Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	LABEL:OTHER Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT:BUDDHIST Posicut: #40 Color: BLACK (#58600)	
	POSICUT:CHRISTIAN Posicut: #21 Color: BLACK (#58600)	
	POSICUT:ISLAMIC Posicut: #23 Color: BLACK (#58600)	
	POSICUT:JEWISH Posicut: #32 Color: BLACK (#58600)	

11030 – CEMETERY
AREA FEATURE.... SYMBOL# 11030A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Linewight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R TPC
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

11030 – CEMETERY
POINT FEATURE.... SYMBOL# 11030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RELM – RELIGIOUS DENOMINATION 001 – BUDDHIST	Origin: Center of base	COMBAT TLM 100K TLM 50K
	POSICUT Posicut: #40 Color: BLACK (#58600) Orientation: Longest axis parallel to south neatline.	

11030 – CEMETERY
POINT FEATURE.... SYMBOL# 11030P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RELM – RELIGIOUS DENOMINATION	Origin: Bottom of staff	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L030P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
REL — RELIGIOUS DENOMINATION 003 - ISLAMIC	**POSICUT** Posicut: #23 Color: BLACK (#58600) Orientation: Staff vertical to sheet north.	TLM 100K TLM 50K

1L030 — CEMETERY
POINT FEATURE.... SYMBOL# 1L030P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
REL — RELIGIOUS DENOMINATION 002 - CHRISTIAN	Origin: Bottom of staff **POSICUT** Posicut: #21 Color: BLACK (#58600) Orientation: Staff vertical to sheet north.	COMBAT TLM 100K TLM 50K

1L030 — CEMETERY
POINT FEATURE.... SYMBOL# 1L030P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
REL — RELIGIOUS DENOMINATION 004 - JEWISH	Origin: Bottom of staff **POSICUT** Posicut: #32 Color: BLACK (#58600) Orientation: Staff vertical to sheet north.	COMBAT TLM 100K TLM 50K

1L045 — COMPLEX OUTLINE
LINE FEATURE.... SYMBOL# 1L045L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
IDN — IDENTIFICATION NUMBER ANY	**LABEL** Type Size: 6 - 8 point Type Style: Lower Case Color: RED (#60862) **LINE** Lineweight: 0.500mm Color: RED (#60862)	CG CG ENV

1L050 — DISPLAY SIGN
POINT FEATURE.... SYMBOL# 1L050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE — USE STATUS 057 - MARINE	Origin: Center of circle **POSICUT** Posicut: #39 Color: BLACK (#58600)	HAC 1

1L050 — DISPLAY SIGN
POINT FEATURE.... SYMBOL# 1L050P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER — CERTAINTY OF EXISTENCE ANY HGT — HEIGHT ABOVE SURFACE LEVEL ≥ 61M ZVL — Z VALUE	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# LL050P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SVL – 2 VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

LL050 – DISPLAY SIGN
POINT FEATURE.... SYMBOL# LL050P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	ATC 200 JOG R
HAT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #3 Color: BLACK (#58600)	

LL050 – DISPLAY SIGN
POINT FEATURE.... SYMBOL# LL050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle	HAC 1
USE – USE STATUS 000 – UNKNOWN 010 – OTHER 017 – ADVERTISING BILLBOARD 018 – SCOREBOARD 019 – HIGHWAY SIGN	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	
	POSICUT Posicut: #55 Color: BLACK (#58600)	

LL050 – DISPLAY SIGN
POINT FEATURE.... SYMBOL# LL050P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle	HAC 1
USE – USE STATUS 000 – UNKNOWN 010 – OTHER 017 – ADVERTISING BILLBOARD 018 – SCOREBOARD 019 – HIGHWAY SIGN	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	
	POSICUT Posicut: #7 Color: BLACK (#58600)	

LL060 – DRAGON (TIGER) TEETH
AREA FEATURE.... SYMBOL# LL060A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-O
PFH – PREDOMINANT FEATURE HEIGHT ANY	LINE:CONNECTING Lineweight: 0.300mm Length: 4.000mm Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1L060A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	SQUARE:OPEN Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Square is centered on connecting line.	

1L060 - DRAGON (TIGER) TEETH
AREA FEATURE.... SYMBOL# 1L060A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:CONNECTING** Lineweight: 0.300mm Length: 4.000mm Color: PURPLE (#95151) **SQUARE:OPEN** Lineweight: 0.300mm Length: 1.000mm Color: PURPLE (#95151) Square is centered on connecting line.	CCM 50

1L060 - DRAGON (TIGER) TEETH
LINE FEATURE.... SYMBOL# 1L060L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600)	ONC TPC

1L060 - DRAGON (TIGER) TEETH
LINE FEATURE.... SYMBOL# 1L060L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:CONNECTING** Lineweight: 0.300mm Length: 4.000mm Color: BLACK (#58600) **SQUARE:OPEN** Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Square is centered on connecting line.	COMBAT PTADB-O TIM 100K TIM 50K

1L060 - DRAGON (TIGER) TEETH
LINE FEATURE.... SYMBOL# 1L060L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBD - OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFH - PREDOMINANT FEATURE HEIGHT ANY	**LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: Bold **LINE:CONNECTING** Lineweight: 0.300mm Length: 4.000mm Color: BLACK (#58600)	TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# LL060L003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	SQUARE:OPEN Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Square is centered on connecting line.	

LL060 – DRAGON (TIGER) TEETH
LINE FEATURE.... SYMBOL# LL060L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE:CONNECTING Lineweight: 0.300mm Length: 4.000mm Color: PURPLE (#95151)	CCM 250 CCM 50
	SQUARE:OPEN Lineweight: 0.300mm Length: 1.000mm Color: PURPLE (#95151) Square is centered on connecting line.	

LL070 – FENCE
LINE FEATURE.... SYMBOL# LL070L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.200mm Length: 5.000mm Space/Spacing: 1.300mm Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT HAC 1 JOG A JOG G JOG R OSC TLM 100K
	SYMBOL:X Lineweight: 0.200mm Length: 1.300mm Color: BLACK (#58600) X lines of symbol are 45 degree angles and are centered one to another. X is centered both to dashed line and in spaces between dashed lines.	TLM 50K TPC

LL070 – FENCE
LINE FEATURE.... SYMBOL# LL070L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FXI – FENCE TYPE IDENTIFIER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case, Bold, Condensed Color: BLACK (#58600)	PTADB-O
	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	SYMBOL:X Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) X Orientation: 45 ° angle to line at X center. X placement: Centered on line. X spacing: 7.0mm apart. Must have at least one pair of X's per line.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1L070 — FENCE
LINE FEATURE.... SYMBOL# 1L070L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FEI — FENCE TYPE IDENTIFIER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-O
OBD — OBSTACLE HEIGHT/DEPTH CATEGORY ANY	**LINE** Lineweight: 0.300mm Color: BLACK (#58600)	
PFH — PREDOMINANT FEATURE HEIGHT ANY	**SYMBOL:X** Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) X orientation: 45° to line. X spacing: 7.0mm apart. X placement: Centered on line. Must have at least one pair of X's per line.	

1L070 — FENCE
LINE FEATURE.... SYMBOL# 1L070L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FEI — FENCE TYPE IDENTIFIER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: PURPLE (#95151) Type style: Bold	CCM 250 CCM 50
	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	
	SYMBOL:X Lineweight: 0.300mm Length: 2.000mm Color: PURPLE (#95151) X orientation: 45° to line. X spacing: 7.0mm apart. x placement: Centered on line. Must have at least one pair of X's per line.	

1L073 — FLAGSTAFF /FLAGPOLE
POINT FEATURE.... SYMBOL# 1L073P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC — CONSPICUOUS OBJECT CATEGORY 001 — CONSPICUOUS	Origin: Center of circle	HAC 1 HAC 2
	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	
	POSICUT Posicut: #221 Color: BLACK (#58600)	

1L075 — GALLERY
LINE FEATURE.... SYMBOL# 1L075L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 005 — UNDER CONSTRUCTION 028 — OPERATIONAL	**AREA:FILL** Line Pattern: LP-15 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1L075L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HCA - HORIZONTAL CLEARANCE ATTRIBUTE ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	
LEN - LENGTH /DIAMETER ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	
OHC - OVERHEAD CLEARANCE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600) Symbol case width: Variable (>=1.5mm). Symbol case length: Variable (>=2.0mm).	
	POSICUT Posicut: #96 Color: BLACK (#58600)	

1L075 - GALLERY
POINT FEATURE.... SYMBOL# 1L075P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T
HCA - HORIZONTAL CLEARANCE ATTRIBUTE ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm.	
LEN - LENGTH /DIAMETER ANY	Tick length: 2.0mm. Tick placement: Minimum 6.0 mm spacing for centered labels with 0.5mm clearance from labels.	
OHC - OVERHEAD CLEARANCE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600) Symbol case width: Variable (>=1.5mm). Symbol case length: 2.0mm.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1LO75P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #96 Color: BLACK (#58600)	

1LO85 — GEOPHYSICAL PROSPECTING GRID
LINE FEATURE.... SYMBOL# 1LO85L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

1LO95 — HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# 1LO95A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN RSF — RADAR SIGNIFICANCE FACTOR 001 — METAL	AREA FILL Color: VIOLET (#44742)	ATC 200 JOG R

1LO95 — HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# 1LO95A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN PHT — PREDOMINANT HEIGHT ≥ 9m RSF — RADAR SIGNIFICANCE FACTOR 002 — PART METAL	AREA FILL Color: VIOLET (#44742)	ATC 200 JOG R

1LO95 — HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# 1LO95A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN PHT — PREDOMINANT HEIGHT < 9m RSF — RADAR SIGNIFICANCE FACTOR 002 — PART METAL	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1LO95 — HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# 1LO95A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN PHT — PREDOMINANT HEIGHT ≥ 18m RSF — RADAR SIGNIFICANCE FACTOR 003 — STONE/BRICK	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# LL095A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
QUD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# LL095A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
QUD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN PHT – PREDOMINANT HEIGHT < 9M RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
AREA FEATURE.... SYMBOL# LL095A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
QUD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN	AREA:FILL Diameter: 2.000mm Color: VIOLET (#44742) Screen: 31%,45° Angle	ATC 200 JOG R

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
LINE FEATURE.... SYMBOL# LL095L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DNS – DENSITY MEASURE (% OF ROOF COVER) ANY LEN – LENGTH /DIAMETER ≥ 760m PHT – PREDOMINANT HEIGHT ANY RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL 002 – PART METAL WID – WIDTH < 150m	LINE Lineweight: 0.400mm Color: VIOLET (#44742) Screen: 67%,45° Angle	ATC 200 JOG R

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
LINE FEATURE.... SYMBOL# LL095L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DNS – DENSITY MEASURE (% OF ROOF COVER) ANY LEN – LENGTH /DIAMETER ≥ 760m PHT – PREDOMINANT HEIGHT ANY RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION WID – WIDTH < 150m	LINE Lineweight: 0.400mm Color: VIOLET (#44742) Screen: 31%,45° Angle	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL095 – HOMOGENEOUS RADAR SIGNIFICANT AREA
POINT FEATURE.... SYMBOL# LL095P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DNS – DENSITY MEASURE (% OF ROOF COVER) ANY	CIRCLE Lineweight: 0.200mm Color: VIOLET (#44742) Circle diameter: 1.3mm	ATC 200 JOG R
LEN – LENGTH /DIAMETER < 760m		
PHT – PREDOMINANT HEIGHT ANY		
RSF – RADAR SIGNIFICANCE FACTOR ANY		
WID – WIDTH < 150m		

LL100 – HUT
POINT FEATURE.... SYMBOL# LL100P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #41 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

LL120 – MISSILE SITE
AREA FEATURE.... SYMBOL# LL120A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE MST – MISSILE SITE TYPE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600) POSICUT Posicut: #42 Color: BLACK (#58600)	ATC 200 JOG R

LL120 – MISSILE SITE
AREA FEATURE.... SYMBOL# LL120A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE MST – MISSILE SITE TYPE ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #42 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T04:58Z
Check the source to verify that this is the current version before use.

11120 – MISSILE SITE
POINT FEATURE.... SYMBOL# 11120P003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

MST – MISSILE SITE TYPE
ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

SYMBOL
Lineweight: 0.250mm
Diameter: 0.760mm
Color: BLACK (#58600)
Overall height = 7.62mm (top center)
Outside width = 2.54mm
Length of cone taper 2.54mm
Interior axial line length = 5.08mm
Dot centered at base of axial line

PRODUCTS:

ATC 200
JOG R

11120 – MISSILE SITE
POINT FEATURE.... SYMBOL# 11120P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 – APPROXIMATE

MST – MISSILE SITE TYPE
ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

SYMBOL
Lineweight: 0.250mm
Color: BLACK (#58600)
Overall height = 7.62mm (top center)
Outside width = 2.54mm
Sides and axial line:
Dash = 2.03mm(0.08in)
Space = 1.02mm(0.04in)
Cone:
Dash = 2.03mm(0.08in)
Space = 0.15mm(0.02in)

PRODUCTS:

ATC 200
JOG R

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P001

ATTRIBUTES:

COC – CONSPICUOUS OBJECT CATEGORY
001 – CONSPICUOUS

HGT – HEIGHT ABOVE SURFACE LEVEL
ANY

NAM – NAME CATEGORY
ANY

STC – STRUCTURE SHAPE CATEGORY
ANY

PARAMETERS:

Origin: Center of small circle

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

OVERHEAD BAR
Lineweight: 0.100mm
Color: BLACK (#58600)
Length: Length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure.

OVERHEAD BAR TICK
Lineweight: 0.100mm
Length: 0.500mm
Color: BLACK (#58600)
Oriented 45 degrees to ends of overhead bar, pointing down.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L130P001 (Continued)

ATTRIBUTES:

PARAMETERS:

POSICUT
Posicut: #63
Color: BLACK (#58600)

PRODUCTS:

1L130 - MONUMENT
POINT FEATURE.... SYMBOL# 1L130P002

ATTRIBUTES:

COE - CERTAINTY OF EXISTENCE
ANY

HGT - HEIGHT ABOVE SURFACE LEVEL
≥ 46m

NAM - NAME CATEGORY
ANY

SSC - STRUCTURE SHAPE CATEGORY
ANY

ZVL - Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1L130 - MONUMENT
POINT FEATURE.... SYMBOL# 1L130P003

ATTRIBUTES:

HGT - HEIGHT ABOVE SURFACE LEVEL
< 46m

NAM - NAME CATEGORY
ANY

SSC - STRUCTURE SHAPE CATEGORY
ANY

PARAMETERS:

Origin: Center of circle

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #7
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1L130 - MONUMENT
POINT FEATURE.... SYMBOL# 1L130P004

ATTRIBUTES:

COC - CONSPICUOUS OBJECT CATEGORY
002 - NOT CONSPICUOUS

SSC - STRUCTURE SHAPE CATEGORY
ANY

PARAMETERS:

Origin: Center of small circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #63
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square	ATC 200 JOG R
SHC – STRUCTURE SHAPE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	ATC 200 JOG R
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
SHC – STRUCTURE SHAPE CATEGORY ANY	POSICUT Posicut: #3 Color: BLACK (#58600)	

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 6m	Origin: Center of square	OSC TPC
SHC – STRUCTURE SHAPE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	OSC TPC
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 6m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
SHC – STRUCTURE SHAPE CATEGORY ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	
SVL – 2 VALUE ANY		

11130 – MONUMENT
POINT FEATURE.... SYMBOL# 11130P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY	Origin: Center of circle	CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L130P009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY **SSC – STRUCTURE SHAPE CATEGORY** ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG ENV

1L135 – NATIVE SETTLEMENT
AREA FEATURE.... SYMBOL# 1L135A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAS – NATIVE SETTLEMENT TYPE 002 – CONTINUOUS HABITATION	**AREA:FILL** Color: BLACK (#58600) Screen: 21%,45° Angle	JOG A JOG G ONC TPC

1L135 – NATIVE SETTLEMENT
AREA FEATURE.... SYMBOL# 1L135A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 – 24 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LINE: PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SM PTADB-V TTADB-SM TTADB-V

1L135 – NATIVE SETTLEMENT
AREA FEATURE.... SYMBOL# 1L135A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PH4 – PREDOMINANT HEIGHT (10 M RANGE) ANY **PLU – PREDOMINANT LAND USE** 021 – OTHER URBAN OR BUILT-UP LAND **USP – URBAN STREET PATTERN** ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. **LABEL:PH4** Type Size: 6 – 24 point Type Style: Lower Case Color: BLACK (#58600) **LABEL:PLU** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:USP** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600)	PTADB-O TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11135A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	

11135 - NATIVE SETTLEMENT
AREA FEATURE.... SYMBOL# 11135A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MAS - NATIVE SETTLEMENT TYPE 002 - CONTINUOUS HABITATION	AREA:FILL Color: GREEN (#52813) Screen: 21%,45° Angle 1L135A001 is shown in conjunction with 1LD15P001 and 1L100P001 to create this symbol. LINE:PERIMETER Lineweight: 0.300mm Color: PURPLE (#95151)	COMBAT TLM 100K TLM 50K

11135 - NATIVE SETTLEMENT
POINT FEATURE.... SYMBOL# 11135P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square POSICUT Posicut: #41 Color: BLACK (#58600)	OSC TPC

11140 - NUCLEAR ACCELERATOR
AREA FEATURE.... SYMBOL# 11140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

11140 - NUCLEAR ACCELERATOR
POINT FEATURE.... SYMBOL# 11140P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL155 – OVERHEAD OBSTRUCTION LOCATION
POINT FEATURE.... SYMBOL# LL155P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HCA – HORIZONTAL CLEARANCE ATTRIBUTE ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Horizontal lengths (each of 3): Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels and vertical sides. Vertical lengths (each of 2): 2.5mm. Horizontal and vertical lines are respectively parallel.	PTADB-T TRANS 50 TRANS250
OHC – OVERHEAD CLEARANCE CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: BOLD.	TTADB-T
	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL	**DASH** Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
LOC – LOCATION /ORIGIN CATEGORY 011 – ON SEA BOTTOM 012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM	**DOT** Diameter: 0.600mm Color: PURPLE (#96532) Position: Adjacent to and centered on seaward end of dash.	
PIT – PIPELINE TYPE 001 – TRANSPORT		
PRO – PRODUCT CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED	**DASH** Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 4.600mm Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
LOC – LOCATION /ORIGIN CATEGORY 011 – ON SEA BOTTOM 012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM	**DOT** Diameter: 0.600mm Color: PURPLE (#96532) Position: Adjacent to and centered on seaward end of dash.	
PIT – PIPELINE TYPE 001 – TRANSPORT		
PRO – PRODUCT CATEGORY ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE		
PRO – PRODUCT CATEGORY 027 – WATER	LINE Lineweight: 0.300mm Color: BLUE (#48253)	

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	DASH Lineweight: 0.300mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE		
PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4
PRO – PRODUCT CATEGORY ANY	DOT Diameter: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash.	
	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	

LL160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# LL160L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 010 – BELOW SEA BOTTOM 011 – ON SEA BOTTOM 012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3
PIP – PIPELINE TYPE 002 – OUTFALL	DOT Diameter: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash.	
PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 019 – OTHER 027 – WATER	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	DASH Lineweight: 0.300mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE		
PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 019 – OTHER 035 – SEWAGE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

11160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE		
PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 019 – OTHER 035 – SEWAGE	LINE Lineweight: 0.300mm Color: BLACK (#58600)	

11160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	DASH Lineweight: 0.300mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G ONC
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE		
PRO – PRODUCT CATEGORY 027 – WATER	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253)	TLM 100K TLM 50K TPC

11160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE		
PRO – PRODUCT CATEGORY 027 – WATER	LINE Lineweight: 0.300mm Color: BLUE (#48253)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11160 – PIPELINE /TYPE
LINE FEATURE.... SYMBOL# 111601012

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

PRO – PRODUCT CATEGORY
000 – UNKNOWN
006 – CHEMICAL
012 – NATURAL GAS
013 – GASOLINE
018 – OIL
019 – OTHER
035 – SEWAGE

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK:WIDE
Lineweight: 0.200mm
Length: 0.700mm
Color: BLACK (#58600)
Orientation: 45 Degree angle to the feature.

PRODUCTS:

ATC 200
JOG R
ONC
TPC

11160 – PIPELINE /TYPE
LINE FEATURE.... SYMBOL# 111601013

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

PRO – PRODUCT CATEGORY
027 – WATER

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLUE (#48253)

TICK:WIDE
Lineweight: 0.200mm
Length: 0.700mm
Color: BLUE (#48253)
Orientation: 45° angle to the feature.

PRODUCTS:

ATC 200
JOG R
ONC
TPC

11160 – PIPELINE /TYPE
LINE FEATURE.... SYMBOL# 111601014

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case, Bold, Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

POSICUT
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

PTADB-O

11160 – PIPELINE /TYPE
LINE FEATURE.... SYMBOL# 111601015

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LOC – LOCATION /ORIGIN CATEGORY
011 – ON SEA BOTTOM
012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM

PIP – PIPELINE TYPE
001 – TRANSPORT

PRO – PRODUCT CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 2.500mm
Space/Spacing: 1.900mm
Color: BLACK (#58600)

DOT
Diameter: 0.600mm
Color: BLACK (#58600)
Position: Adjacent to and centered on seaward end of dash.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case, Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L016

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
006 – ABANDONED

LOC – LOCATION /ORIGIN CATEGORY
011 – ON SEA BOTTOM
012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM

PIP – PIPELINE TYPE
001 – TRANSPORT

PRD – PRODUCT CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 2.500mm
Space/Spacing: 4.600mm
Color: BLACK (#58600)

DOT
Diameter: 0.600mm
Color: BLACK (#58600)
Position: Adjacent to and centered on seaward end of dash.

POSICUT
Posicut: #64
Color: BLACK (#58600)
Space between posicuts = 4.0mm

PRODUCTS:

COMBAT

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L017

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
010 – BELOW SEA BOTTOM
011 – ON SEA BOTTOM
012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM

PIP – PIPELINE TYPE
002 – OUTFALL

PRD – PRODUCT CATEGORY
035 – SEWAGE

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 2.500mm
Space/Spacing: 1.900mm
Color: BLACK (#58600)

DOT
Diameter: 0.600mm
Color: BLACK (#58600)
Position: Adjacent to and centered on seaward end of dash.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L020

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

PRD – PRODUCT CATEGORY
000 – UNKNOWN
006 – CHEMICAL
012 – NATURAL GAS
013 – GASOLINE
018 – OIL

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L022

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

PRD – PRODUCT CATEGORY
000 – UNKNOWN
006 – CHEMICAL
012 – NATURAL GAS
013 – GASOLINE

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1L160L022 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY 018 - OIL	TICK:WIDE Lineweight: 0.200mm Length: 0.700mm Color: BLACK (#58600) Orientation: 45° angle to feature.	

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L023

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE PRO – PRODUCT CATEGORY 027 - WATER	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) LINE Lineweight: 0.300mm Color: BLUE (#48253) TICK:WIDE Lineweight: 0.200mm Length: 0.700mm Color: BLUE (#48253) Orientation: 45° angle to feature.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEP – DEPTH BELOW SURFACE LEVEL ANY EXS – EXISTENCE CATEGORY 028 - OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 010 - BELOW SEA BOTTOM PRO – PRODUCT CATEGORY ANY	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: PURPLE (#96532) DOT Diameter: 0.600mm Color: PURPLE (#96532) Position: Adjacent to and centered on seaward end of dash. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	ENPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L027 Elevated pipeline not significant for navigation

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE OHO – OVER WATER OBSTRUCTION 002 - FEATURE CROSSES NON-NAVIGABLE WATER. 003 - NOT APPLICABLE PRO – PRODUCT CATEGORY ANY	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600) DOT Lineweight: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash. LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L160 – PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 1L160L028 Elevated pipeline/overhead obstruction

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE OHO – OVER WATER OBSTRUCTION 001 – FEATURE CROSSES NAVIGABLE WATER. SOC – SAFE OVERHEAD CLEARANCE ANY	**LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:SOC** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600) **SOC BRACKET** Color: BLACK (#58600) a. Line length = Length of SOC value type characters. Lineweight = 0.13mm. Line Orientation: Horizontal. b. Tick Length = 0.4mm. Line Weight = 0.2mm. Line Orientation: 90° from center of line "a." c. Space from SOC value type characters = 0.2mm d. Distance from feature symbol = 1.0mm	HAC 1 HAC 2 HAC 3 HAC 4

1L160 – PIPELINE /PIPE
LINE FEATURE..., SYMBOL# 1L160L029

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 011 – ON SEA BOTTOM 012 – SUSPENDED OR ELEVATED ABOVE SEA BOTTOM PLT – PIPELINE TYPE 003 – INTAKE	**DASH** Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600) **DOT** Diameter: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

1L160 – PIPELINE /PIPE
LINE FEATURE...; SYMBOL# 1L160L030

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEP – DEPTH BELOW SURFACE LEVEL ANY EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 010 – BELOW SEA BOTTOM PRO – PRODUCT CATEGORY ANY	**DASH** Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600) **DOT** Diameter: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11160 — PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L032

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
028 - OPERATIONAL

OBD - OBSTACLE HEIGHT/DEPTH CATEGORY
ANY

PHT - PREDOMINANT FEATURE HEIGHT
ANY

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case, Bold, Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

POSICUT
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

TTADB-O

11160 — PIPELINE /PIPE
LINE FEATURE.... SYMBOL# 11160L033

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
028 - OPERATIONAL

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case, Bold, Condensed
Color: PURPLE (#95151)

LINE
Lineweight: 0.300mm
Color: PURPLE (#95151)

POSICUT
Posicut: #96
Color: PURPLE (#95151)

PRODUCTS:

CCM 250
CCM 50

11165 — PIPELINE /PIPE CROSSING POINT
POINT FEATURE.... SYMBOL# 11165P001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

POSICUT
Posicut: #97
Color: BLACK (#58600)

PRODUCTS:

PTADB-O
TTADB-O

11165 — PIPELINE /PIPE CROSSING POINT
POINT FEATURE.... SYMBOL# 11165P002

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

POSICUT
Posicut: #97
Color: PURPLE (#95151)

PRODUCTS:

CCM 250
CCM 50

11170 — PLAZA /CITY SQUARE
AREA FEATURE.... SYMBOL# 11170A001

ATTRIBUTES:

NAM - NAME CATEGORY
ANY

PARAMETERS:

LABEL
Type Size: 6 - 16 point
Type Style: Upper/Lower Case, Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.150mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L170 – PLAZA /CITY SQUARE
AREA FEATURE.... SYMBOL# 1L170A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	AREA:FILL Color: BROWN (#58252) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG

1L180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 1L180A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

1L180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 1L180A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1

1L180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 1L180A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1L180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 1L180A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 11180A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle	ATC 200 JOG R
RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	LINE:PERIMETER Linewidth: 0.200mm Color: VIOLET (#44742)	

11180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 11180A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R
RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK		

11180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 11180A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle	ATC 200 JOG R
RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	LINE:PERIMETER Linewidth: 0.200mm Color: VIOLET (#44742)	

11180 – PUMPING STATION
AREA FEATURE.... SYMBOL# 11180A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m	AREA:FILL Color: VIOLET (#44742) Screen: 33%,45° Angle	ATC 200 JOG R
RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	LINE:PERIMETER Linewidth: 0.200mm Color: VIOLET (#44742)	

11180 – PUMPING STATION
POINT FEATURE.... SYMBOL# 11180P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of square	HAC 1
	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L180 – PUMPING STATION
POINT FEATURE.... SYMBOL# 1L180P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1L180 – PUMPING STATION
POINT FEATURE.... SYMBOL# 1L180P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1L180 – PUMPING STATION
POINT FEATURE.... SYMBOL# 1L180P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1L200 – ROUTES
AREA FEATURE.... SYMBOL# 1L200A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

1L200 – ROUTES
AREA FEATURE.... SYMBOL# 1L200A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11200A003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	

11200 – BUOYS
AREA FEATURE.... SYMBOL# 11200A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2

11200 – BUOYS
AREA FEATURE.... SYMBOL# 11200A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT

11200 – BUOYS
AREA FEATURE.... SYMBOL# 11200A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 318,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1L200 – RUINS
AREA FEATURE.... SYMBOL# 1L200A010

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 pt. subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

1L200 – RUINS
AREA FEATURE.... SYMBOL# 1L200A011

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
ANY

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 pt. subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Length of line = length of digits + 0.5mm on each end. Tick at ends of line=1.0mm oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2

1L200 – RUINS
AREA FEATURE.... SYMBOL# 1L200A012

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

AREA FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

AREA:FILL
Color: BLACK (#58600)
Screen: 12%,15° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11200A012 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

11200 - RULES
AREA FEATURE.... SYMBOL# 11200A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC - LOCATION /ORIGIN CATEGORY 002 - OFF-SHORE VRC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) PERIMETER:DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

11200 - RULES
POINT FEATURE.... SYMBOL# 11200P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #1 Color: BLACK (#58600)	JOG A JOG G TLM 100K TLM 50K

11200 - RULES
POINT FEATURE.... SYMBOL# 11200P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

11200 - RULES
POINT FEATURE.... SYMBOL# 11200P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS LOC - LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE HAM - HAMI CATEGORY ANY	Origin: Center of circle LABEL:HAM Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# LL200P004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #55 Color: BLACK (#58600)	

LL200 – RUINS
POINT FEATURE.... SYMBOL# LL200P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE NAM – NAME CATEGORY ANY	Origin: Center of circle **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2

LL200 – RUINS
POINT FEATURE.... SYMBOL# LL200P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of dotted circle **AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter = 4.0mm **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

LL200 – RUINS
POINT FEATURE.... SYMBOL# LL200P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN HDP – HYDROGRAPHIC DEPTH ANY LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of dotted circle **AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter = 4.0mm **LABEL:HDP** Type Size: 7 - 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 11200P007 (Continued)

ATTRIBUTES:

PARAMETERS:

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

11200 – NOTES
POINT FEATURE.... SYMBOL# 11200P008

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
ANY

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of dotted circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter = 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = 4.0mm. Tick Line Weight = 0.2mm. Tick length = 1.0mm oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2

11200 – NOTES
POINT FEATURE.... SYMBOL# 11200P009

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #41
Color: BLACK (#58600)

PRODUCTS:

COMBAT

11200 – NOTES
POINT FEATURE.... SYMBOL# 11200P010

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of dotted circle

AREA FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

AREA:FILL
Color: BLACK (#58600)
Screen: 12%,15° Angle

PRODUCTS:

COMBAT
HAC 1
HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L200P010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter = 4.0mm **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

1L200 – BUOYS
POINT FEATURE.... SYMBOL# 1L200P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #41 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

1L208 – SHANTY TOWN
AREA FEATURE.... SYMBOL# 1L208A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLACK (#58600) Screen: 12%,45° Angle **LABEL:NAM** See 9D040 Named Location	CG CG ENV

1L208 – SHANTY TOWN
AREA FEATURE.... SYMBOL# 1L208A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLACK (#58600) Screen: 54%,45° Angle **LABEL:NAM** See 9D040 Named Location. **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	JOG A JOG G

1L208 – SHANTY TOWN
AREA FEATURE.... SYMBOL# 1L208A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP-132 Color: BLACK (#58600) **LABEL:NAM** See 9D040 Named Location	COMBAT ONC TIM 100K TIM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T04:58Z
Check the source to verify that this is the current version before use.

11208 – SHANTY TOWN
AREA FEATURE.... SYMBOL# 11208A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PIADB-SM PIADB-V TIADB-SM TIADB-V

11208 – SHANTY TOWN
AREA FEATURE.... SYMBOL# 11208A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PH4 – PREDOMINANT HEIGHT (10 M RANGE) ANY PLU – PREDOMINANT LAND USE 021 – OTHER URBAN OR BUILT-UP LAND URP – URBAN STREET PATTERN ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick Length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels, with 0.5mm clearance from labels. **LABEL:PH4** Type Size: 6 – 24 point Type Style: Lower Case Color: BLACK (#58600) **LABEL:PLU** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:URP** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PIADB-O TIADB-O

11208 – SHANTY TOWN
POINT FEATURE.... SYMBOL# 11208P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle **CIRCLE** Lineweight: 0.100mm Diameter: 1.200mm Color: BLACK (#58600) **LABEL:NAM** See 9D040 Named Location	JOG A JOG G

11208 – SHANTY TOWN
POINT FEATURE.... SYMBOL# 11208P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL:NAM** See 9D040 Named Location	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1L208P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #41 Color: BLACK (#58600)	

1L210 - SNOW SHED /ROCK SHED
LINE FEATURE.... SYMBOL# 1L210L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SIT - SHED IDENTIFIER TYPE ANY	**AREA** Line Pattern: LP-15 Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600) Overall symbol width = 1.5 mm. Diagonal interior line lineweight: 0.2mm. Diagonal line orientation: 45° angle NE/SW.	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

1L210 - SNOW SHED /ROCK SHED
LINE FEATURE.... SYMBOL# 1L210L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 020 - OPERATIONAL HCA - HORIZONTAL CLEARANCE ATTRIBUTE ANY LEN - LENGTH /DIAMETER ANY OHC - OVERHEAD CLEARANCE CATEGORY ANY SIT - SHED IDENTIFIER TYPE 001 - SNOW 002 - ROCK	**AREA:FILL** Line Pattern: LP-15 Color: BLACK (#58600) **ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.800mm Length between rear apexes: 0.9mm Length center rear to inner apex: 0.71mm. **INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600) Width: Variable (>=1.5mm). Length: Variable (>=2.0mm). **POSICUT** Posicut: #96 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1L210 - SNOW SEED /ROCK SEED
POINT FEATURE.... SYMBOL# 1L210P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SEP - SEED IDENTIFIER TYPE ANY	Origin: Center of rectangle AREA Line Pattern: LP-15 Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600) Overall width = 1.5mm. Overall length = 2.5mm. Interior diagonal lines lineweight: 0.2mm. Diagonal line angle: 45° NE/SW.	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

1L210 - SNOW SEED /ROCK SEED
POINT FEATURE.... SYMBOL# 1L210P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL HCA - HORIZONTAL CLEARANCE ATTRIBUTE ANY LEN - LENGTH /DIAMETER ANY OHC - OVERHEAD CLEARANCE CATEGORY ANY SEP - SEED IDENTIFIER TYPE 001 - SNOW 002 - ROCK	AREA:FILL Line Pattern: LP-15 Color: BLACK (#58600) INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm Tick length: 2.0mm Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: BOLD. LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600) Case width: 1.5mm. Case length: 2.0mm. POSICUT Posicut: #96 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

1L215 - SPECIAL AREA
AREA FEATURE.... SYMBOL# 1L215A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	PERIMETER Lineweight: 0.250mm Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

11220 – STEEPLE
POINT FEATURE.... SYMBOL# 11220P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

11220 – STEEPLE
POINT FEATURE.... SYMBOL# 11220P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

11220 – STEEPLE
POINT FEATURE.... SYMBOL# 11220P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 007 – HOUSE OF WORSHIP COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of Posicut **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #26 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

11220 – STEEPLE
POINT FEATURE.... SYMBOL# 11220P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BFC – BUILDING FUNCTION CATEGORY 039 – OTHER COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of Posicut **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #55 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

11228 – TENT DWELLINGS
AREA FEATURE.... SYMBOL# 11228A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 11228A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	SYMBOL Lineweight: 0.100mm Length: 0.100mm Color: BLACK (#58600) Symbol has two sides positioned at a 30° angle with the open end at the bottom. Symbol is spaced over the area at approximately 2.5mm intervals.	

11228 - TEST DRILLINGS
POINT FEATURE.... SYMBOL# 11228P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) SYMBOL Lineweight: 0.100mm Length: 0.100mm Color: BLACK (#58600) Symbol has two sides positioned at a 30° angle to each other with the open end at the bottom.	COMBAT TLM 100K TLM 50K

11240 - TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL - I VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

11240 - TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

11240 - TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS HGT - HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 11240P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure, including parentheses, positioned 0.5mm above HGT figure. **OVERHEAD BAR TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to ends of overhead bar, pointing downwards. **POSICUT** Posicut: #68 Color: BLACK (#58600)	

11240 — TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT — HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

11240 — TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT — HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	ONC TPC

11240 — TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 11240P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE — CERTAINTY OF EXISTENCE ANY HGT — HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

1L240 – TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 1L240P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	OSC TPC
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
SVL – Z VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1L240 – TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 1L240P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle	CG CG ENV
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #7 Color: BLACK (#58600)	

1L240 – TOWER (NON- COMMUNICATION)
POINT FEATURE.... SYMBOL# 1L240P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle	HAC 1 HAC 2 HAC 3
	Posicut Posicut: #68 Color: BLACK (#58600)	

1L250 – UNDERGROUND UTILITY
POINT FEATURE.... SYMBOL# 1L250P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of symbol	COMBAT TLM 100K TLM 50K
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	SYMBOL Color: BLACK (#58600) Overall square size = 0.8mm. Lineweight top and left side = 0.3mm. Bottom and right side = 0.2mm. Orientation: Bottom of symbol parallel to lines of latitude.	

1L260 – WALL
LINE FEATURE.... SYMBOL# 1L260L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1L260L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.300mm Color: BLACK (#58600)	JOG G JOG R ONC TLM 100K TLM 50K TPC

1L260 - WALL
LINE FEATURE.... SYMBOL# 1L260L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	**LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600)	HAC 1

1L260 - WALL
LINE FEATURE.... SYMBOL# 1L260L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY ANY WTI - WALL TYPE IDENTIFIER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-O

1L260 - WALL
LINE FEATURE.... SYMBOL# 1L260L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY ANY OHD - OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFH - PREDOMINANT FEATURE HEIGHT ANY WTI - WALL TYPE IDENTIFIER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-O

1L260 - WALL
LINE FEATURE.... SYMBOL# 1L260L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY ANY WTI - WALL TYPE IDENTIFIER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: PURPLE (#95151) **LINE** Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250 CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE 003 – ON GROUND SURFACE	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742) LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1M010A005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m	**AREA:FILL** Color: VIOLET (#44742)	ATC 200 JOG R
RHF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	**LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m	**AREA:FILL** Color: VIOLET (#44742) Screen: 67%,45° Angle	ATC 200 JOG R
RHF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	**LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	LINE Lineweight: 0.200mm Color: VIOLET (#44742)	

1M010 – DEPOT (STORAGE)
AREA FEATURE.... SYMBOL# 1M010A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9M	**AREA:FILL** Color: VIOLET (#44742) Screen: 31%,45° Angle	ATC 200 JOG R
RHF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	**LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	

1M010 – DEPOT (STORAGE)
POINT FEATURE.... SYMBOL# 1M010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square	ATC 200 JOG R
	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG COMBAT TLM 100K TLM 50K

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
REF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m REF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m REF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m REF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	AREA:FILL Color: VIOLET (#44742) LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1M020 – GRAIN MIN
AREA FEATURE.... SYMBOL# 1M020A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m REF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M020 - GRAIN BIN
AREA FEATURE.... SYMBOL# 1M020A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT - PREDOMINANT HEIGHT < 9M RSF - RADAR SIGNIFICANCE FACTOR 003 - STONE/BRICK 004 - COMPOSITION	**AREA:FILL** Color: VIOLET (#44742) Screen: 31%,45° Angle **LINE:PERIMETER** Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1M020 - GRAIN BIN
POINT FEATURE.... SYMBOL# 1M020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	CG CG ENV COMBAT TIM 100K TIM 50K

1M020 - GRAIN BIN
POINT FEATURE.... SYMBOL# 1M020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of dot **DOT** Diameter: 0.800mm Color: BLACK (#58600)	ATC 200 JOG R

1M030 - GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	**AREA** Line Pattern: LP-15 Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1M030 - GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M030 – GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	GSC TPC

1M030 – GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742) LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M030 – GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 10M RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M030 – GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 10M RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	AREA:FILL Color: VIOLET (#44742) LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M030 – GRAIN ELEVATOR
AREA FEATURE.... SYMBOL# 1M030A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M030 – GRAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1M030 – GRAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1M030 – GRAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCE – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M030 – GRAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M030 – GRAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL	Origin: Center of square	ATC 200

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1M030P005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m		JOG R
	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1M030 - CHAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 6Lm	Origin: Center of square	OSC TPC
	LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1M030 - CHAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	ATC 200 JOG R
HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #3 Color: BLACK (#58600)	

1M030 - CHAIN ELEVATOR
POINT FEATURE.... SYMBOL# 1M030P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	OSC TPC
HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 6Lm	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
SVL - 2 VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1M040 - MINERAL FILE
AREA FEATURE.... SYMBOL# 1M040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1
PRO - PRODUCT CATEGORY ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1M040A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	

1M040 – MINERAL FILE
AREA FEATURE.... SYMBOL# 1M040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY 008 – COKE 009 – COAL 019 – OTHER 038 – SALT 042 – SAND	**DASH:PERIMETER** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M040 – MINERAL FILE
AREA FEATURE.... SYMBOL# 1M040A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG

1M040 – MINERAL FILE
AREA FEATURE.... SYMBOL# 1M040A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY 040 – GRAVEL	**DASH:PERIMETER** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: VIOLET (#44742) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

1M050 – SILO
POINT FEATURE.... SYMBOL# 1M050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **OVERHEAD BAR** Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure.	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1M050P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45 degrees to ends of overhead bar, pointing down. POSICUT Posicut: #55 Color: BLACK (#58600)	

1M050 - SILO
POINT FEATURE.... SYMBOL# 1M050P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1M050 - SILO
POINT FEATURE.... SYMBOL# 1M050P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M050 - SILO
POINT FEATURE.... SYMBOL# 1M050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COR - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL - Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M050 - SILO
POINT FEATURE.... SYMBOL# 1M050P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1M050P005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #5 Color: BLACK (#58600)	

1M050 – SILO
POINT FEATURE.... SYMBOL# 1M050P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #5 Color: BLACK (#58600)	ONC TPC

1M050 – SILO
POINT FEATURE.... SYMBOL# 1M050P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1M050 – SILO
POINT FEATURE.... SYMBOL# 1M050P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61m ZVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1M060 – STORAGE BUNKER /STORAGE MOUND
AREA FEATURE.... SYMBOL# 1M060A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT JOG R TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1MO60 - STORAGE BUNKER /STORAGE MOUND
POINT FEATURE.... SYMBOL# 1MO60P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY ANY	Origin: Center of symbol ENTRANCE Lineweight: 0.150mm Color: BLACK (#58600) Headline length: 2.5mm. Wing ticks: 45° at headline ends. Wing tick length: 0.8mm. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #36 Color: RED/BROWN (#61121)	CG COMBAT TLM 100K TLM 50K

1MO70 - TANK
AREA FEATURE.... SYMBOL# 1MO70A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m LOC - LOCATION /ORIGIN CATEGORY 001 - BELOW GROUND SURFACE 003 - ON GROUND SURFACE PRO - PRODUCT CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1MO70 - TANK
AREA FEATURE.... SYMBOL# 1MO70A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 002 - NOT CONSPICUOUS	AREA:FILL Line Pattern: LP- 6 Color: BLACK (#58600) Lines oriented vertical and horizontal. LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1MO70 - TANK
AREA FEATURE.... SYMBOL# 1MO70A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC - CONSPICUOUS OBJECT CATEGORY 001 - CONSPICUOUS PRO - PRODUCT CATEGORY ANY	AREA:FILL Line Pattern: LP- 6 Color: BLACK (#58600) Lines oriented vertical and horizontal. LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LINE:PERIMETER Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M070 – TANK
AREA FEATURE.... SYMBOL# 1M070A014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FRD – PRODUCT CATEGORY ANY	AREA:FILL Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #5 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle POSICUT Posicut: #5 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE 003 – ON GROUND SURFACE FRD – PRODUCT CATEGORY ANY	Origin: Center of circle DOT Diameter: 0.800mm Color: BLACK (#58600) LABEL:FRD Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle DOT Diameter: 0.800mm Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of circle **DOT** Diameter: 0.800mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ONC TPC

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 61M EVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER	Origin: Center of circle **DOT** Diameter: 0.800mm Color: BLACK (#58600) **LABEL:PRO** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV

1M070 – TANK
POINT FEATURE.... SYMBOL# 1M070P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE	Origin: Center of dot	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1MO70P010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY		JOG A JOG G TLM 100K TLM 50K
HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	
PRO – PRODUCT CATEGORY ANY		
SVL – Z VALUE ANY		

1MO80 – WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1MO80 – WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure. OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45 degrees to ends of overhead bar, pointing down. POSICUT Posicut: #69 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1MO80 – WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle POSICUT Posicut: #69 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1MO80 - WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1MO80 - WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ONC TPC

1MO80 - WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1MO80 - WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 61M EVL - 2 VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1MO80 - WATER TOWER
POINT FEATURE.... SYMBOL# 1MO80P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle	CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1M0809008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	CG ENV

1M080 — WATER TOWER
POINT FEATURE.... SYMBOL# 1M0809009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COR — CERTAINTY OF EXISTENCE ANY HGT — HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL — Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1M010 — RAILROAD TRACK
LINE FEATURE.....SYMBOL# 1M0101003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 028 - OPERATIONAL LOC — LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LTN — LANE/TRACK NUMBER = 1 NAM — NAME CATEGORY ANY RGC — RAILROAD GAUGE CATEGORY 001 - BROAD 003 - NORMAL RPS — RAILROAD POWER SOURCE 004 — NON-ELECTRIFIED RRC — RAILROAD /ROAD CATEGORIES 001 - MAIN LINE /BRANCH LINE	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600) TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° To Line. Interval: 6.4 mm.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1M010 — RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1M0101009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 028 - OPERATIONAL LOC — LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LTN — LANE/TRACK NUMBER ≥ 2	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1H010L009 (Continued)

ATTRIBUTES:

NAM — NAME CATEGORY
ANY

RGC — RAILROAD GAUGE CATEGORY
001 - BROAD
003 - NORMAL

RPS — RAILROAD POWER SOURCE
004 - NON-ELECTRIFIED

RSC — RAILROAD /ROAD CATEGORIES
001 - MAIN LINE /BRANCH LINE

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° To Line.
Interval: 6.4 mm.
Tick Space: Space between one set (2) of ticks = 0.5mm

PRODUCTS:

1H010 — RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L011

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
028 - OPERATIONAL

GAW — GAUGE WIDTH
ANY

LOC — LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LNN — LANE/TRACK NUMBER
≥ 2

NAM — NAME CATEGORY
ANY

RGC — RAILROAD GAUGE CATEGORY
002 - NARROW

RPS — RAILROAD POWER SOURCE
004 - NON-ELECTRIFIED

RSC — RAILROAD /ROAD CATEGORIES
001 - MAIN LINE /BRANCH LINE

PARAMETERS:

LABEL: NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
TICK CENTERED 90 DEGREES TO LINE. TICK SPACE: SPACE BETWEEN ONE SET (2) TICKS = 0.5mm SET TICKS ALTERNATE ON EITHER SIDE OF LINE. ALTERNATE TICK INTERVAL = 6.4mm

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1H010 — RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L013

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
028 - OPERATIONAL

LOC — LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LNN — LANE/TRACK NUMBER
≥ 2

NAM — NAME CATEGORY
ANY

RGC — RAILROAD GAUGE CATEGORY

PARAMETERS:

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots = 0.8mm. Dots centered on every other pair of ticks on same side of track. Bottom of dots = 0.75mm from center of the line.

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1H010L013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED RRC – RAILROAD /ROAD CATEGORIES 001 – MAIN LINE /BRANCH LINE	LINE Lineweight: 0.300mm Color: BLACK (#58600) TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Length = Centered 90° to line. Space between one set (2) of ticks = 0.5mm. Interval = 6.4mm.	

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL GAW – GAUGE WIDTH ANY LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LTN – LANE/TRACK NUMBER = 1 NAM – NAME CATEGORY ANY RGC – RAILROAD GAUGE CATEGORY 002 – NARROW RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED RRC – RAILROAD /ROAD CATEGORIES 000 – UNKNOWN 001 – MAIN LINE /BRANCH LINE 003 – MONORAIL	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.5mm. Dots centered on every other pair of ticks on same side of tracks. Bottom of dots = 0.75mm from center of the line. LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600) TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Length = Centered 90 degrees to line. Alternate tick interval = 6.4mm. Ticks alternate on opposite sides of line.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL GAW – GAUGE WIDTH ANY LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LTN – LANE/TRACK NUMBER ≥ 2 NAM – NAME CATEGORY	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.8 cm. Dots centered on every other pair of ticks on top side of track. Bottom of dots = 0.75 cm from center of the line. LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1H010L018 (Continued)

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
002 – NARROW

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE
003 – MONORAIL

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Ticks alternate on either side of line.
Space between one set (2) of ticks = 0.5 mm.
Alternate tick interval = 6.4 mm.

PRODUCTS:

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L021

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN – LANE/TRACK NUMBER
≥ 2

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
004 – NON-ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)
SPACING 75mm

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick interval = 6.4 mm.
Space between one set (2) of ticks = 0.5 mm.

PRODUCTS:
CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L022

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN – LANE/TRACK NUMBER
= 1

NAM – NAME CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)
Label spacing = 0.75 mm.

PRODUCTS:
CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 180101022 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED RRC – RAILROAD /ROAD CATEGORIES 001 – MAIN LINE /BRANCH LINE	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 6.4 mm.	

180I0 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 180101023

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 007 – DESTROYED GAW – GAUGE WIDTH ANY LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER = 1 NAM – NAME CATEGORY ANY RGC – RAILROAD GAUGE CATEGORY 002 – NARROW RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED RRC – RAILROAD /ROAD CATEGORIES 001 – MAIN LINE /BRANCH LINE	DASH Lineweight: 0.300mm Length: 5.900mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) Label spacing = 75mm TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Tick is centered 90° to line. Alternate tick interval = 6.4 mm. Tick placement: Alternates on opposite sides of the line.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

180I0 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 180101024

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 007 – DESTROYED GAW – GAUGE WIDTH ANY LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER ≥ 2 NAM – NAME CATEGORY ANY RGC – RAILROAD GAUGE CATEGORY 002 – NARROW RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED RRC – RAILROAD /ROAD CATEGORIES 001 – MAIN LINE /BRANCH LINE	DASH Lineweight: 0.300mm Length: 5.900mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case;Light,Condensed,Italic Color: BLACK (#58600) TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 6.4 mm. Tick placement: Alternate on opposite sides of line.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 008 – DISMANTLED 028 – OPERATIONAL **LOC – LOCATION /ORIGIN CATEGORY** 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE **NAM – NAME CATEGORY** ANY **RPS – RAILROAD POWER SOURCE** ANY **RRC – RAILROAD /ROAD CATEGORIES** 002 – CAR-LINE	**LABEL:NAM** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.150mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Tick length extends across road (centered 90° to road). Tick interval = 3.8 mm.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L026 Marine Railroad

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE **RRC – RAILROAD /ROAD CATEGORIES** 013 – MARINE RAILROAD	**LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 2.5 mm.	CG JOG A JOG G TLM 100K TLM 50K

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L029 Dismantled Railroad

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 008 – DISMANTLED	**DASH** Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L030

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL **RRC – RAILROAD /ROAD CATEGORIES** 000 – UNKNOWN 001 – MAIN LINE /BRANCH LINE 002 – CAR-LINE 003 – MONORAIL 008 – LOGGING	**LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Interval: 6.4mm. Tick Placement: Centered 90 degrees to line.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H01OL031

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
006 – ABANDONED

RRC – RAILROAD /ROAD CATEGORIES
000 – UNKNOWN
001 – MAIN LINE /BRANCH LINE
002 – CAR-LINE
003 – MONORAIL
008 – LOGGING

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90 degrees to line.
Interval: 6.4 mm.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H01OL032 Marine RR/Patent Slip

ATTRIBUTES:

RRC – RAILROAD /ROAD CATEGORIES
013 – MARINE RAILROAD

VRC – VERTICAL REFERENCE CATEGORY
001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)

PARAMETERS:

CASING
Lineweight: 0.200mm
Color: BLACK (#58600)
LINE SPACING: 1.0MM

LABEL:MARINE RR
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H01OL033

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
028 – OPERATIONAL

LTN – LANE/TRACK NUMBER
= 1

RPS – RAILROAD POWER SOURCE
000 – UNKNOWN
004 – NON-ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
000 – UNKNOWN
001 – MAIN LINE /BRANCH LINE
003 – MONORAIL

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Interval: 6.4mm

PRODUCTS:

ATC 200
JOG R
OSC
TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H01OL034

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
028 – OPERATIONAL

LTN – LANE/TRACK NUMBER
= 2

RPS – RAILROAD POWER SOURCE
000 – UNKNOWN
004 – NON-ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
000 – UNKNOWN
001 – MAIN LINE /BRANCH LINE
003 – MONORAIL

PARAMETERS:

LINE
Lineweight: 0.500mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Tick interval: 6.4mm.
Space between one set (2) of ticks = 0.5mm.

PRODUCTS:

ATC 200
JOG R
OSC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L035

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL **LEN – LANE/TRACK NUMBER** ≥ 3 **RPS – RAILROAD POWER SOURCE** 000 – UNKNOWN 004 – NON-ELECTRIFIED **RRC – RAILROAD /ROAD CATEGORIES** 000 – UNKNOWN 001 – MAIN LINE /BRANCH LINE 003 – MONORAIL	**LABEL:LEN** Type Size: 6 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.500mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm Space between one set (2) of ticks = 0.5mm	ATC 200 JOG R ONC TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L036

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL **RRC – RAILROAD /ROAD CATEGORIES** 002 – CAR-LINE 008 – LOGGING 013 – MARINE RAILROAD	**LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Tick interval: 2.5mm.	ATC 200 JOG R ONC TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L037

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 007 – DESTROYED **LEN – LANE/TRACK NUMBER** = 1	**LABEL** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: CENTERED 90° TO LINE. Interval: 6.4 MM.	ATC 200 JOG R ONC TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L039

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL **LEN – LANE/TRACK NUMBER**	**DOT** Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots: 0.5mm. Dots centered on every other pair of ticks on top side of track. Bottom of dots to center of line: 0.75mm.	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 18010L039 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LTN - LANE/TRACK NUMBER = 1		
RPS - RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RRC - RAILROAD /ROAD CATEGORIES 000 - UNKNOWN 001 - MAIN LINE /BRANCH LINE 003 - MONORAIL	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Tick interval: 6.4mm.	

18010 - RAILROAD TRACK
LINE FEATURE.... SYMBOL# 18010L040

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 028 - OPERATIONAL	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots: 0.800mm. Dots centered on every other pair of ticks on the same side of track. Bottom of dots to center of line: 0.750mm.	ATC 200 JOG R OSC TPC
LTN - LANE/TRACK NUMBER = 2	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RPS - RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm Space between one set (2) of ticks = 0.5mm	
RRC - RAILROAD /ROAD CATEGORIES 000 - UNKNOWN 001 - MAIN LINE /BRANCH LINE 003 - MONORAIL		

18010 - RAILROAD TRACK
LINE FEATURE.... SYMBOL# 18010L055

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 007 - DESTROYED	DASH Lineweight: 0.300mm Length: 5.900mm Space/Spacing: 0.500mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K
GAW - GAUGE WIDTH ANY	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.5mm. Dots are centered on every other pair of ticks on top side of line. Bottom of dots = 0.75 mm from center of the trunk line.	
LOC - LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
LTN - LANE/TRACK NUMBER = 1	LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
NAM - NAME CATEGORY ANY	TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Tick is centered 90° to line. Alternate tick interval = 6.4 mm. Tick alternates on opposite sides of line.	
RGC - RAILROAD GAUGE CATEGORY 002 - NARROW		
RPS - RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED		
RRC - RAILROAD /ROAD CATEGORIES 001 - MAIN LINE /BRANCH LINE 003 - MONORAIL		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H0101057

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

GAW – GAUGE WIDTH
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN – LANE/TRACK NUMBER
≥ 2

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
002 – NARROW

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots = 0.8 mm.
Dots are centered on every other pair of ticks on top side of line. Bottom of dots = 0.75 mm from center of line.

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Tick is centered 90° to the line.
Tick interval = 6.4 mm.
Ticks alternate on opposite sides of line.
Space between one set (2) of ticks = 0.5 mm.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H0101063

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN – LANE/TRACK NUMBER
= 1

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots = 0.5 mm.
Dots are centered on every other pair of ticks on the top side of the line. Bottom of dots = 0.75 mm from center of line.

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick interval = 6.4 mm.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

180I0 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 180101065

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LNM – LANE/TRACK NUMBER
≥ 2

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.900mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots = 0.8 mm.
Dots are centered on every other pair of ticks on the top side of line. Bottom of dots = 0.75 mm from center of line.

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick interval = 6.4 mm.
Space between one set (2) of ticks = 0.5 mm.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

180I0 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 180101067

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
020 – OPERATIONAL

GAW – GAUGE WIDTH
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LNM – LANE/TRACK NUMBER
= 1

NAM – NAME CATEGORY
ANY

RGC – RAILROAD GAUGE CATEGORY
002 – NARROW

RPS – RAILROAD POWER SOURCE
004 – NON-ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
001 – MAIN LINE /BRANCH LINE
008 – LOGGING

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick spacing = 6.4 mm between ticks.
Ticks alternate on opposite sides of the line.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H0101071

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	**DOT** Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.5 mm. Ticks are centered on every other tick on top side of line. Bottom of dots = 7.5 mm from center of line.	CG CG ENV COMBAT
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	**LABEL:NAM** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	JOG A JOG G TLM 100K TLM 50K
LTN – LANE/TRACK NUMBER = 1	**LABEL:OTHER** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY	**LINE** Lineweight: 0.300mm Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL	**TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Centered 90° to line. Interval = 6.4mm	
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED		
RRC – RAILROAD /ROAD CATEGORIES 001 – MAIN LINE /BRANCH LINE		

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H0102072 Marine RR/Patent Slip

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RRC – RAILROAD /ROAD CATEGORIES 013 – MARINE RAILROAD	**DASH:CASING** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Space between dashed lines = 1.0mm	COMBAT HAC 1
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	**LINE:FILL** Color: BLACK (#58600) Screen: 12%,15° Angle	
	LINE:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H0102073 Marine RR/Patent Slip

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RRC – RAILROAD /ROAD CATEGORIES 013 – MARINE RAILROAD	**DOT** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Space between dotted lines = 1.0mm	COMBAT HAC 1
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	**LINE:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LR010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# LR01CL074 Railroad in Road

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LTN – LANE/TRACK NUMBER = 1	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K
RGC – RAILROAD GAUGE CATEGORY ANY	LINE Lineweight: 0.150mm Color: BLACK (#58600)	
RPS – RAILROAD POWER SOURCE ANY		
RRC – RAILROAD /ROAD CATEGORIES 014 - RAILROAD IN ROAD	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Oriented 90 degrees to line. Interval = 6.4mm	

LR010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# LR01CL076

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 007 - DESTROYED	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	ATC 200 JOG R ONC TPC
LTN – LANE/TRACK NUMBER = 2	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm. Space between one set (2) of ticks=0.5mm.	

LR010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# LR01CL077

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T
LTN – LANE/TRACK NUMBER = 1	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 001 - BROAD 003 - NORMAL	TICK Lineweight: 0.300mm Length: 1.300mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Centered and perpendicular to line.	
RPS – RAILROAD POWER SOURCE 004 - NON-ELECTRIFIED		

LR010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# LR01CL078

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1N010L078 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LTN – LANE/TRACK NUMBER ≥ 2	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL	TICK Lineweight: 0.300mm Length: 1.300mm Color: BLACK (#58600) Spacing between tick pairs: 6.4mm. Spacing between ticks of a multiple pair: 0.5mm. Orientation: Centered and perpendicular to line.	
RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED		

1N010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1N010L079

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T
LTN – LANE/TRACK NUMBER = 1	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Touching on end and perpendicular to line. Ticks alternate on either side of line.	
RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED		

1N010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1N010L080

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T
LTN – LANE/TRACK NUMBER ≥ 2	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between tick pairs: 6.4mm. Spacing between ticks of a multiple pair: 0.5mm. Orientation: Touching on end and perpendicular to line. Tick pairs alternate on either side of line.	
RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED		

1N010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1N010L081

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL	DOT Space/Spacing: 12.800mm Diameter: 0.500mm Color: BLACK (#58600) Spacing between dots of a multiple pair: 1.0mm. Placement: Centered over every other tick on same side of line, with dot bottoms 0.75mm above center of line (0.10mm above ticks).	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1H010L081 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN — LANE/TRACK NUMBER = 1	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
RGC — RAILROAD GAUGE CATEGORY 001 - BROAD 003 - NORMAL	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RPS — RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED	TICK Lineweight: 0.300mm Length: 1.300mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Centered on and perpendicular to line.	

1H010 — RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L082

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL	DOT Space/Spacing: 12.800mm Diameter: 0.500mm Color: BLACK (#58600) Spacing between dots of a multiple pair: 1.3mm. Placement: Centered over every other tick pair on same side of line, with dot bottoms 0.75mm above center of line (0.10mm above ticks).	PTADB-T TRANS 50 TRANS250 TTADB-T
LEN — LANE/TRACK NUMBER ≥ 2	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
RGC — RAILROAD GAUGE CATEGORY 001 - BROAD 003 - NORMAL	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RPS — RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED	TICK Lineweight: 0.300mm Length: 1.300mm Space/Spacing: 6.400mm Color: BLACK (#58600) Spacing between ticks of a multiple pair: 0.5mm. Orientation: Centered and perpendicular to line.	

1H010 — RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L083

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL	DOT Space/Spacing: 12.800mm Diameter: 0.500mm Color: BLACK (#58600) Spacing between dots of a multiple pair: 1.0mm. Placement: Centered over every other tick on same side of line, with dot bottoms 0.75mm above center of line (0.10mm above ticks).	PTADB-T TRANS 50 TRANS250 TTADB-T
GAW — GAUGE WIDTH ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LOC — LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 18010L083 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY WATER SURFACE	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
LSN – LANE/TRACK NUMBER = 1	TICK Lineweight: 0.300mm Length: 0.650mm Space/Spacing: 6.400mm Color: BLACK (#58600) Orientation: Touching on end and perpendicular to line. Ticks alternate on either side of line.	
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW		
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED		
RRC – RAILROAD /ROAD CATEGORIES ANY		

18010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 18010L084

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL	DOT Diameter: 0.500mm Color: BLACK (#58600) Spacing of dot pairs: 12.8mm. Spacing between dots of a multiple pair: 1.3mm. Placement: Centered over every tick pair on same side of line, with dot bottoms 0.75mm (0.10mm above ticks).	PTADB-T TRANS 50 TRANS250 TTADB-T
LSN – LANE/TRACK NUMBER ≥ 2	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between tick pairs: 6.4mm. Spacing between ticks of a multiple pair: 0.5mm. Orientation: Touching on end and perpendicular to line. Tick pairs alternate on either side of line.	

18010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 18010L085

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 008 – DISMANTLED	DASH Lineweight: 0.300mm Length: 5.900mm Color: BLACK (#58600) Space between dashes: 0.500mm.	PTADB-T TRANS 50 TRANS250 TTADB-T
	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Touching on end and perpendicular to center of each dash. Ticks alternate on either side of dashes.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L086

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
028 – OPERATIONAL

LTN – LANE/TRACK NUMBER

≥ 3

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RRC – RAILROAD /ROAD CATEGORIES
000 – UNKNOWN
001 – MAIN LINE /BRANCH LINE
003 – MONORAIL

PARAMETERS:

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots: 0.800mm.
Dots centered on every other pair of ticks on the same side of track.
Bottom of dots at center of line: 0.750mm.

LABEL:LTN
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Interval: 6.4mm
Space between one set (2) of ticks: 0.5mm

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1H010 – RAILROAD TRACK
LINE FEATURE.... SYMBOL# 1H010L087

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
007 – DESTROYED

LTN – LANE/TRACK NUMBER
≥ 3

PARAMETERS:

LABEL:LTN
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Interval: 6.4mm.
Space between one set (2) of ticks: 0.5mm

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1H050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1H050L001 SPUR

ATTRIBUTES:

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
000 – UNKNOWN
004 – NON-ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.150mm
Color: BLACK (#58600)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1M050L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSA – RAIL SIDING /SPUR ATTRIBUTE 001 – SPUR	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 6.4 mm.	

1M050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1M050L002 SPUR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.5 mm. Dots are centered on every other tick on top side of line. Bottom of dots = 0.75 mm from center of line.	CG CG ENV COMBAT
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED	LINE Lineweight: 0.150mm Color: BLACK (#58600)	JOG A JOG G TIM 100K TIM 50K
RSA – RAIL SIDING /SPUR ATTRIBUTE 001 – SPUR	TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 6.4 mm. Ticks alternate on opposite of line.	

1M050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1M050L003 SIDING/PASSING

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL	LINE Lineweight: 0.150mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A
RPS – RAILROAD POWER SOURCE 000 – UNKNOWN 004 – NON-ELECTRIFIED	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600)	JOG G TIM 100K TIM 50K
RSA – RAIL SIDING /SPUR ATTRIBUTE 002 – SIDING 003 – PASSING	Tick is centered 90° to line. Tick interval = 6.4 mm.	

1M050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1M050L005 SIDING/PASSING

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 002 – NARROW	LINE Lineweight: 0.150mm Color: BLACK (#58600)	CG CG ENV COMBAT JOG A
RPS – RAILROAD POWER SOURCE 000 – UNKNOWN 004 – NON-ELECTRIFIED	TICK Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600)	JOG G TIM 100K TIM 50K
RSA – RAIL SIDING /SPUR ATTRIBUTE 002 – SIDING 003 – PASSING	Orientation: Centered 90° to line. Interval: 6.4 MM. Tick placement: Ticks alternate on opposite sides of the trunk line..	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501007 SIDING

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LSN – LANE/TRACK NUMBER = 1	LINE Lineweight: 0.300mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC
RPS – RAILROAD POWER SOURCE 000 – UNKNOWN 004 – NON-ELECTRIFIED	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm	
RRA – RAIL SIDING /SPUR ATTRIBUTE 002 – SIDING		

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501008 SPUR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots=0.5cm. Centered on alternate ticks on top side. Bottom of dots=0.75mm from center of line.	ATC 200 JOG R OSC TPC
RRA – RAIL SIDING /SPUR ATTRIBUTE 001 – SPUR	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm	

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501011 SPUR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RPS – RAILROAD POWER SOURCE 000 – UNKNOWN 004 – NON-ELECTRIFIED	LINE Lineweight: 0.300mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC
RRA – RAIL SIDING /SPUR ATTRIBUTE 001 – SPUR	TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered 90° to line. Interval: 6.4mm	

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501040 SPUR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL	DOT Diameter: 0.500mm Color: BLACK (#58600) Space between one set (2) of dots = 0.5 mm. Dots are centered on the top side of the line. Bottom of the dots = 0.75 mm from the center of the line.	CG CG ENV COMBAT JOG A JOG G
RPS – RAILROAD POWER SOURCE 001 – ELECTRIFIED TRACK 003 – OVERHEAD ELECTRIFIED	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	TLM 100K TLM 50K
RRA – RAIL SIDING /SPUR ATTRIBUTE 001 – SPUR		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1H050L040 (Continued)

ATTRIBUTES:

PARAMETERS:

LINE
Lineweight: 0.150mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick interval = 6.4 mm.

PRODUCTS:

1H050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1H050L045 SPUR

ATTRIBUTES:

RGC – RAILROAD GAUGE CATEGORY
002 – NARROW

RPS – RAILROAD POWER SOURCE
000 – UNKNOWN
004 – NON-ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE
001 – SPUR

PARAMETERS:

LINE
Lineweight: 0.150mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Ticks interval = 6.4 mm.
Tick alternates on opposite sides of line.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1H050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1H050L051 SIDING

ATTRIBUTES:

LTN – LANE/TRACK NUMBER
= 1

RPS – RAILROAD POWER SOURCE

001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE
002 – SIDING

PARAMETERS:

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots=0.5mm.
Centered on alternate ticks on top side.
Bottom of dots=0.75mm from center of line.

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Tick interval: 6.4mm.

PRODUCTS:

ONC
TPC

1H050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1H050L053 SIDING/PASSING

ATTRIBUTES:

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE
002 – SIDING
003 – PASSING

PARAMETERS:

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Space between one set (2) of dots = 0.5 mm.
Bottom of dots = 0.75 mm from center of line. Dots are centered on ticks on top side of line.

LINE
Lineweight: 0.150mm
Color: BLACK (#58600)

TICK
Lineweight: 0.150mm
Length: 1.500mm
Color: BLACK (#58600)
Tick is centered 90° to line.
Tick interval = 6.4 mm.

PRODUCTS:

CG
CG ENV
COMBAT

JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501054 SIDING/SPUR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ESB – EXISTENCE CATEGORY 028 – OPERATIONAL	**LINE** Lineweight: 0.150mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered on and 90° to line. Interval: 6.4mm.	HAC 1

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501055

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ESB – EXISTENCE CATEGORY 006 – ABANDONED	**DASH** Lineweight: 0.150mm Length: 5.900mm Space/Spacing: 0.500mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: Centered on dash, oriented 90° to dash. Tick interval: 6.4mm	HAC 1

180501 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501056

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL – CUMULATIVE TRACK LENGTH ≥ 280m	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.900mm. Length center rear to inner apex: 0.710mm.	PTADB-T TRANS 50 TRANS250 TTADB-T
ESB – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case, Bold, Condensed Color: BLACK (#58600)	
RGC – RAILROAD GAUGE CATEGORY 001 – BROAD 003 – NORMAL	**LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
RPS – RAILROAD POWER SOURCE 004 – NON-ELECTRIFIED	**LINE** Lineweight: 0.300mm Color: BLACK (#58600)	
RSA – RAIL SIDING /SPUR ATTRIBUTE ANY	**TICK** Lineweight: 0.300mm Length: 1.300mm Color: BLACK (#58600) Spacing between ticks: 6.400mm. Orientation: Centered and perpendicular to line.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1E050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1E050L058

ATTRIBUTES:

CTL – CUMULATIVE TRACK LENGTH
≥ 280m

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

RGC – RAILROAD GAUGE CATEGORY
002 – NARROW

RPS – RAILROAD POWER SOURCE
004 – NON-ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 0.650mm
Space/Spacing: 6.400mm
Color: BLACK (#58600)
Orientation: Touching on end and perpendicular to line.
Ticks alternate on either side of line.

PRODUCTS:

PTADB-T
TRANS 50

TRANS250
TTADB-T

1E050 – RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 1E050L060

ATTRIBUTES:

CTL – CUMULATIVE TRACK LENGTH
≥ 280m

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

RGC – RAILROAD GAUGE CATEGORY
001 – BROAD
003 – NORMAL

RPS – RAILROAD POWER SOURCE
001 – ELECTRIFIED TRACK
003 – OVERHEAD ELECTRIFIED

RSA – RAIL SIDING /SPUR ATTRIBUTE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

DOT
Diameter: 0.500mm
Color: BLACK (#58600)
Spacing of dot pairs: 12.8mm.
Spacing between dots of a multiple pair: 1.0mm.
Placement: Centered over every other tick pair on same side of line, with dot bottoms 0.75mm above center of line (0.10mm above tick tops).

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 1.300mm
Color: BLACK (#58600)
Spacing between ticks: 6.4mm.
Orientation: Centered and perpendicular to line.

PRODUCTS:

PTADB-T
TRANS 50

TRANS250
TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

180501 - RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501062

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL - CUMULATIVE TRACK LENGTH ≥ 280m	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-T TRANS 50 TRANS250 TTADB-T
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL	DOT Diameter: 0.500mm Color: BLACK (#58600) Spacing of dot pairs: 12.8mm. Spacing between dots of a single pair: 1.0mm. Placement: Centered over every other tick pair on same side of line, with dot bottoms 0.75mm above center of line (0.10mm above tick tops).	
RGC - RAILROAD GAUGE CATEGORY 002 - NARROW	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
RPS - RAILROAD POWER SOURCE 001 - ELECTRIFIED TRACK 003 - OVERHEAD ELECTRIFIED	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
RRA - RAIL SIDING /SPUR ATTRIBUTE ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Touching on end and perpendicular to line. Ticks alternate on either side of line.	

180501 - RR SIDING /RR SPUR
LINE FEATURE.... SYMBOL# 180501064

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL - CUMULATIVE TRACK LENGTH ≥ 280m	DASH Lineweight: 0.300mm Length: 5.900mm Color: BLACK (#58600) Space between dashes: 0.500mm.	PTADB-T TRANS 50 TRANS250 TTADB-T
EXS - EXISTENCE CATEGORY 008 - DISMANTLED	TICK Lineweight: 0.300mm Length: 0.650mm Color: BLACK (#58600) Spacing between ticks: 6.4mm. Orientation: Touching on end and perpendicular to line. Ticks alternate on either side of line.	

180501 - RR SIDING /RR SPUR
POINT FEATURE.... SYMBOL# 180501#001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL - CUMULATIVE TRACK LENGTH ANY	LABEL:CTL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS250
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1H050P001 (Continued)

ATTRIBUTES:

RXS – EXISTENCE CATEGORY
- 006 – ABANDONED
- 008 – DISMANTLED
- 028 – OPERATIONAL

RSA – RAIL SIDING /SPUR ATTRIBUTE
- 001 – SPUR
- 002 – SIDING
- 003 – PASSING

PARAMETERS:

LABEL:RXS
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LABEL:RSA
Type Size: 6 point
Type Style: Upper Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable

POSICUT
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

1H075 – RR TURNTABLE
POINT FEATURE.... SYMBOL# 1H075P001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

Origin: Center of circle

CIRCLE
Lineweight: 0.100mm
Color: BLACK (#58600)
Inside diameter = 1.5mm.

LINE
Lineweight: 0.100mm
Color: BLACK (#58600)
Interior line orientation: 45° angle to south neatline.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

1H080 – RR YARD
AREA FEATURE.... SYMBOL# 1H080A003

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

AREA:FILL
Color: VIOLET (#44742)
Screen: 67%,45° Angle

LINE:EXTERIOR
Lineweight: 0.200mm
Color: BLACK (#58600)

LINE:INTERIOR
Lineweight: 0.200mm
Color: BLACK (#58600)
Interior track separation = 0.4mm.
Interior track alignment shall be parallel to the longest axis of the feature.

TICK
Lineweight: 0.150mm
Length: 1.000mm
Color: BLACK (#58600)
Orientation: Centered 90° to line.
Tick interval: 6.4mm.

PRODUCTS:

ATC 200
JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

18080 - RR YARD
AREA FEATURE.... SYMBOL# 180802A011

ATTRIBUTES:

CTL - CUMULATIVE TRACK LENGTH
ANY

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
006 - ABANDONED
028 - OPERATIONAL

LEN - LENGTH /DIAMETER
≥ 1000m

WID - WIDTH
≥ 500m

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.800mm.
Length between rear apexes: 0.900mm.
Length center rear to inner apex: 0.710mm.

LABEL:"T"
Type Size: 6 point
Type Style: Upper Case,Bold,Condensed
Color: BLACK (#58600)

LABEL:CTL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

POSICUT
Posicut: #96
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 1.300mm
Color: BLACK (#58600)
Orientation: Centered and perpendicular to line.
Spacing between ticks: 6.4mm.

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

18080 - RR YARD
AREA FEATURE.... SYMBOL# 180802A012

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
006 - ABANDONED
028 - OPERATIONAL

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE:EXTERIOR
Lineweight: 0.200mm
Color: BLACK (#58600)

LINE:INTERIOR
Lineweight: 0.200mm
Color: BLACK (#58600)
Interior line (track) separation: 0.4mm.
Interior line (track) orientation shall be parallel to the longest axis of the feature.

TICK
Lineweight: 0.150mm
Length: 1.000mm
Color: BLACK (#58600)
Orientation: 90° angle to the line.
Tick interval: 6.4mm.

PRODUCTS:

CG
CG ENV
COMBAT
HAC 1
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1RO80 – RR YARD
LINE FEATURE.... SYMBOL# 1RO80L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Orientation: 90° angle to line. Tick interval: 6.4mm. Tick placement: Centered on line.	ONC TPC

1RO80 – RR YARD
LINE FEATURE.... SYMBOL# 1RO80L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL – CUMULATIVE TRACK LENGTH ≥ 280m EXS – EXISTENCE CATEGORY ANY LEN – LENGTH /DIAMETER ≥ 1000m	**LABEL:"T"** Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600) **LABEL:CTL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **POSICUT** Posicut: #96 Color: BLACK (#58600) **TICK** Lineweight: 0.300mm Length: 1.300mm Color: BLACK (#58600) Orientation: Centered and perpendicular to line. Spacing between ticks: 6.400mm.	PTADB-T TRANS250

1RO80 – RR YARD
POINT FEATURE.... SYMBOL# 1RO80P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 180808P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

180880 – RR YARD
POINT FEATURE.... SYMBOL# 180808P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CTL – CUMULATIVE TRACK LENGTH ANY EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL LEN – LENGTH /DIAMETER < 1000m	LABEL:"T" Type Size: 6 point Type Style: Upper Case, Bold, Condensed Color: BLACK (#58600) LABEL:CTL Type Size: 6 point Type Style: Lower Case, Bold, Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case, Bold, Condensed Color: BLACK (#58600) Type Size: 6 pt BOLD LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. Begin leader line 0.25mm from associated features.	PTADB-T TRANS250

180900 – TRAMWAY /INCLINE RAILWAY
LINE FEATURE.... SYMBOL# 180901L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case, Condensed Color: BLACK (#58600) LINE Lineweight: 0.150mm Color: BLACK (#58600) TICK Lineweight: 0.150mm Length: 1.500mm Color: BLACK (#58600) Tick is centered 90° to line. Tick interval = 4.0 mm.	COMBAT HAC 1 JOG A JOG G TLM 100K TLM 50K

180900 – TRAMWAY /INCLINE RAILWAY
LINE FEATURE.... SYMBOL# 180901L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.200mm Color: BLACK (#58600) TICK Lineweight: 0.180mm Length: 1.100mm Color: BLACK (#58600) Orientation: 90° angle to the line. Tick interval: 3.2mm.	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC – ROUTE WEATHERABILITY CATEGORY 002 – FAIR /DRY WEATHER	DASH Lineweight: 0.250mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC – ROUTE WEATHERABILITY CATEGORY 002 – FAIR /DRY WEATHER	DASH Lineweight: 0.400mm Length: 3.000mm Space/Spacing: 0.500mm Color: BROWN (#58252)	CG CG ENV

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC – ROUTE WEATHERABILITY CATEGORY 003 – WINTER ONLY	DASH Lineweight: 0.300mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT JOG R ONC TLM 100K TLM 50K TPC

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC – ROUTE WEATHERABILITY CATEGORY 002 – FAIR /DRY WEATHER	DASH Lineweight: 0.300mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L005.

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE WEC – ROUTE WEATHERABILITY CATEGORY 002 – FAIR /DRY WEATHER WTW – WIDTH OF TRAVELLED WAY ≥ 1.8m	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:ACC Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LABEL:WTW Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P010 – CART TRACK
LINE FEATURE.... SYMBOL# 1P010L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.250mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Screen: 67%,30/60° Biangle	HAC 1 HAC 2

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER ≥ 2 RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LINE Lineweight: 0.800mm Color: RED/BROWN (#61121)	COMBAT TLM 100K TLM 50K

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER = 1 RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LINE Lineweight: 0.630mm Color: RED/BROWN (#61121)	COMBAT TLM 100K TLM 50K

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER ≥ 2 RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	DASH Lineweight: 0.800mm Length: 3.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121)	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L005

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN – LANE/TRACK NUMBER
= 1

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE

WTC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER

PARAMETERS:

DASH
Lineweight: 0.630mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

PRODUCTS:

COMBAT
TIM 100K
TIM 50K

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L007

ATTRIBUTES:

RIT – ROAD INTERCHANGE TYPE
002 – DIAMOND

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L008

ATTRIBUTES:

RIT – ROAD INTERCHANGE TYPE
001 – CLOVER LEAF

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

ATC 200
JOG R
ONC
TPC

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L009

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LOC – LOCATION /ORIGIN CATEGORY
ANY

WTH – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

LABEL:LOC
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LABEL:WTH
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.630mm
Color: BLACK (#58600)

POSICUT
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

TRANS 50
TTADB-T

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P020L010

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

LINE
Lineweight: 0.400mm
Color: BLACK (#58600)
Screen: 54%,30/60° Biangle

PRODUCTS:

HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P0201L011

ATTRIBUTES:

RSE – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN – LANE/TRACK NUMBER
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
001 – PRIMARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE

TOC – TRANSPORTATION USE CATEGORY
007 – THROUGH ROUTE

WID – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

DASH
Lineweight: 1.000mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: BROWN (#58252)

PRODUCTS:

CG
CG ENV

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P0201L012

ATTRIBUTES:

RSE – EXISTENCE CATEGORY
028 – OPERATIONAL

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN – LANE/TRACK NUMBER
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
002 – SECONDARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE

TOC – TRANSPORTATION USE CATEGORY
004 – ROAD

WID – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

LINE
Lineweight: 0.500mm
Color: BROWN (#58252)

PRODUCTS:

CG

1P020 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1P0201L013

ATTRIBUTES:

RSE – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN – LANE/TRACK NUMBER
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
002 – SECONDARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE

TOC – TRANSPORTATION USE CATEGORY
004 – ROAD

WID – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

DASH
Lineweight: 0.500mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: BROWN (#58252)

PRODUCTS:

CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1PO20 – INTERCHANGE
LINE FEATURE.... SYMBOL# 1PO20L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LNS – LANE/TRACK NUMBER ANY RID – ROAD IMPORTANCE DESCRIPTOR 001 – PRIMARY RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE TOC – TRANSPORTATION USE CATEGORY 007 – THROUGH ROUTE WID – WIDTH OF TRAVELLED WAY ANY	LINE Lineweight: 1.000mm Color: BROWN (#58252)	CG CG ENV

1PO20 – INTERCHANGE
POINT FEATURE.... SYMBOL# 1PO20P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	SQUARE Lineweight: 0.200mm Length: 2.000mm Color: BLACK (#58600) Width: 2.0mm	ATC 200 JOG A JOG G JOG R

1PO30 – ROAD
LINE FEATURE.... SYMBOL# 1PO30L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LNS – LANE/TRACK NUMBER ≥ 2 MED – MEDIAN CATEGORY 002 – WITHOUT MEDIAN MED – MEDIAN WIDTH 001 – NO MEDIAN NAM – NAME CATEGORY ANY RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE TOC – TRANSPORTATION USE CATEGORY 004 – ROAD 007 – THROUGH ROUTE 023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LABEL:LNS Type Size: 6 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE Lineweight: 0.800mm Color: RED/BROWN (#61121)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LP030 - ROAD
LINE FEATURE.... SYMBOL# LP030L002

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
028 - OPERATIONAL

LOC - LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN - LANE/TRACK NUMBER
≥ 2

MED - MEDIAN CATEGORY
001 - WITH MEDIAN

MED - MEDIAN WIDTH
002 - <= 1.50MM (AT MAP SCALE)

NAM - NAME CATEGORY
ANY

RST - ROAD/RUNWAY SURFACE TYPE
001 - HARD SURFACE

TOC - TRANSPORTATION USE CATEGORY
007 - THROUGH ROUTE

WEC - ROUTE WEATHERABILITY CATEGORY
001 - ALL WEATHER

PARAMETERS:

LABEL:LSN
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.630mm
Color: RED/BROWN (#61121)
Gap between parallel lines: 0.250mm.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

LP030 - ROAD
LINE FEATURE.... SYMBOL# LP030L003

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
028 - OPERATIONAL

LOC - LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN - LANE/TRACK NUMBER
= 1

MED - MEDIAN CATEGORY
002 - WITHOUT MEDIAN

MED - MEDIAN WIDTH
001 - NO MEDIAN

NAM - NAME CATEGORY
ANY

RST - ROAD/RUNWAY SURFACE TYPE
001 - HARD SURFACE

TOC - TRANSPORTATION USE CATEGORY
004 - ROAD
007 - THROUGH ROUTE
023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WEC - ROUTE WEATHERABILITY CATEGORY
001 - ALL WEATHER

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.630mm
Color: RED/BROWN (#61121)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.800mm Color: BLACK (#58600) Screen: 54%,30/60° Biangle	HAC 2 HAC 3

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.500mm Color: BLACK (#58600) Screen: 54%,30/60° Biangle	HAC 4

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE TOC – TRANSPORTATION USE CATEGORY 006 – STREET PATTERN 030 – STREET PATTERN TRAFFIC CIRCLE	CASING Lineweight: 0.100mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:LOC Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LTN – LANE/TRACK NUMBER = 1 MED – MEDIAN CATEGORY 002 – WITHOUT MEDIAN MED – MEDIAN WIDTH 001 – NO MEDIAN NAM – NAME CATEGORY ANY RST – ROAD/RUNWAY SURFACE TYPE 003 – LOOSE /LIGHT TOC – TRANSPORTATION USE CATEGORY 004 – ROAD 007 – THROUGH ROUTE 023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE Lineweight: 0.630mm Color: RED/BROWN (#61121) Screen: 67%,30/60° Biangle	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LP030 – ROAD
LINE FEATURE.... SYMBOL# LP030L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	LABEL:LTN Type Size: 6 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K
LTN – LANE/TRACK NUMBER ≥ 2	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
MED – MEDIAN CATEGORY 002 – WITHOUT MEDIAN	LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
MWD – MEDIAN WIDTH 001 – NO MEDIAN	LINE Lineweight: 0.800mm Color: RED/BROWN (#61121) Screen: 67%,30/60° Bianglo	
NAM – NAME CATEGORY ANY		
RSF – ROAD/RUNWAY SURFACE TYPE 003 – LOOSE /LIGHT		
TOC – TRANSPORTATION USE CATEGORY 004 – ROAD 007 – THROUGH ROUTE 023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD		
WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER		

LP030 – ROAD
LINE FEATURE.... SYMBOL# LP030L012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LTN – LANE/TRACK NUMBER ANY	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	CG
MED – MEDIAN CATEGORY 001 – WITH MEDIAN	LABEL:WID Type Size: 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY	LINE Lineweight: 0.500mm Color: BROWN (#58252) Space between road inner edges: 0.5mm	
RID – ROAD IMPORTANCE DESCRIPTOR 001 – PRIMARY		
RSF – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE 003 – LOOSE /LIGHT		
TOC – TRANSPORTATION USE CATEGORY 004 – ROAD 007 – THROUGH ROUTE 023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD		
WID – WIDTH ANY		
WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER 002 – FAIR /DRY WEATHER		

LP030 – ROAD
LINE FEATURE.... SYMBOL# LP030L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LTN – LANE/TRACK NUMBER ANY	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	CG
MED – MEDIAN CATEGORY 000 – UNKNOWN 002 – WITHOUT MEDIAN	LABEL:WID Type Size: 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1P030L013 (Continued)

ATTRIBUTES:

RID – ROAD IMPORTANCE DESCRIPTOR
001 – PRIMARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE
003 – LOOSE /LIGHT

TOC – TRANSPORTATION USE CATEGORY
004 – ROAD
007 – THROUGH ROUTE
023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WID – WIDTH
ANY

WEC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER
002 – FAIR /DRY WEATHER

PARAMETERS:

LINE
Lineweight: 1.000mm
Color: BROWN (#58252)

PRODUCTS:

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L014

ATTRIBUTES:

LEN – LANE/TRACK NUMBER
ANY

MED – MEDIAN CATEGORY
000 – UNKNOWN
002 – WITHOUT MEDIAN

NAM – NAME CATEGORY
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
002 – SECONDARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE
003 – LOOSE /LIGHT

TOC – TRANSPORTATION USE CATEGORY
006 – STREET PATTERN
030 – STREET PATTERN TRAFFIC CIRCLE

WID – WIDTH
ANY

WEC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER
002 – FAIR /DRY WEATHER

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:WID
Type Size: 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.500mm
Color: BROWN (#58252)

PRODUCTS:

CG

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L016

ATTRIBUTES:

CER – CERTAINTY OF EXISTENCE
001 – DEFINITE

EXS – EXISTENCE CATEGORY
028 – OPERATIONAL
035 – OTHER

LEN – LANE/TRACK NUMBER
= 1

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

ATC 200
JOG R
ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE 001 – DEFINITE EXS – EXISTENCE CATEGORY 028 – OPERATIONAL 035 – OTHER LSN – LANE/TRACK NUMBER = 2	LINE Lineweight: 0.500mm Color: BLACK (#58600) Screen: 67%,30/60° Bianglo	ATC 200 JOG R OSC TPC

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE 001 – DEFINITE EXS – EXISTENCE CATEGORY 028 – OPERATIONAL 035 – OTHER LSN – LANE/TRACK NUMBER > 2	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600) Screen: 67%,30/60° Bianglo	ATC 200 JOG R OSC TPC

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE 001 – DEFINITE EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION	DASH Lineweight: 0.300mm Length: 3.300mm Space/Spacing: 0.500mm Color: BLACK (#58600) Screen: 67%,30° Angle LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	OSC TPC

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L021

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LSN – LANE/TRACK NUMBER ANY MED – MEDIAN CATEGORY 000 – UNKNOWN 002 – WITHOUT MEDIAN NAM – NAME CATEGORY ANY RID – ROAD IMPORTANCE DESCRIPTOR 001 – PRIMARY RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE 003 – LOOSE /LIGHT TUC – TRANSPORTATION USE CATEGORY 004 – ROAD 007 – THROUGH ROUTE 023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD WID – WIDTH ANY WTC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER 002 – FAIR /DRY WEATHER	LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:WID Type Size: 6 point Type Style: Lower Case,Light,Condensed Color: BROWN (#58252) LINE Lineweight: 0.500mm Color: BROWN (#58252)	CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L022

ATTRIBUTES:

LSN – LANE/TRACK NUMBER
ANY

MED – MEDIAN CATEGORY
001 – WITH MEDIAN

NAM – NAME CATEGORY
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
001 – PRIMARY

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE
003 – LOOSE /LIGHT

TOC – TRANSPORTATION USE CATEGORY
004 – ROAD
007 – THROUGH ROUTE
023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WID – WIDTH
ANY

WTC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER
002 – FAIR /DRY WEATHER

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:WID
Type Size: 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 1.000mm
Color: BROWN (#58252)

PRODUCTS:

CG ENV

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L023

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LSN – LANE/TRACK NUMBER
= 1

MED – MEDIAN CATEGORY
002 – WITHOUT MEDIAN

MWD – MEDIAN WIDTH
001 – NO MEDIAN

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE

TOC – TRANSPORTATION USE CATEGORY
004 – ROAD
007 – THROUGH ROUTE
023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WTC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER

PARAMETERS:

DASH
Lineweight: 0.630mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TIM 100K
TIM 50K

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L024

ATTRIBUTES:

ACC – ACCURACY CATEGORY
ANY

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION

PARAMETERS:

LABEL:ACC
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1P0301024 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY ANY MED – MEDIAN CATEGORY 001 – WITH MEDIAN RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER WIW – WIDTH OF TRAVELLED WAY ANY	LABEL:WIW Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.630mm Color: BLACK (#58600) Minimum space between pairs of lines: 0.25mm, if the space is wider, then plot to scale. POSICUT Posicut: #96 Color: BLACK (#58600)	

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P0301025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY ANY EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY ANY MED – MEDIAN CATEGORY 002 – WITHOUT MEDIAN RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER WIW – WIDTH OF TRAVELLED WAY ANY	LABEL:ACC Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LABEL:WIW Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.630mm Color: BLACK (#58600) POSICUT Posicut: #96 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P0301030

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY ANY EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY ANY MED – MEDIAN CATEGORY 002 – WITHOUT MEDIAN RST – ROAD/RUNWAY SURFACE TYPE 002 – LOOSE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER WIW – WIDTH OF TRAVELLED WAY ANY	LABEL:ACC Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LABEL:WIW Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600) POSICUT Posicut: #96 Color: BLACK (#58600)	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L031

ATTRIBUTES:

ACC – ACCURACY CATEGORY
ANY

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

MED – MEDIAN CATEGORY
002 – WITHOUT MEDIAN

RST – ROAD/RUNWAY SURFACE TYPE
002 – LOOSE

WEC – ROUTE WEATHERABILITY CATEGORY
002 – FAIR /DRY WEATHER

WDW – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 5.000mm
Color: BLACK (#58600)
Space length between dashes: 1.000mm.

LABEL:ACC
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LABEL:WDW
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L040

ATTRIBUTES:

LDN – LANE/TRACK NUMBER
ANY

NAM – NAME CATEGORY
ANY

RID – ROAD IMPORTANCE DESCRIPTOR
003 – DRIVES
004 – NARROW STREETS

RST – ROAD/RUNWAY SURFACE TYPE
001 – HARD SURFACE
003 – LOOSE /LIGHT

WEC – ROUTE WEATHERABILITY CATEGORY
001 – ALL WEATHER
002 – FAIR /DRY WEATHER

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BROWN (#58252)

LINE
Lineweight: 0.400mm
Color: BROWN (#58252)

PRODUCTS:

CG

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L046

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LDN – LANE/TRACK NUMBER
ANY

RST – ROAD/RUNWAY SURFACE TYPE
000 – UNKNOWN
003 – LOOSE /LIGHT

TUC – TRANSPORTATION USE CATEGORY
004 – ROAD
007 – THROUGH ROUTE
023 – TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WEC – ROUTE WEATHERABILITY CATEGORY
000 – UNKNOWN
002 – FAIR /DRY WEATHER

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.380mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TIM 100K
TIM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

LP030 - ROAD
LINE FEATURE.... SYMBOL# LPC30L047

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION

LOC - LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN - LANE/TRACK NUMBER
≥ 2

MED - MEDIAN CATEGORY
001 - WITH MEDIAN

MWD - MEDIAN WIDTH
003 - > 1.50 MM (AT MAP SCALE)

RST - ROAD/RUNWAY SURFACE TYPE
001 - HARD SURFACE

TOC - TRANSPORTATION USE CATEGORY
004 - ROAD
007 - THROUGH ROUTE
023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WTC - ROUTE WEATHERABILITY CATEGORY
001 - ALL WEATHER

PARAMETERS:

DASH
Lineweight: 0.630mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

LABEL:LTN
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)
Space between parallel lines is 0.25mm.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

LP030 - ROAD
LINE FEATURE.... SYMBOL# LPC30L048

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION

LOC - LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

LTN - LANE/TRACK NUMBER
≥ 2

MED - MEDIAN CATEGORY
002 - WITHOUT MEDIAN

MWD - MEDIAN WIDTH
001 - NO MEDIAN

RST - ROAD/RUNWAY SURFACE TYPE
001 - HARD SURFACE

TOC - TRANSPORTATION USE CATEGORY
004 - ROAD
007 - THROUGH ROUTE
023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WTC - ROUTE WEATHERABILITY CATEGORY
001 - ALL WEATHER

PARAMETERS:

DASH
Lineweight: 0.800mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

LABEL:LTN
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

LP030 - ROAD
LINE FEATURE.... SYMBOL# LPC30L049

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION

LTN - LANE/TRACK NUMBER
= 1

MED - MEDIAN CATEGORY

PARAMETERS:

DASH
Lineweight: 0.630mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)
Screen: 67%,30/60° Biangle

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1P030L049 (Continued)

ATTRIBUTES:

MED — MEDIAN CATEGORY
- 002 - WITHOUT MEDIAN

MED - MEDIAN WIDTH
- 001 - NO MEDIAN

RST - ROAD/RUNWAY SURFACE TYPE
- 003 - LOOSE /LIGHT

TUC - TRANSPORTATION USE CATEGORY
- 004 - ROAD
- 007 - THROUGH ROUTE
- 023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WEC - ROUTE WEATHERABILITY CATEGORY
- 001 - ALL WEATHER

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

1P030 — ROAD
LINE FEATURE.... SYMBOL# 1P030L051

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
- 005 - UNDER CONSTRUCTION

LTN - LANE/TRACK NUMBER
- ≥ 2

MED - MEDIAN CATEGORY
- 002 - WITHOUT MEDIAN

MED - MEDIAN WIDTH
- 001 - NO MEDIAN

RST - ROAD/RUNWAY SURFACE TYPE
- 003 - LOOSE /LIGHT

TUC - TRANSPORTATION USE CATEGORY
- 004 - ROAD
- 007 - THROUGH ROUTE
- 023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WEC - ROUTE WEATHERABILITY CATEGORY
- 001 - ALL WEATHER

PARAMETERS:

DASH
Lineweight: 0.800mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)
Screen: 67%,30/60° Biangle

LABEL:LTN
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1P030 — ROAD
LINE FEATURE.... SYMBOL# 1P030L054

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
- 005 - UNDER CONSTRUCTION

LTN - LANE/TRACK NUMBER
- ANY

MED - MEDIAN CATEGORY
- 000 - UNKNOWN
- 001 - WITH MEDIAN
- 002 - WITHOUT MEDIAN

RID - ROAD IMPORTANCE DESCRIPTOR
- 002 - SECONDARY

RST - ROAD/RUNWAY SURFACE TYPE
- 001 - HARD SURFACE
- 003 - LOOSE /LIGHT

TUC - TRANSPORTATION USE CATEGORY
- 000 - UNKNOWN
- 004 - ROAD
- 006 - STREET PATTERN
- 023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD

WEC - ROUTE WEATHERABILITY CATEGORY
- 001 - ALL WEATHER
- 002 - FAIR /DRY WEATHER

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper Case,Light,Condensed,Italic
Color: BLACK (#58600)

LINE
Lineweight: 0.500mm
Color: BROWN (#58252)

PRODUCTS:

CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1PC30 – ROAD
LINE FEATURE.... SYMBOL# 1PC301055

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BROWN (#58252)	CG CG ENV
LSN – LANE/TRACK NUMBER ANY	LINE Lineweight: 1.000mm Color: BROWN (#58252)	
MED – MEDIAN CATEGORY 000 - UNKNOWN 001 - WITH MEDIAN 002 - WITHOUT MEDIAN		
RID – ROAD IMPORTANCE DESCRIPTOR 001 - PRIMARY		
RST – ROAD/RUNWAY SURFACE TYPE 001 - HARD SURFACE 003 - LOOSE /LIGHT		
TUC – TRANSPORTATION USE CATEGORY 004 - ROAD 007 - THROUGH ROUTE 023 - TRAFFIC CIRCLE ON THROUGH ROUTE/ROAD		
WTC – ROUTE WEATHERABILITY CATEGORY 001 - ALL WEATHER 002 - FAIR /DRY WEATHER		

1PC30 – ROAD
LINE FEATURE.... SYMBOL# 1PC301060

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION	DASH Lineweight: 0.500mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) Screen: 67%,30/60° Biangle Long dash length = 3.0 mm. Short dash length = 1.5 mm.	JOG A JOG G
MED – MEDIAN CATEGORY 000 - UNKNOWN	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600)	
RST – ROAD/RUNWAY SURFACE TYPE 000 - UNKNOWN		
WTC – ROUTE WEATHERABILITY CATEGORY 000 - UNKNOWN		

1PC30 – ROAD
LINE FEATURE.... SYMBOL# 1PC301061

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	LINE Color: BLACK (#58600) Screen: 54%,30/60° Biangle Lineweight is variable, and proportional to WTW.	HAC 1
WTW – WIDTH OF TRAVELLED WAY > 0.8mm at scale		

1PC30 – ROAD
LINE FEATURE.... SYMBOL# 1PC301062

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	LINE Lineweight: 0.800mm Color: BLACK (#58600) Screen: 54%,30/60° Biangle	HAC 1
WTW – WIDTH OF TRAVELLED WAY ≤ 0.8mm at scale		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L063

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER ≥ 2 MED – MEDIAN CATEGORY 001 – WITH MEDIAN MWD – MEDIAN WIDTH 002 – <= 1.50MM (AT MAP SCALE) NAM – NAME CATEGORY ANY RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE TUC – TRANSPORTATION USE CATEGORY 007 – THROUGH ROUTE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LABEL:LTN Type Size: 6 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE:MEDIAN Lineweight: 0.150mm Color: BLACK (#58600) LINE:ROAD Lineweight: 0.800mm Color: RED/BROWN (#61121)	JOG A JOG G

1P030 – ROAD
LINE FEATURE.... SYMBOL# 1P030L064

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE LSN – LANE/TRACK NUMBER ≥ 2 MED – MEDIAN CATEGORY 001 – WITH MEDIAN MWD – MEDIAN WIDTH 002 – <= 1.50MM (AT MAP SCALE) NAM – NAME CATEGORY ANY RST – ROAD/RUNWAY SURFACE TYPE 001 – HARD SURFACE TUC – TRANSPORTATION USE CATEGORY 007 – THROUGH ROUTE WEC – ROUTE WEATHERABILITY CATEGORY 001 – ALL WEATHER	LABEL:LTN Type Size: 6 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#58600) LINE:MEDIAN Lineweight: 0.150mm Color: BLACK (#58600) LINE:ROAD Lineweight: 0.800mm Color: BLACK (#58600) Screen: 67%,30/60° Biangle	ATC 200 JOG R

1P050 – TRAIL
LINE FEATURE.... SYMBOL# 1P050L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC – ROUTE WEATHERABILITY CATEGORY ANY	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1P050L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper Case,Light,Condensed,Italic Color: BLACK (#38600)	

1P050 - TRAIL
LINE FEATURE.... SYMBOL# 1P050L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC - ROUTE WEATHERABILITY CATEGORY 003 - WINTER ONLY	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#38600) Screen: 67%,30/60° Biangle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed Color: BLACK (#38600)	ATC 200 JOG R OSC TPC

1P050 - TRAIL
LINE FEATURE.... SYMBOL# 1P050L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC - ROUTE WEATHERABILITY CATEGORY 000 - UNKNOWN 002 - FAIR /DRY WEATHER	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#38600) Screen: 67%,30/60° Biangle	ATC 200 JOG R OSC TPC

1P050 - TRAIL
LINE FEATURE.... SYMBOL# 1P050L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DOT Space/Spacing: 2.000mm Diameter: 0.750mm Color: BLACK (#38600)	FTADB-T TRANS 50 TRANS250 TTADB-T

1P050 - TRAIL
LINE FEATURE.... SYMBOL# 1P050L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WEC - ROUTE WEATHERABILITY CATEGORY 002 - FAIR /DRY WEATHER	DASH Lineweight: 0.400mm Length: 3.000mm Space/Spacing: 0.500mm Color: BROWN (#58252)	CG CG ENV

1Q010 - AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 1Q010L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE - USE STATUS 010 - OTHER	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#38600)	CG CG ENV COMBAT JOG A JOG G TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1g010L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	TIM 50K

1g010 – AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 1g010L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SOC – SAFE OVERHEAD CLEARANCE ANY	**DASH** Lineweight: 0.130mm Length: 2.500mm Space/Spacing: 1.000mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4
	LABEL Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600)	
	POSICUT Posicut: #201 Color: BLACK (#58600) Symbol consists of alternating dashes and posicuts. Endpoints of dashes touch edge of posicuts.	
	SOC BRACKET Color: BLACK (#58600) a.Line Length = length of SOC value type characters. Lineweight = 0.13mm. Line orientation = Horizontal. b.Line length = 0.4mm. Lineweight =0.2mm. Orientation = 90 degrees from center of line a. c.Space from SOC value type characters = 0.2mm. d.Distance from respective feature symbol = 1.0mm.	

1g010 – AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 1g010L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ONC TPC
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1g010 – AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 1g010L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ANY	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: VIOLET (#44742)	ATC 200 JOG R
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: VIOLET (#44742)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

10010 - AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 10010L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE - USE STATUS 070 - RECREATIONAL	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

10010 - AERIAL CABLEWAY LINE /SKI LIFT LINE
LINE FEATURE.... SYMBOL# 10010L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE - USE STATUS 085 - TRANSPORTATION	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

10020 - AERIAL CABLEWAY PYLON /SKI LIFT PYLON
POINT FEATURE.... SYMBOL# 10020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1

10020 - AERIAL CABLEWAY PYLON /SKI LIFT PYLON
POINT FEATURE.... SYMBOL# 10020P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

10020 - AERIAL CABLEWAY PYLON /SKI LIFT PYLON
POINT FEATURE.... SYMBOL# 10020P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE - CERTAINTY OF EXISTENCE	Origin: Center of dot	OBC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1Q0202007 (Continued)

ATTRIBUTES:

CON – CERTAINTY OF EXISTENCE
ANY

HGT – HEIGHT ABOVE SURFACE LEVEL
≥ 61M

SVL – Z VALUE
ANY

PARAMETERS:

LABEL:CON
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

TPC

1Q040 – BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 1Q040A002

ATTRIBUTES:

BDC – BRIDGE DESIGN CATEGORY
001 – ARCH (CLOSED SPANDREL)
002 – CANTILEVER
003 – DECK

004 – SLAB
005 – FLOATING BRIDGE
006 – GIRDER
007 – STRINGER (BEAM)
008 – TRUSS
009 – SUSPENSION

011 – OTHER
012 – TRANSPORTER (FERRY BRIDGE)
014 – ARCH (OPEN SPANDREL)
015 – CABLE STAYED

BOT – BRIDGE OPENING TYPE
000 – UNKNOWN
013 – NOT APPLICABLE /FIXED

LC1 – LOAD CLASS TYPE 1
ANY

LC2 – LOAD CLASS TYPE 2
ANY

LC3 – LOAD CLASS TYPE 3
ANY

LC4 – LOAD CLASS TYPE 4
ANY

MCP – MATERIAL COMPOSITION PRIMARY
ANY

NAM – NAME CATEGORY
ANY

OHC – OVERHEAD CLEARANCE CATEGORY
ANY

TOC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD

003 – RAILROAD
004 – ROAD

WID – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

CENTERLINE
Lineweight: 0.100mm
Color: BLACK (#58600)
Length = length of data set plus 0.5mm at each end. Orientation = parallel to and positioned 3.0mm from side of parent feature symbol.

LABEL:LC
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)
Position to provide a 0.5mm zone between type and center line.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK:WIDG
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°.
Tick placement: From center of line ends at apex.

PRODUCTS:

CG
CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

10040 - BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 10040A004

ATTRIBUTES:

BOF - BRIDGE OPENING TYPE
004 - DRAW /BASCULE
010 - SWING
011 - LIFT
012 - RETRACTILE
015 - OTHER

LC1 - LOAD CLASS TYPE 1
ANY

LC2 - LOAD CLASS TYPE 2
ANY

LC3 - LOAD CLASS TYPE 3
ANY

LC4 - LOAD CLASS TYPE 4
ANY

LEN - LENGTH /DIAMETER

MCP - MATERIAL COMPOSITION PRIMARY
ANY

NAM - NAME CATEGORY
ANY

OHC - OVERHEAD CLEARANCE CATEGORY
ANY

TOC - TRANSPORTATION USE CATEGORY
001 - ROAD AND RAILROAD
003 - RAILROAD
004 - ROAD

WTH - WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

CENTERLINE
Lineweight: 0.100mm
Color: BLACK (#58600)
Length = length of data set plus 0.5 mm at each end. Orientation: Parallel to and positioned 3.0 mm from side of point feature symbol.

CIRCLE
Lineweight: 0.300mm
Color: BLACK (#58600)
Diameter = to width of feature. Position centrally within feature symbol.

LABEL:LC
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)
Position to provide a 0.5mm zone between type and centerline.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK:WIDTH
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°.
Tick Placement: Apex from center of line ends.

PRODUCTS:

CG
CG ENV

10040 - BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 10040A005 FIXED BRIDGE

ATTRIBUTES:

BDC - BRIDGE DESIGN CATEGORY
000 - UNKNOWN
001 - ARCH (CLOSED SPANDREL)
002 - CANTILEVER
003 - DECK
004 - SLAB
006 - GIRDER
007 - STRINGER (BEAM)
008 - TRUSS
009 - SUSPENSION
011 - OTHER
014 - ARCH (OPEN SPANDREL)
015 - CABLE STAYED

BOF - BRIDGE OPENING TYPE
000 - UNKNOWN
013 - NOT APPLICABLE /FIXED

EXS - EXISTENCE CATEGORY
028 - OPERATIONAL

NAM - NAME CATEGORY
ANY

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK:WIDTH
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°. Tick Placement: From center of line ends.

PRODUCTS:

HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g040 – BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 1g040a006 OPENING BRIDGE

ATTRIBUTES:

BDC – BRIDGE DESIGN CATEGORY
- 000 – UNKNOWN
- 001 – ARCH (CLOSED SPANDREL)
- 002 – CANTILEVER
- 003 – DECK
- 004 – SLAB
- 006 – GIRDER
- 007 – STRINGER (BEAM)
- 008 – TRUSS
- 009 – SUSPENSION
- 011 – OTHER
- 014 – ARCH (OPEN SPANDREL)
- 015 – CABLE STAYED

BOT – BRIDGE OPENING TYPE
- 004 – DRAW /BASCULE
- 010 – SWING
- 011 – LIFT
- 012 – RETRACTILE
- 015 – OTHER

EXS – EXISTENCE CATEGORY
- 028 – OPERATIONAL

NAM – NAME CATEGORY
- ANY

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK:WING
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°. Tick Placement: From center of line ends.

PRODUCTS:

HAC 1

1g040 – BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 1g040a007 UNDER CONSTR./DESTROYED

ATTRIBUTES:

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 005 – UNDER CONSTRUCTION
- 007 – DESTROYED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.130mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:EXS
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case
Color: BLACK (#58600)

TICK:WING
Lineweight: 0.130mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°. Tick Placement: From center of line ends.

PRODUCTS:

HAC 1

1g040 – BRIDGE /OVERPASS /VIADUCT
AREA FEATURE.... SYMBOL# 1g040a008 PONTOON BRIDGE

ATTRIBUTES:

BDC – BRIDGE DESIGN CATEGORY
- 005 – FLOATING BRIDGE

EXS – EXISTENCE CATEGORY
- 028 – OPERATIONAL

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1Q040A008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK:WIDE Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45 °. Tick Placement: From center of line ends.	

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TOC – TRANSPORTATION USE CATEGORY 017 - PEDESTRIAN ONLY	LINE Lineweight: 0.300mm Color: BLACK (#58600) TICK:WIDE Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° to the line. Tick placement: Apex from center of line ends.	CG COMBAT JOG A JOG G TLM 100K TLM 50K

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L002 FIXED BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BDC – BRIDGE DESIGN CATEGORY 000 - UNKNOWN 001 - ARCH (CLOSED SPANDREL) 002 - CANTILEVER 003 - DECK 004 - SLAB 006 - GIRDER 007 - STRINGER (BEAM) 008 - TRUSS 009 - SUSPENSION 011 - OTHER 014 - ARCH (OPEN SPANDREL) 015 - CABLE STAYED BOT – BRIDGE OPENING TYPE 000 - UNKNOWN 013 - NOT APPLICABLE /FIXED EXS – EXISTENCE CATEGORY 020 - OPERATIONAL NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Line spacing = 0.8mm TICK:WIDE Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45°. Tick Placement: From the end of the symbol line.	HAC 1 HAC 2 HAC 3 HAC 4

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L003 OPENING BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BDC – BRIDGE DESIGN CATEGORY 000 - UNKNOWN 001 - ARCH (CLOSED SPANDREL) 002 - CANTILEVER 003 - DECK 004 - SLAB 006 - GIRDER 007 - STRINGER (BEAM) 008 - TRUSS 009 - SUSPENSION 011 - OTHER 014 - ARCH (OPEN SPANDREL) 015 - CABLE STAYED	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q040L003 (Continued)

ATTRIBUTES:

BCT – BRIDGE OPENING TYPE
- 004 - DRAW /BASCULE
- 010 - SWING
- 011 - LIFT
- 012 - RETRACTILE
- 015 - OTHER

EXS – EXISTENCE CATEGORY
- 028 - OPERATIONAL

NAM – NAME CATEGORY
- ANY

PARAMETERS:

SYMBOL
Lineweight: 0.300mm
Color: BLACK (#58600)
Line spacing = 0.8mm

TICK:WING
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45°. Tick Placement: From the end of the symbol line.

PRODUCTS:

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L004 OPERATIONAL BRIDGE

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
- 028 - OPERATIONAL

PARAMETERS:

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)
Line spacing = 0.8mm

TICK:WING
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45° angle to line. Tick placement: From end of symbol line.

PRODUCTS:

HAC 5
HAC 6

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L005 UNDER CONSTR./DESTROYED

ATTRIBUTES:

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 005 - UNDER CONSTRUCTION
- 007 - DESTROYED

PARAMETERS:

DASH
Lineweight: 0.130mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)
Line Spacing = 0.8mm.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

TICK:WING
Lineweight: 0.130mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45° angle to line. Tick placement: From end of the symbol line.

PRODUCTS:

HAC 5
HAC 6

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L006 UNDER CONSTR./DESTROYED

ATTRIBUTES:

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 005 - UNDER CONSTRUCTION
- 007 - DESTROYED

PARAMETERS:

DASH
Lineweight: 0.130mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)
Space between lines = 0.8mm

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 10040L006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK:WIDG Lineweight: 0.130mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to line. Tick placement: From the end of the symbol line.	

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L007 TRANSPORTER BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BDC - BRIDGE DESIGN CATEGORY 012 - TRANSPORTER (FERRY BRIDGE) EXS - EXISTENCE CATEGORY 028 - OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Line spacing = 0.8mm TICK:WIDG Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line. Tick placement: From the end of the symbol line.	HAC 1 HAC 2 HAC 3 HAC 4

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L008 PONTOON BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BDC - BRIDGE DESIGN CATEGORY 005 - FLOATING BRIDGE EXS - EXISTENCE CATEGORY 028 - OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Line spacing = 0.8mm TICK:WIDG Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line. Tick placement: From the end of the symbol line.	HAC 1 HAC 2 HAC 3 HAC 4

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L009 PEDESTRIAN BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BDC - BRIDGE DESIGN CATEGORY 000 - UNKNOWN 001 - ARCH (CLOSED SPANDREL) 002 - CANTILEVER 003 - DECK 004 - SLAB 006 - GIRDER 008 - TRUSS 009 - SUSPENSION 014 - ARCH (OPEN SPANDREL) 015 - CABLE STAYED EXS - EXISTENCE CATEGORY 028 - OPERATIONAL TUC - TRANSPORTATION USE CATEGORY 017 - PEDESTRIAN ONLY	LINE Lineweight: 0.300mm Color: BLACK (#58600) Line spacing = 0.8mm TICK:WIDG Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line. Tick placement: From the end of the symbol.	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	SYMBOL Lineweight: 0.650mm Color: VIOLET (#44742) TICK:WING Lineweight: 0.150mm Length: 1.000mm Color: VIOLET (#44742) Orientation: 45° angle to the line. Tick placement: From the corner of the deck line ends.	ATC 200 JOG R

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: VIOLET (#44742) SYMBOL Lineweight: 0.650mm Color: VIOLET (#44742) TICK:WING Lineweight: 0.150mm Length: 1.000mm Color: VIOLET (#44742) Orientation: 45° angle to the line. Tick placement: From the corner of deck line ends.	ATC 200 JOG R

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L013 ROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BCC – BYPASS CONDITION CATEGORY ANY BVC – BRIDGE/VIADUCT CATEGORY 000 – UNKNOWN 001 – BRIDGE EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL IDN – IDENTIFICATION NUMBER ANY LC1 – LOAD CLASS TYPE 1 ANY LC3 – LOAD CLASS TYPE 3 ANY LEN – LENGTH /DIAMETER ANY OHC – OVERHEAD CLEARANCE CATEGORY ANY TUC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 004 – ROAD WD2 – WIDTH OF SECOND TRAVELLED WAY ANY WDW – WIDTH OF TRAVELLED WAY ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Circle diameter: 7.0mm. Bypass extender length: 5.0mm. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: Variable (>= 2.0mm). Line Spacing: Variable (>= 1.10mm). TICK:WING Lineweight: 0.300mm Length: 0.600mm Color: BLACK (#58600) Orientation: 45° angle to the line end outward. Tick placement: From the center of the side ends.	TRANS 50 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L014 RAILROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BSC – BRIDGE/VIADUCT CATEGORY 000 – UNKNOWN 001 – BRIDGE	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TRANS 50 TTADB-T
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL	INFORMATION HOLD Lineweight: 0.300mm Length: 10.000mm Color: BLACK (#58600) Width: 5.0mm.	
IDN – IDENTIFICATION NUMBER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: Bold.	
LEN – LENGTH /DIAMETER ANY	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length:VARIABLE	
OHC – OVERHEAD CLEARANCE CATEGORY ANY	SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: Variable (>= 2.0mm). Line Spacing: 1.10mm.	
TOC – TRANSPORTATION USE CATEGORY 003 – RAILROAD	TICK:WING Lineweight: 0.300mm Color: BLACK (#58600) Orientation: 45° angle to the line. Tick placement: From the center of the side ends.	

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q040L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BCT – BRIDGE OPENING TYPE 004 – DRAW /BASCULE 010 – SWING 011 – LIFT 012 – RETRACTILE 015 – OTHER	CIRCLE Lineweight: 0.300mm Color: BLACK (#58600) The diameter of the circle is porportional to the width of the Bridge's relational feature (Road/Railroad). The diameter of the circle is centered overall at the center of and within the parallel lines.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED 028 – OPERATIONAL	LABEL:EXS Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	
TOC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD 004 – ROAD 019 – AQUEDUCT 020 – CANAL	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	
	TICK:WING Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line outward. Tick placement: Apex from center of end lines.	

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1g040l018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BCT – BRIDGE OPENING TYPE 000 – UNKNOWN 013 – NOT APPLICABLE /FIXED EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED 028 – OPERATIONAL NAM – NAME CATEGORY ANY TUC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD 004 – ROAD 019 – AQUEDUCT 020 – CANAL	**LABEL:EXS** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600) Perimeter line width is variable to the width of the overpassing feature. **TICK:WING** Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line outward. Tick placement: Apex from center of line ends.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1g040l019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	**SYMBOL** Lineweight: 0.650mm Color: BLACK (#58600) **TICK:WING** Lineweight: 0.150mm Length: 1.000mm Color: BLACK (#58600) Orientation: 45° angle from corner of deck line ends.	ONC TPC

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1g040l020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **SYMBOL** Lineweight: 0.650mm Color: BLACK (#58600) **TICK:WING** Lineweight: 0.150mm Length: 1.000mm Color: BLACK (#58600) Orientation: 45 Degree from corner of deck line ends.	ONC TPC

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1g040l021 ELEVATED ROAD

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BCC – BYPASS CONDITION CATEGORY ANY BVC – BRIDGE/VIADUCT CATEGORY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TRANS 50 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 10040L021 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BVC - BRIDGE/VIADUCT CATEGORY 002 - VIADUCT		
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LC1 - LOAD CLASS TYPE 1 ANY	POSICUT Posicut: #96 Color: BLACK (#58600)	
LC3 - LOAD CLASS TYPE 3 ANY		
TUC - TRANSPORTATION USE CATEGORY 001 - ROAD AND RAILROAD 004 - ROAD		
WTW - WIDTH OF TRAVELLED WAY ANY		

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L022 ELEVATED RAILROAD

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BVC - BRIDGE/VIADUCT CATEGORY 002 - VIADUCT	LABEL Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	TRANS 50 TTADB-T
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	POSICUT Posicut: #96 Color: BLACK (#58600)	
TUC - TRANSPORTATION USE CATEGORY 003 - RAILROAD		

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L023 ELEVATED CANAL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BVC - BRIDGE/VIADUCT CATEGORY 002 - VIADUCT	LABEL Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	TRANS 50 TTADB-T
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	POSICUT Posicut: #96 Color: BLACK (#58600)	
TUC - TRANSPORTATION USE CATEGORY 020 - CANAL		

10040 - BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 10040L024 CANAL BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BVC - BRIDGE/VIADUCT CATEGORY 000 - UNKNOWN 001 - BRIDGE	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TRANS 50 TTADB-T
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Length of each side: 7.000mm.	
IDN - IDENTIFICATION NUMBER ANY	LABEL Type Size: 6 point	
LEN - LENGTH /DIAMETER ANY	Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: Bold.	
OHC - OVERHEAD CLEARANCE CATEGORY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q0401026 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OHC – OVERHEAD CLEARANCE CATEGORY ANY		
TOC – TRANSPORTATION USE CATEGORY 020 – CANAL		
WID – WIDTH OF TRAVELLED WAY ANY		
	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
	SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: Variable (>=2.0mm). Line spacing: 1.30mm.	
	TICK:WIDG Lineweight: 0.300mm Color: BLACK (#58600) Wing tick length: 0.60mm. Orientation: 45° angle outward from the center of the line ends.	

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q0401026 ROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BCC – BYPASS CONDITION CATEGORY ANY	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.900mm. Length center rear to inner apex: 0.710mm.	PTADB-T TRANS250
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Circle diameter: 6.000mm.	
IDN – IDENTIFICATION NUMBER ANY	**LABEL:EXS** Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	
LC1 – LOAD CLASS TYPE 1 ANY	**LABEL:IDN** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
LC3 – LOAD CLASS TYPE 3 ANY	**LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
LGP – LENGTH WITH GREATER PRECISION ANY	**SYMBOL** Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: Variable (>=2.0mm). Line spacing: Variable (>=1.10mm).	
OHC – OVERHEAD CLEARANCE CATEGORY ANY	**TICK:WIDG** Lineweight: 0.300mm Color: BLACK (#58600) Wing tick length: 0.60nn. Orientation: 45° angle outward from the line ends.	
TOC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 004 – ROAD		
WD2 – WIDTH OF SECOND TRAVELLED WAY ANY		
WID – WIDTH OF TRAVELLED WAY ANY		

1Q040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1Q0401027 RAILROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.900mm. Length center rear to inner apex: 0.710mm.	PTADB-T TRANS250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1g040L027 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
IDN – IDENTIFICATION NUMBER ANY	INFORMATION HOLD Lineweight: 0.300mm Length: 10.000mm Color: BLACK (#58600) Width: 5.0mm	
LEN – LENGTH /DIAMETER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
OHC – OVERHEAD CLEARANCE CATEGORY ANY	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
TUC – TRANSPORTATION USE CATEGORY 003 – RAILROAD	SYMBOL:BRIDGE Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: Variable (>=2.000mm). Line Spacing: 1.100mm. Wingtick length: 0.600mm. Wingtick orientation: 45°. Wingtick placement: From center of side ends.	

1g040 – BRIDGE /OVERPASS /VIADUCT
LINE FEATURE.... SYMBOL# 1g040L028 Two bridges closely spaced

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED 028 – OPERATIONAL	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R TLM 100K TLM 50K
NAM – NAME CATEGORY ANY	LINE:EXTERIOR Lineweight: 0.300mm Color: BLACK (#58600) Exterior line spacing is variable to the width of the overpassing feature.	
	LINE:INTERIOR Lineweight: 0.150mm Color: BLACK (#58600) Interior line centered between exterior lines.	
	TICK:WING Lineweight: 0.150mm Length: 0.750mm Color: BLACK (#58600) Orientation: 45° angle to the line outward. Tick placement: Apex from center of line ends.	
	UTILIZATION Symbol for two bridges closely spaced, that would result in coalescing symbols if shown as separate bridges.	

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER ≥ 30 and < 305m	Origin: Center of square	ATC 200 JOG R
OHB – OVERALL HEIGHT OF BRIDGE < 46m	SQUARE Color: VIOLET (#44742) Fill square = 0.800mm x 0.800mm	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1g040P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK:WIBG Lineweight: 0.150mm Length: 1.000mm Color: VIOLET (#44742) Orientation: 45°, every 90° Tick placement: From corners of square.	

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 007 – DESTROYED OHB – OVERALL HEIGHT OF BRIDGE < 61m	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **SQUARE** Color: BLACK (#58600) Fill square: 0.80mm x 0.80mm. **TICK:WIBG** Lineweight: 0.150mm Length: 1.000mm Color: BLACK (#58600) Orientation: 45°, every 90° Tick Placement: From corners of square.	ONC TPC

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER – CERTAINTY OF EXISTENCE ANY OHB – OVERALL HEIGHT OF BRIDGE ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL OHB – OVERALL HEIGHT OF BRIDGE < 61m	Origin: Center of square **SQUARE** Color: BLACK (#58600) Fill square: 0.80mm x 0.80mm. **TICK:WIBG** Lineweight: 0.150mm Length: 1.000mm Color: BLACK (#58600) Orientation: 45°, every 90°. Tick placement: From corners of square.	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

10040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 10040007 RAILROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 020 - OPERATIONAL IDN – IDENTIFICATION NUMBER ANY LCP – LENGTH WITH GREATER PRECISION ANY OHC – OVERHEAD CLEARANCE CATEGORY ANY TUC – TRANSPORTATION USE CATEGORY 003 - RAILROAD	Origin: Center of bridge symbol. INFORMATION HOLD Lineweight: 0.300mm Length: 10.000mm Color: BLACK (#58600) Width: 5.0mm LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: 2.0mm. Line spacing: 1.10mm. TICK:WING Lineweight: 0.300mm Color: BLACK (#58600) Wing tick length: 0.60mm. Orientration: 45° angle outward from the end lines. Wing tick placement: From the center of the side ends.	TRAS 50 TTADB-T

10040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 10040008 ROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BOC – BYPASS CONDITION CATEGORY ANY EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 020 - OPERATIONAL IDN – IDENTIFICATION NUMBER ANY LC1 – LOAD CLASS TYPE 1 ANY LC3 – LOAD CLASS TYPE 3 ANY LCP – LENGTH WITH GREATER PRECISION ANY OHC – OVERHEAD CLEARANCE CATEGORY ANY TUC – TRANSPORTATION USE CATEGORY 001 - ROAD AND RAILROAD 004 - ROAD WD2 – WIDTH OF SECOND TRAVELLED WAY ANY WDH – WIDTH OF TRAVELLED WAY ANY	Origin: Center of bridge symbol INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Circle diameter: 7.0mm. Bypass extender length: 5.0mm. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: VARIABLE SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: 2.0mm. Line spacing: Variable ((>=1.10mm). TICK:WING Color: BLACK (#58600) Wing tick length: 0.60mm. Orientation: 45° angle outward from the end line centers.	TRAS 50 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P011

ATTRIBUTES:

COE – CERTAINTY OF EXISTENCE
ANY

OHB – OVERALL HEIGHT OF BRIDGE
≥ 6LM

ZVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

LABEL
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: AERO BLUE (#46351)

POSICUT
Posicut: #3
Color: AERO BLUE (#46351)

PRODUCTS:

ONC
TPC

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P012

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
007 – DESTROYED
028 – OPERATIONAL

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:EXS
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Length: 1.350mm
Color: BLACK (#58600)
Width variable to overpassing feature symbol width.

TICK:WING
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45° angle outward from the line ends.
Tick placement: From the center of the line ends.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P013 CANAL BRIDGE

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

IDN – IDENTIFICATION NUMBER
ANY

LGP – LENGTH WITH GREATER PRECISION
ANY

OHC – OVERHEAD CLEARANCE CATEGORY
ANY

TUC – TRANSPORTATION USE CATEGORY
020 – CANAL

WTW – WIDTH OF TRAVELLED WAY
ANY

PARAMETERS:

INFORMATION HOLD
Lineweight: 0.300mm
Color: BLACK (#58600)
Length of each side: 7.000mm.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

SYMBOL
Lineweight: 0.300mm
Color: BLACK (#58600)
Length of sides: 2.0mm.
Line spacing: 1.300mm.

TICK:WING
Lineweight: 0.300mm
Color: BLACK (#58600)
Wing tick length: 0.60mm.
Orientation: 45° angle outward from the line ends.
Tick placement: From the center of the line ends.

PRODUCTS:

TRANS 50
TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g040 - BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040p014 ROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BOC - BYPASS CONDITION CATEGORY ANY	INFORMATION HOLD Linewidth: 0.300mm Color: BLACK (#58600) Circle diameter: 6.0mm.	PTADB-T TRANS250
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	LABEL:EXS Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	
IDN - IDENTIFICATION NUMBER ANY	LABEL:IDN Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
LC1 - LOAD CLASS TYPE 1 ANY	LEADER LINE Linewidth: 0.200mm Color: BLACK (#58600) Length: Variable.	
LC3 - LOAD CLASS TYPE 3 ANY	TICK:WING Linewidth: 0.300mm Color: BLACK (#58600) Wing tick length: 0.60mm. Orientation: 45° angle from center of line ends.	
LCP - LENGTH WITH GREATER PRECISION > 18 and < 500m		
OHC - OVERHEAD CLEARANCE CATEGORY ANY		
TOC - TRANSPORTATION USE CATEGORY 001 - ROAD AND RAILROAD 004 - ROAD		
WE2 - WIDTH OF SECOND TRAVELLED WAY ANY		
WTH - WIDTH OF TRAVELLED WAY ANY		

1g040 - BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040p015 RAILROAD BRIDGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	INFORMATION HOLD Linewidth: 0.300mm Length: 10.000mm Color: BLACK (#58600) Width: 5.0mm	PTADB-T TRANS250
IDN - IDENTIFICATION NUMBER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LCP - LENGTH WITH GREATER PRECISION > 18 and < 500m	LEADER LINE Linewidth: 0.200mm Color: BLACK (#58600) Length: Variable.	
OHC - OVERHEAD CLEARANCE CATEGORY ANY	TICK:WING Linewidth: 0.300mm Color: BLACK (#58600) Wing tick length: 0.60mm. Orientation: 45° angle from the center of the line ends.	
TOC - TRANSPORTATION USE CATEGORY 003 - RAILROAD		

1g040 - BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040p016 Two bridges closely spaced

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 007 - DESTROYED 028 - OPERATIONAL	LABEL:EXS Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1g040P016 (Continued)

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:EXTERIOR
Lineweight: 0.300mm
Length: 1.350mm
Color: BLACK (#58600)
Exterior line spacing is variable to the width of the symbol of the overpassing feature.

LINE:INTERIOR
Lineweight: 0.150mm
Length: 1.350mm
Color: BLACK (#58600)
Interior line centered between exterior lines.

TICK:WING
Lineweight: 0.150mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45° to the line outward.
Tick placement: Apex from center of line ends.

UTILIZATION
Symbol for two bridges closely spaced, that would result in coalescing symbols if shown as separate bridges.

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P017 SMALL ROAD BRIDGE MARKER

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LGP – LENGTH WITH GREATER PRECISION
≤ 18M

TUC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD
004 – ROAD

PARAMETERS:

CIRCLE
Lineweight: 0.300mm
Color: BLACK (#58600)
Circle Diameter: 3.000mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

PRODUCTS:

PTADB-T
TRANS250

1g040 – BRIDGE /OVERPASS /VIADUCT
POINT FEATURE.... SYMBOL# 1g040P018 SMALL RR BRIDGE MARKER

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
028 – OPERATIONAL

LGP – LENGTH WITH GREATER PRECISION
≤ 18M

TUC – TRANSPORTATION USE CATEGORY
003 – RAILROAD

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

RECTANGLE
Lineweight: 0.300mm
Color: BLACK (#58600)
Length each side of rectangle: 3.000mm.

PRODUCTS:

PTADB-T
TRANS250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

10045 – BRIDGE SPAN
AREA FEATURE.... SYMBOL# 10045A001

ATTRIBUTES:

BSM – BRIDGE SPAN MOBILITY
001 – MOVABLE SPAN

EXS – EXISTENCE CATEGORY
032 – NAVIGABLE

SHC – SAFE HORIZONTAL CLEARANCE
ANY

SOC – SAFE OVERHEAD CLEARANCE
ANY

PARAMETERS:

LABELS
Type Size: 6 point
Type Style: Lower Case
Color: BLACK (#58600)

LINES
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable - same as bridge symbol width.
Orientation: Perpendicular to direction of travel ON BRIDGE.

SHC BRACKETS
Color: BLACK (#58600)
a. Line length = 1.5mm. Lineweight = 0.13mm.
Orientation = Vertical.
b. Line Length = 0.4mm. Lineweight = 0.2mm.
Orientation = 90° from center of line "a".
c. Space from SHC value type characters = 0.2mm.
d. Distance from respective feature symbol = 1.0mm.

SOC BRACKETS
Color: BLACK (#58600)
a. Line length = length of SOC value type characters. Lineweight = 0.13mm.
Orientation = Horizontal.
b. Line length = 0.4mm.Lineweight = 0.2mm
Orientation = 90° from center of line "a".
c. Space from SOC value type characters = 0.2mm.
d. Distance from respective feature symbol = 1.0mm
TICK:WIDC
Lineweight: 0.200mm
Length: 0.750mm
Color: BLACK (#58600)
Orientation: 45° angle outward from center of line ends.

PRODUCTS:

HAC 1

10045 – BRIDGE SPAN
LINE FEATURE.... SYMBOL# 10045L002

ATTRIBUTES:

BSM – BRIDGE SPAN MOBILITY
001 – MOVABLE SPAN

EXS – EXISTENCE CATEGORY
032 – NAVIGABLE

SHC – SAFE HORIZONTAL CLEARANCE
ANY

SOC – SAFE OVERHEAD CLEARANCE

ANY

PARAMETERS:

LABELS
Type Size: 6 point
Type Style: Lower Case
Color: BLACK (#58600)

LINES
Lineweight: 0.200mm
Length: 0.800mm
Color: BLACK (#58600)
Variable space between end lines.
Orientation: Perpendicular to direction of travel ON BRIDGE.

SHC BRACKETS
Color: BLACK (#58600)
a. Line length = 1.5mm. Lineweight = 0.13mm.
Orientation = Vertical.
b. Line Length = 0.4mm. Lineweight = 0.2mm.
Orientation = 90° from center of line "a".
c. Space from SHC value type characters = 0.2mm.
d. Distance from respective feature symbol = 1.0mm.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q045L002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	SOC BRACKETS Color: BLACK (#58600) a. Line length = length of SOC value type characters. Lineweight = 0.13mm. Orientation = Horizontal. b. Line length = 0.4mm.Lineweight = 0.2mm Orientation = 90° from center of line "a". c. Space from SOC value type characters = 0.2mm. d. Distance from respective feature symbol = 1.0mm **TICK:WIDE** Lineweight: 0.750mm Length: 0.200mm Color: BLACK (#58600) Orientation: 45° angle outward from center of the line ends.	

1Q045 – BRIDGE SPAN
LINE FEATURE.... SYMBOL# 1Q045L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BSM – BRIDGE SPAN MOBILITY 000 – UNKNOWN 002 – FIXED SPAN	**LABELS** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4
EXS – EXISTENCE CATEGORY 032 – NAVIGABLE	**SHC BRACKETS** Color: BLACK (#58600) a. Line length = 1.5mm. Lineweight = 0.13mm. Orientation = Vertical. b. Line Length = 0.4mm. Lineweight = 0.2mm. Orientation = 90° from center of line "a". c. Space from SHC value type characters = 0.2mm. d. Distance from respective feature symbol = 1.0mm.	
SHC – SAFE HORIZONTAL CLEARANCE ANY		
SOC – SAFE OVERHEAD CLEARANCE ANY	**SOC BRACKETS** Color: BLACK (#58600) a. Line length = length of SOC value type characters. Lineweight = 0.13mm. Orientation = Horizontal. b. Line length = 0.4mm.Lineweight = 0.2mm Orientation = 90° from center of line "a". c. Space from SOC value type characters = 0.2mm. d. Distance from respective feature symbol = 1.0mm	

1Q050 – BRIDGE SUPERSTRUCTURE
POINT FEATURE.... SYMBOL# 1Q050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY	Origin: Center of dot	COMBAT JOG A JOG G TLM 100K TLM 50K
OHB – OVERALL HEIGHT OF BRIDGE ≥ 46m	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
SVL – Z VALUE ANY	**POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

10058 – CONSTRUCTION
LINE FEATURE.... SYMBOL# 10058L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER > 100m & ≤ 500m WTH – WIDTH OF TRAVELLED WAY < 4.0m	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) POSICUT Posicut: #97 Color: BLACK (#58600) Distance between apexes: Variable.	TRANS 50 TTADB-T

10058 – CONSTRUCTION
LINE FEATURE.... SYMBOL# 10058L002 RESTRICTED PASSAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER > 100m & ≤ 500m WTH – WIDTH OF TRAVELLED WAY ≥ 4.0m	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) TRIANGLE:OPEN Lineweight: 0.300mm Color: BLACK (#58600) Length of each side: 2.500mm. Spacing between apexes: Variable.	TRANS 50 TTADB-T

10058 – CONSTRUCTION
POINT FEATURE.... SYMBOL# 10058P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER ≤ 100m WTH – WIDTH OF TRAVELLED WAY < 4.0m	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) POSICUT Posicut: #97 Color: BLACK (#58600) Distances between apexes = variable.	TRANS 50 TTADB-T

10058 – CONSTRUCTION
POINT FEATURE.... SYMBOL# 10058P002 RESTRICTED PASSAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER ≤ 100m WTH – WIDTH OF TRAVELLED WAY ≥ 4.0m	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) TRIANGLE:OPEN Lineweight: 0.300mm Color: BLACK (#58600) Length each side: 2.500mm. Spacing between apexes: Variable	TRANS 50 TTADB-T

10060 – CONTROL TOWER
POINT FEATURE.... SYMBOL# 10060P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1Q060P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #55 Color: BLACK (#58600)	

1Q060 – CONTROL TOWER
POINT FEATURE.... SYMBOL# 1Q060P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1Q060 – CONTROL TOWER
POINT FEATURE.... SYMBOL# 1Q060P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1Q060 – CONTROL TOWER
POINT FEATURE.... SYMBOL# 1Q060P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m EVL – Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1Q060 – CONTROL TOWER
POINT FEATURE.... SYMBOL# 1Q060P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g060 - CONTROL TOWER
POINT FEATURE.... SYMBOL# 1g060p006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1g060 - CONTROL TOWER
POINT FEATURE.... SYMBOL# 1g060p007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	CG CG ENV

1g065 - CULVERT
POINT FEATURE.... SYMBOL# 1g065p001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	HEADLINE Lineweight: 0.100mm Length: 2.000mm Color: BLACK (#58600) Space between headlines is variable. TICK:WING Lineweight: 0.100mm Length: 0.600mm Color: BLACK (#58600) Orientation: 45°angle outward from the center of each end line.	CG COMBAT TLM 100K TLM 50K

1g065 - CULVERT
POINT FEATURE.... SYMBOL# 1g065p002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	CIRCLE Lineweight: 0.300mm Diameter: 2.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable	TRANS 50 TTADS-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1g068 – DROP GATE /ROLLING BLOCK
POINT FEATURE.... SYMBOL# 1g068P001 OVERHEAD DROP

ATTRIBUTES:

DGC – DROP GATE CATEGORY
001 – OVERHEAD DROP

TDC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD
003 – RAILROAD
004 – ROAD

020 – CANAL

PARAMETERS:

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

ORIGIN
0.5mm from terminus of leader line, over associated transportation feature.

POSICUT
Posicut: #98
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g068 – DROP GATE /ROLLING BLOCK
POINT FEATURE.... SYMBOL# 1g068P002 SIDE DROP

ATTRIBUTES:

DGC – DROP GATE CATEGORY
002 – SIDE DROP

TDC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD
003 – RAILROAD
004 – ROAD

020 – CANAL

PARAMETERS:

LEADER LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

ORIGIN
0.5mm from terminus of leader line, along side associated transportation feature.

POSICUT
Posicut: #99
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070L001

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
CG ENV
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070L002

ATTRIBUTES:

FER – FERRY TYPE
000 – UNKNOWN
002 – FERRY WITHOUT CABLES

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

POSICUT
Posicut: #70
Color: PURPLE (#96532)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070l003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FER – FERRY TYPE 001 – FERRY WITH CABLES	DASH Lineweight: 0.100mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #70 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070l004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER > 300	DASH Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TRANS 50 TTADB-T

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070l005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FER – FERRY TYPE 001 – FERRY WITH CABLES NAM – NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT

1g070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1g070l006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FER – FERRY TYPE 000 – UNKNOWN 002 – FERRY WITHOUT CABLES NAM – NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q070L006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

1Q070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1Q070L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER **> 1500m**	**DASH** Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS250

1Q070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1Q070L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER **≥ 100 & ≤ 300m**	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. **DASH** Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	TRANS 50 TTADB-T

1Q070 – FERRY CROSSING
LINE FEATURE.... SYMBOL# 1Q070L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER **≥ 500 and ≤ 1500m**	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. **DASH** Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-T TRANS250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q070L009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable	

1Q070 - FERRY CROSSING
POINT FEATURE.... SYMBOL# 1Q070P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	Origin: Center of dot DOT Diameter: 0.300mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R OPC TPC

1Q070 - FERRY CROSSING
POINT FEATURE....SYMBOL# 1Q070P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	FTADB-T TRANS 50 TRANS250 TTADB-T

1Q070 - FERRY CROSSING
POINT FEATURE.... SYMBOL# 1Q070P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1Q080 - FERRY SITE /FERRY SLIP
POINT FEATURE.... SYMBOL# 1Q080P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) PERIMETER:LINE Lineweight: 0.200mm Color: BLACK (#58600) Inside width: 1.1mm Length of sides: 2.0mm Taper of cover angle: 45°	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1q080 – FERRY SITE /FERRY SLIP
POINT FEATURE.... SYMBOL# 1q080P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1

1q100 – DISTANCE MARKER
POINT FEATURE.... SYMBOL# 1q100P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DVA – DISTANCE VALUE ATTRIBUTE ANY UNI – UNITS CATEGORY 010 – KILOMETERS	Origin: End of staff. **LABEL:DVA** Type Size: 10 point Type Style: Lower Case,Condensed Color: RED/BROWN (#61121) **POSICUT** Posicut: #44 Color: RED/BROWN (#61121)	JOG G

1q100 – DISTANCE MARKER
POINT FEATURE.... SYMBOL# 1q100P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATN – AIDS TO NAVIGATION 001 – MARKED DVA – DISTANCE VALUE ATTRIBUTE ANY UNI – UNITS CATEGORY ANY	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #201 Color: BLACK (#58600)	HAC 1 HAC 2

1q100 – DISTANCE MARKER
POINT FEATURE.... SYMBOL# 1q100P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATN – AIDS TO NAVIGATION 002 – UNMARKED DVA – DISTANCE VALUE ATTRIBUTE ANY UNI – UNITS CATEGORY ANY	Origin: Lower left corner of UNI value **LABEL** Type Size: 6 point Type Style: Lower Case Color: PURPLE (#96532)	HAC 1 HAC 2

1q110 – MOORING MAST
POINT FEATURE.... SYMBOL# 1q110P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL – Z VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

1Q110 – MOORING MAST
POINT FEATURE.... SYMBOL# 1Q110P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #45 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1Q110 – MOORING MAST
POINT FEATURE.... SYMBOL# 1Q110P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOT – HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

1Q110 – MOORING MAST
POINT FEATURE.... SYMBOL# 1Q110P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle POSICUT Posicut: #45 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1Q110 – MOORING MAST
POINT FEATURE.... SYMBOL# 1Q110P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COR – CERTAINTY OF EXISTENCE ANY HOT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG B

1Q111 – PREPARED RAFT OR FLOAT BRIDGE SITE
POINT FEATURE.... SYMBOL# 1Q111P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	TRIANGLE:EQUILAT. Linewight: 0.300mm Color: BLACK (#58600) Length of each side: 2.50mm. Distance between apexes: variable.	PTADB-SD TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1Q115 – REST AREA /VEHICLE STOPPING AREA
AREA FEATURE.... SYMBOL# 1Q115A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1Q116 – ROUTE MARKER
POINT FEATURE.... SYMBOL# 1Q116P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY USE – USE STATUS 023 – INTERNATIONAL	Origin: Center of rectangle LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) RECTANGLE Lineweight: 0.100mm Length: 4.500mm Color: BLACK (#58600) Width: 2.25mm.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1Q116 – ROUTE MARKER
POINT FEATURE.... SYMBOL# 1Q116P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY USE – USE STATUS 004 – NATIONAL	Origin: Center of posicut LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #46 Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

1Q116 – ROUTE MARKER
POINT FEATURE.... SYMBOL# 1Q116P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY USE – USE STATUS 005 – STATE	Origin: Center of circle CIRCLE Lineweight: 0.100mm Diameter: 3.800mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1g118 - STEEP CURVE
POINT FEATURE.... SYMBOL# 1g118P001

ATTRIBUTES:

LOC - NUMBER OF CURVES
ANY

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Lower Case, Bold, Condensed
Color: BLACK (#58600)

LEADER LINE
Linewieght: 0.200mm
Color: BLACK (#58600)
Length: Variable

POSICUT
Posicut: #101
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g125 - STEEP GRADE
LINE FEATURE.... SYMBOL# 1g125L001

ATTRIBUTES:

LOC - LENGTH OF GRADIENT
> 4.3mm at map scale

SOC - SLOPE /GRADIENT CATEGORY
≥ 7%

TOC - TRANSPORTATION USE CATEGORY
004 - ROAD

PARAMETERS:

TAIL
Linewieght: 0.300mm
Color: BLACK (#58600)
Length: Variable

TRIANGLE:SOLID
Color: BLACK (#58600)
Length of each side: 2.50mm.

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g125 - STEEP GRADE
LINE FEATURE.... SYMBOL# 1g125L002

ATTRIBUTES:

LOC - LENGTH OF GRADIENT
> 4.3mm at map scale

SOC - SLOPE /GRADIENT CATEGORY
≥ 3%

TOC - TRANSPORTATION USE CATEGORY
001 - ROAD AND RAILROAD
003 - RAILROAD

PARAMETERS:

TAIL
Linewieght: 0.300mm
Color: BLACK (#58600)
Length: Variable

TRIANGLE:SOLID
Color: BLACK (#58600)
Length of each side: 2.50mm.

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g125 - STEEP GRADE
LINE FEATURE.... SYMBOL# 1g125L003

ATTRIBUTES:

LOC - LENGTH OF GRADIENT
≥2.0-≤4.3mm at scale

SOC - SLOPE /GRADIENT CATEGORY
≥ 7%

TOC - TRANSPORTATION USE CATEGORY
004 - ROAD

PARAMETERS:

LEADER LINE
Linewieght: 0.200mm
Color: BLACK (#58600)
Length: Variable.

TRIANGLE:SOLID
Color: BLACK (#58600)
Length of each side: 2.50mm.

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

1g125 - STEEP GRADE
LINE FEATURE.... SYMBOL# 1g125L004

ATTRIBUTES:

LOC - LENGTH OF GRADIENT
≥2.0-≤4.3mm at scale

SOC - SLOPE /GRADIENT CATEGORY

PARAMETERS:

LEADER LINE
Linewieght: 0.200mm
Color: BLACK (#58600)
Length: Variable.

PRODUCTS:

PTADB-T
TRANS 50
TRANS250
TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q125L004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SGC – SLOPE /GRADIENT CATEGORY ≥ 3% TOC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD	**TRIANGLE:SOLID** Color: BLACK (#58600) Length of each side: 2.50mm.	

1Q125 – STEEP GRADE
POINT FEATURE.... SYMBOL# 1Q125P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOG – LENGTH OF GRADIENT < 2.0mm at map scale SGC – SLOPE /GRADIENT CATEGORY ≥ 3% TOC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD	**LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. **TRIANGLE:SOLID** Color: BLACK (#58600) Length of each side: 2.50mm.	PTADB-T TRANS 50 TRANS250 TTADB-T

1Q125 – STEEP GRADE
POINT FEATURE.... SYMBOL# 1Q125P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOG – LENGTH OF GRADIENT < 2.0mm at map scale SGC – SLOPE /GRADIENT CATEGORY ≥ 7% TOC – TRANSPORTATION USE CATEGORY 004 – ROAD	**LEADER LINE** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. **TRIANGLE:SOLID** Color: BLACK (#58600) Length of each side: 2.50mm.	PTADB-T TRANS 50 TRANS250 TTADB-T

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q131L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY TOC – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD	**DASH** Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **HEADLINE** Lineweight: 0.200mm Length: 2.000mm Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **TICK:WING** Lineweight: 0.100mm Color: BLACK (#58600) Wing tick 45° angle outward from center of headline end.	COMBAT HAC 1 HAC 2 HAC 3 JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q1311002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q1311003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	FTADB-T TRANS 50 TRANS250 TTADB-T
HCA – HORIZONTAL CLEARANCE ATTRIBUTE ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Upper 2/3 circle with horizontal sidewings at circle ends. Circle diameter: 6.0mm. Side wing lengths: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from circle.	
LEN – LENGTH /DIAMETER ANY	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) Type style: BOLD.	
OHC – OVERHEAD CLEARANCE CATEGORY ANY	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
	SYMBOL Lineweight: 0.300mm Space/Spacing: 0.500mm Color: BLACK (#58600) Dash length: 1.000mm. Space between dashes: 0.500mm. Entranceway line length: Variable (>=1.500mm). Distance between entranceway lines: Variable (>=2.000mm). Distance between dashed lines: Variable (>=1.500mm), the same as the entranceway line length.	
	TICK:MISC Lineweight: 0.300mm Length: 0.600mm Color: BLACK (#58600) Tick orientation: 45°. Tick placement: From center of entranceway line ends.	

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q1311004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Space between parallel lines - 1.30 mm.	CG ENV COMBAT HAC 1 HAC 2 HAC 3 JOG A
TUC – TRANSPORTATION USE CATEGORY 004 – ROAD		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q131L004 (Continued)

ATTRIBUTES:

PARAMETERS:

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

TICK:WING
Lineweight: 0.200mm
Color: BLACK (#58600)
Wing tick 45° angle outward from center of headline end.

PRODUCTS:

JOG G
TLM 100K
TLM 50K

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q131L005

ATTRIBUTES:

TRA – TRAVERSABILITY ATTRIBUTE
001 – TRAVERSABLE
002 – NON-TRAVERSABLE

TOC – TRANSPORTATION USE CATEGORY
019 – AQUEDUCT

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)
Space between parallel lines: 1.3 mm.

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLUE (#48253)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLUE (#48253)

TICK:WING
Lineweight: 0.200mm
Length: 0.600mm
Color: BLUE (#48253)
Wing tick 45° angle outward from center of headline ends.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

1Q131 – TUNNEL
LINE FEATURE.... SYMBOL# 1Q131L006

ATTRIBUTES:

TRA – TRAVERSABILITY ATTRIBUTE
001 – TRAVERSABLE
002 – NON-TRAVERSABLE

TOC – TRANSPORTATION USE CATEGORY
019 – AQUEDUCT

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLUE (#48253)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLUE (#48253)

PRODUCTS:

JOG A
JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:38Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1Q131L006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK:WING Lineweight: 0.200mm Length: 0.600mm Color: BLUE (#48253) Wing tick 45° angle outward from center of headline ends.	

1Q131 - TUNNEL
LINE FEATURE.... SYMBOL# 1Q131L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TOC - TRANSPORTATION USE CATEGORY 020 - CANAL	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K
	HEADLINE Lineweight: 0.200mm Length: 2.000mm Color: BLUE (#48253)	
	TICK:WING Lineweight: 0.200mm Length: 0.600mm Color: BLUE (#48253) Wing tick 45°angle outward from center of headline ends.	

1Q131 - TUNNEL
POINT FEATURE.... SYMBOL# 1Q131P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	INFORMATION HOLD Color: BLACK (#58600) Upper 2/3 circle with horizontal sidewings at open circle ends. Circle diameter: 6.0mm. Side wing lengths: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from circle.	PTADB-T TRANS 50 TRANS250 TTADB-T
HCA - HORIZONTAL CLEARANCE ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
LEN - LENGTH /DIAMETER ANY	LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
OHC - OVERHEAD CLEARANCE CATEGORY ANY	SYMBOL Lineweight: 0.300mm Color: BLACK (#58600) Dash length: 1.000mm. Space between dashes: 0.500mm. Entranceway line length: Variable (>=1.500mm). Distance between entranceway lines: 2.0mm. Distance between dashed lines: Variable (>=1.500mm), the same as the entranceway line length.	
	TICK:WING Lineweight: 0.300mm Length: 0.600mm Color: BLACK (#58600) Tick orientation: 45° angle outward. Tick placement: From center of entranceway line ends.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1g131 – TUNNEL
POINT FEATURE.... SYMBOL# 1g131P002

ATTRIBUTES:

TOC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD
003 – RAILROAD
004 – ROAD

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 0.750mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

TICK:WING
Lineweight: 0.200mm
Length: 0.600mm
Color: BLACK (#58600)
Wing tick 45° angle outward from the center of the end lines.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1g131 – TUNNEL
POINT FEATURE.... SYMBOL# 1g131P003

ATTRIBUTES:

TRA – TRAVERSABILITY ATTRIBUTE
001 – TRAVERSABLE
002 – NON-TRAVERSABLE

TOC – TRANSPORTATION USE CATEGORY
019 – AQUEDUCT

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 0.750mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLUE (#48253)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLUE (#48253)

TICK:WING
Lineweight: 0.200mm
Length: 0.600mm
Color: BLUE (#48253)
Wing tick 45° angle outward from the center of the end lines.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

1g131 – TUNNEL
POINT FEATURE.... SYMBOL# 1g131P004

ATTRIBUTES:

TOC – TRANSPORTATION USE CATEGORY
020 – CANAL

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 0.750mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

HEADLINE
Lineweight: 0.200mm
Length: 2.000mm
Color: BLUE (#48253)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLUE (#48253)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1g131P004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK:WING Lineweight: 0.200mm Length: 0.600mm Color: BLUE (#48253) Wing tick 45° angle from the center of the end lines.	

1g132 – TUNNEL ENTRANCE - EXIT
POINT FEATURE.... SYMBOL# 1g132P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	HEADLINE Lineweight: 0.200mm Length: 2.000mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC
	TICK:WING Lineweight: 0.100mm Length: 0.600mm Color: BLACK (#58600) Wing tick 45° angle outward from the center of the headline end.	

1g132 – TUNNEL ENTRANCE - EXIT
POINT FEATURE.... SYMBOL# 1g132P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CHC - OVERHEAD CLEARANCE CATEGORY ANY WID - WIDTH ANY	HEADLINE Lineweight: 0.200mm Length: 2.000mm Color: BLACK (#58600)	CG
	LABEL Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	
	LABEL LINE Lineweight: 0.100mm Color: BLACK (#58600) Line length = Length of data set plus 0.5mm at each end of data.	
	TICK:WING Lineweight: 0.100mm Length: 0.600mm Color: BLACK (#58600) Orientation of tick is 45° angle from the center of the end lines.	

1g140 – VEHICLE STORAGE /VEHICLE PARKING
AREA FEATURE.... SYMBOL# 1g140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	NAME Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1R005 – AIR OBSTRUCTION LIGHT
POINT FEATURE.... SYMBOL# 1R005P001

ATTRIBUTES:

OLQ – OBSTRUCTION LIGHT QUALITY
000 – UNKNOWN
001 – ONE LIGHT PRESENT

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #4
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

1R005 – AIR OBSTRUCTION LIGHT
POINT FEATURE.... SYMBOL# 1R005P002

ATTRIBUTES:

OLQ – OBSTRUCTION LIGHT QUALITY
002 – MULTIPLE LIGHTS PRESENT

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #4
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A002

ATTRIBUTES:

ATA – ATS USE ATTRIBUTE
013 – FLIGHT INFORMATION REGION (FIR)

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:NAM
Type Size: 7 – 20 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 – 20 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)

LINE
Lineweight: 0.400mm
Color: AERO BLUE (#46351)

TICK
Lineweight: 0.400mm
Length: 0.640mm
Space/Spacing: 7.600mm
Color: AERO BLUE (#46351)
Alternate sides of line with ticks when two air spaces are bounded by a common line.
Tick angle = 90° to line.

PRODUCTS:

ONC
TPC

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A003

ATTRIBUTES:

ATA – ATS USE ATTRIBUTE
008 – CONTROL AREA (CTA)

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:NAM
Type Size: 7 – 20 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 – 20 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

PRODUCTS:

ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1R010A003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.400mm Color: AERO BLUE (#46351) TICK Lineweight: 0.400mm Length: 0.640mm Space/Spacing: 7.600mm Color: AERO BLUE (#46351) Tick angle = 90° angle to the line.	

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 006 – BUFFER ZONE (BZ) NAM – NAME CATEGORY ANY	AREA:BAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Area Band length = 25.00mm. Area Band width = 2.50mm. Area Band spacing = 13.00mm. LABEL:NAM Type Size: 7 - 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 7 - 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	JOG A OSC TPC

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AID – AIRSPACE IDENTIFICATION ANY ADA – ATS USE ATTRIBUTE 004 – ALERT AREA 010 – DANGER AREA 025 – PROHIBITED AREA 029 – RESTRICTED AREA 041 – WARNING AREA NAM – NAME CATEGORY ANY	AREA:BAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Area band width: 2.5mm. Area band extends 2.5mm to the inside of area perimeter line. LABEL:AID Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:NAM Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	OSC TPC

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 002 – AIR DEFENSE IDENTIFICATION ZONE (ADIZ) NAM – NAME CATEGORY	AREA:BAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Area band width: 2.5mm Area band extends 2.5mm to the inside of area perimeter line.	JOG A OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1R010A007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 020 - MILITARY OPERATIONS AREA (MOA) NAM – NAME CATEGORY ANY	AREA:HAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Area band width: 2.5mm. Area band extends 2.5mm to the inside of area perimeter line. LABEL:NAM Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	ONC TPC

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 002 - AIR DEFENSE IDENTIFICATION ZONE (ADIZ) NAM – NAME CATEGORY ANY	LABEL Type Size: 8 point Type Style: Upper/Lower Case,Light,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.200mm Color: AERO BLUE (#46351)	JOG A

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 006 - BUFFER ZONE (BZ) NAM – NAME CATEGORY ANY	LABEL Type Size: 8 point Type Style: Upper/Lower Case,Light,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.200mm Color: AERO BLUE (#46351)	JOG A

1R010 – AIRSPACE
AREA FEATURE.... SYMBOL# 1R010A014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 12 - 16 point Type Style: Upper/Lower Case,Bold,Condensed Color: AERO BLUE (#46351)	JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 1R010A014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	

1R010 – AIRSPACE
LINE FEATURE.... SYMBOL# 1R010L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 002 – AIR DEFENSE IDENTIFICATION ZONE (ADIZ) NAM – NAME CATEGORY ANY	AREA:BAND Area Pattern: AP- 98 Color: BLUE (#47651) Width: 2.5mm. LABEL:NAM Type Size: 7 - 20 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	JOG A OSC TPC

1R010 – AIRSPACE
LINE FEATURE.... SYMBOL# 1R010L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 006 – BUFFER ZONE (BZ) NAM – NAME CATEGORY ANY	AREA:BAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Area band length: 25.0mm Area band width: 2.5mm Area band spacing: 13.0mm LABEL:NAM Type Size: 7 - 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 7 - 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	JOG A OSC TPC

1R010 – AIRSPACE
LINE FEATURE.... SYMBOL# 1R010L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 020 – MILITARY OPERATIONS AREA (MOA) NAM – NAME CATEGORY ANY	AREA:BAND Area Pattern: AP- 98 Color: AERO BLUE (#46351) Band width: 2.5mm Band extends 2.5mm to the inside of MOA. LABEL:NAM Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LINE Lineweight: 0.250mm Color: AERO BLUE (#46351)	OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1R010 – AIRSPACE
POINT FEATURE.... SYMBOL# 1R010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AID – AIRSPACE IDENTIFICATION ANY ADA – ATS USE ATTRIBUTE 004 – ALERT AREA 010 – DANGER AREA 025 – PROHIBITED AREA 029 – RESTRICTED AREA 041 – WARNING AREA NAM – NAME CATEGORY ANY	Origin: Center of circle. **AREA:FILL** Area Pattern: AP- 98 Color: AERO BLUE (#46351) **CIRCLE** Lineweight: 0.250mm Diameter: 2.500mm Color: AERO BLUE (#46351) **LABEL:AID** Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LABEL:NAM** Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LINE** Lineweight: 0.250mm Color: AERO BLUE (#46351)	ONC TPC

1R010 – AIRSPACE
POINT FEATURE.... SYMBOL# 1R010P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ADA – ATS USE ATTRIBUTE 020 – MILITARY OPERATIONS AREA (MOA) NAM – NAME CATEGORY ANY	Origin: Center of circle. **AREA:FILL** Area Pattern: AP- 98 Color: AERO BLUE (#46351) **CIRCLE** Lineweight: 0.250mm Diameter: 2.500mm Color: AERO BLUE (#46351) **LABEL:NAM** Type Size: 7 - 20 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LINE** Lineweight: 0.250mm Color: AERO BLUE (#46351)	ONC TPC

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NST – RADIO NAVIGATION /COMMUNICATION ANY	Origin: Center of dot **LABEL** Type Size: 8 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT:INNER CIR** Posicut: #92 Color: BLACK (#58600) **POSICUT:OUTER CIR** Posicut: #086 Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

18030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 180309003

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
002 – CONSOL
010 – RADAR BEACON (RACON)
012 – RADIO
016 – MICROWAVE
017 – NON-DIRECTIONAL RADIOBEACON (NDB)
018 – NDB /DME
019 – RNG

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Leader Line length is variable and is dependent upon placement of the Facility Box in relation to the feature pointed to.

POSICUT
Posicut: #55
Color: AERO BLUE (#46351)

PRODUCTS:

JOG A

18030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 180309004

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
002 – OFF-SHORE
003 – ON GROUND SURFACE
004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
002 – CONSOL
010 – RADAR BEACON (RACON)
017 – NON-DIRECTIONAL RADIOBEACON (NDB)
018 – NDB /DME
019 – RNG
038 – DISTANCE MEASURING EQUIPMENT (DME)
044 – RAMARK

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to.

POSICUT
Posicut: #55
Color: AERO BLUE (#46351)

PRODUCTS:

ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P005

ATTRIBUTES:

FRE – NAVAID FREQUENCY
ANY

HGT – HEIGHT ABOVE SURFACE LEVEL
< 61m

LOC – LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

NAM – NAME CATEGORY

ANY

NAT – RADIO NAVIGATION /COMMUNICATION
012 - RADIO

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.300mm
Color: AERO BLUE (#46351)

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to.

POSICUT
Posicut: #55
Color: AERO BLUE (#46351)

PRODUCTS:

ONC
TPC

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P007

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
020 - VOR OMNIRANGE

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to.

POSICUT
Posicut: #50
Color: AERO BLUE (#46351)

PRODUCTS:

JOG A
ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

18030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 18030P008

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
022 – VORTAC OMNIRANGE

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to.

POSICUT
Posicut: #51
Color: AERO BLUE (#46351)

PRODUCTS:

JOG A
ONC
TPC

18030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 18030P009

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
023 – TACAN

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LEADER LINE
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
The Leader Line length is variable and is dependent upon the placement of the Facility box in relation to the feature it points to.

POSICUT
Posicut: #52
Color: AERO BLUE (#46351)

PRODUCTS:

JOG A
ONC
TPC

18030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 18030P010

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

NAT – RADIO NAVIGATION /COMMUNICATION
021 – VOR /DME

PARAMETERS:

Origin: Center of dot

FACILITY BOX
Lineweight: 0.300mm
Color: AERO BLUE (#46351)
Minimum Facility Box length is 11.000mm.
Minimum Facility Box width is 4.000mm.
Length and width is dependent on the overall length and width of the textual information to be incorporated within the box.

PRODUCTS:

JOG A
ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1R030P010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LEADER LINE** Lineweight: 0.300mm Color: AERO BLUE (#46351) The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to. **POSICUT** Posicut: #53 Color: AERO BLUE (#46351)	

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE NAM – NAME CATEGORY ANY VAC – VISUAL AIDS CATEGORY 000 – UNKNOWN 001 – SHORE (MARKER) 002 – LAND (MARKER)	**FACILITY BOX** Lineweight: 0.250mm Length: 6.000mm Color: AERO BLUE (#46351) Width: 3.0mm. **LABEL:NAM** Type Size: 8 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LEADER LINE** Lineweight: 0.200mm Color: AERO BLUE (#46351) The Leader Line length is variable and is dependent upon the placement of the Facility Box in relation to the feature pointed to. **POSICUT** Posicut: #118 Color: AERO BLUE (#46351)	JOG A

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COS – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m RST – RADIO NAVIGATION /COMMUNICATION ANY SVL – 2 VALUE ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #216 Color: AERO BLUE (#46351)	JOG A

1R030 – NAVAIDS (AERONAUTICAL)
POINT FEATURE.... SYMBOL# 1R030P015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COS – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 46m LOC – LOCATION /ORIGIN CATEGORY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1R030P015 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	POSICUT Posicut: #216 Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY		
RAT – RADIO NAVIGATION /COMMUNICATION ANY		

1T00S – CABLE
LINE FEATURE.... SYMBOL# 1T00SL001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	POSICUT:CABLE Posicut: #56 Color: PURPLE (#96532)	ESPC HAC 1 HAC 2
LOC – LOCATION /ORIGIN CATEGORY	Symbol consists of a repeating pattern of Posicut #56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature.	
006 – BELOW WATER SURFACE		HAC 3 HAC 4 HAC 5
USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE		HAC 6

1T00S – CABLE
LINE FEATURE.... SYMBOL# 1T00SL002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	POSICUT:CABLE Posicut: #56 Color: PURPLE (#96532)	ESPC HAC 1 HAC 2
LOC – LOCATION /ORIGIN CATEGORY	Symbol consists of a repeating pattern of Posicut # 56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature. Wave is broken for 1.0mm on either side of the flash Posicut # 142.	
006 – BELOW WATER SURFACE		HAC 3 HAC 4
USE – USE STATUS 053 – POWER	POSICUT:FLASH Posicut: #142 Color: PURPLE (#96532) Interval: 50mm.	HAC 5 HAC 6

1T00S – CABLE
LINE FEATURE.... SYMBOL# 1T00SL003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED	POSICUT:CABLE Posicut: #56 Color: PURPLE (#96532)	ESPC HAC 1 HAC 2
LOC – LOCATION /ORIGIN CATEGORY	Symbol consists of a repeating pattern of Posicut # 56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature. Every fourth posicut is deleted.	
006 – BELOW WATER SURFACE		HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1T005 – CABLE
LINE FEATURE.... SYMBOL# 1T005L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 006 – BELOW WATER SURFACE USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE	**POSICUT:CABLE** Posicut: #56 Color: BLACK (#58600) Symbol consists of a repeating pattern of Posicut # 56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature.	COMBAT

1T005 – CABLE
LINE FEATURE.... SYMBOL# 1T005L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 006 – BELOW WATER SURFACE USE – USE STATUS 053 – POWER	**POSICUT:CABLE** Posicut: #56 Color: BLACK (#58600) Symbol consists of a repeating pattern of Posicut # 56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature. Wave is broken for 1.0mm on either side of the Flash Posicut # 142. **POSICUT:FLASH** Posicut: #142 Color: BLACK (#58600) Interval: 50mm.	COMBAT

1T005 – CABLE
LINE FEATURE.... SYMBOL# 1T005L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED LOC – LOCATION /ORIGIN CATEGORY 006 – BELOW WATER SURFACE	**POSICUT:CABLE** Posicut: #56 Color: BLACK (#58600) Symbol consists of a repeating pattern of Posicut # 56, forming a continuous wave pattern. The end points of the posicut fall on the centerline of the feature. Every fourth posicut is deleted.	COMBAT

1P010 – DISH
POINT FEATURE.... SYMBOL# 1T010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS HGT – HEIGHT ABOVE SURFACE LEVEL ANY	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) **OVERHEAD BAR** Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure.	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1F0102P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to ends of overhead bar, pointing down. POSICUT Posicut: #55 Color: BLACK (#58600)	

1F010 – DISH
POINT FEATURE.... SYMBOL# 1F0102P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

1F010 – DISH
POINT FEATURE.... SYMBOL# 1F0102P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 4m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TIM 100K TIM 50K

1F010 – DISH
POINT FEATURE.... SYMBOL# 1F0102P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CGC – CERTAINTY OF EXISTENCE ANY HGT – HEIGHT ABOVE SURFACE LEVEL ≥ 4m SVL – % VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TIM 100K TIM 50K

1F010 – DISH
POINT FEATURE.... SYMBOL# 1F0102P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT – HEIGHT ABOVE SURFACE LEVEL < 4m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1T010P005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

1T010 – DISH
POINT FEATURE.... SYMBOL# 1T010P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY **HGT – HEIGHT ABOVE SURFACE LEVEL** ≥ 46m	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1T010 – DISH
POINT FEATURE.... SYMBOL# 1T010P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON – CERTAINTY OF EXISTENCE ANY **HGT – HEIGHT ABOVE SURFACE LEVEL** ≥ 61M **SVL – Z VALUE** ANY	Origin: Center of dot **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1T020 – EARLY WARNING RADAR SITE
POINT FEATURE.... SYMBOL# 1T020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SOC – SAFE OVERHEAD CLEARANCE ANY	**DASH** Lineweight: 0.130mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Spaces between dots and dashes, and between dashes and posicuts: 0.5mm. **DOT** Diameter: 0.600mm Color: BLACK (#58600) Place dot between each four dashes, with a 0.5mm space between dash and dot.	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1F030L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:SOC Type Size: 6 point Type Style: Lower Case Color: PURPLE (#96532) POSICUT Posicut: #142 Color: BLACK (#58600) Posicut is positioned between centermost two dashes. SOC BRACKETS Color: PURPLE (#96532) a. LINE LENGTH: Length of SOC type characters. LINE WEIGHT = 0.1mm. LINE ORIENTATION: Horizontal. b. LINE LENGTH: 0.4mm. LINE WEIGHT: 0.2mm. LINE ORIENTATION: 90 degree angle from center of line "a". c. Space from SOC value type characters: 0.2mm. d. Distance from respective feature symbol: 1.0mm.	

1F030 - POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1F030L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:TL Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Label spacing: 4.000mm. LINE Lineweight: 0.300mm Color: AERO BLUE (#46351)	OSC TPC

1F030 - POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1F030L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LABEL:TL Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Label space between line ends: 4.000mm. LINE Lineweight: 0.300mm Color: BLACK (#58600) Label space = 4.0mm.	ATC 200 JOG R

1F030 - POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1F030L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 028 - OPERATIONAL NPL - NUMBER OF PARALLEL LINES = 1	LABEL Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Label space between line ends: 4.000mm.	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1T030L004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 004 – COMPOSITION	LINE Lineweight: 0.300mm Color: BLACK (#58600)	

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE TSF – TRANSMISSION LINE SUSPENSION TYPE 001 – NORMAL SUSPENSION	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.400mm Color: AERO BLUE (#46351) POSICUT Posicut: #35 Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
KVA – KILOVOLT ATTRIBUTE ANY NPL – NUMBER OF PARALLEL LINES = 1	DOT Diameter: 0.500mm Color: BLACK (#58600) Space (1st Dot): 10.0 mm. Distance from Placement: Center on line. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	CG CG ENV

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
KVA – KILOVOLT ATTRIBUTE ANY NPL – NUMBER OF PARALLEL LINES ≥ 2	DOT Diameter: 0.500mm Color: BLACK (#58600) Space (1st Dot):10.0mm. Distance from center: 0.2mm. Distance from placement: Opposite each other. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	LABEL:NPL Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600) Label spacing (including parens) between line ends: 4.0 mm.	ATC 200 JOG R
NPL – NUMBER OF PARALLEL LINES ≥ 2		
REF – RADAR SIGNIFICANCE FACTOR 004 – COMPOSITION	LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
	LINE Lineweight: 0.300mm Color: BLACK (#58600)	

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	LABEL:NPL Type Size: 7 point Type Style: Lower Case,Condensed Color: VIOLET (#44742) Label spacing (including parens) between line ends: 4.0 mm.	ATC 200 JOG R
NPL – NUMBER OF PARALLEL LINES = 1		
PHT – PREDOMINANT HEIGHT ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: VIOLET (#44742) Label spacing (including parens) between line ends: 4.0 mm.	
PLC – POWER LINE CATEGORY ANY		
REF – RADAR SIGNIFICANCE FACTOR 001 – METAL 002 – PART METAL 003 – STONE/BRICK	LINE Lineweight: 0.300mm Color: VIOLET (#44742)	

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL	LABEL:NPL Type Size: 7 point Type Style: Lower Case,Condensed Color: VIOLET (#44742) Label spacing between line ends: 4.0 mm.	ATC 200 JOG R
NPL – NUMBER OF PARALLEL LINES ≥ 2		
PHT – PREDOMINANT HEIGHT ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: VIOLET (#44742) Label spacing between line ends: 4.0 mm.	
PLC – POWER LINE CATEGORY ANY		
REF – RADAR SIGNIFICANCE FACTOR 001 – METAL 002 – PART METAL 003 – STONE/BRICK	LINE Lineweight: 0.300mm Color: VIOLET (#44742)	

1T030 – POWER TRANSMISSION LINE
LINE FEATURE.... SYMBOL# 1T030L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K
REF – TRANSMISSION LINE SUSPENSION TYPE		TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1T030L013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TST - TRANSMISSION LINE SUSPENSION TYPE 002 - CATENARY (OVER MOUNTAINS) 003 - CATENARY (OVER WATER)	LINE Lineweight: 0.730mm Color: AERO BLUE (#46351) POSICUT Posicut: #35 Color: AERO BLUE (#46351)	

1T040 - POWER TRANSMISSION PYLON
POINT FEATURE.... SYMBOL# 1T040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1

1T040 - POWER TRANSMISSION PYLON
POINT FEATURE.... SYMBOL# 1T040P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1T040 - POWER TRANSMISSION PYLON
POINT FEATURE.... SYMBOL# 1T040P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 61M SVL - Z VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	ONC TPC

1T040 - POWER TRANSMISSION PYLON
POINT FEATURE.... SYMBOL# 1T040P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CER - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m SVL - Z VALUE	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1T040P007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SVL – 2 VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1T045 – RADAR TRANSMITTER/RADOME
POINT FEATURE.... SYMBOL# 1T045P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SSC – STRUCTURE SHAPE CATEGORY 000 – UNKNOWN 040 – DOME 079 – OTHER 099 – MAST 100 – TOWER 101 – SCANNER	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #55 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RST – RADIO NAVIGATION /COMMUNICATION 012 – RADIO 015 – TV	LABEL:RST Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.150mm Color: BLACK (#58600)	OSC TPC

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY RST – RADIO NAVIGATION /COMMUNICATION ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADAR SIGNIFICANCE FACTOR 001 – METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9M RSF – RADAR SIGNIFICANCE FACTOR 002 – PART METAL	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK	AREA:FILL Color: VIOLET (#44742)	ATC 200 JOG R

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ≥ 9m and < 18m RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 67%,45° Angle LINE Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1T050 – COMMUNICATIONS FACILITY
AREA FEATURE.... SYMBOL# 1T050A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT < 9M RSF – RADAR SIGNIFICANCE FACTOR 003 – STONE/BRICK 004 – COMPOSITION	AREA:FILL Color: VIOLET (#44742) Screen: 31%,45° Angle LINE Lineweight: 0.200mm Color: VIOLET (#44742)	ATC 200 JOG R

1T050 – COMMUNICATIONS FACILITY
POINT FEATURE.... SYMBOL# 1T050P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RSF – RADIO NAVIGATION /COMMUNICATION 033 – RADIO TELEGRAPH	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1T050P009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #4 Color: BLACK (#58600)	

1T050 - COMMUNICATIONS FACILITY
POINT FEATURE.... SYMBOL# 1T050P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HNT - RADIO NAVIGATION /COMMUNICATION C13 - RADIO TELEPHONE	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) POSICUT Posicut: #4 Color: BLACK (#58600)	EAC 1 EAC 2

1T050 - COMMUNICATIONS FACILITY
POINT FEATURE.... SYMBOL# 1T050P017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HNT - RADIO NAVIGATION /COMMUNICATION C12 - RADIO C15 - TV	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	CSC TPC

1T050 - COMMUNICATIONS FACILITY
POINT FEATURE.... SYMBOL# 1T050P020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of square POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1T050 - COMMUNICATIONS FACILITY
POINT FEATURE.... SYMBOL# 1T050P021

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CON - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL:HGT Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

1T060 – TELEPHONE LINE /TELEGRAPH LINE
LINE FEATURE.... SYMBOL# 1T060L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.150mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TIM 100K TIM 50K

1T060 – TELEPHONE LINE /TELEGRAPH LINE
LINE FEATURE.... SYMBOL# 1T060L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SOC – SAFE OVERHEAD CLEARANCE ANY	**DASH** Lineweight: 0.130mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **DOT** Diameter: 0.600mm Color: BLACK (#58600) Dot is placed between each four dashes, with a 0.5mm space between dot and dashes. **LABEL:SOC** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) **SOC BRACKETS** Color: BLACK (#58600) a. Line length= length of SOC value type characters. Lineweight = 0.13mm Line orientation = Horizontal. b.Line length = 0.4mm Lineweight = 0.2mm Line orientation = 90 degrees from center of line "a". c. Space from SOC value type characters = 0.2mm. d. Distance from respective feature = 1.0mm	HAC 1 HAC 2 HAC 3 HAC 4

1T060 – TELEPHONE LINE /TELEGRAPH LINE
LINE FEATURE.... SYMBOL# 1T060L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.150mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ONC TPC

1T080 – TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1T080P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE	Origin: Center of dot	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1TO80P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COE – CERTAINTY OF EXISTENCE ANY		JOG A JOG G TLM 100K TLM 50K
HGT – HEIGHT-ABOVE SURFACE LEVEL ≥ 46m	LABEL:HAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
NAM – NAME CATEGORY ANY	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	
SVL – Z VALUE ANY	POSICUT Posicut: #3 Color: AERO BLUE (#46351)	

1TO80 – TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TO80P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
GUG – GUYED OR UNGUYED CATEGORY 001 – GUYED	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	
HGT – HEIGHT ABOVE SURFACE LEVEL ANY	OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: Length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure.	
	OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to ends of overhead bar, pointing down.	
	POSICUT Posicut: #61 Color: BLACK (#58600)	

1TO80 – TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TO80P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	Origin: Center of circle	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
GUG – GUYED OR UNGUYED CATEGORY 000 – UNKNOWN 002 – UNGUYED	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	
HGT – HEIGHT ABOVE SURFACE LEVEL ANY	OVERHEAD BAR Lineweight: 0.100mm Color: BLACK (#58600) Length: length of HGT figure (including parentheses). Positioned 0.5mm above HGT figure.	
	OVERHEAD BAR TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 45° to ends of overhead bar, pointing down.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1T080P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #62 Color: BLACK (#58600)	

1T080 — TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1T080P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HET — RADIO NAVIGATION /COMMUNICATION 002 — CONSOL 003 — DECCA 007 — LORAN 009 — OMEGA	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

1T080 — TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1T080P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC — CONSPICUOUS OBJECT CATEGORY 002 — NOT CONSPICUOUS CGG — GUYED OR UNGUYED CATEGORY 001 — GUYED	Origin: Center of circle **POSICUT** Posicut: #61 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

1T080 — TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1T080P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC — CONSPICUOUS OBJECT CATEGORY 002 — NOT CONSPICUOUS CGG — GUYED OR UNGUYED CATEGORY 000 — UNKNOWN 002 — UNGUYED	Origin: Center of circle **POSICUT** Posicut: #62 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

1T080 — TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1T080P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HEF — HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	COMBAT JOG A JOG G TIM 100K TIM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1TOSO - TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TOSOP010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 46m	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case, Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

1TOSO - TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TOSOP011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COR - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 46m	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case, Condensed Color: BLACK (#58600) POSICUT Posicut: #3 Color: BLACK (#58600)	ATC 200 JOG R

1TOSO - TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TOSOP012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HGT - HEIGHT ABOVE SURFACE LEVEL < 61m	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case, Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	OSC TPC

1TOSO - TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TOSOP013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COR - CERTAINTY OF EXISTENCE ANY HGT - HEIGHT ABOVE SURFACE LEVEL ≥ 61M SVL - S VALUE ANY	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case, Condensed Color: AERO BLUE (#46351) POSICUT Posicut: #3 Color: AERO BLUE (#46351)	OSC TPC

1TOSO - TOWER (COMMUNICATION)
POINT FEATURE.... SYMBOL# 1TOSOP014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle	CG

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 1T080P014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
		CG ENV
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	

10025 - AIRCRAFT LANDING PAD
POINT FEATURE.... SYMBOL# 10025P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.200mm Length: 2.500mm Color: BLACK (#58600)	ONC TPC

10025 - AIRCRAFT LANDING PAD
POINT FEATURE.... SYMBOL# 10025P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT - AIRCRAFT FACILITY TYPE 002 - HELIPORT **NAM** - NAME CATEGORY ANY	Origin: Center of square **LABEL:"H"** Type Size: 10 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LABEL:NAM** Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **SQUARE:OPEN** Lineweight: 0.400mm Color: BLACK (#58600) Each side length: 5.0mm.	CG CG ENV

10025 - AIRCRAFT LANDING PAD
POINT FEATURE.... SYMBOL# 10025P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT - AIRCRAFT FACILITY TYPE 002 - HELIPORT **NAM** - NAME CATEGORY ANY **USE** - USE STATUS 043 - HOSPITAL	Origin: Center of square **LABEL:"H"** Type Size: 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **LABEL:NAM** Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) **SQUARE:OPEN** Lineweight: 0.400mm Color: AERO BLUE (#46351) Each side length: 5.0mm.	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

10025 – AIRCRAFT LANDING PAD
POINT FEATURE.... SYMBOL# 10025P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 002 - HELIPORT NAM – NAME CATEGORY ANY USE – USE STATUS 010 - OTHER	Origin: Center of circle CIRCLE:OPEN Lineweight: 0.400mm Diameter: 5.000mm Color: AERO BLUE (#46351) LABEL:"H" Type Size: 10 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) The "H" label is centered within the circle. LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351)	COMBAT JOG A JOG G TLM 100K TLM 50K

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 001 - AIRPORT EXS – EXISTENCE CATEGORY 006 - ABANDONED 028 - OPERATIONAL NAM – NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:EXS Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) The lack of an air field outline removes the requirement to include this label. LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	COMBAT TLM 100K TLM 50K

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 001 - AIRPORT NAM – NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 - ACCURATE AFT – AIRCRAFT FACILITY TYPE 001 - AIRPORT	LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 10030A006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 009 – NOT USABLE 028 – OPERATIONAL NAM – NAME CATEGORY ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE AFT – AIRCRAFT FACILITY TYPE 001 – AIRPORT CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 009 – NOT USABLE 028 – OPERATIONAL NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 003 – SEAPLANE BASE EXS – EXISTENCE CATEGORY 006 – ABANDONED 028 – OPERATIONAL NAM – NAME CATEGORY ANY SVL – Z VALUE ANY	LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) LABEL:SVL Type Size: 6 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351) LINE:PERIMETER Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 002 – HELIPORT 003 – SEAPLANE BASE NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 2.000mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 10030A012 (Continued)

ATTRIBUTES:

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A014

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 – APPROXIMATE

AFF – AIRCRAFT FACILITY TYPE
001 – AIRPORT

CDD – CERTAINTY OF DELINEATION
002 – LIMITS AND INFO UNKNOWN

NAM – NAME CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.500mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

10030 – AIRCRAFT FACILITY
AREA FEATURE.... SYMBOL# 10030A015

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

LEN – LENGTH /DIAMETER
ANY

RST – ROAD/RUNWAY SURFACE TYPE

ANY

WID – WIDTH
ANY

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 1.000mm
Color: BLACK (#58600)
Plot to scale or minimum size.
Rectangular: 3.5mm on each side.
Circular: 4.0mm outside diameter.

PRODUCTS:

FTADB-T
TRANS 50
TRANS250
TTADB-T

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P001

ATTRIBUTES:

AFF – AIRCRAFT FACILITY TYPE
001 – AIRPORT

PARAMETERS:

Origin: Center of circle

POSICUT
Posicut: #82
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P002

ATTRIBUTES:

AFT – AIRCRAFT FACILITY TYPE
001 – AIRPORT

CCD – CERTAINTY OF DELINEATION
002 – LIMITS AND INFO UNKNOWN

EXS – EXISTENCE CATEGORY
006 – ABANDONED
028 – OPERATIONAL

PARAMETERS:

Origin: Center of circle

LABEL:EXS
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #82
Color: BLACK (#58600)

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P004

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

LEN – LENGTH /DIAMETER
ANY

WID – WIDTH
ANY

PARAMETERS:

Origin: Center of circle

CIRCLE:OPEN
Lineweight: 0.300mm
Diameter: 4.800mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

PTADB-T
TRANS250

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P006

ATTRIBUTES:

AFT – AIRCRAFT FACILITY TYPE
000 – UNKNOWN
004 – UNDEFINED LANDING AREA

CCD – CERTAINTY OF DELINEATION
002 – LIMITS AND INFO UNKNOWN

EXS – EXISTENCE CATEGORY
003 – REPORTED
006 – ABANDONED
028 – OPERATIONAL

NAM – NAME CATEGORY
ANY

SVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of circle

CIRCLE:OPEN
Lineweight: 0.600mm
Diameter: 4.250mm
Color: AERO BLUE (#46351)

LABEL:NAM
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)

LABEL:SVL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: AERO BLUE (#46351)

PRODUCTS:

JOG A
JOG G

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P008

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

AFT – AIRCRAFT FACILITY TYPE
001 – AIRPORT

CCD – CERTAINTY OF DELINEATION

PARAMETERS:

Origin: Center of circle

CIRCLE:OPEN
Lineweight: 0.500mm
Diameter: 7.100mm
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 100309008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 009 – NOT USABLE 028 – OPERATIONAL NAM – NAME CATEGORY ANY	LABEL:NAM, EXS Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 100309009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE AFT – AIRCRAFT FACILITY TYPE 001 – AIRPORT OCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN NAM – NAME CATEGORY ANY SVL – 2 VALUE ANY	Origin: Center of dashed circle CIRCLE:OPEN Lineweight: 0.500mm Length: 1.000mm Space/Spacing: 0.500mm Diameter: 7.100mm Color: BLACK (#58600) LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 100309019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE AFT – AIRCRAFT FACILITY TYPE 002 – HELIPORT NAM – NAME CATEGORY ANY SVL – 2 VALUE ANY	Origin: Center of dashed circle CIRCLE:OPEN Lineweight: 0.400mm Length: 1.000mm Space/Spacing: 0.500mm Diameter: 7.100mm Color: BLACK (#58600) Inside diameter: 6.6mm. LABEL:"H" Type Size: 10 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Label is centered inside of circle. LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE AFT – AIRCRAFT FACILITY TYPE 002 – HELIPORT EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 009 – NOT USABLE 028 – OPERATIONAL NAM – NAME CATEGORY ANY SVL – 2 VALUE ANY	Origin: Center of circle **CIRCLE:OPEN** Lineweight: 0.400mm Diameter: 5.000mm Color: BLACK (#58600) **LABEL:"H"** Type Size: 10 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Label is centered inside the circle. **LABEL:NAM, EXS** Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LABEL:SVL** Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P022

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 002 – HELIPORT NAM – NAME CATEGORY ANY	**CIRCLE:OPEN** Lineweight: 0.400mm Diameter: 5.000mm Color: BLACK (#58600) **LABEL:"H"** Type Size: 12 point Type Style: Upper Case Color: BLACK (#58600) The label "H" is centered within the circle. **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P024

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 003 – SEAPLANE BASE CCO – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN	**POSICUT** Posicut: #113 Color: AERO BLUE (#46351)	COMBAT TLM 100K TLM 50K

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AFT – AIRCRAFT FACILITY TYPE 001 – AIRPORT EXS – EXISTENCE CATEGORY 006 – ABANDONED 009 – NOT USABLE 028 – OPERATIONAL NAM – NAME CATEGORY ANY	Origin: Center of circle **CIRCLE:FILL** Diameter: 5.000mm Color: AERO BLUE (#46351) **LABEL:NAM** Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351)	JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 10030P025 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:SLASH MARK Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351)	

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P026

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY ANY AFT – AIRCRAFT FACILITY TYPE 001 - AIRPORT FPT – FACILITY PRIORITY TYPE 001 - MAJOR NAM – NAME CATEGORY ANY	Origin: Center of circle CIRCLE:FILL Diameter: 5.000mm Color: AERO BLUE (#46351) LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351)	OSC TPC

10030 – AIRCRAFT FACILITY
POINT FEATURE.... SYMBOL# 10030P027

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY ANY AFT – AIRCRAFT FACILITY TYPE 001 - AIRPORT FPT – FACILITY PRIORITY TYPE 002 - MINOR (HARD) 003 - MINOR (SOFT) NAM – NAME CATEGORY ANY EVL – 2 VALUE ANY	Origin: Center of circle CIRCLE:OPEN Linewaight: 0.500mm Diameter: 3.100mm Color: AERO BLUE (#46351) LABEL:NAM Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:OTHER Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) LABEL:EVL Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351)	OSC TPC

10040 – AIRCRAFT FACILITY BEACON
POINT FEATURE.... SYMBOL# 10040P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LFA – LIGHT FUNCTION ATTRIBUTE 010 - ROTATING BEACON	Origin: Center of interior circle POSICUT Posicut: #49 Color: AERO BLUE (#46351)	JOG A OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

10040 – AIRCRAFT FACILITY BEACON
POINT FEATURE.... SYMBOL# 10040P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LFA – LIGHT FUNCTION ATTRIBUTE 026 – STROBE 035 – IDENTIFICATION BEACON	Origin: Center of interior circle **LABEL:LFA** Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) **POSICUT** Posicut: #49 Color: AERO BLUE (#46351)	JOG A ONC TLM 100K TLM 50K TPC

10040 – AIRCRAFT FACILITY BEACON
POINT FEATURE.... SYMBOL# 10040P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCL – CHARACTER OF LIGHT ANY	Origin: Center of dot **LABEL:AERO** Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT:DOT** Posicut: #199 Color: BLACK (#58600) **POSICUT:FLARE** Posicut: #94 Color: PURPLE (#96532)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

10060 – APRON /HARDSTAND
AREA FEATURE.... SYMBOL# 10060A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLACK (#58600)	ATC 200 JOG R

10060 – APRON /HARDSTAND
AREA FEATURE.... SYMBOL# 10060A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: AERO BLUE (#46351)	COMBAT TLM 100K TLM 50K

10060 – APRON /HARDSTAND
AREA FEATURE.... SYMBOL# 10060A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1U130 - OVERRUN /STOPWAY
AREA FEATURE.... SYMBOL# 1U130A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: AERO BLUE (#46351) This feature's length is added to Runway (1U160) for symbolizing the total length of the runway.	COMBAT TLM 100K TLM 50K

1U130 - OVERRUN /STOPWAY
LINE FEATURE.... SYMBOL# 1U130L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Color: AERO BLUE (#46351) When added to feature Runway (1U160) to create total runway length: Single Runway/Overrun/Stopway: 0.4mm lineweight with a 0.30mm clearing between. Multiple Runway/Overrun/Stopway: 0.3mm lineweight with a 0.25mm clearing between.	JOG A JOG G

1U160 - RUNWAY
AREA FEATURE.... SYMBOL# 1U160A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 007 - DESTROYED 028 - OPERATIONAL	LABEL:EXS Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.100mm Color: BLACK (#58600)	CG

1U160 - RUNWAY
AREA FEATURE.... SYMBOL# 1U160A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 007 - DESTROYED 009 - NOT USABLE 027 - CLOSED 028 - OPERATIONAL RST - ROAD/RUNWAY SURFACE TYPE ANY SVL - 2 VALUE ANY	AREA:FILL Color: AERO BLUE (#46351) LABEL:EXS,RST Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) Runway surface type (RST) is spelled out. LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351)	COMBAT TLM 100K TLM 50K

1U160 - RUNWAY
AREA FEATURE.... SYMBOL# 1U160A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1U160 – RUNWAY
AREA FEATURE.... SYMBOL# 1U160A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL LEN – LENGTH /DIAMETER ANY RST – ROAD/RUNWAY SURFACE TYPE ANY WID – WIDTH ≥ 50m	AREA:FILL Color: BLACK (#58600) Length: Variable Width: Variable (>=1.000mm). LABEL:EXS Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LABEL:RST Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	TRANS 50 TTADB-T

1U160 – RUNWAY
LINE FEATURE.... SYMBOL# 1U160L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED 009 – NOT USABLE 027 – CLOSED 028 – OPERATIONAL LEN – LENGTH /DIAMETER > 457m RST – ROAD/RUNWAY SURFACE TYPE ANY ZVL – Z VALUE ANY	LABEL:EXS Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) Label slant marks: Lineweight: 0.2mm , Angle: 45 degrees LABEL:LEN;RST Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351) LABEL:SLASH MARKS Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351) Slash marks are removed partly or wholely depending on the availability of aeronautical information pertinent to runways (i.e., /LEN/RST). LABEL:ZVL Type Size: 7 point Type Style: Lower Case,Bold,Condensed Color: AERO BLUE (#46351) LINE:=1 RUNWAY Lineweight: 0.400mm Color: AERO BLUE (#46351) Clear area within single Runway: 0.3mm width. LINE:≥ 2 RUNWAYS Lineweight: 0.300mm Color: AERO BLUE (#46351) Clear area within multiple runways: 0.25mm width.	JOG A JOG G ONC TPC

1U160 – RUNWAY
LINE FEATURE.... SYMBOL# 1U160L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	PERIMETER LINE Lineweight: 0.130mm Color: BLACK (#58600) Width: 1.0mm	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

101160 – RUNWAY
LINE FEATURE.... SYMBOL# 101601005

ATTRIBUTES:

ESB – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

LEN – LENGTH /DIAMETER
ANY

RST – ROAD/RUNWAY SURFACE TYPE
ANY

WID – WIDTH
< 50m

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 1.000mm
Color: BLACK (#58600)
Length: Variable.

PRODUCTS:

TRANS 50
TTADB-T

101160 – RUNWAY
LINE FEATURE.... SYMBOL# 101601006

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
000 – UNKNOWN
002 – ASPHALT
005 – BEDROCK
018 – CONCRETE
048 – MASONRY
083 – STEEL
102 – OTHER
104 – COMPOSITE WITH < 50% PERMANENT MATERIAL
105 – COMPOSITE WITH >= 50% PERMANENT MATERIAL
108 – MACADAM
109 – MEMBRANE
110 – NON-BITUMINOUS BINDING MIX-IN-PLACE
111 – COMBINATION
113 – WATER
114 – ALUMINUM
115 – ASPHALT OVER CONCRETE

SVL – 2 VALUE
ANY

PARAMETERS:

LABEL:SVL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.640mm
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

101160 – RUNWAY
LINE FEATURE.... SYMBOL# 101601007

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
014 – CLAY
019 – CORAL
023 – EARTHEN
034 – GRASS
035 – GRAVEL
069 – SAND
103 – BITUMINOUS
106 – SNOW
107 – ICE
112 – LATERITE

SVL – 2 VALUE
ANY

PARAMETERS:

LABEL:MCP
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:SVL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.640mm
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R

101160 – RUNWAY
LINE FEATURE.... SYMBOL# 101601008

ATTRIBUTES:

ESB – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED
028 – OPERATIONAL

LEN – LENGTH /DIAMETER
ANY

PARAMETERS:

Origin: Center of circle

CIRCLE
Lineweight: 0.300mm
Diameter: 4.800mm
Color: BLACK (#58600)

PRODUCTS:

TTADB-T
TRANS250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 1U160L008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RST – ROAD/RUNWAY SURFACE TYPE ANY WID – WIDTH ANY	**LABEL:LCP,UCP** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) **LABEL:RST** Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600) **LINE** Lineweight: 1.000mm Color: BLACK (#58600) Length: Variable (>= 6.200mm. **POSICUT** Posicut: #96 Color: BLACK (#58600)	

1U160 – RUNWAY
POINT FEATURE.... SYMBOL# 1U160P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 007 – DESTROYED 028 – OPERATIONAL LEN – LENGTH /DIAMETER ≤ 457M RST – ROAD/RUNWAY SURFACE TYPE ANY ZVL – Z VALUE ANY	Origin: Center of circle **LABEL:EXS** Type Size: 7 point Type Style: Upper Case,Condensed Color: AERO BLUE (#46351) When EXS label is 028 (Operational) no label is required. **LABEL:LEN;RST** Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351) **LABEL:SLASH MARKS** Type Size: 7 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351) Orientation : 45° angle to bottom neatline corners. Slash marks are removed partly or wholely depending on the availability of aeronautical information pertinent to runways (i.e., /LEN/RST). **LABEL:ZVL** Type Size: 7 point Type Style: Lower Case,Bold,Condensed Color: AERO BLUE (#46351) **LINE:OPEN** Lineweight: 0.400mm Length: 4.200mm Clear area within runway: 0.3mm. Aircraft Facility circle is suppressed for the runway line symbol where overprinted together producing a symbol that is paper white (Runway) in color with an aero-blue solid circle (Aircraft Facility). The Runway is centered within the solid aero-blue circle. Runway orientation: Coincident with direction of actual Runway.	JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

10160 - RUNWAY
POINT FEATURE.... SYMBOL# 10160P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED 028 - OPERATIONAL **LEN - LENGTH /DIAMETER** ANY **RST - ROAD/RUNWAY SURFACE TYPE** ANY **WID - WIDTH** ANY	Origin: Center of circle **CIRCLE** Lineweight: 0.300mm Diameter: 4.800mm Color: BLACK (#58600) **LABEL:LCP,WCP** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) **LABEL:RST** Type Size: 6 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600) **LINE** Lineweight: 1.000mm Length: 6.200mm Color: BLACK (#58600) **POSICUT** Posicut: #96 Color: BLACK (#58600)	PTADB-T TRANS250

10190 - SEAPLANE LANDING OR TAKE-OFF AREA
AREA FEATURE.... SYMBOL# 10190A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) **LABEL** Type Size: 9 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	COMBAT HAC 1 HAC 2

10200 - TAXIWAY
AREA FEATURE.... SYMBOL# 10200A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: AERO BLUE (#46351)	COMBAT TLM 100K TLM 50K

10200 - TAXIWAY
AREA FEATURE.... SYMBOL# 10200A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	CG

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T04:58Z
Check the source to verify that this is the current version before use.

1U200 – TAXIWAY
LINE FEATURE.... SYMBOL# 1U200L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.150mm Color: BLACK (#58600)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A0101002

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

SLT – SHORELINE TYPE CATEGORY
010 – ROCKY
011 – RUBBLE
013 – SANDY
014 – STONY, SHINGLY
015 – OTHER

PARAMETERS:

LINE
Lineweight: 0.200mm
Color: BLUE (#48253)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A0101003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

SLT – SHORELINE TYPE CATEGORY
010 – ROCKY
011 – RUBBLE
013 – SANDY
014 – STONY, SHINGLY
015 – OTHER

PARAMETERS:

LINE
Lineweight: 0.200mm
Color: BLACK (#58600)

PRODUCTS:

BSPC
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A0101004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 – APPROXIMATE

SLT – SHORELINE TYPE CATEGORY
010 – ROCKY
011 – RUBBLE
013 – SANDY
014 – STONY, SHINGLY
015 – OTHER

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

PRODUCTS:

BSPC
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A0101005

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 – APPROXIMATE

SLT – SHORELINE TYPE CATEGORY
010 – ROCKY
011 – RUBBLE
013 – SANDY
014 – STONY, SHINGLY
015 – OTHER

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLUE (#48253)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A0101006

ATTRIBUTES:

SLT – SHORELINE TYPE CATEGORY
006 – MANGROVE /NIPA
008 – MARSH, SWAMP

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

PRODUCTS:

BSPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SLF – SHORELINE TYPE CATEGORY 006 – MANGROVE /NIPA 008 – MARSH, SWAMP	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#46253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE SLF – SHORELINE TYPE CATEGORY 010 – ROCKY	LINE:SHORELINE Lineweight: 0.200mm Color: BLACK (#58600) ROCK:BASE LINE Lineweight: 0.130mm Length: 5.250mm Color: BLACK (#58600) Orientation: Parallel to shoreline, 2.25mm away from shoreline on landward side. Space between adjacent base lines: 1.0mm. ROCK:TICKS Lineweight: 0.100mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) Tick orientation: 90 degrees to base line, pointing toward the shoreline. Centermost of five ticks is centered on the base line. ROCK:TRIANGLES Length: 1.000mm Color: BLACK (#58600) Triangle width: 0.25mm. Triangle orientation: Short side of triangles are adjacent to the baseline.Triangles are centered on each tick, and point toward the shoreline.	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SLF – SHORELINE TYPE CATEGORY 011 – RUBBLE	RIBBON Area Pattern: AP- 68 Color: BLACK (#58600) The area pattern is shown on the landward side of the shoreline. Width of symbol is 2.0mm.	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE SLF – SHORELINE TYPE CATEGORY	LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2A010L010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SLF – SHORELINE TYPE CATEGORY 014 – STONY, SHINGLY	RIBBON Area Pattern: AP- 68 Color: BLACK (#58600) The area pattern is shown on the landward side of the shoreline. The width of the the area is 2.0mm.	

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE SLF – SHORELINE TYPE CATEGORY 013 – SANDY	DOT Space/Spacing: 0.500mm Diameter: 0.200mm Color: BLACK (#58600) Dots are positioned on the landward side of the shoreline. Space between dots and the shoreline is 0.3mm. LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE SLF – SHORELINE TYPE CATEGORY 010 – ROCKY	BASE: SHORELINE Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) ROCK:BASE LINE Lineweight: 0.130mm Length: 5.250mm Color: BLACK (#58600) Orientation: Parallel to shoreline, 2.25mm away from shoreline on landward side. Space between adjacent base lines: 1.0mm. ROCK:TICKS Lineweight: 0.100mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) Tick orientation: 90 degrees to base line, pointing toward the shoreline. Centermost of five ticks is is centered on the base line. ROCK:TRIANGLES Length: 1.000mm Color: BLACK (#58600) Triangle width: 0.25mm. Triangle orientation: Short side of triangles are adjacent to the base line.Triangles are centered on each tick, and point toward the shoreline.	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE SLF – SHORELINE TYPE CATEGORY 014 – STONY, SHINGLY	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2A010L013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	RIBBON Area Pattern: AP- 68 Color: BLACK (#58600) Width: 2.0mm. The area pattern is shown on the landward side of the shoreline.	

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE SLF – SHORELINE TYPE CATEGORY 013 – SANDY	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) DOT Space/Spacing: 0.500mm Diameter: 0.200mm Color: BLACK (#58600) Dots are positioned on the landward side of the shoreline. Space between dots and the shoreline is 0.3mm.	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE SLF – SHORELINE TYPE CATEGORY 015 – OTHER	LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE SLF – SHORELINE TYPE CATEGORY 015 – OTHER	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

2A010 – COASTAL SHORELINE
LINE FEATURE.... SYMBOL# 2A010L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SLF – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	LINE Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

2A020 – FORESHORE
AREA FEATURE.... SYMBOL# 2A020A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL1 Color: BLACK (#58600) Screen: 12%,15° Angle	HAC 4 HAC 5 HAC 6 HAC 7

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2A020A007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	HAC 8 HAC 9

2A020 – FORESHORE
AREA FEATURE.... SYMBOL# 2A020A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY ANY MCS – MATERIAL COMPOSITION SECONDARY ANY	AREA:FILL1 Color: BLACK (#58600) Screen: 12%,15° Angle AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:MCP Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 TIM 100K TIM 50K

2A020 – FORESHORE
AREA FEATURE.... SYMBOL# 2A020A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 006 – BOULDERS 014 – CLAY 035 – GRAVEL 052 – MUD 066 – ROCK 069 – SAND 075 – SHINGLES 086 – STONE	AREA:FILL 1 Area Pattern: AP- 95 Color: BLACK (#58600) AREA:FILL 2 Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:MCP Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) LINE:PERIMETER Linewight: 0.200mm Color: BLUE (#48253)	AIC 200 JOG R OSC TPC

2A020 – FORESHORE
POINT FEATURE.... SYMBOL# 2A020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle AREA:FILL Color: BLACK (#58600) Screen: 12%,15° Angle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2A020P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Symbol Diameter: 3.0mm.	

2A020 – FORESHORE
POINT FEATURE.... SYMBOL# 2A020P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY ANY **MCS** – MATERIAL COMPOSITION SECONDARY ANY	Origin: Center of circle **AREA:FILL 1** Color: BLACK (#58600) Screen: 12%,15° Angle **AREA:FILL 2** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Symbol Diameter: 3.0mm **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

2A040 – OPEN WATER (EXCEPT INLAND)
AREA FEATURE.... SYMBOL# 2A040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle	ATC 200 BNPC CG CG ENV COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

2A040 – OPEN WATER (EXCEPT INLAND)
AREA FEATURE.... SYMBOL# 2A040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600)	PTADB-SC PTADB-SD PTADB-SM PTADB-V TTADB-SC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2A040A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SD TTADB-SM TTADB-V

2B010 - ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 002 - EXPLOSIVE 008 - RESERVED 009 - SEAPLANE 012 - DEEPWATER /DEEP DRAFT 013 - GENERAL 014 - TANKER NAM - NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:NAM Type Size: 8 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) LABEL:OTHER Type Size: 8 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) POSICUT Posicut: #75 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

2B010 - ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 007 - QUARANTINED NAM - NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:NAM Type Size: 8 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) POSICUT:ANCHORAGE Posicut: #75 Color: PURPLE (#96532) POSICUT:CROSS Posicut: #24 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

2B010 - ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 001 - ANCHORING BERTHS CDD - CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN NAM - NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL Type Size: 5 point Type Style: Upper Case Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2B010A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #78 Color: PURPLE (#96532)	

2B010 – ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 009 – SEAPLANE	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) **POSICUT** Posicut: #77 Color: BLACK (#58600)	TLM 100K TLM 50K

2B010 – ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 002 – EXPLOSIVE 008 – RESERVED 009 – SEAPLANE 012 – DEEPWATER /DEEP DRAFT 013 – GENERAL 014 – TANKER NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813) **LABEL: NAM** Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) **LABEL: OTHER** Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) **POSICUT** Posicut: #75 Color: GREEN (#52813)	COMBAT

2B010 – ANCHORAGE
AREA FEATURE.... SYMBOL# 2B010A016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 001 – ANCHORING BERTHS CDD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN NAM – NAME CATEGORY ANY	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813) **LABEL:NAM** Type Size: 5 point Type Style: Upper Case Color: GREEN (#52813) **POSICUT** Posicut: #78 Color: GREEN (#52813)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZB010 – ANCHORAGE
AREA FEATURE.... SYMBOL# ZB010A019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 007 – QUARANTINED NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813) LABEL:NAM Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) POSICUT:ANCHORAGE Posicut: #75 Color: GREEN (#52813) POSICUT:CROSS Color: GREEN (#52813)	COMBAT

ZB010 – ANCHORAGE
AREA FEATURE.... SYMBOL# ZB010A022

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 015 – TIME LIMITED NAM – NAME CATEGORY ANY TIM – TIME ATTRIBUTE ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:H;TIM Type Size: 8 – 14 point Type Style: Lower Case,Italic Color: PURPLE (#96532) LABEL:NAM Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) POSICUT Posicut: #75 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

ZB010 – ANCHORAGE
AREA FEATURE.... SYMBOL# ZB010A023

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 015 – TIME LIMITED NAM – NAME CATEGORY ANY TIM – TIME ATTRIBUTE ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813) LABEL:H;TIM Type Size: 8 – 14 point Type Style: Lower Case,Italic Color: GREEN (#52813) LABEL:NAM Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) POSICUT Posicut: #75 Color: GREEN (#52813)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 013 – GENERAL	Origin: Center of posicut POSICUT Posicut: #75 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 009 – SEAPLANE	Origin: Center of posicut POSICUT Posicut: #77 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 TLM 100K TLM 50K

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 007 – QUARANTINED	Origin: Center of large circle POSICUT Posicut: #79 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 012 – DEEPWATER /DEEP DRAFT	Origin: Center of largest circle POSICUT Posicut: #80 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 012 – DEEPWATER /DEEP DRAFT	Origin: Center of largest circle POSICUT Posicut: #80 Color: GREEN (#52813)	COMBAT

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 007 – QUARANTINED	Origin: Center of large circle POSICUT Posicut: #79 Color: GREEN (#52813)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZB010 - ANCHORAGE
POINT FEATURE.... SYMBOL# ZB010P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 001 - ANCHORING BERTHS CDD - CERTAINTY OF DELINEATION 002 - LIMITS AND INFO UNKNOWN NAM - NAME CATEGORY ANY	Origin: Center of large circle LABEL:NAM Type Size: 5 point Type Style: Upper Case Color: PURPLE (#96532) POSICUT Posicut: #78 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

ZB010 - ANCHORAGE
POINT FEATURE.... SYMBOL# ZB010P012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 014 - TANKER	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #75 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZB010 - ANCHORAGE
POINT FEATURE.... SYMBOL# ZB010P013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 015 - TIME LIMITED TIM - TIME ATTRIBUTE ANY	Origin: Center of posicut LABEL:H Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) LABEL:TIM Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #75 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZB010 - ANCHORAGE
POINT FEATURE.... SYMBOL# ZB010P014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC - ANCHORAGE TYPE CATEGORY 001 - ANCHORING BERTHS CDD - CERTAINTY OF DELINEATION 002 - LIMITS AND INFO UNKNOWN NAM - NAME CATEGORY ANY	Origin: Center of posicut LABEL:NAM Type Size: 5 point Type Style: Upper Case Color: GREEN (#52813) POSICUT Posicut: #78 Color: GREEN (#52813)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 002 – EXPLOSIVE 008 – RESERVED	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) **POSICUT** Posicut: #75 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

2B010 – ANCHORAGE
POINT FEATURE.... SYMBOL# 2B010P016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANC – ANCHORAGE TYPE CATEGORY 002 – EXPLOSIVE 008 – RESERVED	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) **POSICUT** Posicut: #75 Color: GREEN (#52813)	COMBAT

2B020 – BERTH
POINT FEATURE.... SYMBOL# 2B020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BER – BERTH IDENTIFIER ANY USE – USE STATUS ANY	Origin: Center of circle **CIRCLE** Lineweight: 0.200mm Diameter: 3.000mm Color: PURPLE (#96532) **LABEL:BER** Type Size: 8 point Type Style: Upper Case Color: PURPLE (#96532) **LABEL:USE** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1

2B020 – BERTH
POINT FEATURE.... SYMBOL# 2B020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE – USE STATUS 088 – ROLL-ON ROLL-OFF BERTH (RORO)	Origin: Center of label **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

ZB040 – EXAMINATION
AREA FEATURE.... SYMBOL# ZB040A001

ATTRIBUTES:.	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	CG COMBAT HAC 1 HAC 2 HAC 3 HAC 4 TLM 100K TLM 50K

ZB040 – EXAMINATION
AREA FEATURE.... SYMBOL# ZB040A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DASH:PERIMETER Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZB040 – EXAMINATION
AREA FEATURE.... SYMBOL# ZB040A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	AREA:FILL 1 Color: BLACK (#58600) Screen: 12%,15° Angle AREA:FILL 2 Color: BLUE (#48253) Screen: 31%,45° Angle DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 TLM 100K TLM 50K

ZB040 – EXAMINATION
LINE FEATURE.... SYMBOL# ZB040L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B040 – BREAKWATER
LINE FEATURE.... SYMBOL# 2B040L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	**DASH** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 JOG A JOG G TLM 100K TLM 50K

2B040 – BREAKWATER
LINE FEATURE.... SYMBOL# 2B040L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 CG CG ENV JOG R ONC TPC

2B040 – BREAKWATER
LINE FEATURE.... SYMBOL# 2B040L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	**DOT** Space/Spacing: 0.750mm Diameter: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

2B050 – CALLING-IN POINT
POINT FEATURE.... SYMBOL# 2B050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DF1 – DIRECTION OF TRAFFIC – 1 0-359 DF2 – DIRECTION OF TRAFFIC – 2 360-Not Applicable DF3 – DIRECTION OF TRAFFIC – 3 360-Not Applicable DF4 – DIRECTION OF TRAFFIC – 4 360-Not Applicable NAM – NAME CATEGORY ANY	Origin: Center of circle **CIRCLE** Lineweight: 0.200mm Diameter: 5.000mm Color: PURPLE (#96532) **DIRECTION POINTER** Lineweight: 0.200mm Color: PURPLE (#96532) Side Length: 4.0mm. Base Width: 3.0mm. Arrow points in direction of traffic flow. **LABEL** Type Size: 10 point Type Style: Upper Case Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZB050 - CALLING-IN POINT
POINT FEATURE.... SYMBOL# ZB050P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DF1 - DIRECTION OF TRAFFIC - 1 0-359	Origin: Center of circle	HAC 1 HAC 2 HAC 3 HAC 4
DF2 - DIRECTION OF TRAFFIC - 2 0-359	CIRCLE Lineweight: 0.200mm Diameter: 5.000mm Color: PURPLE (#96532)	
DF3 - DIRECTION OF TRAFFIC - 3 360-Not Applicable	DIRECTION POINTER Lineweight: 0.200mm	
DF4 - DIRECTION OF TRAFFIC - 4 360-Not Applicable	Color: PURPLE (#96532) Side Length: 4.0mm. Base Width: 3.0mm. Arrows points in directions of traffic flow.	
NAM - NAME CATEGORY ANY	LABEL Type Size: 10 point Type Style: Upper Case Color: PURPLE (#96532)	

ZB050 - CALLING-IN POINT
POINT FEATURE.... SYMBOL# ZB050P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DF1 - DIRECTION OF TRAFFIC - 1 0-359	Origin: Center of circle	HAC 1 HAC 2 HAC 3 HAC 4
DF2 - DIRECTION OF TRAFFIC - 2 0-359	CIRCLE Lineweight: 0.200mm Diameter: 5.000mm Color: PURPLE (#96532)	
DF3 - DIRECTION OF TRAFFIC - 3 0-359	DIRECTION POINTER Lineweight: 0.200mm	
DF4 - DIRECTION OF TRAFFIC - 4 360-Not Applicable	Color: PURPLE (#96532) Side Length: 4.0mm. Base Width: 3.0mm. Arrows points in directions of traffic flow.	
NAM - NAME CATEGORY ANY	LABEL Type Size: 10 point Type Style: Upper Case Color: PURPLE (#96532)	

ZB050 - CALLING-IN POINT
POINT FEATURE.... SYMBOL# ZB050P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DF1 - DIRECTION OF TRAFFIC - 1 0-359	Origin: Center of circle	HAC 1 HAC 2 HAC 3 HAC 4
DF2 - DIRECTION OF TRAFFIC - 2 0-359	CIRCLE Lineweight: 0.200mm Diameter: 5.000mm Color: PURPLE (#96532)	
DF3 - DIRECTION OF TRAFFIC - 3 0-359	DIRECTION POINTER Lineweight: 0.200mm	
DF4 - DIRECTION OF TRAFFIC - 4 0-359	Color: PURPLE (#96532) Side Length: 4.0mm. Base Width: 3.0mm. Arrows points in directions of traffic flow.	
NAM - NAME CATEGORY ANY	LABEL Type Size: 10 point Type Style: Upper Case Color: PURPLE (#96532)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B080 — DOLPHIN
POINT FEATURE.... SYMBOL# 2B080P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE — USE STATUS ANY	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #41 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

2B090 — DRYDOCK
AREA FEATURE.... SYMBOL# 2B090A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC — LOCATION /ORIGIN CATEGORY 007 - NON-FLOATING NAM — NAME CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2

2B090 — DRYDOCK
AREA FEATURE.... SYMBOL# 2B090A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC — LOCATION /ORIGIN CATEGORY 005 - FLOATING NAM — NAME CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:ENDS** Lineweight: 0.200mm Color: BLACK (#58600) **LINE:LONG WALLS** Lineweight: 0.400mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

2B090 — DRYDOCK
AREA FEATURE.... SYMBOL# 2B090A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC — LOCATION /ORIGIN CATEGORY 007 - NON-FLOATING	**LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	CG COMBAT TLM 100K TLM 50K

2B090 — DRYDOCK
AREA FEATURE.... SYMBOL# 2B090A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC — LOCATION /ORIGIN CATEGORY 005 - FLOATING	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B090 – DRYDOCK
AREA FEATURE.... SYMBOL# 2B090A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 007 – NON-FLOATING	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

2B090 – DRYDOCK
POINT FEATURE.... SYMBOL# 2B090P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

2B100 – FISHERY /FISH STAKES
LINE FEATURE.... SYMBOL# 2B100L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.100mm Color: BLACK (#58600) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 90° to line. Interval: 0.5 cm.	COMBAT HAC 1 HAC 2

2B105 – FISHING HARBOR
POINT FEATURE.... SYMBOL# 2B105P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of posicut **POSICUT** Posicut: #218 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3

2B110 – FISH TRAP /FISH WEIR
AREA FEATURE.... SYMBOL# 2B110A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DOT** Space/Spacing: 0.750mm Diameter: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2B110A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

2B110 – FISH TRAP /FISH WEIR
LINE FEATURE.... SYMBOL# 2B110L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	ONC TPC

2B115 – GRIDIRON
AREA FEATURE.... SYMBOL# 2B115A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.100mm Color: BLACK (#58600) Spacing: 0.25mm. Orientation: Perpendicular to long axis.	COMBAT HAC 1

2B140 – JETTY
AREA FEATURE.... SYMBOL# 2B140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	CG COMBAT HAC 1 HAC 2 TLM 100K TLM 50K

2B140 – JETTY
AREA FEATURE.... SYMBOL# 2B140A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

2B140 – JETTY
AREA FEATURE.... SYMBOL# 2B140A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	**AREA:FILL1** Color: BLACK (#58600) Screen: 12%,15° Angle	COMBAT HAC 1 HAC 2 TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZB140A005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	TLM 50K
	DASH:PERIMETER Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	

ZB140 – JETTY
LINE FEATURE.... SYMBOL# ZB1401001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 JOG A JOG G TLM 100K TLM 50K
	LINE Lineweight: 0.200mm Color: BLACK (#58600)	

ZB140 – JETTY
LINE FEATURE.... SYMBOL# ZB1401002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 JOG A JOG G TLM 100K TLM 50K

ZB140 – JETTY
LINE FEATURE.... SYMBOL# ZB1401003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV JOG R ONC TPC
	LINE Lineweight: 0.200mm Color: BLACK (#58600)	

ZB140 – JETTY
LINE FEATURE.... SYMBOL# ZB1401004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	DOT Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

2B150 – LANDING PLACE
AREA FEATURE.... SYMBOL# 2B150A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CQD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN HDC – HYDROGRAPHIC ORIGIN CATEGORY 005 – NATURAL	DASH:PERIMETER Lineweight: 0.100mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1

2B150 – LANDING PLACE
POINT FEATURE.... SYMBOL# 2B150P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDC – HYDROGRAPHIC ORIGIN CATEGORY 005 – NATURAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1

2B150 – LANDING PLACE
POINT FEATURE.... SYMBOL# 2B150P002 STEPS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDC – HYDROGRAPHIC ORIGIN CATEGORY 004 – MAN-MADE	SYMBOL:STEPS Lineweight: 0.100mm Color: BLACK (#58600) Symbol is composed of four small rectangles, Length: 1.0mm, Width: 0.5mm, adjacent to each other on long sides. The longest side of the large rectangle is positioned adjacent to and on the water side of the shoreline.	COMBAT HAC 1

2B155 – MARITIME STATION
POINT FEATURE.... SYMBOL# 2B155P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
STN – MARITIME STATION TYPE 001 – COAST GUARD 002 – FIREBOAT 003 – MARINE POLICE 005 – PILOT (ON LAND) 006 – PORT CONTROL 020 – RADAR SURVEILLANCE STATION 021 – PILOT LOOKOUT STATION	Origin: Center of dot LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	HAC 1 HAC 2

2B155 – MARITIME STATION
POINT FEATURE.... SYMBOL# 2B155P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
STN – MARITIME STATION TYPE 004 – RESCUE	Origin: Center of posicut POSICUT Posicut: #60 Color: BLACK (#58600)	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

ZR155 – MARITIME STATION
POINT FEATURE.... SYMBOL# ZR155P003 SIGNAL STATION

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SIG – MARITIME STATION TYPE	Origin: Center of dot	HAC 1
007 – SIGNAL (UNSPECIFIED)		HAC 2
008 – ICE SIGNAL	**LABEL:OTHER**	
009 – STORM SIGNAL	Type Size: 6 point	
010 – WEATHER SIGNAL	Type Style: Upper Case	
011 – TIDAL CURRENT SIGNAL	Color: BLACK (#58600)	
012 – TIDE SIGNAL		
013 – TIME SIGNAL	**LABEL:SIG**	
014 – MARINE TRAFFIC SIGNAL	Type Size: 6 point	
015 – BRIDGE SIGNAL	Type Style: Upper/Lower Case	
016 – LOCK SIGNAL	Color: BLACK (#58600)	
018 – INTERNATIONAL PORT SIGNALS		
019 – FIRING PRACTICE SIGNAL STATION	**POSICUT**	
	Posicut: #7	
	Color: BLACK (#58600)	

ZR155 – MARITIME STATION
POINT FEATURE.... SYMBOL# ZR155P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SNT – SOUND SIGNAL TYPE	Origin: Center of circle	COMBAT
000 – UNKNOWN		HAC 1
001 – BELL (BELL)	**LABEL**	HAC 2
002 – WHISTLE (WHIS)	Type Size: 6 point	
003 – HORN (HORN)	Type Style: Upper/Lower Case	
004 – GONG (GONG)	Color: BLACK (#58600)	
005 – DIAPHONE (DIA)		
006 – SIREN (SIREN)	**POSICUT:CIRCLE**	
007 – REED (REED)	Posicut: #4	
008 – EXPLOSIVE (EXPLOS)	Color: BLACK (#58600)	
SIG – MARITIME STATION TYPE	**POSICUT:FOG ARCS**	
017 – FOG SIGNAL	Posicut: #59	
	Color: PURPLE (#96532)	

ZR170 – OFFSHORE LOADING FACILITY
AREA FEATURE.... SYMBOL# ZR170A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY	**LABEL**	COMBAT
ANY	Type Size: 6 point	HAC 1
	Type Style: Upper/Lower Case	HAC 2
	Color: BLACK (#58600)	HAC 3
		HAC 4
	LINE:PERIMETER	HAC 5
	Lineweight: 0.200mm	HAC 6
	Color: BLACK (#58600)	

ZR170 – OFFSHORE LOADING FACILITY
LINE FEATURE.... SYMBOL# ZR170L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY	**CASING**	COMBAT
ANY	Lineweight: 0.200mm	HAC 1
	Color: BLACK (#58600)	HAC 2
	Width: 0.8mm	HAC 3
		HAC 4
	LABEL	HAC 5
	Type Size: 6 point	HAC 6
	Type Style: Upper/Lower Case	
	Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B170 – OFFSHORE LOADING FACILITY
POINT FEATURE.... SYMBOL# 2B170P001

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

USE – USE STATUS
010 – OTHER

PARAMETERS:

Origin: Center of square

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #2
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

2B170 – OFFSHORE LOADING FACILITY
POINT FEATURE.... SYMBOL# 2B170P002 LIGHTED SINGLE POINT MOORING

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED

NAM – NAME CATEGORY
ANY

USE – USE STATUS
081 – SINGLE POINT MOORING

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Position: Center of square

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:SPM
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

SQUARE
Lineweight: 0.200mm
Length: 1.200mm
Color: BLACK (#58600)
Width: 1.2mm

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

2B170 – OFFSHORE LOADING FACILITY
POINT FEATURE.... SYMBOL# 2B170P003 UNLIGHTED SINGLE POINT MOORING

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
023 – UNLIGHTED

NAM – NAME CATEGORY
ANY

USE – USE STATUS
081 – SINGLE POINT MOORING

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Position: Center of square

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:SPM
Type Size: 6 point
Type Style: Upper Case
Color: BLACK (#58600)

SQUARE
Lineweight: 0.200mm
Length: 1.200mm
Color: BLACK (#58600)
Width: 1.2mm

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2N180 - OYSTER OR CULTIVATED SHELLFISH BED
AREA FEATURE.... SYMBOL# 2N180A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: PURPLE (#96532) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3

2N180 - OYSTER OR CULTIVATED SHELLFISH BED
POINT FEATURE.... SYMBOL# 2N180P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of label LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3

2N190 - PIER, WHARF
AREA FEATURE.... SYMBOL# 2N190A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC - LOCATION /ORIGIN CATEGORY 005 - FLOATING 007 - NON-FLOATING NAM - NAME CATEGORY ANY FOC - PIER USE CATEGORY 000 - UNKNOWN 001 - DECKED BERTHING STRUCTURE FOR VESSELS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1

2N190 - PIER, WHARF
AREA FEATURE.... SYMBOL# 2N190A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	CG CG ENV JOG A JOG G OSC TLM 100K TLM 50K TPC

2N190 - PIER, WHARF
AREA FEATURE.... SYMBOL# 2N190A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FOC - PIER USE CATEGORY 002 - RECREATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2B190 – PIER, WHARF
AREA FEATURE.... SYMBOL# 2B190A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FOC – PIER USE CATEGORY 000 – UNKNOWN 001 – DECKED BERTHING STRUCTURE FOR VESSELS	LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 2 HAC 3 HAC 4

2B190 – PIER, WHARF
AREA FEATURE.... SYMBOL# 2B190A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FOC – PIER USE CATEGORY 000 – UNKNOWN 001 – DECKED BERTHING STRUCTURE FOR VESSELS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT

2B190 – PIER, WHARF
LINE FEATURE.... SYMBOL# 2B190L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 005 – FLOATING 007 – NON-FLOATING NAM – NAME CATEGORY ANY FOC – PIER USE CATEGORY 000 – UNKNOWN 001 – DECKED BERTHING STRUCTURE FOR VESSELS	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1

2B190 – PIER, WHARF
LINE FEATURE.... SYMBOL# 2B190L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 CG CG ENV JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2B190 – PIER, WHARF
LINE FEATURE.... SYMBOL# 2B190L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FOC – PIER USE CATEGORY 002 – RECREATIONAL	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZB190 – PIER, WHARF
LINE FEATURE.... SYMBOL# ZB190L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FOC – PIER USE CATEGORY 000 – UNKNOWN 001 – DECKED BERTHING STRUCTURE FOR VESSELS	LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 2 HAC 3 HAC 4

ZB190 – PIER, WHARF
LINE FEATURE.... SYMBOL# ZB190L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT

ZB220 – RAMP
AREA FEATURE.... SYMBOL# ZB220A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 COMBAT HAC 1 JOG R ONC TLM 100K TLM 50K TPC

ZB220 – RAMP
AREA FEATURE.... SYMBOL# ZB220A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	AREA:FILL1 Color: BLACK (#58600) Screen: 12%,15° Angle AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle DASH:PERIMETER Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 TLM 100K TLM 50K

ZB220 – RAMP
AREA FEATURE.... SYMBOL# ZB220A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	DASH:PERIMETER Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2B220 – RAMP
AREA FEATURE.... SYMBOL# 2B220A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1

2B220 – RAMP
LINE FEATURE.... SYMBOL# 2B220L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 COMBAT HAC 1 JOG R ONC TIM 100K TIM 50K TPC

2B220 – RAMP
LINE FEATURE.... SYMBOL# 2B220L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT HAC 1 TIM 100K TIM 50K

2B220 – RAMP
LINE FEATURE.... SYMBOL# 2B220L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

2B220 – RAMP
LINE FEATURE.... SYMBOL# 2B220L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	DOT Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B225 - RIPRAP
AREA FEATURE.... SYMBOL# 2B225A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**AREA:PATTERN** Area Pattern: AP-131 Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT HAC 1

2B225 - RIPRAP
AREA FEATURE.... SYMBOL# 2B225A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC - VERTICAL REFERENCE CATEGORY 008 - COVERS AND UNCOVERS	**AREA:FILL1** Color: BLACK (#58600) Screen: 12%,15° Angle **AREA:FILL2** Color: BLUE (#48253) Screen: 31%,45° Angle **AREA:PATTERN** Area Pattern: AP-131 Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT HAC 1

2B225 - RIPRAP
AREA FEATURE.... SYMBOL# 2B225A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DCF:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1

2B230 - SEAWALL
AREA FEATURE.... SYMBOL# 2B230A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WID - WIDTH ANY	**AREA:FILL** Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG

2B230 - SEAWALL
LINE FEATURE.... SYMBOL# 2B230L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:HEAVY** Lineweight: 0.300mm Color: BLACK (#58600) Positioned 0.5mm inshore of thin line.	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2B230L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:THIN Lineweight: 0.100mm Color: BLACK (#58600) Thin line takes the place of the shoreline.	

2B230 - SEAWALL
LINE FEATURE.... SYMBOL# 2B230L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT JOG A JOG G TIM 100K TIM 50K

2B230 - SEAWALL
LINE FEATURE.... SYMBOL# 2B230L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.100mm Color: BLACK (#58600)	ATC 200 CG CG ENV JOG R ONC TPC

2B240 - SLIPWAY
LINE FEATURE.... SYMBOL# 2B240L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R ONC TPC

2B240 - SLIPWAY
LINE FEATURE.... SYMBOL# 2B240L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**CASING** Lineweight: 0.200mm Color: BLACK (#58600) Line Spacing: 1.0mm. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	CG COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B240 — SLIPWAY
LINE FEATURE.... SYMBOL# 2B240L003

ATTRIBUTES:

VMC — VERTICAL REFERENCE CATEGORY
008 - COVERS AND UNCOVERS

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Space between dashed lines: 1.0mm

LINE:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

LINE:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

PRODUCTS:

COMBAT
HAC 1
HAC 2

2B240 — SLIPWAY
LINE FEATURE.... SYMBOL# 2B240L004

ATTRIBUTES:

VMC — VERTICAL REFERENCE CATEGORY
004 - BELOW SURFACE /SUBMERGED

PARAMETERS:

DOT
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Space between dotted lines: 1.0mm

LINE:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

PRODUCTS:

COMBAT
HAC 1
HAC 2

2C010 — BUOY
POINT FEATURE.... SYMBOL# 2C010P001

ATTRIBUTES:

RF1 — BROADCAST FREQUENCY (1)
ANY

RF2 — BROADCAST FREQUENCY (2)
ANY

CCF — COLOR CODE OF FEATURE
000 - UNKNOWN
001 - RED (R)
002 - RED & WHITE (RW)
003 - RED & GREEN (RG)
004 - RED & BLACK (RB)
005 - RED-GREEN-RED (RGR)
006 - GREEN (G)
007 - GREEN & WHITE (GW)
008 - GREEN & RED (GR)
009 - GREEN & BLACK (GB)
010 - GREEN-RED-GREEN (GRG)
011 - GREEN-YELLOW-BLACK (GYB)
012 - YELLOW (Y)
013 - YELLOW & BLACK (YB)
014 - YELLOW-BLACK-YELLOW (YBY)
015 - YELLOW & RED (YR)
016 - YELLOW & GREEN (YG)
017 - YELLOW-RED-WHITE (YRW)
018 - BLACK (B)
019 - BLACK & YELLOW (BY)
020 - BLACK-YELLOW-BLACK (BYB)
021 - BLACK-RED-BLACK (BRB)
022 - BLACK & WHITE (BW)
023 - BLACK & RED (BR)
024 - BLACK & GREEN (BG)
025 - WHITE (W)
026 - WHITE & RED (WR)

PARAMETERS:

Origin: Center of small circle

LABEL:CCF
Type Size: 5 point
Type Style: Upper Case,Italic
Color: BLACK (#58600)

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:PER
Type Size: 7 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF
Posicut: #93
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P001 (Continued)

ATTRIBUTES:

CCF – COLOR CODE OF FEATURE
- 027 – WHITE & ORANGE (W OR)
- 028 – WHITE & GREEN (WG)
- 029 – WHITE & BLACK (WB)
- 030 – WHITE & YELLOW (WY)
- 031 – WHITE-RED-GREEN (WRG)
- 032 – WHITE-GREEN-WHITE (WGW)
- 033 – ORANGE (OR)
- 034 – BLUE (BU)
- 035 – GRAY (GY)
- 036 – VIOLET (VI)
- 037 – BROWN (BR)

CHA – LIGHT CHARACTERISTIC CATEGORY
- 021 – LIGHTED
- 023 – UNLIGHTED

COL – CHARACTER OF LIGHT
- ANY

NAM – NAME CATEGORY
- ANY

PER – PERIOD OF LIGHT
- ANY

RA1 – RADIO AID (1)
- 000 – UNKNOWN
- 010 – RACON (RACON)
- 017 – CIRCULAR RADIOBEACON (RC)
- 047 – RAMARK (RAMARK)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

RA2 – RADIO AID (2)
- 000 – UNKNOWN
- 010 – RACON (RACON)
- 017 – CIRCULAR RADIOBEACON (RC)
- 047 – RAMARK (RAMARK)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

REF – RADAR REFLECTOR ATTRIBUTE
- 001 – RADAR REFLECTOR PRESENT
- 002 – RADAR REFLECTOR ABSENT

SSC – STRUCTURE SHAPE CATEGORY
- 000 – UNKNOWN
- 079 – OTHER
- 080 – PILLAR BUOY (OPEN)
- 081 – PILLAR BUOY (FILLED)
- 082 – PILLAR BUOY (VERTICAL STRIPES)
- 083 – SPAR BUOY
- 084 – CAN BUOY (OPEN)
- 085 – CAN BUOY (FILLED)
- 086 – CONE BUOY (OPEN)
- 087 – CONE BUOY (FILLED)
- 088 – SPHERICAL BUOY (VERTICAL STRIPES)
- 089 – SPHERICAL BUOY
- 094 – LIGHTFLOAT (OPEN)
- 095 – BARREL /TONNE BUOY
- 097 – DIAMOND-SHAPED BUOY
- 102 – LIGHTFLOAT (FILLED)

SIT – SOUND SIGNAL TYPE
- 000 – UNKNOWN
- 001 – BELL (BELL)
- 002 – WHISTLE (WHIS)
- 003 – HORN (HORN)
- 004 – GONG (GONG)
- 005 – DIAPHONE (DIA)
- 006 – SIREN (SIREN)
- 007 – REED (REED)
- 008 – EXPLOSIVE (EXPLOS)
- 016 – NONE

TMC – TOPMARK CATEGORY

PARAMETERS:

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:SSC102
Posicut: #219
Color: BLACK (#58600)

POSICUT:SSC80
Posicut: #150
Color: BLACK (#58600)

POSICUT:SSC81
Posicut: #151
Color: BLACK (#58600)

POSICUT:SSC82
Posicut: #152
Color: BLACK (#58600)

POSICUT:SSC83
Posicut: #153
Color: BLACK (#58600)

POSICUT:SSC84
Posicut: #154
Color: BLACK (#58600)

POSICUT:SSC85
Posicut: #155
Color: BLACK (#58600)

POSICUT:SSC86
Posicut: #156
Color: BLACK (#58600)

POSICUT:SSC87
Posicut: #157
Color: BLACK (#58600)

POSICUT:SSC88
Posicut: #158
Color: BLACK (#58600)

POSICUT:SSC89
Posicut: #159
Color: BLACK (#58600)

POSICUT:SSC94
Posicut: #163
Color: BLACK (#58600)

POSICUT:SSC95
Posicut: #164
Color: BLACK (#58600)

POSICUT:TMC01
Posicut: #169
Color: BLACK (#58600)

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0102P001 (Continued)

ATTRIBUTES:

TMC – TOPMARK CATEGORY
- 000 - UNKNOWN
- 001 - CAN (OPEN)
- 002 - CONE, POINT UP (OPEN)
- 003 - CAN (FILLED)
- 004 - CONE, POINT UP (FILLED)
- 005 - "X"
- 006 - BALL (OPEN)
- 007 - DOUBLE BALL (FILLED)
- 008 - DOUBLE CONE, POINTS UPWARD (FILLED)
- 009 - DOUBLE CONE, POINTS APART (FILLED)
- 010 - DOUBLE CONE, POINTS DOWNWARD (FILLED)
- 011 - DOUBLE CONE, POINTS TOGETHER (FILLED)
- 012 - DIAMOND (OPEN)
- 013 - DIAMOND (FILLED)
- 014 - CONE, POINT UP, OVER BALL (OPEN)
- 015 - CONE, POINT UP, OVER BALL (FILLED)
- 016 - BALL OVER CONE, POINT UP (OPEN)
- 017 - BALL OVER CONE, POINT UP (FILLED)
- 018 - CROSS
- 019 - BALL (FILLED)
- 020 - BROOM
- 021 - "T"
- 022 - CAN OVER BALL (OPEN)
- 023 - CROSS OVER BALL (OPEN)
- 024 - DIAMOND OVER BALL (FILLED)
- 025 - DOUBLE BALL (OPEN)
- 026 - CONE, POINT DOWNWARD (OPEN)
- 027 - DOUBLE CONE, POINTS APART (OPEN)
- 099 - MORE

PARAMETERS:

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

POSICUT:TMC18
Posicut: #186
Color: BLACK (#58600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

POSICUT:TMC21
Posicut: #189
Color: BLACK (#58600)

POSICUT:TMC22
Posicut: #190
Color: BLACK (#58600)

POSICUT:TMC23
Posicut: #191
Color: BLACK (#58600)

POSICUT:TMC24
Posicut: #192
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P001 (Continued)

ATTRIBUTES:

PARAMETERS:

POSICUT:TMC25
Posicut: #193
Color: BLACK (#58600)

POSICUT:TMC26
Posicut: #194
Color: BLACK (#58600)

POSICUT:TMC27
Posicut: #195
Color: BLACK (#58600)

PRODUCTS:

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P002

ATTRIBUTES:

BF1 – BROADCAST FREQUENCY (1)
ANY

BF2 – BROADCAST FREQUENCY (2)
ANY

CHA – LIGHT CHARACTERISTIC CATEGORY
021 - LIGHTED
023 - UNLIGHTED

COL – CHARACTER OF LIGHT
ANY

NAM – NAME CATEGORY
ANY

RA1 – RADIO AID (1)
000 - UNKNOWN
010 - RACON (RACON)
017 - CIRCULAR RADIOBEACON (RC)
047 - RAMARK (RAMARK)
049 - RADIOBEACON, TYPE UNKNOWN (R BN)
050 - NONE

RA2 – RADIO AID (2)
000 - UNKNOWN
010 - RACON (RACON)
017 - CIRCULAR RADIOBEACON (RC)
047 - RAMARK (RAMARK)
049 - RADIOBEACON, TYPE UNKNOWN (R BN)
050 - NONE

SSC – STRUCTURE SHAPE CATEGORY
000 - UNKNOWN
079 - OTHER
080 - PILLAR BUOY (OPEN)
081 - PILLAR BUOY (FILLED)
082 - PILLAR BUOY (VERTICAL STRIPES)
083 - SPAR BUOY
084 - CAN BUOY (OPEN)
085 - CAN BUOY (FILLED)
086 - CONE BUOY (OPEN)
087 - CONE BUOY (FILLED)
088 - SPHERICAL BUOY (VERTICAL STRIPES)
089 - SPHERICAL BUOY
094 - LIGHTFLOAT (OPEN)
095 - BARREL /TONNE BUOY
097 - DIAMOND-SHAPED BUOY
102 - LIGHTFLOAT (FILLED)

PARAMETERS:

Origin: Center of small circle

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:SSC102
Posicut: #219
Color: BLACK (#58600)

POSICUT:SSC80
Posicut: #150
Color: BLACK (#58600)

POSICUT:SSC81
Posicut: #151
Color: BLACK (#58600)

POSICUT:SSC82
Posicut: #152
Color: BLACK (#58600)

POSICUT:SSC83
Posicut: #153
Color: BLACK (#58600)

POSICUT:SSC84
Posicut: #154
Color: BLACK (#58600)

POSICUT:SSC85
Posicut: #155
Color: BLACK (#58600)

POSICUT:SSC86
Posicut: #156
Color: BLACK (#58600)

POSICUT:SSC87
Posicut: #157
Color: BLACK (#58600)

PRODUCTS:

HAC 5
HAC 6
HAC 7

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0109002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:SBC88 Posicut: #158 Color: BLACK (#58600) POSICUT:SBC89 Posicut: #159 Color: BLACK (#58600) POSICUT:SBC94 Posicut: #163 Color: BLACK (#58600) POSICUT:SBC95 Posicut: #164 Color: BLACK (#58600) POSICUT:SBC97 Posicut: #167 Color: BLACK (#58600)	

2C010 – BOOY
POINT FEATURE.... SYMBOL# 2C0109003 SUPERBOOY: ODAS BOOY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 – BROADCAST FREQUENCY (1) ANY BF2 – BROADCAST FREQUENCY (2) ANY CHR – LIGHT CHARACTERISTIC CATEGORY 021 - LIGHTED 023 - UNLIGHTED COL – CHARACTER OF LIGHT ANY ECL – ELEVATION OF LIGHT ANY LVR – LIGHT VISIBILITY RANGE ANY NAM – NAME CATEGORY ANY PER – PERIOD OF LIGHT ANY RA1 – RADIO AID (1) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE RA2 – RADIO AID (2) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE REF – RADAR REFLECTOR ATTRIBUTE 001 - RADAR REFLECTOR PRESENT 002 - RADAR REFLECTOR ABSENT SBC – STRUCTURE SHAPE CATEGORY 090 - SUPERBOOY (ODAS). SBT – SOUND SIGNAL TYPE 000 - UNKNOWN 001 - BELL (BELL) 002 - WHISTLE (WHIS) 003 - HORN (HORN) 004 - GONG (GONG) 005 - DIAPHONE (DIA) 006 - SIREN (SIREN) 007 - REED (REED) 008 - EXPLOSIVE (EXPLOS) 016 - NONE	Origin: Center of black circle LABEL:NAM Color: BLACK (#58600) LABEL:ODAS;LVR Type Size: 7 point Type Style: Upper Case,Italic Color: BLACK (#58600) LABEL:OTHERS Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:PER;ECL Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) POSICUT:FOG SIG. Posicut: #59 Color: PURPLE (#96532) POSICUT:ODAS BOOY Posicut: #160 Color: BLACK (#58600) POSICUT:RADIO AID Posicut: #86 Color: PURPLE (#96532) POSICUT:REF Posicut: #93 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P004 SUPERBUOY:ODAS BUOY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 – BROADCAST FREQUENCY (1) ANY	Origin: Center of black circle	BNPC HAC 5 HAC 6 HAC 7 HAC 8 HAC 9
BF2 – BROADCAST FREQUENCY (2) ANY	LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
CHA – LIGHT CHARACTERISTIC CATEGORY 021 – LIGHTED 023 – UNLIGHTED	LABEL:ODAS Type Size: 7 point Type Style: Upper Case,Italic Color: BLACK (#58600)	
COL – CHARACTER OF LIGHT ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY	POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532)	
RA1 – RADIO AID (1) 000 – UNKNOWN 010 – RACON (RACON) 017 – CIRCULAR RADIOBEACON (RC) 047 – RAMARK (RAMARK) 049 – RADIOBEACON, TYPE UNKNOWN (R BN) 050 – NONE	POSICUT:ODAS BUOY Posicut: #160 Color: BLACK (#58600)	
RA2 – RADIO AID (2) 000 – UNKNOWN 010 – RACON (RACON) 017 – CIRCULAR RADIOBEACON (RC) 047 – RAMARK (RAMARK) 049 – RADIOBEACON, TYPE UNKNOWN (R BN) 050 – NONE	POSICUT:RADIO AID Posicut: #86 Color: PURPLE (#96532)	
SHC – STRUCTURE SHAPE CATEGORY 090 – SUPERBUOY (ODAS)		

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P005 SUPERBUOY: TANKER MOORING

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 – BROADCAST FREQUENCY (1) ANY	Origin: Center of black circle at bottom	COMBAT HAC 1 HAC 2 HAC 3 HAC 4
BF2 – BROADCAST FREQUENCY (2) ANY	LABEL:LVR Type Size: 7 point Type Style: Upper Case,Italic Color: BLACK (#58600)	
CHA – LIGHT CHARACTERISTIC CATEGORY 021 – LIGHTED 023 – UNLIGHTED	LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
COL – CHARACTER OF LIGHT ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case Color: BLACK (#58600) Type Style: Italic	
ECL – ELEVATION OF LIGHT ANY	LABEL:PER/ECL Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600)	
LVR – LIGHT VISIBILITY RANGE ANY	POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532)	
NAM – NAME CATEGORY ANY	POSICUT:FOG SIG. Posicut: #59 Color: PURPLE (#96532)	
PER – PERIOD OF LIGHT ANY	POSICUT:RA REF Posicut: #93 Color: BLACK (#58600)	
RA1 – RADIO AID (1) 000 – UNKNOWN 010 – RACON (RACON) 017 – CIRCULAR RADIOBEACON (RC) 047 – RAMARK (RAMARK) 049 – RADIOBEACON, TYPE UNKNOWN (R BN) 050 – NONE		
RA2 – RADIO AID (2) 000 – UNKNOWN		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0109005 (Continued)

ATTRIBUTES:

RA2 – RADIO AID (2)
- 010 – RACON (RACON)
- 017 – CIRCULAR RADIOBEACON (RC)
- 047 – RAMARK (RAMARK)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

RFF – RADAR REFLECTOR ATTRIBUTE
- 001 – RADAR REFLECTOR PRESENT
- 002 – RADAR REFLECTOR ABSENT

SSC – STRUCTURE SHAPE CATEGORY
- 092 – SUPERBUOY (TANKER)

SSF – SOUND SIGNAL TYPE
- 000 – UNKNOWN
- 001 – BELL (BELL)
- 002 – WHISTLE (WHIS)
- 003 – HORN (HORN)
- 004 – GONG (GONG)
- 005 – DIAPHONE (DIA)
- 006 – SIREN (SIREN)
- 007 – REED (REED)
- 008 – EXPLOSIVE (EXPLOS)
- 016 – NONE

TMC – TOPMARK CATEGORY
- 000 – UNKNOWN
- 001 – CAN (OPEN)
- 002 – CONE, POINT UP (OPEN)
- 003 – CAN (FILLED)
- 004 – CONE, POINT UP (FILLED)
- 005 – "X"
- 006 – BALL (OPEN)
- 007 – DOUBLE BALL (FILLED)
- 008 – DOUBLE CONE, POINTS UPWARD (FILLED)
- 009 – DOUBLE CONE, POINTS APART (FILLED)
- 010 – DOUBLE CONE, POINTS DOWNWARD (FILLED)
- 011 – DOUBLE CONE, POINTS TOGETHER (FILLED)
- 012 – DIAMOND (OPEN)
- 013 – DIAMOND (FILLED)
- 014 – CONE, POINT UP, OVER BALL (OPEN)
- 015 – CONE, POINT UP, OVER BALL (FILLED)
- 016 – BALL OVER CONE, POINT UP (OPEN)
- 017 – BALL OVER CONE, POINT UP (FILLED)
- 018 – CROSS
- 019 – BALL (FILLED)
- 020 – BROOM
- 021 – "T"
- 022 – CAN OVER BALL (OPEN)
- 023 – CROSS OVER BALL (OPEN)
- 024 – DIAMOND OVER BALL (FILLED)
- 025 – DOUBLE BALL (OPEN)
- 026 – CONE, POINT DOWNWARD (OPEN)
- 027 – DOUBLE CONE, POINTS APART (OPEN)
- 099 – NONE

PARAMETERS:

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:TANKER
Posicut: #161
Color: BLACK (#58600)

POSICUT:TMC01
Posicut: #169
Color: BLACK (#58600)

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

PRODUCER:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P005 (Continued)

ATTRIBUTES:

PARAMETERS:

POSICUT:TMC18
Posicut: #186
Color: BLACK (#58600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

POSICUT:TMC21
Posicut: #189
Color: BLACK (#58600)

POSICUT:TMC22
Posicut: #190
Color: BLACK (#58600)

POSICUT:TMC23
Posicut: #191
Color: BLACK (#58600)

POSICUT:TMC24
Posicut: #192
Color: BLACK (#58600)

POSICUT:TMC25
Posicut: #193
Color: BLACK (#58600)

POSICUT:TMC26
Posicut: #194
Color: BLACK (#58600)

POSICUT:TMC27
Posicut: #195
Color: BLACK (#58600)

PRODUCTS:

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P006 SUPERBUOY: TANKER MOORING

ATTRIBUTES:

BF1 – BROADCAST FREQUENCY (1)
ANY

BF2 – BROADCAST FREQUENCY (2)
ANY

CEA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED
023 – UNLIGHTED

COL – CHARACTER OF LIGHT
ANY

NAM – NAME CATEGORY
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

RA2 – RADIO AID (2)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

SSC – STRUCTURE SHAPE CATEGORY
092 – SUPERBUOY (TANKER)

PARAMETERS:

Origin: Center of black circle at bottom

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:TANKER
Posicut: #161
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 5
HAC 6
HAC 7
HAC 8

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2C010 — BUOY
POINT FEATURE.... SYMBOL# 2C010P008 MOORING BUOY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CHA — LIGHT CHARACTERISTIC CATEGORY 021 - LIGHTED 023 - UNLIGHTED COL — CHARACTER OF LIGHT ANY NAM — NAME CATEGORY ANY PER — PERIOD OF LIGHT ANY SBC — STRUCTURE SHAPE CATEGORY 096 - MOORING BUOY	Origin: Center of circle at base LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) POSICUT:MOORING Posicut: #165 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2C010 — BUOY
POINT FEATURE.... SYMBOL# 2C010P009 LIGHTSHIP/LANBY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 — BROADCAST FREQUENCY (1) ANY BF2 — BROADCAST FREQUENCY (2) ANY COL — CHARACTER OF LIGHT ANY ELL — ELEVATION OF LIGHT ANY LVR — LIGHT VISIBILITY RANGE ANY NAM — NAME CATEGORY ANY PER — PERIOD OF LIGHT ANY RA1 — RADIO AID (1) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE RA2 — RADIO AID (2) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE REF — RADAR REFLECTOR ATTRIBUTE 001 - RADAR REFLECTOR PRESENT 002 - RADAR REFLECTOR ABSENT SBC — STRUCTURE SHAPE CATEGORY 091 - SUPERBUOY (LANBY) 093 - LIGHTSHIP SST — SOUND SIGNAL TYPE	Origin: Center of black circle LABEL:LVR Type Size: 7 point Type Style: Upper Case,Italic Color: BLACK (#58600) LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:PER;ECL Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) POSICUT:FOG SIG. Posicut: #59 Color: PURPLE (#96532) POSICUT:LTSHP/LAN Posicut: #162 Color: BLACK (#58600) POSICUT:RA REF Posicut: #93 Color: BLACK (#58600) POSICUT:RADIO AID Posicut: #86 Color: PURPLE (#96532) POSICUT:TMC01 Posicut: #169 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P009 (Continued)

ATTRIBUTES:

SST - SOUND SIGNAL TYPE
- 000 - UNKNOWN
- 001 - BELL (BELL)
- 002 - WHISTLE (WHIS)
- 003 - HORN (HORN)
- 004 - GONG (GONG)
- 005 - DIAPHONE (DIA)
- 006 - SIREN (SIREN)
- 007 - REED (REED)
- 008 - EXPLOSIVE (EXPLOS)
- 016 - NONE

TMC - TOPMARK CATEGORY
- 000 - UNKNOWN
- 001 - CAN (OPEN)
- 002 - CONE, POINT UP (OPEN)
- 003 - CAN (FILLED)
- 004 - CONE, POINT UP (FILLED)
- 005 - "X"
- 006 - BALL (OPEN)
- 007 - DOUBLE BALL (FILLED)
- 008 - DOUBLE CONE, POINTS UPWARD (FILLED)
- 009 - DOUBLE CONE, POINTS APART (FILLED)
- 010 - DOUBLE CONE, POINTS DOWNWARD (FILLED)
- 011 - DOUBLE CONE, POINTS TOGETHER (FILLED)
- 012 - DIAMOND (OPEN)
- 013 - DIAMOND (FILLED)
- 014 - CONE, POINT UP, OVER BALL (OPEN)
- 015 - CONE, POINT UP, OVER BALL (FILLED)
- 016 - BALL OVER CONE, POINT UP (OPEN)
- 017 - BALL OVER CONE, POINT UP (FILLED)
- 018 - CROSS
- 019 - BALL (FILLED)
- 020 - BROOM
- 021 - "T"
- 022 - CAN OVER BALL (OPEN)
- 023 - CROSS OVER BALL (OPEN)
- 024 - DIAMOND OVER BALL (FILLED)
- 025 - DOUBLE BALL (OPEN)
- 026 - CONE, POINT DOWNWARD (OPEN)
- 027 - DOUBLE CONE, POINTS APART (OPEN)
- 099 - NONE

PARAMETERS:

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

POSICUT:TMC18
Posicut: #186
Color: BLACK (#58600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0109009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:TMC21 Posicut: #189 Color: BLACK (#58600)	
	POSICUT:TMC22 Posicut: #190 Color: BLACK (#58600)	
	POSICUT:TMC23 Posicut: #191 Color: BLACK (#58600)	
	POSICUT:TMC24 Posicut: #192 Color: BLACK (#58600)	
	POSICUT:TMC25 Posicut: #193 Color: BLACK (#58600)	
	POSICUT:TMC26 Posicut: #194 Color: BLACK (#58600)	
	POSICUT:TMC27 Posicut: #195 Color: BLACK (#58600)	

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C0109010 LIGHTSHIP/LANBY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MF1 – BROADCAST FREQUENCY (1) ANY	Origin: Center of black circle	HAC 5 HAC 6
MF2 – BROADCAST FREQUENCY (2) ANY	LABEL:LVR Type Size: 7 point Type Style: Upper Case,Italic Color: BLACK (#58600)	
COL – CHARACTER OF LIGHT ANY	LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
LVR – LIGHT VISIBILITY RANGE ANY	LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY	LABEL:PER Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600)	
PER – PERIOD OF LIGHT ANY	POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532)	
RA1 – RADIO AID (1) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE	POSICUT:LIGHT/LAN Posicut: #162 Color: BLACK (#58600)	
RA2 – RADIO AID (2) 000 - UNKNOWN 010 - RACON (RACON) 017 - CIRCULAR RADIOBEACON (RC) 047 - RAMARK (RAMARK) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE	POSICUT:RADIO AID Posicut: #86 Color: PURPLE (#96532)	
SHC – STRUCTURE SHAPE CATEGORY 091 - SUPERBUOY (LANBY) 093 - LIGHTSHIP		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P011 LIGHTSHIP/LANBY

ATTRIBUTES:

HF1 – BROADCAST FREQUENCY (1)
ANY

HF2 – BROADCAST FREQUENCY (2)
ANY

CCL – CHARACTER OF LIGHT
ANY

LVR – LIGHT VISIBILITY RANGE
ANY

NAM – NAME CATEGORY
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

RA2 – RADIO AID (2)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

SSC – STRUCTURE SHAPE CATEGORY
091 – SUPERBUOY (LANBY)
093 – LIGHTSHIP

PARAMETERS:

Origin: Center of black circle

LABEL:LVR
Type Size: 7 point
Type Style: Upper Case,Italic
Color: BLACK (#58600)

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:LTSHP/LAN
Posicut: #162
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

BNPC
HAC 7
HAC 8
HAC 9

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P012

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED
023 – UNLIGHTED

CCL – CHARACTER OF LIGHT
ANY

NAM – NAME CATEGORY
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

RA2 – RADIO AID (2)
000 – UNKNOWN
010 – RACON (RACON)
017 – CIRCULAR RADIOBEACON (RC)
047 – RAMARK (RAMARK)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

SSC – STRUCTURE SHAPE CATEGORY
000 – UNKNOWN
079 – OTHER
080 – PILLAR BUOY (OPEN)
081 – PILLAR BUOY (FILLED)
082 – PILLAR BUOY (VERTICAL STRIPES)

PARAMETERS:

Origin: Center of black circle

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:SSC102
Posicut: #219
Color: BLACK (#58600)

POSICUT:SSC80
Posicut: #150
Color: BLACK (#58600)

POSICUT:SSC81
Posicut: #151
Color: BLACK (#58600)

PRODUCTS:

BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 20010P012 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BSC – STRUCTURE SHAPE CATEGORY 083 - SPAR BUOY 084 - CAN BUOY (OPEN) 085 - CAN BUOY (FILLED) 086 - CONE BUOY (OPEN) 087 - CONE BUOY (FILLED) 088 - SPHERICAL BUOY (VERTICAL STRIPES) 089 - SPHERICAL BUOY 094 - LIGHTFLOAT (OPEN) 095 - BARREL /TONNE BUOY 096 - MOORING BUOY 102 - LIGHTFLOAT (FILLED)	POSICUT:BSC82 Posicut: #152 Color: BLACK (#58600) POSICUT:BSC83 Posicut: #153 Color: BLACK (#58600) POSICUT:BSC84 Posicut: #154 Color: BLACK (#58600) POSICUT:BSC85 Posicut: #155 Color: BLACK (#58600) POSICUT:BSC86 Posicut: #156 Color: BLACK (#58600) POSICUT:BSC87 Posicut: #157 Color: BLACK (#58600) POSICUT:BSC88 Posicut: #158 Color: BLACK (#58600) POSICUT:BSC89 Posicut: #159 Color: BLACK (#58600) POSICUT:BSC90,91 Posicut: #160 Color: BLACK (#58600) POSICUT:BSC92 Posicut: #161 Color: BLACK (#58600) POSICUT:BSC93 Posicut: #162 Color: BLACK (#58600) POSICUT:BSC94 Posicut: #163 Color: BLACK (#58600) POSICUT:BSC95 Posicut: #164 Color: BLACK (#58600) POSICUT:BSC96 Posicut: #165 Color: BLACK (#58600)	

20010 – BUOY
POINT FEATURE.... SYMBOL# 20010P013 ARTICULATED LIGHT BEACON

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 – BROADCAST FREQUENCY (1) ANY BF2 – BROADCAST FREQUENCY (2) ANY CCF – COLOR CODE OF FEATURE 000 - UNKNOWN 001 - RED (R) 002 - RED & WHITE (RW) 003 - RED & GREEN (RG) 004 - RED & BLACK (RB)	Origin: Center of black circle LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0109013 (Continued)

ATTRIBUTES:

CCF – COLOR CODE OF FEATURE
- 005 – RED-GREEN-RED (RGR)
- 006 – GREEN (G)
- 007 – GREEN & WHITE (GW)
- 008 – GREEN & RED (GR)
- 009 – GREEN & BLACK (GB)
- 010 – GREEN-RED-GREEN (GRG)
- 011 – GREEN-YELLOW-BLACK (GYB)
- 012 – YELLOW (Y)
- 013 – YELLOW & BLACK (YB)
- 014 – YELLOW-BLACK-YELLOW (YBY)
- 015 – YELLOW & RED (YR)
- 016 – YELLOW & GREEN (YG)
- 017 – YELLOW-RED-WHITE (YRW)
- 018 – BLACK (B)
- 019 – BLACK & YELLOW (BY)
- 020 – BLACK-YELLOW-BLACK (BYB)
- 021 – BLACK-RED-BLACK (BRB)
- 022 – BLACK & WHITE (BW)
- 023 – BLACK & RED (BR)
- 024 – BLACK & GREEN (BG)
- 025 – WHITE (W)
- 026 – WHITE & RED (WR)
- 027 – WHITE & ORANGE (W OR)
- 028 – WHITE & GREEN (WG)
- 029 – WHITE & BLACK (WB)
- 030 – WHITE & YELLOW (WY)
- 031 – WHITE-RED-GREEN (WRG)
- 032 – WHITE-GREEN-WHITE (WGW)
- 033 – ORANGE (OR)
- 034 – BLUE (BU)
- 035 – GRAY (GY)
- 036 – VIOLET (VI)
- 037 – BROWN (BR)

COL – CHARACTER OF LIGHT
- ANY

NAM – NAME CATEGORY
- ANY

PER – PERIOD OF LIGHT
- ANY

RA1 – RADIO AID (1)
- 000 – UNKNOWN
- 010 – RACON (RACON)
- 017 – CIRCULAR RADIOBEACON (RC)
- 047 – RAMARK (RAMARK)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

RA2 – RADIO AID (2)
- 000 – UNKNOWN
- 010 – RACON (RACON)
- 017 – CIRCULAR RADIOBEACON (RC)
- 047 – RAMARK (RAMARK)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

REF – RADAR REFLECTOR ATTRIBUTE
- 001 – RADAR REFLECTOR PRESENT
- 002 – RADAR REFLECTOR ABSENT

STC – STRUCTURE SHAPE CATEGORY
- 098 – ARTICULATED LIGHT

SIT – SOUND SIGNAL TYPE
- 000 – UNKNOWN
- 001 – BELL (BELL)
- 002 – WHISTLE (WHIS)
- 003 – HORN (HORN)
- 004 – GONG (GONG)
- 005 – DIAPHONE (DIA)
- 006 – SIREN (SIREN)
- 007 – REED (REED)
- 008 – EXPLOSIVE (EXPLOS)
- 016 – NONE

PARAMETERS:

LABEL:PER
Type Size: 7 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

POSICUT:CIRCLE
Posicut: #119
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF
Posicut: #93
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:TMC01
Posicut: #169
Color: BLACK (#58600)

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P013 (Continued)

ATTRIBUTES:

TMC – TOPMARK CATEGORY
- 000 – UNKNOWN
- 001 – CAN (OPEN)
- 002 – CONE, POINT UP (OPEN)
- 003 – CAN (FILLED)
- 004 – CONE, POINT UP (FILLED)
- 005 – "X"
- 006 – BALL (OPEN)
- 007 – DOUBLE BALL (FILLED)
- 008 – DOUBLE CONE, POINTS UPWARD (FILLED)
- 009 – DOUBLE CONE, POINTS APART (FILLED)
- 010 – DOUBLE CONE, POINTS DOWNWARD (FILLED)
- 011 – DOUBLE CONE, POINTS TOGETHER (FILLED)
- 012 – DIAMOND (OPEN)
- 013 – DIAMOND (FILLED)
- 014 – CONE, POINT UP, OVER BALL (OPEN)
- 015 – CONE, POINT UP, OVER BALL (FILLED)
- 016 – BALL OVER CONE, POINT UP (OPEN)
- 017 – BALL OVER CONE, POINT UP (FILLED)
- 018 – CROSS
- 019 – BALL (FILLED)
- 020 – BROOM
- 021 – "T"
- 022 – CAN OVER BALL (OPEN)
- 023 – CROSS OVER BALL (OPEN)
- 024 – DIAMOND OVER BALL (FILLED)
- 025 – DOUBLE BALL (OPEN)
- 026 – CONE, POINT DOWNWARD (OPEN)
- 027 – DOUBLE CONE, POINTS APART (OPEN)
- 099 – NONE

PARAMETERS:

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

POSICUT:TMC18
Posicut: #186
Color: BLACK (#58600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

POSICUT:TMC21
Posicut: #189
Color: BLACK (#58600)

POSICUT:TMC22
Posicut: #190
Color: BLACK (#58600)

POSICUT:TMC23
Posicut: #191
Color: BLACK (#58600)

POSICUT:TMC24
Posicut: #192
Color: BLACK (#58600)

POSICUT:TMC25
Posicut: #193
Color: BLACK (#58600)

POSICUT:TMC26
Posicut: #194
Color: BLACK (#58600)

POSICUT:TMC27
Posicut: #195
Color: BLACK (#58600)

PRODUCTS:

2C010 – BUOY
POINT FEATURE.... SYMBOL# 2C010P014 ARTICULATED LIGHT BEACON

ATTRIBUTES:

MF1 – BROADCAST FREQUENCY (1)
ANY

MF2 – BROADCAST FREQUENCY (2)
ANY

COL – CHARACTER OF LIGHT
ANY

NAM – NAME CATEGORY
ANY

PARAMETERS:

Origin: Center of black circle

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

BKPC
HAC 5
HAC 6
HAC 7

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0109014 (Continued)

ATTRIBUTES:

RA1 – RADIO AID (1)
- 000 - UNKNOWN
- 010 - RACON (RACON)
- 017 - CIRCULAR RADIOBEACON (RC)
- 047 - RAMARK (RAMARK)
- 049 - RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 - NONE

RA2 – RADIO AID (2)
- 000 - UNKNOWN
- 010 - RACON (RACON)
- 017 - CIRCULAR RADIOBEACON (RC)
- 047 - RAMARK (RAMARK)
- 049 - RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 - NONE

SSC – STRUCTURE SHAPE CATEGORY
- 098 - ARTICULATED LIGHT

PARAMETERS:

POSICUT:CIRCLE
Posicut: #119
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

2C020 – CLEARING LINE
LINE FEATURE.... SYMBOL# 2C020L001

ATTRIBUTES:

BRG – BEARING OF OBJECT
- ANY

COL – CHARACTER OF LIGHT
- ANY

LAF – LINE ASSOCIATED FEATURES
- 003 - TWO OR MORE LIGHTS

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:BRG
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:COL
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #224
Color: BLACK (#58600)
Oriented parallel to and centered on other labels.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

2C020 – CLEARING LINE
LINE FEATURE.... SYMBOL# 2C020L002

ATTRIBUTES:

BRG – BEARING OF OBJECT
- ANY

DRP – DESCRIPTION OF REFERENCE POINT
- ANY

LAF – LINE ASSOCIATED FEATURES
- 004 - TWO OR MORE BEACONS
- 005 - TWO OR MORE OBJECTS (OTHER THAN TWO LIGHTS OR TWO BEACONS)

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:BRG
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)

LABEL:DRP
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #224
Color: BLACK (#58600)
Oriented parallel to and centered on other labels.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

20020 – CLEARING LINE
LINE FEATURE.... SYMBOL# 200201003

ATTRIBUTES:

BRG – BEARING OF OBJECT
ANY

DRP – DESCRIPTION OF REFERENCE POINT
ANY

LAF – LINE ASSOCIATED FEATURES
001 – ONE OBJECT (OTHER THAN A DIRECTIONAL LIGHT)

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:DRP
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

20020 – CLEARING LINE
LINE FEATURE.... SYMBOL# 200201004

ATTRIBUTES:

BRG – BEARING OF OBJECT
ANY

LAF – LINE ASSOCIATED FEATURES
002 – DIRECTIONAL LIGHT

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:"Dir Lt"
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:BRG
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

20020 – CLEARING LINE
LINE FEATURE.... SYMBOL# 200201005 Clearing Line for Measured Distance Markers

ATTRIBUTES:

LAF – LINE ASSOCIATED FEATURES
006 – MEASURED DISTANCE MARKERS

PARAMETERS:

DASH
Lineweight: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4

20030 – ELECTRONIC BEACON
POINT FEATURE.... SYMBOL# 200300001

ATTRIBUTES:

BF1 – BROADCAST FREQUENCY (1)
ANY

BF2 – BROADCAST FREQUENCY (2)
ANY

BR1 – BEACON RANGE (1)
ANY

BR2 – BEACON RANGE (2)
ANY

NAM – NAME CATEGORY
ANY

RA1 – RADIO AID (1)

PARAMETERS:

Origin: Black dot

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT:POS.CIR.
Posicut: #92
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C030P001 (Continued)

ATTRIBUTES:

RA1 – RADIO AID (1)
- 000 – UNKNOWN
- 004 – RADIO DIRECTION FINDING STATION (RG)
- 005 – DIRECTIONAL RADIOBEACON (RD)
- 010 – RACON (RACON)
- 014 – ROTATING RADIOBEACON (RW)
- 017 – CIRCULAR RADIOBEACON (RC)
- 045 – QTG STATION (R)
- 046 – COAST RADAR STATION (RA)
- 047 – RAMARK (RAMARK)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 051 – CONSOL

RA2 – RADIO AID (2)
- 000 – UNKNOWN
- 004 – RADIO DIRECTION FINDING STATION (RG)
- 005 – DIRECTIONAL RADIOBEACON (RD)
- 010 – RACON (RACON)
- 014 – ROTATING RADIOBEACON (RW)
- 017 – CIRCULAR RADIOBEACON (RC)
- 045 – QTG STATION (R)
- 046 – COAST RADAR STATION (RA)
- 047 – RAMARK (RAMARK)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE
- 051 – CONSOL

PARAMETERS:

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

2C030 – ELECTRONIC BEACON
POINT FEATURE.... SYMBOL# 2C030P002

ATTRIBUTES:

BF1 – BROADCAST FREQUENCY (1)
ANY

BF2 – BROADCAST FREQUENCY (2)
ANY

BR1 – BEACON RANGE (1)
ANY

BR2 – BEACON RANGE (2)
ANY

RA1 – RADIO AID (1)
- 000 – UNKNOWN
- 017 – CIRCULAR RADIOBEACON (RC)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 051 – CONSOL

RA2 – RADIO AID (2)
- 000 – UNKNOWN
- 017 – CIRCULAR RADIOBEACON (RC)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE
- 051 – CONSOL

PARAMETERS:

Origin: Black dot

LABEL
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT:POS.CIR.
Posicut: #92
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

HAC 7
HAC 8
HAC 9

2C030 – ELECTRONIC BEACON
POINT FEATURE.... SYMBOL# 2C030P004

ATTRIBUTES:

BR1 – BEACON RANGE (1)
ANY

BR2 – BEACON RANGE (2)
ANY

RA1 – RADIO AID (1)

PARAMETERS:

Origin: Black dot

LABEL
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0309004 (Continued)

ATTRIBUTES:

RA1 - RADIO AID (1)
- 000 - UNKNOWN
- 004 - RADIO DIRECTION FINDING STATION (RG)
- 005 - DIRECTIONAL RADIOBEACON (RD)
- 010 - RACON (RACON)
- 014 - ROTATING RADIOBEACON (RN)
- 017 - CIRCULAR RADIOBEACON (RC)
- 045 - QTG STATION (R)
- 046 - COAST RADAR STATION (RA)
- 047 - RAMARK (RAMARK)
- 048 - AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 - RADIOBEACON, TYPE UNKNOWN (R BN)

RA2 - RADIO AID (2)
- 000 - UNKNOWN
- 004 - RADIO DIRECTION FINDING STATION (RG)
- 005 - DIRECTIONAL RADIOBEACON (RD)
- 010 - RACON (RACON)
- 014 - ROTATING RADIOBEACON (RN)
- 017 - CIRCULAR RADIOBEACON (RC)
- 045 - QTG STATION (R)
- 046 - COAST RADAR STATION (RA)
- 047 - RAMARK (RAMARK)
- 048 - AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 - RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 - NONE

PARAMETERS:

POSICUT:POS.CIR.
Posicut: #92
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

2C040 - LEADING LINE
LINE FEATURE.... SYMBOL# 2C040L001

ATTRIBUTES:

BRG - BEARING OF OBJECT
- ANY

CHL - CHARACTER OF LIGHT
- ANY

LAF - LINE ASSOCIATED FEATURES
- 003 - TWO OR MORE LIGHTS

PARAMETERS:

DASH
Linewidth: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:BRG
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)

LABEL:CHL
Type Size: 7 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE
Linewidth: 0.200mm
Color: BLACK (#58600)

POSICUT
Posicut: #224
Color: BLACK (#58600)
Oriented parallel to and centered on other labels.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

2C040 - LEADING LINE
LINE FEATURE.... SYMBOL# 2C040L002

ATTRIBUTES:

BRG - BEARING OF OBJECT
- ANY

DRP - DESCRIPTION OF REFERENCE POINT
- ANY

LAF - LINE ASSOCIATED FEATURES
- 004 - TWO OR MORE BEACONS
- 005 - TWO OR MORE OBJECTS (OTHER THAN TWO LIGHTS OR TWO BEACONS)

PARAMETERS:

DASH
Linewidth: 0.150mm
Length: 1.250mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:BRG
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2C040L002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:DRP Type Size: 7 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600) **POSICUT** Posicut: #224 Color: BLACK (#58600) Oriented parallel to and centered on other labels.	

2C040 – LEADING LINE
LINE FEATURE.... SYMBOL# 2C040L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BRG – BEARING OF OBJECT ANY DRP – DESCRIPTION OF REFERENCE POINT ANY LAF – LINE ASSOCIATED FEATURES 001 – ONE OBJECT (OTHER THAN A DIRECTIONAL LIGHT)	**DASH** Lineweight: 0.150mm Length: 1.250mm Space/Spacing: 0.600mm Color: BLACK (#58600) **LABEL:DRP** Type Size: 7 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2C040 – LEADING LINE
LINE FEATURE.... SYMBOL# 2C040L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BRG – BEARING OF OBJECT ANY LAF – LINE ASSOCIATED FEATURES 002 – DIRECTIONAL LIGHT	**DASH** Lineweight: 0.150mm Length: 1.250mm Space/Spacing: 0.600mm Color: BLACK (#58600) **LABEL:"Dir Lt"** Type Size: 7 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:BRG** Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2C040 – LEADING LINE
LINE FEATURE.... SYMBOL# 2C0401L005 Leading Line for Directional Radiobeacon

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BRG – BEARING OF OBJECT ANY LAF – LINE ASSOCIATED FEATURES 007 – DIRECTIONAL RADIOBEACON	DASH Lineweight: 0.150mm Length: 1.250mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:"RD" Type Size: 7 point Type Style: Upper Case Color: PURPLE (#96532) LABEL:BRG Type Size: 7 point Type Style: Lower Case Color: PURPLE (#96532)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2C040 – LEADING LINE
LINE FEATURE.... SYMBOL# 2C0401L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BRG – BEARING OF OBJECT ANY LAF – LINE ASSOCIATED FEATURES 008 – MOIRE EFFECT LIGHT	DOT Space/Spacing: 0.250mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:BRG Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) LINE Lineweight: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

2C050 – LIGHT
LINE FEATURE.... SYMBOL# 2C0501L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HTP – HYDROGRAPHIC LIGHT TYPE 004 – STRIP LIGHT	CIRCLE Lineweight: 0.130mm Color: BLACK (#58600) Outside Diameter: 0.89mm. Circle is repeated every 5.0mm along line. LINE:SAW TOOTH Lineweight: 0.130mm Color: PURPLE (#96532) Side of tooth length: 1.0mm. Angle of teeth: 30° Saw Tooth follows edge of feature, in the water.	HAC 1

2C050 – LIGHT
POINT FEATURE.... SYMBOL# 2C0502P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MF1 – BROADCAST FREQUENCY (1) ANY MF2 – BROADCAST FREQUENCY (2) ANY COL – CHARACTER OF LIGHT ANY EOL – ELEVATION OF LIGHT ANY	Origin: Center of black dot LABEL:LVR/MLR Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:HAM Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:38Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C050P001 (Continued)

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
ANY

HLT – HYDROGRAPHIC LIGHT TYPE
000 – UNKNOWN
002 – OTHER

LVR – LIGHT VISIBILITY RANGE
ANY

MLR – MULTIPLE LIGHT RANGES
ANY

NAM – NAME CATEGORY
ANY

PER – PERIOD OF LIGHT
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
004 – RADIO DIRECTION FINDING STATION (RG)
005 – DIRECTIONAL RADIOBEACON (RD)
010 – RACON (RACON)
014 – ROTATING RADIOBEACON (RW)
017 – CIRCULAR RADIOBEACON (RC)
045 – QTG STATION (R)
046 – COAST RADAR STATION (RA)
047 – RAMARK (RAMARK)
048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

RA2 – RADIO AID (2)
000 – UNKNOWN
004 – RADIO DIRECTION FINDING STATION (RG)
005 – DIRECTIONAL RADIOBEACON (RD)
010 – RACON (RACON)
014 – ROTATING RADIOBEACON (RW)
017 – CIRCULAR RADIOBEACON (RC)
045 – QTG STATION (R)
046 – COAST RADAR STATION (RA)
047 – RAMARK (RAMARK)
048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

REF – RADAR REFLECTOR ATTRIBUTE
001 – RADAR REFLECTOR PRESENT
002 – RADAR REFLECTOR ABSENT

SST – SOUND SIGNAL TYPE
000 – UNKNOWN
001 – BELL (BELL)
002 – WHISTLE (WHIS)
003 – HORN (HORN)
004 – GONG (GONG)
005 – DIAPHONE (DIA)
006 – SIREN (SIREN)
007 – REED (REED)
008 – EXPLOSIVE (EXPLOS)
016 – NONE

PARAMETERS:

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:PER;EOL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POSICUT:DOT
Posicut: #199
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF.
Posicut: #93
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

2C050 – LIGHT
POINT FEATURE.... SYMBOL# 2C050P002 LIGHTED BEACON

ATTRIBUTES:

BF1 – BROADCAST FREQUENCY (1)
ANY

BF2 – BROADCAST FREQUENCY (2)
ANY

CCF – COLOR CODE OF FEATURE

PARAMETERS:

Origin: Center of black circle

LABEL:CCF
Type Size: 5 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 20050P002 (Continued)

ATTRIBUTES:

CCF – COLOR CODE OF FEATURE
- 000 – UNKNOWN
- 001 – RED (R)
- 002 – RED & WHITE (RW)
- 003 – RED & GREEN (RG)
- 004 – RED & BLACK (RB)
- 005 – RED-GREEN-RED (RGR)
- 006 – GREEN (G)
- 007 – GREEN & WHITE (GW)
- 008 – GREEN & RED (GR)
- 009 – GREEN & BLACK (GB)
- 010 – GREEN-RED-GREEN (GRG)
- 011 – GREEN-YELLOW-BLACK (GYB)
- 012 – YELLOW (Y)
- 013 – YELLOW & BLACK (YB)
- 014 – YELLOW-BLACK-YELLOW (YBY)
- 015 – YELLOW & RED (YR)
- 016 – YELLOW & GREEN (YG)
- 017 – YELLOW-RED-WHITE (YRW)
- 018 – BLACK (B)
- 019 – BLACK & YELLOW (BY)
- 020 – BLACK-YELLOW-BLACK (BYB)
- 021 – BLACK-RED-BLACK (BRB)
- 022 – BLACK & WHITE (BW)
- 023 – BLACK & RED (BR)
- 024 – BLACK & GREEN (BG)
- 025 – WHITE (W)
- 026 – WHITE & RED (WR)
- 027 – WHITE & ORANGE (W OR)
- 028 – WHITE & GREEN (WG)
- 029 – WHITE & BLACK (WB)
- 030 – WHITE & YELLOW (WY)
- 031 – WHITE-RED-GREEN (WRG)
- 032 – WHITE-GREEN-WHITE (WGW)
- 033 – ORANGE (OR)
- 034 – BLUE (BU)
- 035 – GRAY (GY)
- 036 – VIOLET (VI)
- 037 – BROWN (BR)

COL – CHARACTER OF LIGHT
- ANY

ECL – ELEVATION OF LIGHT
- ANY

EXS – EXISTENCE CATEGORY
- ANY

HLT – HYDROGRAPHIC LIGHT TYPE
- 006 – LIGHTED BEACON

LVR – LIGHT VISIBILITY RANGE
- ANY

MLR – MULTIPLE LIGHT RANGES
- ANY

NAM – NAME CATEGORY
- ANY

PER – PERIOD OF LIGHT
- ANY

RAI – RADIO AID (1)
- 000 – UNKNOWN
- 004 – RADIO DIRECTION FINDING STATION (RG)
- 005 – DIRECTIONAL RADIOBEACON (RD)
- 010 – RACON (RACON)
- 014 – ROTATING RADIOBEACON (RW)
- 017 – CIRCULAR RADIOBEACON (RC)
- 045 – QTG STATION (R)
- 046 – COAST RADAR STATION (RA)
- 047 – RAMARK (RAMARK)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)

PARAMETERS:

LABEL:LVR/MLR
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:PER;ECL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POS:RW TR-OPEN
Posicut: #237
Color: BLACK (#58600)

POS:RW TR-FILLED
Posicut: #238
Color: BLACK (#58600)

POS:LATTICE RW
Posicut: #239
Color: BLACK (#58600)

POSICUT:BEACON
Posicut: #85
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF.
Posicut: #93
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:TMC01
Posicut: #169
Color: BLACK (#58600)

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C050P002 (Continued)

ATTRIBUTES:

RA1 – RADIO AID (1)
- 050 – NONE

RA2 – RADIO AID (2)
- 000 – UNKNOWN
- 004 – RADIO DIRECTION FINDING STATION (RG)
- 005 – DIRECTIONAL RADIOBEACON (RD)
- 010 – RACON (RACON)
- 014 – ROTATING RADIOBEACON (RN)
- 017 – CIRCULAR RADIOBEACON (RC)
- 045 – QTG STATION (R)
- 046 – COAST RADAR STATION (RA)
- 047 – RAMARK (RAMARK)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

REF – RADAR REFLECTOR ATTRIBUTE
- 001 – RADAR REFLECTOR PRESENT
- 002 – RADAR REFLECTOR ABSENT

SSC – STRUCTURE SHAPE CATEGORY
- 000 – UNKNOWN
- 079 – OTHER
- 100 – TOWER
- 105 – LATTICE

SST – SOUND SIGNAL TYPE
- 000 – UNKNOWN
- 001 – BELL (BELL)
- 002 – WHISTLE (WHIS)
- 003 – HORN (HORN)
- 004 – GONG (GONG)
- 005 – DIAPHONE (DIA)
- 006 – SIREN (SIREN)
- 007 – REED (REED)
- 008 – EXPLOSIVE (EXPLOS)
- 016 – NONE

TMC – TOPMARK CATEGORY
- 000 – UNKNOWN
- 001 – CAN (OPEN)
- 002 – CONE, POINT UP (OPEN)
- 003 – CAN (FILLED)
- 004 – CONE, POINT UP (FILLED)
- 005 – "X"
- 006 – BALL (OPEN)
- 007 – DOUBLE BALL (FILLED)
- 008 – DOUBLE CONE, POINTS UPWARD (FILLED)
- 009 – DOUBLE CONE, POINTS APART (FILLED)
- 010 – DOUBLE CONE, POINTS DOWNWARD (FILLED)
- 011 – DOUBLE CONE, POINTS TOGETHER (FILLED)
- 012 – DIAMOND (OPEN)
- 013 – DIAMOND (FILLED)
- 014 – CONE, POINT UP, OVER BALL (OPEN)
- 015 – CONE, POINT UP, OVER BALL (FILLED)
- 016 – BALL OVER CONE, POINT UP (OPEN)
- 017 – BALL OVER CONE, POINT UP (FILLED)
- 018 – CROSS
- 019 – BALL (FILLED)
- 020 – BROOM
- 021 – "T"
- 022 – CAN OVER BALL (OPEN)
- 023 – CROSS OVER BALL (OPEN)
- 024 – DIAMOND OVER BALL (FILLED)
- 025 – DOUBLE BALL (OPEN)
- 026 – CONE, POINT DOWNWARD (OPEN)
- 027 – DOUBLE CONE, POINTS APART (OPEN)
- 099 – NONE

PARAMETERS:

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

POSICUT:TMC18
Posicut: #186
Color: (#59600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

POSICUT:TMC21
Posicut: #189
Color: BLACK (#58600)

POSICUT:TMC22
Posicut: #190
Color: BLACK (#58600)

POSICUT:TMC23
Posicut: #191
Color: BLACK (#58600)

POSICUT:TMC24
Posicut: #192
Color: BLACK (#58600)

POSICUT:TMC25
Posicut: #193
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C0509002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:DMC26 Posicut: #194 Color: BLACK (#58600) POSICUT:DMC27 Posicut: #195 Color: BLACK (#58600)	

20050 - LIGHT
POINT FEATURE.... SYMBOL# 2C0509003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
INF1 - BROADCAST FREQUENCY (1) ANY	Origin: Center of black dot	HAC 5 HAC 6
INF2 - BROADCAST FREQUENCY (2) ANY	LABEL:LVR/MLR Type Size: 7 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	
COL - CHARACTER OF LIGHT ANY	LABEL:NAM Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
HLF - HYDROGRAPHIC LIGHT TYPE 000 - UNKNOWN 001 - SECTORED LIGHT 002 - OTHER 006 - LIGHTED BEACON	LABEL:OTHER Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
LVR - LIGHT VISIBILITY RANGE ANY	LABEL:PER Type Size: 7 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	
MLR - MULTIPLE LIGHT RANGES ANY	POSICUT:DOT Posicut: #199 Color: BLACK (#58600)	
NAM - NAME CATEGORY ANY	POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532)	
PER - PERIOD OF LIGHT ANY	POSICUT:RADIO AID Posicut: #86 Color: PURPLE (#96532)	
RA1 - RADIO AID (1) 000 - UNKNOWN 004 - RADIO DIRECTION FINDING STATION (RG) 005 - DIRECTIONAL RADIOBEACON (RD) 010 - RACON (RACON) 014 - ROTATING RADIOBEACON (RW) 017 - CIRCULAR RADIOBEACON (RC) 045 - QTG STATION (R) 046 - COAST RADAR STATION (RA) 047 - RAMARK (RAMARK) 048 - AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE		
RA2 - RADIO AID (2) 000 - UNKNOWN 004 - RADIO DIRECTION FINDING STATION (RG) 005 - DIRECTIONAL RADIOBEACON (RD) 010 - RACON (RACON) 014 - ROTATING RADIOBEACON (RW) 017 - CIRCULAR RADIOBEACON (RC) 045 - QTG STATION (R) 046 - COAST RADAR STATION (RA) 047 - RAMARK (RAMARK) 048 - AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC) 049 - RADIOBEACON, TYPE UNKNOWN (R BN) 050 - NONE		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2C050 – LIGHT
POINT FEATURE.... SYMBOL# 2C050P004

ATTRIBUTES:

EF1 – BROADCAST FREQUENCY (1)
ANY

EF2 – BROADCAST FREQUENCY (2)
ANY

COL – CHARACTER OF LIGHT
ANY

HLF – HYDROGRAPHIC LIGHT TYPE
000 – UNKNOWN
001 – SECTORED LIGHT
002 – OTHER
006 – LIGHTED BEACON

LVR – LIGHT VISIBILITY RANGE
ANY

MLR – MULTIPLE LIGHT RANGES
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
017 – CIRCULAR RADIOBEACON (RC)
048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

RA2 – RADIO AID (2)
000 – UNKNOWN
017 – CIRCULAR RADIOBEACON (RC)
048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NONE

PARAMETERS:

Origin: Center of black dot

LABEL:LVR/MLR
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT:DOT
Posicut: #199
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

BNPC
HAC 7
HAC 8
HAC 9

2C050 – LIGHT
POINT FEATURE.... SYMBOL# 2C050P005 SECTORED LIGHT

ATTRIBUTES:

EF1 – BROADCAST FREQUENCY (1)
ANY

EF2 – BROADCAST FREQUENCY (2)
UNKNOWN

COL – CHARACTER OF LIGHT
ANY

ECL – ELEVATION OF LIGHT
ANY

HLF – HYDROGRAPHIC LIGHT TYPE
001 – SECTORED LIGHT

LS1 – SECTOR LABEL (1)
ANY

LS2 – SECTOR LABEL (2)
ANY

LS3 – SECTOR LABEL (3)
ANY

LS4 – SECTOR LABEL (4)
ANY

LS5 – SECTOR LABEL (5)
ANY

LS6 – SECTOR LABEL (6)
ANY

PARAMETERS:

Origin: Center of black dot

DASH:SECTORS
Lineweight: 0.150mm
Length: 0.750mm
Space/Spacing: 0.250mm
Color: BLACK (#58600)

LABEL:LVR/MLR
Type Size: 7 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:ELEV
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:PER/ECL
Type Size: 7 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

POSICUT:ARROW
Posicut: #168
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C050P005 (Continued)

ATTRIBUTES:

L57 – SECTOR LABEL (7)
ANY

L58 – SECTOR LABEL (8)
ANY

L59 – SECTOR LABEL (9)
ANY

L60 – SECTOR LABEL (10)
ANY

L61 – SECTOR LABEL (11)
ANY

L62 – SECTOR LABEL (12)
ANY

L63 – SECTOR LABEL (13)
ANY

L64 – SECTOR LABEL (14)
ANY

L65 – SECTOR LABEL (15)
ANY

L66 – SECTOR LABEL (16)
ANY

L67 – SECTOR LABEL (17)
ANY

L68 – SECTOR LABEL (18)
ANY

L69 – SECTOR LABEL (19)
ANY

L70 – SECTOR LABEL (20)
ANY

L71 – SECTOR LABEL (21)
ANY

L72 – SECTOR LABEL (22)
ANY

L73 – SECTOR LABEL (23)
ANY

L74 – SECTOR LABEL (24)
ANY

L75 – SECTOR LABEL (25)
ANY

LVR – LIGHT VISIBILITY RANGE
ANY

MLR – MULTIPLE LIGHT RANGES
ANY

NAM – NAME CATEGORY
ANY

PER – PERIOD OF LIGHT
ANY

RA1 – RADIO AID (1)
000 – UNKNOWN
004 – RADIO DIRECTION FINDING STATION (RG)
005 – DIRECTIONAL RADIOBEACON (RD)
010 – RACON (RACON)
014 – ROTATING RADIOBEACON (RW)
017 – CIRCULAR RADIOBEACON (RC)
045 – QTG STATION (R)
046 – COAST RADAR STATION (RA)
047 – RAMARK (RAMARK)
048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
049 – RADIOBEACON, TYPE UNKNOWN (R BN)
050 – NDBE

RA2 – RADIO AID (2)
000 – UNKNOWN

PARAMETERS:

POSICUT:DOT
Posicut: #199
Color: BLACK (#58600)

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF.
Posicut: #93
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C050P005 (Continued)

ATTRIBUTES: **PARAMETERS:** **PRODUCTS:**

RA2 – RADIO AID (2)
- 004 – RADIO DIRECTION FINDING STATION (RG)
- 005 – DIRECTIONAL RADIOBEACON (RD)
- 010 – RACON (RACON)
- 014 – ROTATING RADIOBEACON (RW)
- 017 – CIRCULAR RADIOBEACON (RC)
- 045 – QTG STATION (R)
- 046 – COAST RADAR STATION (RA)
- 047 – RAMARK (RAMARK)
- 048 – AERONAUTICAL RADIOBEACON, NON-DIRECTIONAL (AERO RC)
- 049 – RADIOBEACON, TYPE UNKNOWN (R BN)
- 050 – NONE

RRF – RADAR REFLECTOR ATTRIBUTE
- 001 – RADAR REFLECTOR PRESENT
- 002 – RADAR REFLECTOR ABSENT

S51 – SECTOR ANGLE (1)
0.0-359.9/0.0-359.9

S52 – SECTOR ANGLE (2)
0.0-359.9/0.0-359.9

S53 – SECTOR ANGLE (3)
0.0-359.9/0.0-359.9

S54 – SECTOR ANGLE (4)
0.0-359.9/0.0-359.9

S55 – SECTOR ANGLE (5)
0.0-359.9/0.0-359.9

S56 – SECTOR ANGLE (6)
0.0-359.9/0.0-359.9

S57 – SECTOR ANGLE (7)
0.0-359.9/0.0-359.9

S58 – SECTOR ANGLE (8)
0.0-359.9/0.0-359.9

S59 – SECTOR ANGLE (9)
0.0-359.9/0.0-359.9

S60 – SECTOR ANGLE (10)
0.0-359.9/0.0-359.9

S61 – SECTOR ANGLE (11)
0.0-359.9/0.0-359.9

S62 – SECTOR ANGLE (12)
0.0-359.9/0.0-359.9

S63 – SECTOR ANGLE (13)
0.0-359.9/0.0-359.9

S64 – SECTOR ANGLE (14)
0.0-359.9/0.0-359.9

S65 – SECTOR ANGLE (15)
0.0-359.9/0.0-359.9

S66 – SECTOR ANGLE (16)
0.0-359.9/0.0-359.9

S67 – SECTOR ANGLE (17)
0.0-359.9/0.0-359.9

S68 – SECTOR ANGLE (18)
0.0-359.9/0.0-359.9

S69 – SECTOR ANGLE (19)
0.0-359.9/0.0-359.9

S70 – SECTOR ANGLE (20)
0.0-359.9/0.0-359.9

S71 – SECTOR ANGLE (21)
0.0-359.9/0.0-359.9

S72 – SECTOR ANGLE (22)
0.0-359.9/0.0-359.9

S73 – SECTOR ANGLE (23)
0.0-359.9/0.0-359.9

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C050P005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
874 – SECTOR ANGLE (24) 0.0-359.9/0.0-359.9 875 – SECTOR ANGLE (25) 0.0-359.9/0.0-359.9 SST – SOUND SIGNAL TYPE 000 – UNKNOWN 001 – BELL (BELL) 002 – WHISTLE (WHIS) 003 – HORN (HORN) 004 – GONG (GONG) 005 – DIAPHONE (DIA) 006 – SIREN (SIREN) 007 – REED (REED) 008 – EXPLOSIVE (EXPLOS) 016 – NONE		

20050 – LIGHT
POINT FEATURE.... SYMBOL# 2C050P009 MARINE LIGHT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COL – CHARACTER OF LIGHT ANY	Origin: Center of dot DOT Diameter: 2.000mm Color: AERO BLUE (#46351) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351)	JOG A

20050 – LIGHT
POINT FEATURE.... SYMBOL# 2C050P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HLF – HYDROGRAPHIC LIGHT TYPE 003 – MOIRE EFFECT LIGHT	CIRCLE Posicut: #201 Color: BLACK (#58600) Origin: center of small black circle. LABEL Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) TRIANGLE:SOLID Color: PURPLE (#96532) Shape: Filled equilateral triangle. Length of each side: 2.6mm.	COMBAT HAC 1 HAC 2

20055 – MARKER
POINT FEATURE.... SYMBOL# 2C055P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of rectangle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) RECTANGLE Linewaight: 0.100mm Color: BLACK (#58600) Length: 1.52mm. Width: 0.84mm.	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2C060 - VISUAL BEACON
POINT FEATURE.... SYMBOL# 2C060P001

ATTRIBUTES:

BF1 - BROADCAST FREQUENCY (1)
ANY

BF2 - BROADCAST FREQUENCY (2)
ANY

CCF - COLOR CODE OF FEATURE
- **000** - UNKNOWN
- **001** - RED (R)
- **002** - RED & WHITE (RW)
- **003** - RED & GREEN (RG)
- **004** - RED & BLACK (RB)
- **005** - RED-GREEN-RED (RGR)
- **006** - GREEN (G)
- **007** - GREEN & WHITE (GW)
- **008** - GREEN & RED (GR)
- **009** - GREEN & BLACK (GB)
- **010** - GREEN-RED-GREEN (GRG)
- **011** - GREEN-YELLOW-BLACK (GYB)
- **012** - YELLOW (Y)
- **013** - YELLOW & BLACK (YB)
- **014** - YELLOW-BLACK-YELLOW (YBY)
- **015** - YELLOW & RED (YR)
- **016** - YELLOW & GREEN (YG)
- **017** - YELLOW-RED-WHITE (YRW)
- **018** - BLACK (B)
- **019** - BLACK & YELLOW (BY)
- **020** - BLACK-YELLOW-BLACK (BYB)
- **021** - BLACK-RED-BLACK (BRB)
- **022** - BLACK & WHITE (BW)
- **023** - BLACK & RED (BR)
- **024** - BLACK & GREEN (BG)
- **025** - WHITE (W)
- **026** - WHITE & RED (WR)
- **027** - WHITE & ORANGE (W OR)
- **028** - WHITE & GREEN (WG)
- **029** - WHITE & BLACK (WB)
- **030** - WHITE & YELLOW (WY)
- **031** - WHITE-RED-GREEN (WRG)
- **032** - WHITE-GREEN-WHITE (WGW)
- **033** - ORANGE (OR)
- **034** - BLUE (BU)
- **035** - GRAY (GY)
- **036** - VIOLET (VI)
- **037** - BROWN (BR)

NAM - NAME CATEGORY
ANY

RA1 - RADIO AID (1)
- **000** - UNKNOWN
- **010** - RACON (RACON)
- **017** - CIRCULAR RADIOBEACON (RC)
- **047** - RAMARK (RAMARK)
- **049** - RADIOBEACON, TYPE UNKNOWN (R BN)
- **050** - NONE

RA2 - RADIO AID (2)
- **000** - UNKNOWN
- **010** - RACON (RACON)
- **017** - CIRCULAR RADIOBEACON (RC)
- **047** - RAMARK (RAMARK)
- **049** - RADIOBEACON, TYPE UNKNOWN (R BN)
- **050** - NONE

REF - RADAR REFLECTOR ATTRIBUTE
- **001** - RADAR REFLECTOR PRESENT
- **002** - RADAR REFLECTOR ABSENT

SSC - STRUCTURE SHAPE CATEGORY
- **000** - UNKNOWN
- **079** - OTHER
- **100** - TOWER

PARAMETERS:

Origin: Center of black circle

LABEL:CCF
Type Size: 5 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:NAM
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 7 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POS:BN TR-FILLED
Posicut: #238
Color: BLACK (#58600)

POS:BN TR-OPEN
Posicut: #237
Color: BLACK (#58600)

POS:LATTICE BN
Posicut: #239
Color: BLACK (#58600)

POSICUT:BEACON
Posicut: #85
Color: BLACK (#58600)

POSICUT:FOG SIG.
Posicut: #59
Color: PURPLE (#96532)

POSICUT:RA REF.
Posicut: #93
Color: BLACK (#58600)

POSICUT:RADIO AID
Posicut: #86
Color: PURPLE (#96532)

POSICUT:TMC01
Posicut: #169
Color: BLACK (#58600)

POSICUT:TMC02
Posicut: #170
Color: BLACK (#58600)

POSICUT:TMC03
Posicut: #171
Color: BLACK (#58600)

POSICUT:TMC04
Posicut: #172
Color: BLACK (#58600)

POSICUT:TMC05
Posicut: #173
Color: BLACK (#58600)

POSICUT:TMC06
Posicut: #174
Color: BLACK (#58600)

POSICUT:TMC07
Posicut: #175
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C040P001 (Continued)

ATTRIBUTES:

SBC - STRUCTURE SHAPE CATEGORY
105 - LATTICE

SNT - SOUND SIGNAL TYPE
000 - UNKNOWN
001 - BELL (BELL)
002 - WHISTLE (WHIS)
003 - HORN (HORN)
004 - GONG (GONG)
005 - DIAPHONE (DIA)
006 - SIREN (SIREN)
007 - REED (REED)
008 - EXPLOSIVE (EXPLOS)
016 - NONE

TMC - TOPMARK CATEGORY
000 - UNKNOWN
001 - CAN (OPEN)
002 - CONE, POINT UP (OPEN)
003 - CAN (FILLED)
004 - CONE, POINT UP (FILLED)
005 - "X"
006 - BALL (OPEN)
007 - DOUBLE BALL (FILLED)
008 - DOUBLE CONE, POINTS UPWARD (FILLED)
009 - DOUBLE CONE, POINTS APART (FILLED)
010 - DOUBLE CONE, POINTS DOWNWARD (FILLED)
011 - DOUBLE CONE, POINTS TOGETHER (FILLED)
012 - DIAMOND (OPEN)
013 - DIAMOND (FILLED)
014 - CONE, POINT UP, OVER BALL (OPEN)
015 - CONE, POINT UP, OVER BALL (FILLED)
016 - BALL OVER CONE, POINT UP (OPEN)
017 - BALL OVER CONE, POINT UP (FILLED)
018 - CROSS
019 - BALL (FILLED)
020 - BROOM
021 - "T"
022 - CAN OVER BALL (OPEN)
023 - CROSS OVER BALL (OPEN)
024 - DIAMOND OVER BALL (FILLED)
025 - DOUBLE BALL (OPEN)
026 - CONE, POINT DOWNWARD (OPEN)
027 - DOUBLE CONE, POINTS APART (OPEN)
099 - NONE

PARAMETERS:

POSICUT:TMC08
Posicut: #176
Color: BLACK (#58600)

POSICUT:TMC09
Posicut: #177
Color: BLACK (#58600)

POSICUT:TMC10
Posicut: #178
Color: BLACK (#58600)

POSICUT:TMC11
Posicut: #179
Color: BLACK (#58600)

POSICUT:TMC12
Posicut: #180
Color: BLACK (#58600)

POSICUT:TMC13
Posicut: #181
Color: BLACK (#58600)

POSICUT:TMC14
Posicut: #182
Color: BLACK (#58600)

POSICUT:TMC15
Posicut: #183
Color: BLACK (#58600)

POSICUT:TMC16
Posicut: #184
Color: BLACK (#58600)

POSICUT:TMC17
Posicut: #185
Color: BLACK (#58600)

POSICUT:TMC18
Posicut: #186
Color: BLACK (#58600)

POSICUT:TMC19
Posicut: #187
Color: BLACK (#58600)

POSICUT:TMC20
Posicut: #188
Color: BLACK (#58600)

POSICUT:TMC21
Posicut: #189
Color: BLACK (#58600)

POSICUT:TMC22
Posicut: #190
Color: BLACK (#58600)

POSICUT:TMC23
Posicut: #191
Color: BLACK (#58600)

POSICUT:TMC24
Posicut: #192
Color: BLACK (#58600)

POSICUT:TMC25
Posicut: #193
Color: BLACK (#58600)

POSICUT:TMC26
Posicut: #194
Color: BLACK (#58600)

PRODUCTS:

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C060P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:INC27 Posicut: #195 Color: BLACK (#58600)	

2C060 – VISUAL BEACON
POINT FEATURE.... SYMBOL# 2C060P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BF1 – BROADCAST FREQUENCY (1) ANY	Origin: Center of black circle	HAC 4 HAC 5
BF2 – BROADCAST FREQUENCY (2) ANY	**LABEL** Type Size: 7 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
RA1 – RADIO AID (1) 000 – UNKNOWN 010 – RACON (RACON) 017 – CIRCULAR RADIOBEACON (RC) 047 – RAMARK (RAMARK) 049 – RADIOBEACON, TYPE UNKNOWN (R BN) 050 – NONE	**POS:BN TR-FILLED** Posicut: #238 Color: BLACK (#58600)	
	POS:BN TR-OPEN Posicut: #237 Color: BLACK (#58600)	
RA2 – RADIO AID (2) 000 – UNKNOWN 010 – RACON (RACON) 017 – CIRCULAR RADIOBEACON (RC) 047 – RAMARK (RAMARK) 049 – RADIOBEACON, TYPE UNKNOWN (R BN) 050 – NONE	**POS:LATTICE BN** Posicut: #238 Color: BLACK (#58600)	
	POSICUT:BEACON Posicut: #85 Color: BLACK (#58600)	
SSC – STRUCTURE SHAPE CATEGORY 000 – UNKNOWN 079 – OTHER 100 – TOWER 105 – LATTICE	**POSICUT:RADIO AID** Posicut: #86 Color: PURPLE (#96532)	

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT HAC 1 HAC 2 HAC 3
DAT – DATE CATEGORY ANY	**DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	HAC 4 HAC 5 HAC 6 HAC 7
DDA – DESCRIPTION OF DANGER ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 8 HAC 9
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED		
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN		
SFC – SEA FLOOR FEATURE CATEGORY 002 – OTHER		

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD000A002 (Continued)

ATTRIBUTES:

DAT – DATE CATEGORY
ANY

DDA – DESCRIPTION OF DANGER
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
002 – OTHER

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

DDA – DESCRIPTION OF DANGER
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
002 – OTHER

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digit plus 0.5mm on each end. Tick length = 1.0mm, oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A006

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A007

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000AD08

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A009

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A010

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Linewieght: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side. Tick length = 1.0mm,oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A011

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

DDA – DESCRIPTION OF DANGER
ANY

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2D000A011 (Continued)

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
- > 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
- 002 – OTHER

PARAMETERS:

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A012

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

DDA – DESCRIPTION OF DANGER
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
- > 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
- 002 – OTHER

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: Length of HDP digits, plus 0.5mm on each end.
Tick length: 1.0mm on each end, oriented 90° to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# 2D000A013

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
- > 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
- 001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
AREA FEATURE.... SYMBOL# ZD000A014

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY

001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: Length of HDP digits, plus 0.5mm on each end.
Tick length: 1.0mm on each end, oriented 90° to line.

PRODUCTS:

COMBAT
MAC 1
MAC 2
MAC 3
MAC 4
MAC 5
MAC 6
MAC 7
MAC 8
MAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P001

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

DDA – DESCRIPTION OF DANGER
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SFC – SEA FLOOR FEATURE CATEGORY
002 – OTHER

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
MAC 1
MAC 2
MAC 3
MAC 4
MAC 5
MAC 6
MAC 7
MAC 8
MAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P002

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

DDA – DESCRIPTION OF DANGER
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

PRODUCTS:

COMBAT
MAC 1
MAC 2
MAC 3
MAC 4
MAC 5
MAC 6
MAC 7
MAC 8
MAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D000P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP - HYDROGRAPHIC DEPTH ≤ 30.0m SFC - SEA FLOOR FEATURE CATEGORY 002 - OTHER	**LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

2D000 - MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY DDA - DESCRIPTION OF DANGER ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 - DEPTH KNOWN BY WIRE DRAG HDP - HYDROGRAPHIC DEPTH ≤ 30.0m SFC - SEA FLOOR FEATURE CATEGORY 002 - OTHER	Origin: Center of circle **AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm **LABEL:HDP** Type Size: 7 - 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **UNDERSCORE:HDP** Lineweight: 0.200mm Color: BLACK (#58600) Line length: 4.0mm. Tick length: 1.0mm, oriented 90 degrees to line.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D000 - MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN SFC - SEA FLOOR FEATURE CATEGORY 004 - WELL	Origin: Center of circle **AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P006

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
004 – WELL

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750cm
Diameter: 0.250cm
Color: BLACK (#58600)
Circle diameter: 4.0cm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P007

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
004 – WELL

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750cm
Diameter: 0.250cm
Color: BLACK (#58600)
Circle diameter: 4.0cm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P008

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750cm
Diameter: 0.250cm
Color: BLACK (#58600)
Circle diameter: 4.0cm

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P010

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P011

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
003 – FISH HAVEN

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P012

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD000 — MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P013

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

EXS - EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 - DEPTH KNOWN

HDP - HYDROGRAPHIC DEPTH
≤ 30.0m

SFC - SEA FLOOR FEATURE CATEGORY
001 - UNKNOWN (OBSTRUCTION)

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 — MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P014

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

EXS - EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 - DEPTH KNOWN BY WIRE DRAG

HDP - HYDROGRAPHIC DEPTH
≤ 30.0m

SFC - SEA FLOOR FEATURE CATEGORY
001 - UNKNOWN (OBSTRUCTION)

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Length of line: 4.0mm. Tick length: 1.0mm,
oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD000 — MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P015

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

PARAMETERS:

Origin: Center of circle

CENTER LINE
Lineweight: 0.200mm
Length: 4.000mm
Color: PURPLE (#96532)
Orientation: 45 degrees from north.
Placement: Through center of circle.

PRODUCTS:

RSPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D000P015 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED SSF - SONAR SIGNIFICANCE FACTOR 001 - SONAR CONFIRMED	CIRCLE Lineweight: 0.200mm Diameter: 4.000mm Color: PURPLE (#96532)	

2D000 - MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED SSF - SONAR SIGNIFICANCE FACTOR 002 - NOT SONAR CONFIRMED	Origin: Center of circle CIRCLE Lineweight: 0.200mm Diameter: 4.000mm Color: PURPLE (#96532)	BNPC

2D000 - MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN SFC - SEA FLOOR FEATURE CATEGORY 005 - SUBMERGED PRODUCTION PLATFORM	Origin: Center of circle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D000 - MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP - HYDROGRAPHIC DEPTH	Origin: Center of circle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL:HDP Type Size: 7 - 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD000P019 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EDP – HYDROGRAPHIC DEPTH ≤ 30.0m		
SFC – SEA FLOOR FEATURE CATEGORY 005 – SUBMERGED PRODUCTION PLATFORM	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL	Origin: Center of circle	COMBAT HAC 1 HAC 2
DAT – DATE CATEGORY ANY	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm	HAC 3 HAC 4 HAC 5 HAC 6 HAC 7
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED	LABEL:EDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	HAC 8 HAC 9
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
EDP – HYDROGRAPHIC DEPTH > 30.0m		
SFC – SEA FLOOR FEATURE CATEGORY 005 – SUBMERGED PRODUCTION PLATFORM		

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P021

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL	Origin: Center of circle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT HAC 1 HAC 2 HAC 3
DAT – DATE CATEGORY ANY	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm	HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED	LABEL:EDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
EDP – HYDROGRAPHIC DEPTH ≤ 30.0m	UNDERSCORE:EDP Lineweight: 0.200mm Color: BLACK (#58600) Length of line: 4.0mm. Tick length: 1.0mm, oriented 90 degrees to line.	
SFC – SEA FLOOR FEATURE CATEGORY 005 – SUBMERGED PRODUCTION PLATFORM		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P022

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
005 – SUBMERGED PRODUCTION PLATFORM

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Length of line: 4.0mm. Tick length: 1.0mm,
oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P023

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
004 – WELL

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 - 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: 4.0mm. Tick length: 1.0mm,
oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P024

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD000P024 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HYI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG HDP – HYDROGRAPHIC DEPTH > 30.0m SFC – SEA FLOOR FEATURE CATEGORY 004 – WELL	LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: 4.0mm. Ticklength: 1.0mm, oriented 90 degrees to line.	HAC 7 HAC 8 HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY DDA – DESCRIPTION OF DANGER ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HYI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN HDP – HYDROGRAPHIC DEPTH > 30.0m SFC – SEA FLOOR FEATURE CATEGORY 002 – OTHER	Origin: Center of circle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# ZD000P026

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY DDA – DESCRIPTION OF DANGER ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HYI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG	Origin: Center of circle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D000P026 (Continued)

ATTRIBUTES:

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY

002 – OTHER

PARAMETERS:

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: 4.0mm
Tick length: 1.0mm on each end, oriented 90° to line.

PRODUCTS:

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P027

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D000 – MISCELLANEOUS UNDERWATER FEATURE
POINT FEATURE.... SYMBOL# 2D000P028

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
> 30.0m

SFC – SEA FLOOR FEATURE CATEGORY
001 – UNKNOWN (OBSTRUCTION)

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: 4.0mm
Tick length: 1.0mm on each end, oriented 90° to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD010 – BREAKERS
AREA FEATURE.... SYMBOL# ZD010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 008 – AT SHORELINE	DASH:PERIMETER Lineweight: 0.130mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:"Br" Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD010 – BREAKERS
POINT FEATURE.... SYMBOL# ZD010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED LOC – LOCATION /ORIGIN CATEGORY 002 – OFF-SHORE	Origin: Center of "Br" label LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD010 – BREAKERS
POINT FEATURE.... SYMBOL# ZD010P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 008 – AT SHORELINE	Origin: Center between ends POSICUT Posicut: #100 Color: BLACK (#58600) Open end of arc faces shoreline.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD020 – CRIB
AREA FEATURE.... SYMBOL# ZD020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D020 - CRIB
AREA FEATURE.... SYMBOL# 2D020A002

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

EXS - EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 - DEPTH UNKNOWN

VRC - VERTICAL REFERENCE CATEGORY
004 - BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D020 - CRIB
AREA FEATURE.... SYMBOL# 2D020A003

ATTRIBUTES:

VRC - VERTICAL REFERENCE CATEGORY
008 - COVERS AND UNCOVERS

PARAMETERS:

AREA:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

AREA:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D020 - CRIB
AREA FEATURE.... SYMBOL# 2D020A004

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

EXS - EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 - DEPTH KNOWN

HDP - HYDROGRAPHIC DEPTH
ANY

VRC - VERTICAL REFERENCE CATEGORY
004 - BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD020 - GRID
POINT FEATURE.... SYMBOL# ZD020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VMC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	Origin: Center of square **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **SQUARE** Lineweight: 0.200mm Color: BLACK (#58600) Length: 1.0mm. Width: 1.0mm	COMBAT HAC 1 HAC 2 HAC 3

ZD020 - GRID
POINT FEATURE.... SYMBOL# ZD020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN VMC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	Origin: Center of square **AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DASH:PERIMETER** Lineweight: 0.200mm Length: 0.600mm Space/Spacing: 0.400mm Color: BLACK (#58600) Space centered on each side. Symbol square size: 1.0 x 1.0mm. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

ZD020 - GRID
POINT FEATURE.... SYMBOL# ZD020P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VMC - VERTICAL REFERENCE CATEGORY 008 - COVERS AND UNCOVERS	Origin: Center of square **AREA:FILL1** Color: BLACK (#58600) Screen: 12%,15° Angle **AREA:FILL2** Color: BLUE (#48253) Screen: 31%,45° Angle **DASH:PERIMETER** Lineweight: 0.200mm Length: 0.600mm Space/Spacing: 0.400mm Color: BLACK (#58600) Space centered on each side. Symbol square size: 1.0 x 1.0mm **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D020 – CRIB
POINT FEATURE.... SYMBOL# 2D020P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of square

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 0.600mm
Space/Spacing: 0.400mm
Color: BLACK (#58600)
Space centered on each side. Symbol square size: 1.0 x 1.0mm.

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D030 – DISCOLORED WATER
AREA FEATURE.... SYMBOL# 2D030A001

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D030 – DISCOLORED WATER
AREA FEATURE.... SYMBOL# 2D030A002

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
002 – DOUBTFUL
003 – REPORTED

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

2D030 – DISCOLORED WATER
AREA FEATURE.... SYMBOL# 2D030A003

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
001 – DEFINITE

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD030A003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	

ZD030 - DISCOLORED WATER
POINT FEATURE.... SYMBOL# ZD030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED	Origin: Center of circle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DASH:PERIMETER Linewidth: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD040 - EDDIES
AREA FEATURE.... SYMBOL# ZD040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	POSICUT Posicut: #102 Color: BLACK (#58600) Posicut is spread over area at approximately 7mm interval.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZD040 - EDDIES
POINT FEATURE.... SYMBOL# ZD040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of posicut POSICUT Posicut: #102 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZD050 - FOUL GROUND
AREA FEATURE.... SYMBOL# ZD050A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN	DASH:PERIMETER Linewidth: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D050 – FOUL GROUND
AREA FEATURE.... SYMBOL# 2D050A004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D050 – FOUL GROUND
POINT FEATURE.... SYMBOL# 2D050P003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

PARAMETERS:

Origin: Center of posicut

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT
Posicut: #104
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D050 – FOUL GROUND
POINT FEATURE.... SYMBOL# 2D050P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2D060 - HELP
AREA FEATURE.... SYMBOL# 2D060A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**POSICUT** Posicut: #106 Color: BLACK (#58600) Posicut is spaced over area at approximately 7mm interval.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

2D060 - HELP
POINT FEATURE.... SYMBOL# 2D060P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of symbol **POSICUT** Posicut: #106 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

2D080 - OVERFALLS /TIDE RIPS
AREA FEATURE.... SYMBOL# 2D080A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **POSICUT** Posicut: #108 Color: BLACK (#58600) Posicut is spread over area at approximately 7mm interval.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2D080 - OVERFALLS /TIDE RIPS
POINT FEATURE.... SYMBOL# 2D080P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of symbol **POSICUT** Posicut: #108 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2D090 - PERCH /STAKE
POINT FEATURE.... SYMBOL# 2D090P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SMC - STRUCTURE SHAPE CATEGORY 000 - UNKNOWN	Origin: Intersection of lines **BASE LINE** Lineweight: 0.100mm Length: 1.000mm Color: BLACK (#58600) **UPRIGHT LINE** Lineweight: 0.100mm Length: 2.000mm Color: BLACK (#58600) Upright line oriented 90 degrees to and centered on base line.	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D090 – PERCH /STAKE
POINT FEATURE.... SYMBOL# 2D090P002 STARBOARD

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SSC – STRUCTURE SHAPE CATEGORY 104 – ARROW (STARBOARD)	Origin: Intersection: vertical & horizontal **BASE LINE** Lineweight: 0.100mm Length: 1.000mm Color: BLACK (#58600) **TOPMARK:ARROW** Lineweight: 0.100mm Length: 1.000mm Color: BLACK (#58600) Oriented 30 degrees from vertical, with the top endpoints touching the top of the upright line. **UPRIGHT LINE** Lineweight: 0.100mm Length: 2.000mm Color: BLACK (#58600) Upright line oriented 90 degrees to and centered on base line.	COMBAT HAC 1 HAC 2

2D090 – PERCH /STAKE
POINT FEATURE.... SYMBOL# 2D090P003 PORT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SSC – STRUCTURE SHAPE CATEGORY 103 – Y (PORT)	Origin: Intersection: vertical & horizontal **BASE LINE** Lineweight: 0.100mm Length: 1.000mm Color: BLACK (#58600) **TOPMARK:"Y"** Lineweight: 0.100mm Length: 1.000mm Color: BLACK (#58600) Oriented 30° from vertical, with the bottom endpoints touching the top of the upright line. **UPRIGHT LINE** Lineweight: 0.100mm Length: 2.000mm Color: BLACK (#58600) Upright line oriented 90 degrees to and centered on base line.	COMBAT HAC 1 HAC 2

2D100 – FILLING
AREA FEATURE.... SYMBOL# 2D100A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **DOT:PERIMETER** Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD100 – FILDEC
AREA FEATURE.... SYMBOL# ZD100A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED 008 – COVERS AND UNCOVERS	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

ZD100 – FILDEC
AREA FEATURE.... SYMBOL# ZD100A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	TLM 100K TLM 50K

ZD100 – FILDEC
POINT FEATURE.... SYMBOL# ZD100P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #119 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

ZD100 – FILDEC
POINT FEATURE.... SYMBOL# ZD100P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Bottom of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #212 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D100 – PILINC
POINT FEATURE.... SYMBOL# 2D100P003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of circle

POSICUT:CIRCLE
Posicut: #119
Color: BLACK (#58600)

POSICUT:OBST
Posicut: #212
Color: BLACK (#58600)
Positioned above Posicut 119, with stem of Posicut 212 touching edge of the circle.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D100 – PILINC
POINT FEATURE.... SYMBOL# 2D100P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of circle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)
Type Style: Italic

POSICUT
Posicut: #119
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D100 – PILINC
POINT FEATURE.... SYMBOL# 2D100P005

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

POSICUT
Posicut: #119
Color: BLACK (#58600)

PRODUCTS:

TIM 100K
TIM 50K

2D110 – PLATFORM
POINT FEATURE.... SYMBOL# 2D110P001

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED

NAM – NAME CATEGORY
ANY

RST – RADIO NAVIGATION /COMMUNICATION
010 – RADAR BEACON (RACON)
044 – RAMARK

SST – SOUND SIGNAL TYPE
ANY

PARAMETERS:

Origin: Center dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Placement: Center of the square.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD110P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:CIRCLE Posicut: #86 Color: PURPLE (#96532) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) SQUARE Lineweight: 0.200mm Length: 1.200mm Color: BLACK (#58600)	

ZD110 – PLATFORM
POINT FEATURE.... SYMBOL# ZD110P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CHA – LIGHT CHARACTERISTIC CATEGORY 021 – LIGHTED NAM – NAME CATEGORY ANY RST – RADIO NAVIGATION /COMMUNICATION 000 – UNKNOWN 009 – OTHER 050 – NONE SST – SOUND SIGNAL TYPE ANY	Origin: Center dot DOT Diameter: 0.200mm Color: BLACK (#58600) Placement: Center of the square. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) SQUARE Lineweight: 0.200mm Length: 1.200mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

ZD110 – PLATFORM
POINT FEATURE.... SYMBOL# ZD110P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CHA – LIGHT CHARACTERISTIC CATEGORY 023 – UNLIGHTED NAM – NAME CATEGORY ANY RST – RADIO NAVIGATION /COMMUNICATION 010 – RADAR BEACON (RACON) 044 – RAMARK SST – SOUND SIGNAL TYPE ANY	Origin: Center of square FILL SQUARE Length: 1.200mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT:CIRCLE Posicut: #86 Color: PURPLE (#96532)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2D110 – PLATFORM
POINT FEATURE.... SYMBOL# 2D110P004

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
023 – UNLIGHTED

NAM – NAME CATEGORY
ANY

RST – RADIO NAVIGATION /COMMUNICATION
000 – UNKNOWN
009 – OTHER
050 – NONE

SST – SOUND SIGNAL TYPE
ANY

PARAMETERS:

Origin: Center of square

FILL SQUARE
Length: 1.200mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4

2D110 – PLATFORM
POINT FEATURE.... SYMBOL# 2D110P005

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
023 – UNLIGHTED

RST – RADIO NAVIGATION /COMMUNICATION
000 – UNKNOWN
009 – OTHER
050 – NONE

PARAMETERS:

Origin: Center of square

FILL SQUARE
Length: 1.200mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D110 – PLATFORM
POINT FEATURE.... SYMBOL# 2D110P006

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED

RST – RADIO NAVIGATION /COMMUNICATION
000 – UNKNOWN
009 – OTHER
050 – NONE

PARAMETERS:

Origin: Center dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Placement: Center of the square.

POSICUT:FLARE
Posicut: #94
Color: PURPLE (#96532)

SQUARE
Lineweight: 0.200mm
Length: 1.200mm
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D110 – PLATFORM
POINT FEATURE.... SYMBOL# 2D110P007

ATTRIBUTES:

CHA – LIGHT CHARACTERISTIC CATEGORY
021 – LIGHTED

RST – RADIO NAVIGATION /COMMUNICATION
010 – RADAR BEACON (RACON)
044 – RAMARK

PARAMETERS:

Origin: Center dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Placement: Center of the square.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD110P007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:CIRCLE Posicut: #86 Color: PURPLE (#96532) POSICUT:FLARE Posicut: #94 Color: PURPLE (#96532) SQUARE Lineweight: 0.200mm Length: 1.200mm Color: BLACK (#58600)	

ZD110 - PLATFORM
POINT FEATURE.... SYMBOL# ZD110P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CHA - LIGHT CHARACTERISTIC CATEGORY 023 - UNLIGHTED RET - RADIO NAVIGATION /COMMUNICATION 010 - RADAR BEACON (RACON) 044 - RAMARK	Origin: Center of square FILL SQUARE Color: BLACK (#58600) SIZE: 1.2mm LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT:CIRCLE Posicut: #86 Color: PURPLE (#96532)	ESPC HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD120 - REEF
AREA FEATURE.... SYMBOL# ZD120A001 Rocky, submerged, depth unknown

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL CQD - CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN MCP - MATERIAL COMPOSITION PRIMARY 066 - ROCK NAM - NAME CATEGORY ANY VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD120 — REEF
AREA FEATURE.... SYMBOL# ZD120A002 Coral, submerged, depth unknown

ATTRIBUTES:

ACC — ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

CQD — CERTAINTY OF DELINEATION
001 - LIMITS AND INFO KNOWN

DAT — DATE CATEGORY
ANY

EXS — EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 - DEPTH UNKNOWN

MCP — MATERIAL COMPOSITION PRIMARY
019 - CORAL

NAM — NAME CATEGORY
ANY

VRC — VERTICAL REFERENCE CATEGORY
004 - BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD120 — REEF
AREA FEATURE.... SYMBOL# ZD120A005 Rocky, submerged with depth

ATTRIBUTES:

ACC — ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

CQD — CERTAINTY OF DELINEATION
001 - LIMITS AND INFO KNOWN

DAT — DATE CATEGORY
ANY

EXS — EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL
003 - REPORTED

HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 - DEPTH KNOWN

HDP — HYDROGRAPHIC DEPTH
ANY

MCP — MATERIAL COMPOSITION PRIMARY
066 - ROCK

NAM — NAME CATEGORY
ANY

VRC — VERTICAL REFERENCE CATEGORY
004 - BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD120 — REEF
AREA FEATURE.... SYMBOL# ZD120A006 Coral, submerged with depth

ATTRIBUTES:

ACC — ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

PARAMETERS:

AREA FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD120A006 (Continued)

ATTRIBUTES:

COD – CERTAINTY OF DELINEATION
001 – LIMITS AND INFO KNOWN

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

MCP – MATERIAL COMPOSITION PRIMARY
019 – CORAL

NAM – NAME CATEGORY
ANY

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD120 – HXXP
AREA FEATURE.... SYMBOL# ZD120A010 Rocky, awash/uncovers, drying height unknown

ATTRIBUTES:

COD – CERTAINTY OF DELINEATION
001 – LIMITS AND INFO KNOWN

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
014 – UNCOVERING HEIGHT UNKNOWN

MCP – MATERIAL COMPOSITION PRIMARY
066 – ROCK

NAM – NAME CATEGORY
ANY

VRC – VERTICAL REFERENCE CATEGORY
002 – AWASH AT SOUNDING DATUM
008 – COVERS AND UNCOVERS

PARAMETERS:

AREA:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

AREA:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.130mm
Color: BLACK (#58600)
Endpoints of arc, endpoints of V, and center of arc are on edge of area feature. Arcs are outside area, arc radius = 0.25mm. Vs are inside area, length of sides = 0.5mm, interior angle = 10 degrees. Arcs and Vs repeat along edge of symbol.

PRODUCTS:

ENPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD120 – HXXP
AREA FEATURE.... SYMBOL# ZD120A011 Rocky, awash/uncovers with drying height

ATTRIBUTES:

COD – CERTAINTY OF DELINEATION
001 – LIMITS AND INFO KNOWN

HDH – HYDROGRAPHIC DRYING HEIGHT
ANY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
013 – UNCOVERING HEIGHT KNOWN

MCP – MATERIAL COMPOSITION PRIMARY
066 – ROCK

NAM – NAME CATEGORY

PARAMETERS:

AREA:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

AREA:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

LABEL:HDH
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

PRODUCTS:

ENPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2D120A011 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY		
VRC – VERTICAL REFERENCE CATEGORY 002 – AWASH AT SOUNDING DATUM 008 – COVERS AND UNCOVERS	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on edge of feature. Arcs are outside area, radius = 0.25mm. Vs are inside area, length of sides = 0.5mm, interior angle = 10 degrees. **UNDERSCORE:HDH** Lineweight: 0.200mm Color: BLACK (#58600) Line length = length of digits plus 0.5mm on each end.	

2D120 – REEF
AREA FEATURE.... SYMBOL# 2D120A013 Coral, awash/uncovers, drying height unknown

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN **HDI** – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 014 – UNCOVERING HEIGHT UNKNOWN **MCP** – MATERIAL COMPOSITION PRIMARY 019 – CORAL **NAM** – NAME CATEGORY ANY **VRC** – VERTICAL REFERENCE CATEGORY 002 – AWASH AT SOUNDING DATUM 008 – COVERS AND UNCOVERS	**AREA:FILL1** Color: BLACK (#58600) Screen: 12%,15° Angle **AREA:FILL2** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on edge of area feature. Arcs are outside area, arc radius = 0.25mm. Vs are inside area, length of sides = 0.5 mm, interior angle = 10 degrees.	BNPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D120 – REEF
AREA FEATURE.... SYMBOL# 2D120A014 Coral, awash/uncovers with drying height

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN **HDH** – HYDROGRAPHIC DRYING HEIGHT ANY **HDI** – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 013 – UNCOVERING HEIGHT KNOWN **MCP** – MATERIAL COMPOSITION PRIMARY 019 – CORAL **NAM** – NAME CATEGORY	**AREA:FILL1** Color: BLACK (#58600) Screen: 12%,15° Angle **AREA:FILL2** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL:HDH** Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	BNPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD120A014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY		
VRC – VERTICAL REFERENCE CATEGORY 002 – AWASH AT SOUNDING DATUM 008 – COVERS AND UNCOVERS	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on edge of area feature. Arcs are outside area, arc radius = 0.25mm. Vs are inside area, length of sides = 0.5mm., interior angle = 10 degrees. UNDERSCORE:NAM Lineweight: 0.200mm Color: BLACK (#58600) Line length = length of digits plus 0.5mm on each end.	

ZD120 – KEEP
AREA FEATURE.... SYMBOL# ZD120A015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN MCP – MATERIAL COMPOSITION PRIMARY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Lower Case Color: BLUE (#48253)	ATC 200 JOG R OSC TPC

ZD120 – KEEP
AREA FEATURE.... SYMBOL# ZD120A016 Reef with unknown limits

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN MCP – MATERIAL COMPOSITION PRIMARY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	OSC TPC

ZD120 – KEEP
AREA FEATURE.... SYMBOL# ZD120A017 Reef with unknown limits

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED MCP – MATERIAL COMPOSITION PRIMARY 066 – ROCK NAM – NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D120 – REEF
AREA FEATURE.... SYMBOL# 2D120A018 Coral reef with unknown limits

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL CQD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D120 – REEF
AREA FEATURE.... SYMBOL# 2D120A019

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK NAM – NAME CATEGORY ANY VRC – VERTICAL REFERENCE CATEGORY 002 – AWASH AT SOUNDING DATUM 008 – COVERS AND UNCOVERS	**AREA:FILL1** Area Pattern: AP- 95 Color: BLACK (#58600) **AREA:FILL2** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on edge of area feature. Arcs are outside area, arc radius = 0.25mm. Vs are inside area, length of sides = 0.5mm, interior angle = 10 degrees.	JOG A JOG G TLM 100K TLM 50K

2D120 – REEF
LINE FEATURE.... SYMBOL# 2D120L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLUE (#48253) **LINE** Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

20120 – REEF
LINE FEATURE.... SYMBOL# 20120L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK NAM – NAME CATEGORY ANY VRC – VERTICAL REFERENCE CATEGORY 002 – AWASH AT SOUNDING DATUM 008 – COVERS AND UNCOVERS	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on the edge of the feature. Arcs are outside area, arc radius = 0.25mm. Vs are inside area, lenght of sides = 0.5mm, interior angle = 10 degrees.	JOG G TLM 100K TLM 50K

20125 – REEF POOL
AREA FEATURE.... SYMBOL# 20125A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE:PERIMETER Lineweight: 0.130mm Color: BLACK (#58600) Arcs and Vs repeat along edge of symbol. Endpoints of arc, endpoints of V, and center of arc are on edge of area feature. Arcs are inside area, arc radius = 0.25mm. Vs are outside area, length of sides = 0.5 mm, interior angle = 10 degrees.	JOG A JOG G

20130 – ROCK
POINT FEATURE.... SYMBOL# 20130P001 Rk, depth unknown, dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HYI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN MCP – MATERIAL COMPOSITION PRIMARY 066 – ROCK NAM – NAME CATEGORY ANY SCH – SEVERITY OF HAZARD 001 – DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of cross AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 3.0mm LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P002 Co, depth unknown, dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL NAM – NAME CATEGORY ANY SOH – SEVERITY OF HAZARD 001 – DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of cross AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 3.0mm LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P003 Rk, depth unknown, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN MCP – MATERIAL COMPOSITION PRIMARY 066 – ROCK NAM – NAME CATEGORY ANY SOH – SEVERITY OF HAZARD 002 – NON-DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of cross CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P004 Co, depth unknown, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY	Origin: Center of cross CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD130P004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN MCP - MATERIAL COMPOSITION PRIMARY 019 - CORAL NAM - NAME CATEGORY ANY SOH - SEVERITY OF HAZARD 002 - NON-DANGEROUS VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 7 HAC 8 HAC 9

ZD130 - ROCK
POINT FEATURE.... SYMBOL# ZD130P005 Rk/Co, depth <=30m, dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP - HYDROGRAPHIC DEPTH ≤ 30.0m MCP - MATERIAL COMPOSITION PRIMARY 019 - CORAL 066 - ROCK NAM - NAME CATEGORY ANY SOH - SEVERITY OF HAZARD 001 - DANGEROUS VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	Origin: Center of cross AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) Cross stems oriented 90° to each other. DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 3.0mm LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD130 - ROCK
POINT FEATURE.... SYMBOL# ZD130P006 Rk/Co, depth >30m, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT - DATE CATEGORY ANY	Origin: Center of HDP (excluding subscript) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D130P006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS — EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP — HYDROGRAPHIC DEPTH > 30.0m MCP — MATERIAL COMPOSITION PRIMARY 019 - CORAL 066 - ROCK NAM — NAME CATEGORY ANY SOH — SEVERITY OF HAZARD 002 - NON-DANGEROUS VRC — VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 7 HAC 8 HAC 9

2D130 — ROCK

POINT FEATURE.... SYMBOL# 2D130P007 Rk/Co, wire dragged <=30m, dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC — ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL DAT — DATE CATEGORY ANY EXS — EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 - DEPTH KNOWN BY WIRE DRAG HDP — HYDROGRAPHIC DEPTH ≤ 30.0m MCP — MATERIAL COMPOSITION PRIMARY 019 - CORAL 066 - ROCK NAM — NAME CATEGORY ANY SOH — SEVERITY OF HAZARD 001 - DANGEROUS VRC — VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	Origin: Center of cross AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) Cross stems oriented 90° to each other. DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 3.0mm LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: Length of HDP digits, plus 0.5mm on each side. Tick length: 1.0mm, oriented 90° to line.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

ZH130 – ROCK
POINT FEATURE.... SYMBOL# ZH130P008 Rk/Co, wire dragged >30m, not dangerous

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
> 30.0m

MCP – MATERIAL COMPOSITION PRIMARY
019 – CORAL
066 – ROCK

NAM – NAME CATEGORY
ANY

SCH – SEVERITY OF HAZARD
002 – NON-DANGEROUS

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of HDP (excluding subscript)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: length of digits plus 0.5mm on each end. Tick length: 1.0mm, oriented 90° to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZH130 – ROCK
POINT FEATURE.... SYMBOL# ZH130P009 Rk/Co, awash, dangerous

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
019 – CORAL
066 – ROCK

NAM – NAME CATEGORY
ANY

SCH – SEVERITY OF HAZARD
001 – DANGEROUS

VRC – VERTICAL REFERENCE CATEGORY
002 – AWASH AT SOUNDING DATUM

PARAMETERS:

Origin: Center of cross

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

CROSS
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Tick orientation: 90 degrees to each other.

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

DOTS:INTERIOR
Diameter: 0.200mm
Color: BLACK (#58600)
Placement: Center of each quadrangle.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

EXPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD130 — ROCK
POINT FEATURE.... SYMBOL# ZD130P010 Rk/Co, uncovers, drying height unknown, dangerous

ATTRIBUTES:

HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
014 - UNCOVERING HEIGHT UNKNOWN

MCP — MATERIAL COMPOSITION PRIMARY
019 - CORAL
066 - ROCK

NAM — NAME CATEGORY
ANY

SOH — SEVERITY OF HAZARD
001 - DANGEROUS

VRC — VERTICAL REFERENCE CATEGORY
008 - COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of starburst

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

STARBURST
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Lines oriented 60 degrees apart, starting at 30 degrees from North.

PRODUCTS:

BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD130 — ROCK
POINT FEATURE.... SYMBOL# ZD130P011 Rk/Co, uncovers with drying height, dangerous

ATTRIBUTES:

HDH — HYDROGRAPHIC DRYING HEIGHT
ANY

HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
013 - UNCOVERING HEIGHT KNOWN

MCP — MATERIAL COMPOSITION PRIMARY
019 - CORAL
066 - ROCK

NAM — NAME CATEGORY
ANY

SOH — SEVERITY OF HAZARD
001 - DANGEROUS

VRC — VERTICAL REFERENCE CATEGORY
008 - COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of starburst

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:HDH
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

STARBURST
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Length of lines: 1.5mm, oriented 60 degrees apart, starting at 30 degree from North.

UNDERSCORE:HDH
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side.

PRODUCTS:

BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

ZH130 – ROCK
POINT FEATURE.... SYMBOL: ZH13OP012 Rk/Co, smash, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK NAM – NAME CATEGORY ANY SCH – SEVERITY OF HAZARD 002 – NON-DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 002 – SMASH AT SOUNDING DATUM	Origin: Center of cross CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) Tick orientation: 90 degrees to each other. DOTS Diameter: 0.200mm Color: BLACK (#58600) Placement: Center of each quadrangle. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	ENPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZH130 – ROCK
POINT FEATURE.... SYMBOL: ZH13OP013 Rk/Co, uncovers, drying height unknown, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 014 – UNCOVERING HEIGHT UNKNOWN MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK NAM – NAME CATEGORY ANY SCH – SEVERITY OF HAZARD 002 – NON-DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	Origin: Center of starburst LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) STARBURST Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600) Lines oriented 60 degrees apart, starting at 30 degrees from North.	ENPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZH130 – ROCK
POINT FEATURE.... SYMBOL: ZH13OP014 Rk/Co, uncovers with drying height, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDH – HYDROGRAPHIC DRYING HEIGHT ANY HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 013 – UNCOVERING HEIGHT KNOWN MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK NAM – NAME CATEGORY ANY SCH – SEVERITY OF HAZARD 002 – NON-DANGEROUS VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	Origin: Center of starburst LABEL:HDH Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	ENPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D130P014 (Continued)

ATTRIBUTES:

PARAMETERS:

STARBURST
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Lines oriented 60 degrees apart, starting at 30 degrees from North.

UNDERSCORE:HDH
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side.

PRODUCTS:

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P015

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
066 – ROCK

NAM – NAME CATEGORY
ANY

VRC – VERTICAL REFERENCE CATEGORY
002 – AWASH AT SOUNDING DATUM

PARAMETERS:

Origin: Center of cross lines.

CROSS
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Tick orientation: 90° to each other.

DOT:INTERIOR
Diameter: 0.200mm
Color: BLACK (#58600)
Dot placement distance: Center of each quad.

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P016

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
066 – ROCK

NAM – NAME CATEGORY
ANY

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of starburst

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

STARBURST
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Lines oriented 60° apart, starting at 30° from north.

PRODUCTS:

ATC 200
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

ZI130 - ROCK
POINT FEATURE.... SYMBOL# ZI130P017

ATTRIBUTES:

MCP - MATERIAL COMPOSITION PRIMARY
019 - CORAL

NAM - NAME CATEGORY
ANY

VRC - VERTICAL REFERENCE CATEGORY
002 - ANASH AT SOUNDING DATUM

PARAMETERS:

Origin: Center of cross

CROSS
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Ticks oriented 90° to each other.

DOT:INTERIOR
Diameter: 0.200mm
Color: BLACK (#58600)
Dot placement distance: Center of each quad.

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

ZI130 - ROCK
POINT FEATURE.... SYMBOL# ZI130P018

ATTRIBUTES:

MCP - MATERIAL COMPOSITION PRIMARY
019 - CORAL

NAM - NAME CATEGORY
ANY

VRC - VERTICAL REFERENCE CATEGORY
008 - COVERS AND UNCOVERS

PARAMETERS:

Origin: Center of starburst

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 3.0mm

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

STARBURST
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)
Lines oriented 60° apart, starting at 30° from north.

PRODUCTS:

ATC 200
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

ZI130 - ROCK
POINT FEATURE.... SYMBOL# ZI130P019 Bk/Co, depth <= 30m, not dangerous

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT - DATE CATEGORY
ANY

PARAMETERS:

Origin: Center of cross

CROSS
Lineweight: 0.100mm
Length: 1.500mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
ENC 1
ENC 2
ENC 3
ENC 4
ENC 5
ENC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D130P019 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED	LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	HAC 7 HAC 8 HAC 9
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
HDP – HYDROGRAPHIC DEPTH ≤ 30.0m		
MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK		
NAM – NAME CATEGORY ANY		
SOH – SEVERITY OF HAZARD 002 – NON-DANGEROUS		
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED		

2D130 – ROCK
POINT FEATURE.... SYMBOL# 2D130P020 Bk/Co, wire dragged <= 30m, not dangerous

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL	Origin: Center of cross CROSS Lineweight: 0.100mm Length: 1.500mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
DAT – DATE CATEGORY ANY		HAC 7
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED	LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript.	HAC 8 HAC 9
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
HDP – HYDROGRAPHIC DEPTH ≤ 30.0m		
MCP – MATERIAL COMPOSITION PRIMARY 019 – CORAL 066 – ROCK	UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: Length of HDP digits plus 0.5mm on each side. Tick length: 1.0mm, oriented 90° to line.	
NAM – NAME CATEGORY ANY		
SOH – SEVERITY OF HAZARD 002 – NON-DANGEROUS		
VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED		

2D140 – SNAG /STUMP
AREA FEATURE.... SYMBOL# 2D140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD140A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	

ZD140 – SHAG /STUMP
AREA FEATURE.... SYMBOL# ZD140A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED 008 – COVERS AND UNCOVERS	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

ZD140 – SHAG /STUMP
AREA FEATURE.... SYMBOL# ZD140A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	TLM 100K TLM 50K

ZD140 – SHAG /STUMP
POINT FEATURE.... SYMBOL# ZD140P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #119 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D140 – SHAG /STUMP
POINT FEATURE.... SYMBOL# 2D140P002

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 012 – DEPTH UNKNOWN

VRC – VERTICAL REFERENCE CATEGORY
- 004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Bottom of posicut

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT
Posicut: #212
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D140 – SHAG /STUMP
POINT FEATURE.... SYMBOL# 2D140P003

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
- ANY

VRC – VERTICAL REFERENCE CATEGORY
- 004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

2D140 – SHAG /STUMP
POINT FEATURE.... SYMBOL# 2D140P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
- ANY

VRC – VERTICAL REFERENCE CATEGORY
- 004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD140P004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: 4.0mm. Tick length: 1.0mm, oriented 90 degrees to line.	

ZD140 – SEAG /STOMP
POINT FEATURE.... SYMBOL# ZD140P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #119 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

ZD140 – SEAG /STOMP
POINT FEATURE.... SYMBOL# ZD140P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle POSICUT:CIRCLE Posicut: #119 Color: BLACK (#58600) POSICUT:OTHER Posicut: #212 Color: BLACK (#58600) Positioned above Posicut 119, with stem of Posicut 212 touching edge of circle.	COMBAT HAC 1 HAC 2 HAC 3

ZD140 – SEAG /STOMP
POINT FEATURE.... SYMBOL# ZD140P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #119 Color: BLACK (#58600)	TLM 100K TLM 50K

ZD180 – WRECK
AREA FEATURE.... SYMBOL# ZD180A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2D180A001 (Continued)

ATTRIBUTES: | **PARAMETERS:** | **PRODUCTS:**

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A003

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
011 – DEPTH UNKNOWN BUT SAFE TO DEPTH SHOWN

HDP – HYDROGRAPHIC DEPTH
≤ 30.0m

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

HDP BAR
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side.

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A004

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
011 – DEPTH UNKNOWN BUT SAFE TO DEPTH SHOWN

HDP – HYDROGRAPHIC DEPTH
> 30.0m

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

HDP BAR
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side.

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A005

ATTRIBUTES:

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

PRODUCTS:

COMBAT
HAC 1
HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZD180A005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP - HYDROGRAPHIC DEPTH ≤ 30.0m VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

ZD180 - WRECK
AREA FEATURE.... SYMBOL# ZD180A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP - HYDROGRAPHIC DEPTH > 30.0m VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	DASH:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2

ZD180 - WRECK
AREA FEATURE.... SYMBOL# ZD180A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 - DEPTH KNOWN BY WIRE DRAG HDP - HYDROGRAPHIC DEPTH ≤ 30.0m VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length - length of digits plus 0.5mm on each side. Tick length - 1.0mm,oriented 90 degrees to line.	COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A008

ATTRIBUTES:

EXI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
010 – DEPTH KNOWN BY WIRE DRAG

HDP – HYDROGRAPHIC DEPTH
> 30.0m

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

UNDERSCORE:HDP
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length = length of digits plus 0.5mm on each side. Tick length = 1.0mm,oriented 90 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A009

ATTRIBUTES:

EPA – EXPOSED PORTION ATTRIBUTE
001 – MAST
002 – FUNNEL
005 – MAST AND FUNNEL

VRC – VERTICAL REFERENCE CATEGORY
001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)
008 – COVERS AND UNCOVERS

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

2D180 – WRECK
AREA FEATURE.... SYMBOL# 2D180A010

ATTRIBUTES:

EPA – EXPOSED PORTION ATTRIBUTE
003 – SUPERSTRUCTURE
004 – HULL

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

AREA:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

AREA:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZD180 – WRECK
AREA FEATURE.... SYMBOL# ZD180A011

ATTRIBUTES:

EPA – EXPOSED PORTION ATTRIBUTE
003 – SUPERSTRUCTURE
004 – HULL

VRC – VERTICAL REFERENCE CATEGORY
001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LINE:PERIMETER
Linewaight: 0.200mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

ZD180 – WRECK
POINT FEATURE.... SYMBOL# ZD180P001

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SCH – SEVERITY OF HAZARD
001 – DANGEROUS

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of posicut

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT
Posicut: #109
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD180 – WRECK
POINT FEATURE.... SYMBOL# ZD180P002

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE
003 – DOUBTFUL

DAT – DATE CATEGORY
ANY

EXS – EXISTENCE CATEGORY
001 – DEFINITE
002 – DOUBTFUL
003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

SCH – SEVERITY OF HAZARD
002 – NON-DANGEROUS

VRC – VERTICAL REFERENCE CATEGORY
004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of posicut

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

POSICUT
Posicut: #110
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

ZD180 – WRECK
POINT FEATURE.... SYMBOL# ZD180P003

ATTRIBUTES:

ACC – ACCURACY CATEGORY

PARAMETERS:

Origin: Center of circle

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2D180P003 (Continued)

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 011 – DEPTH UNKNOWN BUT SAFE TO DEPTH SHOWN

HDP – HYDROGRAPHIC DEPTH
- ≤ 30.0m

VRC – VERTICAL REFERENCE CATEGORY
- 004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

HDP BAR
Lineweight: 0.200mm
Length: 4.000mm
Color: BLACK (#58600)

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D180 – WRECK
POINT FEATURE.... SYMBOL# 2D180P004

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL
- 003 – REPORTED

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
- 011 – DEPTH UNKNOWN BUT SAFE TO DEPTH SHOWN

HDP – HYDROGRAPHIC DEPTH
- > 30.0m

VRC – VERTICAL REFERENCE CATEGORY
- 004 – BELOW SURFACE /SUBMERGED

PARAMETERS:

Origin: Center of circle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

HDP BAR
Lineweight: 0.200mm
Color: BLACK (#58600)
Line length: 4.0mm.

LABEL:HDP
Type Size: 7 – 6 point
Type Style: Lower Case,Light,Condensed
Color: BLACK (#58600)
5 point subscript.

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

2D180 – WRECK
POINT FEATURE.... SYMBOL# 2D180P005

ATTRIBUTES:

ACC – ACCURACY CATEGORY
- 001 – ACCURATE
- 002 – APPROXIMATE
- 003 – DOUBTFUL

DAT – DATE CATEGORY
- ANY

EXS – EXISTENCE CATEGORY
- 001 – DEFINITE
- 002 – DOUBTFUL

PARAMETERS:

Origin: Center of circle

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

DOT:PERIMETER
Space/Spacing: 0.750mm
Diameter: 0.250mm
Color: BLACK (#58600)
Circle diameter: 4.0mm

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZD180P005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN HDP – HYDROGRAPHIC DEPTH ≤ 30.0m VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

ZD180 – WRECK
POINT FEATURE.... SYMBOL# ZD180P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN HDP – HYDROGRAPHIC DEPTH > 30.0m VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZD180 – WRECK
POINT FEATURE.... SYMBOL# ZD180P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG HDP – HYDROGRAPHIC DEPTH ≤ 30.0m VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) Circle diameter: 4.0mm LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: 4.0mm. Tick length: 1.0mm, oriented 90 degrees to line.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:38Z
Check the source to verify that this is the current version before use.

2D180 – WRECK
POINT FEATURE.... SYMBOL# 2D180P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 010 – DEPTH KNOWN BY WIRE DRAG HDP – HYDROGRAPHIC DEPTH > 30.0m VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle DOT:PERIMETER Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:HDP Type Size: 7 – 6 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) SYMBOL DIAMETER Diameter: 4.000mm UNDERSCORE:HDP Lineweight: 0.200mm Color: BLACK (#58600) Line length: 4.0mm. Tick length: 1.0mm, oriented 90 degrees to line. Tick line weight: 0.2 mm.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2D180 – WRECK
POINT FEATURE.... SYMBOL# 2D180P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED SSF – SONAR SIGNIFICANCE FACTOR 001 – SONAR CONFIRMED VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle CENTER LINE Lineweight: 0.200mm Length: 4.000mm Color: PURPLE (#96532) Orientation: 45 degrees from north. Placement: across center of circle. CIRCLE Lineweight: 0.200mm Diameter: 4.000mm Color: PURPLE (#96532)	ENPC

2D180 – WRECK
POINT FEATURE.... SYMBOL# 2D180P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED SSF – SONAR SIGNIFICANCE FACTOR 002 – NOT SONAR CONFIRMED VRC – VERTICAL REFERENCE CATEGORY 004 – BELOW SURFACE /SUBMERGED	Origin: Center of circle CIRCLE Lineweight: 0.200mm Diameter: 4.000mm Color: PURPLE (#96532)	ENPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

20180 – WRECK
POINT FEATURE.... SYMBOL# 20180P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXA – EXPOSED PORTION ATTRIBUTE 001 – MAST 002 – FUNNEL 005 – MAST AND FUNNEL EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER) 008 – COVERS AND UNCOVERS	Origin: Center of posicut AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #109 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

20180 – WRECK
POINT FEATURE.... SYMBOL# 20180P012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXA – EXPOSED PORTION ATTRIBUTE 003 – SUPERSTRUCTURE 004 – HULL EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER) 008 – COVERS AND UNCOVERS	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #114 Color: BLACK (#58600)	ESPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

20180 – WRECK
POINT FEATURE.... SYMBOL# 20180P013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of circle POSICUT Posicut: #114 Color: BLACK (#58600)	ATC 200 JOG A JOG G JOG R GNC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2E010 – DEPTH CURVE
LINE FEATURE.... SYMBOL# 2E010L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE CRV – DEPTH CURVE OR CONTOUR VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600) LINE Lineweight: 0.100mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2E010 – DEPTH CURVE
LINE FEATURE.... SYMBOL# 2E010L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE CRV – DEPTH CURVE OR CONTOUR VALUE ANY	DASH Lineweight: 0.100mm Length: 4.000mm Space/Spacing: 2.000mm Color: BLACK (#58600) LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2E010 – DEPTH CURVE
LINE FEATURE.... SYMBOL# 2E010L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE CRV – DEPTH CURVE OR CONTOUR VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLUE (#48253) LINE Lineweight: 0.100mm Color: BLUE (#48253)	COMBAT

2E010 – DEPTH CURVE
LINE FEATURE.... SYMBOL# 2E010L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE CRV – DEPTH CURVE OR CONTOUR VALUE ANY	DASH Lineweight: 0.100mm Length: 4.000mm Space/Spacing: 2.000mm Color: BLUE (#48253) LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLUE (#48253)	COMBAT

2E015 – DEPTH CONTOUR
LINE FEATURE.... SYMBOL# 2E015L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRV – DEPTH CURVE OR CONTOUR VALUE ANY HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 001 – INDEX	LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLUE (#48253)	BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# ZE015L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.200mm Color: BLUE (#48253)	

ZE015 – DEPTH CONTOUR
LINE FEATURE.... SYMBOL# ZE015L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CNV – DEPTH CURVE OR CONTOUR VALUE ANY HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 002 – INTERMEDIATE	LABEL Type Size: 7 point Type Style: Lower Case,Italic Color: BLUE (#48253) LINE Lineweight: 0.100mm Color: BLUE (#48253)	BHPC

ZE015 – DEPTH CONTOUR
LINE FEATURE.... SYMBOL# ZE015L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CNV – DEPTH CURVE OR CONTOUR VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) LINE Lineweight: 0.100mm Color: BLACK (#58600)	JOG A JOG G JOG R TLM 100K TLM 50K TPC

ZE020 – SOUNDING
POINT FEATURE.... SYMBOL# ZE020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDP – HYDROGRAPHIC DEPTH ANY SMD – SOUNDING CATEGORY 006 – ORDINARY (VERTICAL)	Origin: Center of HDP (excluding subscript) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

ZE020 – SOUNDING
POINT FEATURE.... SYMBOL# ZE020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY	Origin: Center of HDP (excluding subscript) DCF:TOP Diameter: 0.250mm Color: BLACK (#58600) Centered over line, 0.5 mm above line.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2E020P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDP – HYDROGRAPHIC DEPTH ANY SND – SOUNDING CATEGORY 002 – NO BOTTOM FOUND (VERTICAL)	**LABEL:HDP** Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600) Line length: Length of digits plus 0.5mm on each end.	HAC 7 HAC 8 HAC 9

2E020 – SOUNDING
POINT FEATURE.... SYMBOL# 2E020P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDP – HYDROGRAPHIC DEPTH ANY SND – SOUNDING CATEGORY 007 – DOUBTFUL SOUNDING (VERTICAL)	Origin: Center of HDP (excluding subscript) **LABEL:HDP** Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2E020 – SOUNDING
POINT FEATURE.... SYMBOL# 2E020P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDH – HYDROGRAPHIC DRYING HEIGHT ANY SND – SOUNDING CATEGORY 001 – DRYING HEIGHT (VERTICAL)	Origin: Center of HDH (excluding subscript) **LABEL:HDH** Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600) 5 point subscript. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **UNDERLINE:HDH** Lineweight: 0.200mm Color: BLACK (#58600) Line length: Length of HDH figure, excluding subscript.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2E020 - SOUNDING
POINT FEATURE.... SYMBOL# 2E020P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 002 - APPROXIMATE	Origin: Center of circle	EXPC
DAT - DATE CATEGORY ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	
EXS - EXISTENCE CATEGORY 002 - DOUBTFUL 003 - REPORTED	CIRCLE Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Circle diameter: Length of HDP digits, plus 0.8mm on each side.	
HDP - HYDROGRAPHIC DEPTH ANY		
SND - SOUNDING CATEGORY 006 - ORDINARY (VERTICAL)	LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLUE (#48253)	
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

2E020 - SOUNDING
POINT FEATURE.... SYMBOL# 2E020P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE	Origin: Center of digit	EXPC
EXS - EXISTENCE CATEGORY 001 - DEFINITE	LABEL Type Size: 7 point Type Style: Lower Case,Light,Condensed Color: BLACK (#58600)	
HDP - HYDROGRAPHIC DEPTH ANY		
SND - SOUNDING CATEGORY 006 - ORDINARY (VERTICAL)		

2E020 - SOUNDING
POINT FEATURE.... SYMBOL# 2E020P008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE 003 - DOUBTFUL	Origin: Center of HDP (excluding subscript)	COMBAT HAC 1 HAC 2
DAT - DATE CATEGORY ANY	LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) 5 point subscript.	HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9
EXS - EXISTENCE CATEGORY 001 - DEFINITE 002 - DOUBTFUL 003 - REPORTED	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
HDP - HYDROGRAPHIC DEPTH ANY		
SND - SOUNDING CATEGORY 004 - SLANT		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2E020 – SOUNDING
POINT FEATURE.... SYMBOL# 2E020P009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDP – HYDROGRAPHIC DEPTH ANY SND – SOUNDING CATEGORY 009 – NO BOTTOM (SLANT)	Origin: Center of HDP (excluding subscript) DOT:TOP Diameter: 0.250mm Color: BLACK (#58600) Centered over line, 0.5mm above line. LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600) Length: Length of HDP digits, plus 0.5mm on each end.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2E020 – SOUNDING
POINT FEATURE.... SYMBOL# 2E020P010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDP – HYDROGRAPHIC DEPTH ANY SND – SOUNDING CATEGORY 010 – DOUBTFUL (SLANT)	Origin: Center of HDP (excluding subscript) LABEL:HDP Type Size: 7 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2E020 – SOUNDING
POINT FEATURE.... SYMBOL# 2E020P011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE 003 – DOUBTFUL DAT – DATE CATEGORY ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE 002 – DOUBTFUL 003 – REPORTED HDH – HYDROGRAPHIC DRYING HEIGHT ANY SND – SOUNDING CATEGORY 008 – DRYING HEIGHT (SLANT)	Origin: Center of HDH (excluding subscript) LABEL:HDH Type Size: 7 point Type Style: Lower Case,Light,Condensed,Italic Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) UNDERLINE:HDH Lineweight: 0.200mm Color: BLACK (#58600) Line length: Length of HDH figure, excluding subscript.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

ZE030 – TRACK LINE
LINE FEATURE.... SYMBOL# ZE030L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.130mm Length: 2.500mm Space/Spacing: 6.400mm Color: BLUE (#48253)	BXPC

ZE040 – TRACK AREA
AREA FEATURE.... SYMBOL# ZE040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLUE (#48253) Screen: 12%,75° Angle	BXPC

ZF010 – BOTTOM CHARACTERISTICS
POINT FEATURE.... SYMBOL# ZF010P001

ATTRIBUTES:

CDM – SECONDARY MATERIAL CHARACTERISTICS
ANY

MCC – MATERIAL COMPOSITION CHARACTERISTICS
000 - UNKNOWN
009 - BROKEN
010 - CALCAREOUS
015 - COARSE
021 - DECAYED
025 - FINE
026 - FLINTY
032 - GLACIAL
036 - GRITTY
038 - GROUND
039 - HARD
042 - LARGE
066 - ROCKY
067 - ROTTEN
078 - SMALL
079 - SOFT
080 - SPECKLED
084 - STICKY
085 - STIFF
087 - STREAKY
089 - TENACIOUS
091 - UNEVEN
093 - VARIED
094 - VOLCANIC
100 - MEDIUM

MCP – MATERIAL COMPOSITION PRIMARY
ANY

MCS – MATERIAL COMPOSITION SECONDARY
ANY

MCU – MATERIAL COMPOSITION UNDERLYING
ANY

TXT – TEXT ATTRIBUTE
ANY

UMC – UNDERLYING MATERIAL CHARACTERISTICS
ANY

PARAMETERS:

Origin: Center of MCP figure

LABEL:MCC,CDM,UMC
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:MCP,MCS,MCU
Type Size: 6 point
Type Style: Upper/Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

LABEL:TXT
Type Size: 6 point
Type Style: Upper/Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)
TXT is used to label mixtures of more than two materials.

SLASH
Type Size: 6 point
Type Style: Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

2F010 – BOTTOM CHARACTERISTICS
POINT FEATURE.... SYMBOL# 2F010P002

ATTRIBUTES:-	PARAMETERS:	PRODUCTS:
MCC – MATERIAL COMPOSITION CHARACTERISTICS 051 – MOBILE BOTTOM/SANDWAVES	Origin: Center of symbol POSICUT Posicut: #121 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2F010 – BOTTOM CHARACTERISTICS
POINT FEATURE.... SYMBOL# 2F010P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCC – MATERIAL COMPOSITION CHARACTERISTICS 102 – SPRINGS IN SEABED	Origin: Center of base line POSICUT Posicut: #122 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2G010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2G010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRX – CURRENT RATE MAXIMUM ANY CUR – CURRENT TYPE CATEGORY 003 – GENERAL DOF – DIRECTION OF FLOW ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #116 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2G010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2G010P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRX – CURRENT RATE MAXIMUM ANY CUR – CURRENT TYPE CATEGORY 002 – FLOOD DOF – DIRECTION OF FLOW ANY EXS – EXISTENCE CATEGORY 001 – DEFINITE	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) POSICUT Posicut: #117 Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

2G010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2G010P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRX – CURRENT RATE MAXIMUM	Origin: Center of posicut	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C010P003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRX – CURRENT RATE MAXIMUM ANY		HAC 1 HAC 2 HAC 3 HAC 4
CUR – CURRENT TYPE CATEGORY 001 - EBB	LABEL Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	
DOF – DIRECTION OF FLOW ANY	POSICUT Posicut: #118 Color: BLACK (#58600)	
EXS – EXISTENCE CATEGORY 001 - DEFINITE		

2C010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2C010P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CUR – CURRENT TYPE CATEGORY 004 - RIVER FLOW	Origin: Center of posicut POSICUT Posicut: #118 Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

2C010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2C010P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRX – CURRENT RATE MAXIMUM ANY	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4
CUR – CURRENT TYPE CATEGORY 001 - EBB 002 - FLOOD 003 - GENERAL	POSICUT Posicut: #210 Color: BLACK (#58600)	
DOF – DIRECTION OF FLOW ANY		
EXS – EXISTENCE CATEGORY 002 - DOUBTFUL		

2C010 – CURRENT ARROW /FLOW ARROW
POINT FEATURE.... SYMBOL# 2C010P006 Ocean current

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CRN – CURRENT RATE MINIMUM ANY	Origin: Center of posicut	COMBAT HAC 1 HAC 2 HAC 3 HAC 4
CRX – CURRENT RATE MAXIMUM ANY	LABEL:NAM,NS1,NS2 Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
CUR – CURRENT TYPE CATEGORY 005 - OCEAN	LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	
DOF – DIRECTION OF FLOW ANY	POSICUT Posicut: #210 Color: BLACK (#58600)	
NS1 – CURRENT INFORMATION (1) ANY		
NS2 – CURRENT INFORMATION (2) ANY		
NAM – NAME CATEGORY ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2G020 – TIDE GAUGE
POINT FEATURE.... SYMBOL# 2G020P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **POSICUT** Posicut: #119 Color: BLACK (#58600)	HAC 1

2G030 – TIDAL STREAM DATA POINT
POINT FEATURE.... SYMBOL# 2G030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	Origin: Center of posicut **LABEL** Type Size: 8 point Type Style: Upper Case Color: PURPLE (#96532) **POSICUT** Posicut: #120 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7

2G040 – CURRENT DIAGRAM
POINT FEATURE.... SYMBOL# 2G040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
C80 – RATE OF CURRENT ANY C81 – RATE OF CURRENT (1) ANY C82 – RATE OF CURRENT (2) ANY C83 – RATE OF CURRENT (3) ANY C84 – RATE OF CURRENT (4) ANY C85 – RATE OF CURRENT (5) ANY C86 – RATE OF CURRENT (6) ANY C87 – RATE OF CURRENT (7) ANY C88 – RATE OF CURRENT (8) ANY C89 – RATE OF CURRENT (9) ANY C90 – RATE OF CURRENT (10) ANY C91 – RATE OF CURRENT (11) ANY D80 – DIRECTION OF CURRENT ANY D81 – DIRECTION OF CURRENT (1) ANY D82 – DIRECTION OF CURRENT (2) ANY	Origin: Center of dot **ARROW STEMS** Lineweight: 0.200mm Color: PURPLE (#96532) Orientation is same as respective D80-D91 Number (Angle of arrow #1 = D81, Arrow #2 = D82, etc.). Length is proportional to current rate for each hour after High Water, measured from the center dot to the end of the arrow head. **CIRCLE** Lineweight: 0.200mm Diameter: 2.600mm Color: PURPLE (#96532) **DOT** Diameter: 0.250mm Color: PURPLE (#96532) **LABEL** Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532) **POSICUT:ARROWHEAD** Posicut: #118 Color: PURPLE (#96532)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2C040P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
D83 – DIRECTION OF CURRENT (3) ANY		
D84 – DIRECTION OF CURRENT (4) ANY		
D85 – DIRECTION OF CURRENT (5) ANY		
D86 – DIRECTION OF CURRENT (6) ANY		
D87 – DIRECTION OF CURRENT (7) ANY		
D88 – DIRECTION OF CURRENT (8) ANY		
D89 – DIRECTION OF CURRENT (9) ANY		
D90 – DIRECTION OF CURRENT (10) ANY		
D91 – DIRECTION OF CURRENT (11) ANY		

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TIADB-SC TIADB-SM TIADB-V

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TIADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) Distance from perimeter line: 0.5mm.	
DVL – DENSE BANK VEGETATION LEFT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: VARIABLE	
DVR – DENSE BANK VEGETATION RIGHT ANY		
DW1 – DEPTH OF WATER (1) ANY	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	
GW1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5mm. Length: Variable.	
HL1 – BANK HEIGHT LEFT (1) ANY		
HR1 – BANK HEIGHT RIGHT (1) ANY		
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE		
SL1 – SLOPE GRADIENT LEFT (1) ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H010A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SB1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142	SYMBOL Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <3.0mm).	CCM 50

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A006 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	DASH:PERIMETER Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) Space length between dashes: 1.0mm LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A007 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMETER ANY LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WGP – WIDTH WITH GREATER PRECISION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm Length between rear apexes: 0.90mm Length center rear to inner apex: 0.71mm INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm Tick length: 2.0mm Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

2H010 – AQUEDUCT
AREA FEATURE.... SYMBOL# 2H010A008

ATTRIBUTES:-	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE NAM – NAME CATEGORY ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:NAM Type Size: 6 - 12 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 - 12 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.200mm Color: BLUE (#48253)	CG COMBAT TLM 100K TLM 50K

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.300mm Color: BLUE (#48253) TICK:WING Lineweight: 0.300mm Length: 0.700mm Color: BLUE (#48253) Tick orientation: 45°. Tick placement: To feature line.	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OBC TLM 100K TLM 50K TPC

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC – AQUEDUCT TYPE CATEGORY 002 – OTHER EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 028 – OPERATIONAL LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.300mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OBC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H010 — AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC — AQUEDUCT TYPE CATEGORY 002 - OTHER EXS — EXISTENCE CATEGORY 028 - OPERATIONAL LOC — LOCATION /ORIGIN CATEGORY 001 - BELOW GROUND SURFACE	**DASH** Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K

2H010 — AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SOC — SAFE OVERHEAD CLEARANCE ANY	**CASING** Lineweight: 0.150mm Color: BLACK (#58600) Line Spacing: 0.8mm. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LABEL:SOC** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) **SOC BRACKETS** Color: BLACK (#58600) a. Line Length: length of SOC value type characters. Lineweight: 0.13mm. Orientation: Horizontal. b. Line length: 0.4mm. Lineweight: 0.2mm. Orientation: 90 degrees from center of line "a." c. Space from SOC value type characters: 0.2mm. d. Distance from respective feature symbol: 1.0mm.	HAC 1 HAC 2 HAC 3 HAC 4

2H010 — AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L006 QANAT/KANAT/KAREZ

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC — AQUEDUCT TYPE CATEGORY 003 - QANAT/KANAT/KAREZ TUNNEL LOC — LOCATION /ORIGIN CATEGORY 001 - BELOW GROUND SURFACE	**CIRCLE** Lineweight: 0.300mm Diameter: 2.000mm Color: BLACK (#58600) Position: Centered on long dashes. Note: Dashed portion within the circle shall be omitted. **DASH:LONG** Lineweight: 0.300mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Long and short dashes alternate with each other. **DASH:SHORT** Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZB010 — AQUEDUCT
LINE FEATURE.... SYMBOL# ZB010L007

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
006 - ABANDONED

LOC — LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

LINE
Lineweight: 0.300mm
Color: BLUE (#48253)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

ZB010 — AQUEDUCT
LINE FEATURE.... SYMBOL# ZB010L011

ATTRIBUTES:

EXS — EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
006 - ABANDONED

LOC — LOCATION /ORIGIN CATEGORY
004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

LINE
Lineweight: 0.300mm
Color: BLUE (#48253)

TICK:WIDE
Lineweight: 0.300mm
Length: 0.700mm
Color: BLUE (#48253)
Tick orientation: 45°.
Tick placement: To feature line.

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

ZB010 — AQUEDUCT
LINE FEATURE.... SYMBOL# ZB010L012

ATTRIBUTES:

ATC — AQUEDUCT TYPE CATEGORY
002 - OTHER

BMC — BOTTOM MATERIAL COMPOSITION
ANY

CDA — COVERED DRAINAGE ATTRIBUTE
001 - UNCOVERED

DVL — DENSE BANK VEGETATION LEFT
ANY

DVR — DENSE BANK VEGETATION RIGHT
ANY

DW1 — DEPTH OF WATER (1)
ANY

GW1 — GAP WIDTH RANGE (1)
001 - <3

HL1 — BANK HEIGHT LEFT (1)
ANY

HR1 — BANK HEIGHT RIGHT (1)
ANY

LOC — LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

SL1 — SLOPE GRADIENT LEFT (1)
ANY

SR1 — SLOPE GRADIENT RIGHT (1)
ANY

WVA — WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

DASH
Lineweight: 0.300mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type : 0.5mm.
Length: Variable.

PRODUCTS:

TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H0101013

ATTRIBUTES:

ATC – AQUEDUCT TYPE CATEGORY
002 – OTHER

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW2 – DEPTH OF WATER (2)
ANY

GW2 – GAP WIDTH RANGE (2)
001 – >18 AND <= 142

HL2 – BANK HEIGHT LEFT (2)
ANY

HR2 – BANK HEIGHT RIGHT (2)
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

SL2 – SLOPE GRADIENT LEFT (2)
ANY

SR2 – SLOPE GRADIENT RIGHT (2)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

PTADB-SD

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H0101014

ATTRIBUTES:

ATC – AQUEDUCT TYPE CATEGORY
002 – OTHER

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
002 – >3 AND <=18

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

LOC – LOCATION /ORIGIN CATEGORY
003 – ON GROUND SURFACE

SL1 – SLOPE GRADIENT LEFT (1)
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# ZH010L014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

ZH010 – AQUEDUCT
LINE FEATURE.... SYMBOL# ZH010L015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 50

ZH010 – AQUEDUCT
LINE FEATURE.... SYMBOL# ZH010L016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250

ZH010 – AQUEDUCT
LINE FEATURE.... SYMBOL# ZH010L017 QANAT/KANAT/KAREZ

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC – AQUEDUCT TYPE CATEGORY 003 – QANAT/KANAT/KAREZ TUNNEL LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE	DASH Lineweight: 0.200mm Length: 1.000mm Color: BLUE (#48253) Dash spacing: 0.5 mm.	COMBAT JOG A JOG G TLM 100K TLM 50K

ZH010 – AQUEDUCT
LINE FEATURE.... SYMBOL# ZH010L025 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

ZH010 – AQUEDUCT
LINE FEATURE.... SYMBOL# ZH010L026 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L027 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
LEN – LENGTH /DIAMETER	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0 mm spacing for centered labels, with 0.5mm clearance from labels.	
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
WCP – WIDTH WITH GREATER PRECISION ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L028 QANAT/KANAT/KAREZ

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC – AQUEDUCT TYPE CATEGORY 003 – QANAT/KANAT/KAREZ TUNNEL	CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: PURPLE (#95151) Position: Circles centered on long dash with open center suppressing dash.	CCM 250 CCM 50
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE	DASH:LONG Lineweight: 0.300mm Length: 3.000mm Space/Spacing: 0.500mm Color: PURPLE (#95151)	
	DASH:SHORT Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: PURPLE (#95151)	

2H010 – AQUEDUCT
LINE FEATURE.... SYMBOL# 2H010L029 QANAT/KANAT/KAREZ

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC – AQUEDUCT TYPE CATEGORY 003 – QANAT/KANAT/KAREZ TUNNEL	CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: BLACK (#58600) Position: Circles centered on long dash with open center suppressing dash.	TTADB-O
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE	DASH:LONG Lineweight: 0.300mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY		
PFH – PREDOMINANT FEATURE HEIGHT ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# ZH010L029 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	DASH:SHORT Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Lower Case, Bold, Condensed Color: BLACK (#58600)	

ZH010 - AQUEDUCT
POINT FEATURE.... SYMBOL# ZH010P003 QANAT/KANAT/KAREZ MAINTENANCE SHAFT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATC - AQUEDUCT TYPE CATEGORY 001 - QANAT/KANAT/KAREZ MAINTENANCE SHAFT	CIRCLE Lineweight: 1.500mm Diameter: 1.000mm Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K

ZH010 - AQUEDUCT
POINT FEATURE.... SYMBOL# ZH010P007 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP - HYDROGRAPHIC DEPTH ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TTADB-SD
LEN - LENGTH /DIAMETER		
LOC - LOCATION /ORIGIN CATEGORY 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LABEL Type Size: 6 point Type Style: Upper/Lower Case, Bold, Condensed Color: BLACK (#58600)	
WDP - WIDTH WITH GREATER PRECISION ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	

ZH020 - CANAL
AREA FEATURE.... SYMBOL# ZH020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 006 - ABANDONED 032 - NAVIGABLE	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	CG TLM 100K TLM 50K
HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT	LABEL:NAM Type Size: 6 - 12 point Type Style: Upper Case, Condensed, Italic Color: BLUE (#48253)	
NAM - NAME CATEGORY ANY	LABEL:OTHER Type Size: 6 - 12 point Type Style: Upper Case, Condensed, Italic Color: BLUE (#48253)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H020 – CANAL
AREA FEATURE.... SYMBOL# 2H020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 032 – NAVIGABLE HDP – HYDROGRAPHIC DEPTH NAM – NAME CATEGORY ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript. LABEL:NAM,CANAL Type Size: 6 – 14 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H020 – CANAL
AREA FEATURE.... SYMBOL# 2H020A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL Type Size: 6 – 14 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H020 – CANAL
AREA FEATURE.... SYMBOL# 2H020A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 006 – ABANDONED HYC – HYDROGRAPHIC CATEGORY 003 – DRY NAM – NAME CATEGORY ANY	AREA:FILL Area Pattern: AP- 95 Color: BLUE (#48253) LABEL:NAM Type Size: 6 – 12 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 – 12 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	CG COMBAT TLM 100K TLM 50K

2H020 – CANAL
AREA FEATURE.... SYMBOL# 2H020A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED DVL – DENSE BANK VEGETATION LEFT ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZH020A006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DVR — DENSE BANK VEGETATION RIGHT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DM1 — DEPTH OF WATER (1) ANY	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	
GM1 — GAP WIDTH RANGE (1) 003 - >18 AND <= 25 004 - >25 AND <=50 005 - >50 AND <=75 006 - >75 AND <=100 007 - >100 AND <=142 008 - >142	UNDERLINE:DVL,DVR Lineweight: 0.300mm Color: BLACK (#58600) Distance from the type: 0.5mm. Length: Variable.	
HL1 — BANK HEIGHT LEFT (1) ANY		
HR1 — BANK HEIGHT RIGHT (1) ANY		
SL1 — SLOPE GRADIENT LEFT (1) ANY		
SR1 — SLOPE GRADIENT RIGHT (1) ANY		
WVA — WATER VELOCITY AVERAGE ANY		

ZH020 — CANAL
AREA FEATURE.... SYMBOL# ZH020A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 - 24 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SC TTADB-SM TTADB-V
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	

ZH020 — CANAL
AREA FEATURE.... SYMBOL# ZH020A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC — BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.800. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-SD
CDA — COVERED DRAINAGE ATTRIBUTE 001 - UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL — DENSE BANK VEGETATION LEFT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DVR — DENSE BANK VEGETATION RIGHT ANY	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	
DM2 — DEPTH OF WATER (2) ANY	UNDERLINE:DVL,DVR Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5mm. Length: Variable.	
GM2 — GAP WIDTH RANGE (2) 002 - > 142 AND <= 1000 003 - > 1000		
HL2 — BANK HEIGHT LEFT (2) ANY		
HR2 — BANK HEIGHT RIGHT (2) ANY		
SL2 — SLOPE GRADIENT LEFT (2) ANY		
SR2 — SLOPE GRADIENT RIGHT (2) ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2E020A008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WVA - WATER VELOCITY AVERAGE ANY		

2E020 - CANAL
AREA FEATURE.... SYMBOL# 2E020A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL:NAM** Type Size: 6 - 14 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	BNPC

2E020 - CANAL
AREA FEATURE.... SYMBOL# 2E020A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 006 - ABANDONED 032 - NAVIGABLE HDP - HYDROGRAPHIC DEPTH ANY HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT NAM - NAME CATEGORY ANY	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LAB:NAM,EXS,CANAL** Type Size: 6 - 14 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) **LABEL:HDP** Type Size: 6 point Type Style: Lower Case,Italic Color: BLUE (#48253) 5 PT Subscript. **LABEL:OTHER** Type Size: 6 - 14 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	COMBAT

2E020 - CANAL
AREA FEATURE.... SYMBOL# 2E020A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 - GAP WIDTH RANGE (1) 003 - >18 AND <= 25 004 - >25 AND <=50 005 - >50 AND <=75 006 - >75 AND <=100 007 - >100 AND <=142	**SYMBOL** Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <3.0mm).	CCM 50

2E020 - CANAL
AREA FEATURE.... SYMBOL# 2E020A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 - GAP WIDTH RANGE (2) 002 - > 142 AND <= 1000	**SYMBOL** Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <=4.0mm)	CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2B020 – CANAL
AREA FEATURE.... SYMBOL# 2B020A015 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GN1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	DASH:CASING Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TIADB-SD

2B020 – CANAL
AREA FEATURE.... SYMBOL# 2B020A016 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GN2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000 003 – > 1000	DASH:CASING Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PIADB-SD

2B020 – CANAL
AREA FEATURE.... SYMBOL# 2B020A017 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMETER ANY LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WDP – WIDTH WITH GREATER PRECISION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance for labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TIADB-SD

2B020 – CANAL
LINE FEATURE.... SYMBOL# 2B020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED 032 – NAVIGABLE HYC – HYDROGRAPHIC CATEGORY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV JOG A JOG G TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H020L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT NAM - NAME CATEGORY ANY	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.400mm Color: BLUE (#48253)	TLM 50K

2H020 - CANAL
LINE FEATURE.... SYMBOL# 2H020L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 006 - ABANDONED HYC - HYDROGRAPHIC CATEGORY 003 - DRY NAM - NAME CATEGORY ANY	DASH Lineweight: 0.400mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H020 - CANAL
LINE FEATURE.... SYMBOL# 2H020L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 032 - NAVIGABLE HYC - HYDROGRAPHIC CATEGORY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM - NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

2H020 - CANAL
LINE FEATURE.... SYMBOL# 2H020L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 032 - NAVIGABLE HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.400mm Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZH020 – CANAL
LINE FEATURE.... SYMBOL# ZH020L008

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
005 – UNDER CONSTRUCTION
006 – ABANDONED

NAM – NAME CATEGORY
ANY

PARAMETERS:

DASH
Lineweight: 0.400mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

ATC 200
JOG R
OSC
TPC

ZH020 – CANAL
LINE FEATURE.... SYMBOL# ZH020L009

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DM2 – DEPTH OF WATER (2)
ANY

GM2 – GAP WIDTH RANGE (2)
001 – >18 AND <= 142

HL2 – BANK HEIGHT LEFT (2)
ANY

HR2 – BANK HEIGHT RIGHT (2)
ANY

SL2 – SLOPE GRADIENT LEFT (2)
ANY

SR2 – SLOPE GRADIENT RIGHT (2)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.800mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

PIADB-SD

ZH020 – CANAL
LINE FEATURE.... SYMBOL# ZH020L010

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear to apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

DASH
Lineweight: 0.300mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

PRODUCTS:

TIADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2B020L010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DVR – DENSE BANK VEGETATION RIGHT ANY		
DH1 – DEPTH OF WATER (1) ANY	LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
GW1 – GAP WIDTH RANGE (1) 001 – <3	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
HL1 – BANK HEIGHT LEFT (1) ANY		
HR1 – BANK HEIGHT RIGHT (1) ANY	UNDERLINE:DVL,DVR Lineweight: 0.300mm Color: BLACK (#58600) Distance fron type: 0.5mm. Length: Variable.	
SL1 – SLOPE GRADIENT LEFT (1) ANY		
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2B020 – CANAL
LINE FEATURE.... SYMBOL# 2B020L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY		
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DH1 – DEPTH OF WATER (1) ANY		
GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
HL1 – BANK HEIGHT LEFT (1) ANY	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5mm. Length: Variable.	
HR1 – BANK HEIGHT RIGHT (1) ANY		
SL1 – SLOPE GRADIENT LEFT (1) ANY		
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2M020 – CANAL
LINE FEATURE.... SYMBOL# 2M020L012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 032 – NAVIGABLE HDP – HYDROGRAPHIC DEPTH ANY	LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 pt. subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LINE Lineweight: 0.400mm Color: BLACK (#58600) TICK Lineweight: 0.400mm Length: 0.400mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: Extending above line (or to left if line is vertical).	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2M020 – CANAL
LINE FEATURE.... SYMBOL# 2M020L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 006 – ABANDONED 032 – NAVIGABLE HDP – HYDROGRAPHIC DEPTH ANY HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY	LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLUE (#48253) 5 PT Subscript. LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLUE (#48253) LINE Lineweight: 0.400mm Color: BLUE (#48253)	COMBAT

2M020 – CANAL
LINE FEATURE.... SYMBOL# 2M020L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250

2M020 – CANAL
LINE FEATURE.... SYMBOL# 2M020L015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H020 – CANAL
LINE FEATURE.... SYMBOL# 2H020L018 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW1 – GAP WIDTH RANGE (1) 001 – <3 002 – >3 AND <=18	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

2H020 – CANAL
LINE FEATURE.... SYMBOL# 2H020L019 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-SD

2H020 – CANAL
LINE FEATURE.... SYMBOL# 2H020L020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT LEN – LENGTH /DIAMETER ≥ 1000m	LINE Lineweight: 0.500mm Color: BLACK (#58600) Tick length: 0.75mm. Tick spacing: 2.0mm.	TTADB-T

2H020 – CANAL
LINE FEATURE.... SYMBOL# 2H020L021 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMETER ANY LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WGP – WIDTH WITH GREATER PRECISION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H020L021 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:SYMBOL Lineweight: 0.300mm Color: BLACK (#58600)	

2H020 - CANAL
POINT FEATURE.... SYMBOL# 2H020P001 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP - HYDROGRAPHIC DEPTH ANY	INFORMATION BOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.9mm clearance from labels.	TTADB-SD
LEN - LENGTH /DIAMETER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LOC - LOCATION /ORIGIN CATEGORY 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
WDP - WIDTH WITH GREATER PRECISION ANY		

2H030 - DITCH
AREA FEATURE.... SYMBOL# 2H030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle	CG CG ENV COMBAT TLM 100K TLM 50K
	LABEL:DITCH Type Size: 6 - 12 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	
	LINE:PERIMETER Lineweight: 0.200mm Color: BLUE (#48253)	

2H030 - DITCH
AREA FEATURE.... SYMBOL# 2H030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC - BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
CDA - COVERED DRAINAGE ATTRIBUTE 001 - UNCOVERED	LABEL:OTHER Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL - DENSE BANK VEGETATION LEFT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DVR - DENSE BANK VEGETATION RIGHT ANY	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	
DW1 - DEPTH OF WATER (1) ANY		
GW1 - GAP WIDTH RANGE (1) 003 - >10 AND <= 25 004 - >25 AND <=50		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H030A003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	**UNDERLINE:DVR,DVL** Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5mm. Length: Variable.	
HL1 – BANK HEIGHT LEFT (1) ANY		
HR1 – BANK HEIGHT RIGHT (1) ANY		
SL1 – SLOPE GRADIENT LEFT (1) ANY		
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2H030 – DITCH
AREA FEATURE.... SYMBOL# 2H030A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 - 24 point Type Style: Upper Case,Bold,Condensed Color: BLACK (#58600) Type Size: 6 TO 24 PT. **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SC TTADB-SM TTADB-V

2H030 – DITCH
AREA FEATURE.... SYMBOL# 2H030A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	**LABEL:OTHER** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY	**LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DVR – DENSE BANK VEGETATION RIGHT ANY	**LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	
DW2 – DEPTH OF WATER (2) ANY	**UNDERLINE:DVL,DVR** Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5mm. Length: Variable.	
GW2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000		
HL2 – BANK HEIGHT LEFT (2) ANY		
HR2 – BANK HEIGHT RIGHT (2) ANY		
SL2 – SLOPE GRADIENT LEFT (2) ANY		
SR2 – SLOPE GRADIENT RIGHT (2) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZH030 – DITCH
AREA FEATURE.... SYMBOL# ZH030A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GM2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000	LINE Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <=4.0mm).	CCM 250

ZH030 – DITCH
AREA FEATURE.... SYMBOL# ZH030A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GM1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142	LINE Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <3.0mm).	CCM 50

ZH030 – DITCH
AREA FEATURE.... SYMBOL# ZH030A008 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GM1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	DASH:PERIMETER Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TIADB-SD

ZH030 – DITCH
AREA FEATURE.... SYMBOL# ZH030A009 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GM2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000 003 – > 1000	DASH:PERIMETER Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	PTADB-SD

ZH030 – DITCH
AREA FEATURE.... SYMBOL# ZH030A010 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMTTER ANY LOC – LOCATION /ORIGIN CATEGORY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. INFORMATION HOLD Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TIADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H030A010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WCP – WIDTH WITH GREATER PRECISION ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	

2H030 – DITCH
AREA FEATURE.... SYMBOL# 2H030A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2

2H030 – DITCH
AREA FEATURE.... SYMBOL# 2H030A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# ZH030L006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.200mm Color: BLUE (#48253)	JOG G JOG R OSC TLM 100K TLM 50K TPC

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DW1 – DEPTH OF WATER (1) ANY	CHORDLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Length: Variable. Distance from type: 0.5mm.	
GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18		
HL1 – BANK HEIGHT LEFT (1) ANY		
HR1 – BANK HEIGHT RIGHT (1) ANY		
SL1 – SLOPE GRADIENT LEFT (1) ANY		
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	DASH Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DW1 – DEPTH OF WATER (1) ANY		
GW1 – GAP WIDTH RANGE (1) 001 – <3		
HL1 – BANK HEIGHT LEFT (1)		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H030L008 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HL1 – BANK HEIGHT LEFT (1) ANY		
HR1 – BANK HEIGHT RIGHT (1) ANY	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Length: Variable. Distance from type: 0.5mm.	
SL1 – SLOPE GRADIENT LEFT (1) ANY		
SR1 – SLOPE GRADIENT RIGHT (1) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 - UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
DM2 – DEPTH OF WATER (2) ANY		
GW2 – GAP WIDTH RANGE (2) 001 - >18 AND <= 142		
HL2 – BANK HEIGHT LEFT (2) ANY	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Length: Variable. Distance from type: 0.5mm.	
HR2 – BANK HEIGHT RIGHT (2) ANY		
SL2 – SLOPE GRADIENT LEFT (2) ANY		
SR2 – SLOPE GRADIENT RIGHT (2) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 – GAP WIDTH RANGE (2) 001 - >18 AND <= 142	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 50

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L014 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW1 – GAP WIDTH RANGE (1) 001 – <3 002 – >3 AND <=18	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L015 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	PTADB-SD

ZH030 – DITCH
LINE FEATURE.... SYMBOL# ZH030L016 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMETER ANY LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WDP – WIDTH WITH GREATER PRECISION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. LINE:SYMBOL Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT	**LINE** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2

2H030 – DITCH
LINE FEATURE.... SYMBOL# 2H030L018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2

2H030 – DITCH
POINT FEATURE.... SYMBOL# 2H030P001 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY LEN – LENGTH /DIAMETER ANY LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE WD2 – WIDTH WITH GREATER PRECISION ANY	**INFORMATION BOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	TTADB-SD

2H040 – FILTRATION /AERATION BEDS
AREA FEATURE.... SYMBOL# 2H040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Line Pattern: LP-15 Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H040 – FILTRATION /AERATION BEDS
AREA FEATURE.... SYMBOL# 2H040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600)	TTADB-SC TTADB-SD TTADB-SM TTADB-V

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZH040A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	

ZH050 – FISH HATCHERY
AREA FEATURE.... SYMBOL# ZH050A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) Type Style: Italic LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1

ZH050 – FISH HATCHERY
AREA FEATURE.... SYMBOL# ZH050A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 CG COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

ZH050 – FISH HATCHERY
AREA FEATURE.... SYMBOL# ZH050A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SC TTADB-SD TTADB-SM TTADB-V

ZH050 – FISH HATCHERY
POINT FEATURE.... SYMBOL# ZH050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2H050P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #2 Color: BLACK (#58600)	

2H060 - FLDMK
LINE FEATURE.... SYMBOL# 2H060L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC - LOCATION /ORIGIN CATEGORY 003 - ON GROUND SURFACE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.300mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H060 - FLDMK
LINE FEATURE.... SYMBOL# 2H060L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC - LOCATION /ORIGIN CATEGORY 004 - SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.300mm Color: BLUE (#48253) **TICK:MING** Lineweight: 0.300mm Length: 0.700mm Color: BLUE (#48253) Tick orientation: 45° to feature.	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H070 - FCSD
LINE FEATURE.... SYMBOL# 2H070L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H070 - FCSD
LINE FEATURE.... SYMBOL# 2H070L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2E0701002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.200mm Color: BLACK (#58600)	

2E070 - FORD
LINE FEATURE.... SYMBOL# 2E0701004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN - LENGTH /DIAMETER ≥ 500%	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.800mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.710mm. DASH Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case, Bold, Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600)	PTADB-T TRANS250

2E070 - FORD
LINE FEATURE.... SYMBOL# 2E0701005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN - LENGTH /DIAMETER > 18%	Origin: Centered between closest trangle pts. POSICUT Posicut: #97 Color: BLACK (#58600)	TTADB-SD

2E070 - FORD
LINE FEATURE.... SYMBOL# 2E0701006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN - LENGTH /DIAMETER ≥ 142%	Origin: Centered between closest triangle pts. POSICUT Posicut: #97 Color: BLACK (#58600)	PTADB-SD

2E070 - FORD
LINE FEATURE.... SYMBOL# 2E0701007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN - LENGTH /DIAMETER ≥ 100 & ≤ 300%	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. DASH Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	TRANS 50 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2E070L007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	

2E070 – FORD
LINE FEATURE.... SYMBOL# 2E070L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER > 300	**DASH** Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TRANS 50 TTADB-T

2E070 – FORD
POINT FEATURE.... SYMBOL# 2E070P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

2E070 – FORD
POINT FEATURE.... SYMBOL# 2E070P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER < 18m	Origin: Centered between closest triangle pts. **POSICUT** Posicut: #97 Color: BLACK (#58600)	TTADB-SD

2E070 – FORD
POINT FEATURE.... SYMBOL# 2E070P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER < 100m **NOF** – NUMBER OF FORDS ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	TRANS 50 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H070 – FORD
POINT FEATURE.... SYMBOL# 2H070P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER < 500m NOF – NUMBER OF FORDS ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	FTADB-T TRANS250

2H070 – FORD
POINT FEATURE.... SYMBOL# 2H070P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LEN – LENGTH /DIAMETER < 142	Origin: Centered between closest triangle pts. POSICUT Posicut: #97 Color: BLACK (#58600)	FTADB-SD

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE ASC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	LINE Lineweight: 0.200mm Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE ASC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 006 – MANGROVE /NIPA 008 – MARSH, SWAMP	DASH Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OEC TLM 100K TLM 50K TPC

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE ASC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H075L003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SLT – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	TLM 50K

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE AHC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	LINE Lineweight: 0.200mm Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE AHC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.500mm Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AHC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 006 – MANGROVE /NIPA 008 – MARSH, SWAMP	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AHC – ASSOCIATED HYDROGRAPHIC CATEGORY 002 – INTERMITTENT 003 – EPHEMERAL	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASC – ASSOCIATED HYDROGRAPHIC CATEGORY 002 – INTERMITTENT	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H075 – INLAND SHORELINE
LINE FEATURE.... SYMBOL# 2H075L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASC – ASSOCIATED HYDROGRAPHIC CATEGORY 001 – PERENNIAL SLT – SHORELINE TYPE CATEGORY 010 – ROCKY 011 – RUBBLE 013 – SANDY 014 – STONY, SHINGLY 015 – OTHER	LINE Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:NAM Type Size: 6 – 24 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY WSC – WATER SALINITY CATEGORY 004 – SALT SVL – 2 VALUE ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:NAM Type Size: 6 – 20 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) LABEL:SALT Type Size: 6 – 20 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) The feature is labeled "Salt", if brackish, when name is unknown. When "salt" is part of the proper name, the word salt is not omitted. When the proper name does not have the word "Salt" as part of its name, then the word "(salt)" is added in parens directly under the name and centered. LABEL:SVL Type Size: 6 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:58Z
Check the source to verify that this is the current version before use.

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A003

ATTRIBUTES:

HYC – HYDROGRAPHIC CATEGORY
006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING

NAM – NAME CATEGORY
ANY

WSC – WATER SALINITY CATEGORY
004 – SALT

ZVL – Z VALUE
ANY

PARAMETERS:

AREA:FILL
Line Pattern: LP-15
Color: BLUE (#48253)

LABEL:NAM
Type Size: 6 – 20 point
Type Style: Upper Case,Condensed,Italic
Color: BLUE (#48253)

LABEL:SALT
Type Size: 6 – 20 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)
The feature is labeled "Salt", if brackish, when name is unknown.
When "salt" is part of the proper name, the word salt is not omitted.
When the proper name does not have the word "Salt" as part of its name, then the word "(salt)" is added in parens directly under the name and centered.

LABEL:ZVL
Type Size: 6 point
Type Style: Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A004

ATTRIBUTES:

HYC – HYDROGRAPHIC CATEGORY
008 – PERENNIAL /PERMANENT

NAM – NAME CATEGORY
ANY

ZVL – Z VALUE
ANY

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

LABEL:NAM
Type Size: 6 – 20 point
Type Style: Upper Case,Condensed,Italic
Color: BLUE (#48253)

LABEL:ZVL
Type Size: 6 – 20 point
Type Style: Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A005

ATTRIBUTES:

HYC – HYDROGRAPHIC CATEGORY
003 – DRY

NAM – NAME CATEGORY
ANY

PARAMETERS:

AREA
Area Pattern: AP- 95
Color: BLUE (#48253)

LABEL:NAM
Type Size: 6 – 20 point
Type Style: Upper Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

2H080 – LAKE /POND
AREA FEATURE.... SYMBOL# 2H080A006

ATTRIBUTES:

HYC – HYDROGRAPHIC CATEGORY
008 – PERENNIAL /PERMANENT

PARAMETERS:

LABEL
Type Size: 6 – 24 point
Type Style: Upper Case
Color: BLACK (#58600)

PRODUCTS:

PTADB-SC
PTADB-SD
PTADB-SM
PTADB-V
TTADB-SC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2ND80A006 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	TTADB-SD TTADB-SM TTADB-V

2ND80 – LAKE /POND
AREA FEATURE.... SYMBOL# 2ND80A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING	DASH:PERIMETER Lineweight: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600)	PTADB-SD TTADB-SD

2ND80 – LAKE /POND
AREA FEATURE.... SYMBOL# 2ND80A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 003 – DRY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM – NAME CATEGORY ANY	AREA:FILL Area Pattern: AP- 95 Color: BLUE (#48253) LABEL:NAM Type Size: 6 – 20 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 JOG R OSC TPC

2ND80 – LAKE /POND
AREA FEATURE.... SYMBOL# 2ND80A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 000 – UNKNOWN 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY WSC – WATER SALINITY CATEGORY 002 – FRESH EVL – Z VALUE ANY	AREA Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:NAM Type Size: 6 – 20 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253) LABEL:EVL Type Size: 6 – 20 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2ND80 – LAKE /POND
AREA FEATURE.... SYMBOL# 2ND80A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM – NAME CATEGORY ANY WSC – WATER SALINITY CATEGORY 002 – FRESH	AREA:FILL Line Pattern: LP-15 Color: BLUE (#48253) LABEL:NAM Type Size: 6 – 20 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H080A013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EVL – Z VALUE ANY	LABEL:EVL Type Size: 6 - 20 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	

2H090 – LAND SUBJECT TO INUNDATION
AREA FEATURE.... SYMBOL# 2H090A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOC – HYDROGRAPHIC ORIGIN CATEGORY 005 - NATURAL	AREA:FILL Area Pattern: AP- 10 Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H090 – LAND SUBJECT TO INUNDATION
AREA FEATURE.... SYMBOL# 2H090A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOC – HYDROGRAPHIC ORIGIN CATEGORY 001 - CONTROLLED	AREA:FILL Area Pattern: AP- 10 Color: BLUE (#48253) DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H090 – LAND SUBJECT TO INUNDATION
AREA FEATURE.... SYMBOL# 2H090A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 10 Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

2H090 – LAND SUBJECT TO INUNDATION
AREA FEATURE.... SYMBOL# 2H090A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 10 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H090 – LAND SUBJECT TO INUNDATION
AREA FEATURE.... SYMBOL# 2H090A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600)	PTADB-SD TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2E095 – MISCELLANEOUS SURFACE DRAINAGE FEATURE
AREA FEATURE.... SYMBOL# 2E095A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 008 – GENERAL SURFACE DRAINAGE FEATURE MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	DASH:PERIMETER Linewidth: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 – 24 point Type Style: Upper/Lower Case Color: BLACK (#58600)	PTADB-SD

2E095 – MISCELLANEOUS SURFACE DRAINAGE FEATURE
AREA FEATURE.... SYMBOL# 2E095A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 007 – REPRESENTATIVE PATTERN AREA 008 – GENERAL SURFACE DRAINAGE FEATURE 012 – AREA OF EMBISHED CHANNELS 013 – TIDAL FLATS MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	DASH:PERIMETER Linewidth: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 – 24 point Type Style: Upper/Lower Case Color: BLACK (#58600)	TTADB-SD

2E100 – MOAT
LINE FEATURE.... SYMBOL# 2E100L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY PVD – PREDOMINANT FEATURE DEPTH ANY	LABEL Type Size: 6 point Type Style: Lower Case, Bold, Condensed Color: BLACK (#58600) LINE:CASING Linewidth: 0.300mm Color: BLACK (#58600) Distance apart: 2.0mm. LINE:INTERIOR Linewidth: 0.300mm Color: BLACK (#58600) Distance apart: 3.0mm (perpendicular to perimeter line).	TTADB-O

2E100 – MOAT
LINE FEATURE.... SYMBOL# 2E100L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE:CASING Linewidth: 0.300mm Color: PURPLE (#95151) Spacing: 2.00mm (perpendicular to interior lines). LINE:INTERIOR Linewidth: 0.300mm Color: PURPLE (#95151) Spacing: 3.00mm (perpendicular to perimeter lines).	CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

2H110 – PENSTOCK
LINE FEATURE.... SYMBOL# 2H110L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.300mm Color: BLUE (#48253) **TICK:WIRE** Lineweight: 0.300mm Length: 0.700mm Color: BLUE (#48253) Tick orientation: 45° to line.	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H110 – PENSTOCK
LINE FEATURE.... SYMBOL# 2H110L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 003 – ON GROUND SURFACE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.300mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H110 – PENSTOCK
LINE FEATURE.... SYMBOL# 2H110L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LOC – LOCATION /ORIGIN CATEGORY 001 – BELOW GROUND SURFACE	**DASH** Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2H120 – RAPIDS
LINE FEATURE.... SYMBOL# 2H120L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

2K120 – RAPIDS
LINE FEATURE.... SYMBOL# 2K120L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2K120 – RAPIDS
POINT FEATURE.... SYMBOL# 2K120P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.200mm Length: 1.300mm Color: BLUE (#48253) Symbol used only with a line drain.	ATC 200 COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

2K130 – RESERVOIR
AREA FEATURE.... SYMBOL# 2K130A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL:NAM** Type Size: 6 - 24 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 - 24 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2

2K130 – RESERVOIR
AREA FEATURE.... SYMBOL# 2K130A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY OPR – OPERATIONAL **NAM – NAME CATEGORY** ANY	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL** Type Size: 6 - 20 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600) Interior line when shown: 0.10mm.	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2H130 – RESERVOIR
AREA FEATURE.... SYMBOL# 2H130A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 – 24 point Type Style: Upper Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SC PTADB-SD PTADB-SM PTADB-V TTADB-SC TTADB-SD TTADB-SM TTADB-V

2H130 – RESERVOIR
AREA FEATURE.... SYMBOL# 2H130A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION NAM – NAME CATEGORY ANY	**AREA** Line Pattern: LP-15 Color: BLUE (#48253) **DASH:PERIMETER** Lineweight: 0.100mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Interior lines when shown: 0.10mm. **LABEL:EXS** Type Size: 6 – 20 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 – 20 point Type Style: Upper Case,Condensed,Italic Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

2H130 – RESERVOIR
POINT FEATURE.... SYMBOL# 2H130P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	Origin: Center of square **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) **POSICUT** Posicut: #2 Color: BLACK (#58600)	ATC 200 JOG R

2H140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL** Type Size: 6 – 18 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H140 - RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT NAM - NAME CATEGORY ANY	AREA:FILL Color: BLUE (#48253) Screen: 31%,45° Angle LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2H140 - RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM - NAME CATEGORY ANY	AREA:FILL Area Pattern: AP- 95 Color: BLUE (#48253) LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H140 - RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING	AREA:FILL Area Pattern: AP- 95 Color: BLUE (#48253)	ATC 200 JOG R OSC TPC

2H140 - RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC - BOTTOM MATERIAL COMPOSITION ANY CVA - COVERED DRAINAGE ATTRIBUTE 001 - UNCOVERED DVL - DENSE BANK VEGETATION LEFT ANY DVR - DENSE BANK VEGETATION RIGHT ANY DW1 - DEPTH OF WATER (1) ANY GW1 - GAP WIDTH RANGE (1) 003 - >18 AND <= 25 004 - >25 AND <=50 005 - >50 AND <=75 006 - >75 AND <=100 007 - >100 AND <=142 008 - >142 HYC - HYDROGRAPHIC FORM CATEGORY 001 - CHANNELIZED STREAM 014 - BRAIDED 019 - GORGE HL1 - BANK HEIGHT LEFT (1) ANY HR1 - BANK HEIGHT RIGHT (1) ANY SL1 - SLOPE GRADIENT LEFT (1)	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.60mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm. LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600) UNDERLINE:DVL,DVR Lineweight: 0.300mm Color: BLACK (#58600) Distance from type = 0.5 mm. Length: Variable.	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H140A009 (Continued)

ATTRIBUTES: **PARAMETERS:** **PRODUCTS:**

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

2H140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A010

ATTRIBUTES: **PARAMETERS:** **PRODUCTS:**

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
003 – >18 AND <= 25
004 – >25 AND <=50
005 – >50 AND <=75
006 – >75 AND <=100
007 – >100 AND <=142
008 – >142

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

TID – TIDAL /NON-TIDAL CATEGORY
002 – TIDAL /TIDAL FLUCTUATING

WVA – WATER VELOCITY AVERAGE
ANY

ARROWHEAD TTADB-SD
Color: BLACK (#58600)
Length long sides: 1.80mm,
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type : 0.5mm.
Length: Variable.

2H140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A011

ATTRIBUTES: **PARAMETERS:** **PRODUCTS:**

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

ARROWHEAD TTADB-SD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2N140A011 (Continued)

ATTRIBUTES:

DVR – DENSE BANK VEGETATION RIGHT
ANY

DR1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
003 – >18 AND <= 25
004 – >25 AND <=50
005 – >50 AND <=75
006 – >75 AND <=100
007 – >100 AND <=142
008 – >142

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

HYC – HYDROGRAPHIC CATEGORY
003 – DRY
006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING
008 – PERENNIAL /PERMANENT

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

2N140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# 2N140A012

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CDA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DR2 – DEPTH OF WATER (2)
ANY

GW2 – GAP WIDTH RANGE (2)
002 – > 142 AND <= 1000
003 – > 1000

HFC – HYDROGRAPHIC FORM CATEGORY
001 – CHANNELIZED STREAM
014 – BRAIDED

019 – CORCE

HL2 – BANK HEIGHT LEFT (2)
ANY

HR2 – BANK HEIGHT RIGHT (2)
ANY

SL2 – SLOPE GRADIENT LEFT (2)
ANY

SR2 – SLOPE GRADIENT RIGHT (2)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H140 — RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A013

ATTRIBUTES:

BMC — BOTTOM MATERIAL COMPOSITION
ANY

CDA — COVERED DRAINAGE ATTRIBUTE
001 — UNCOVERED

DVL — DENSE BANK VEGETATION LEFT
ANY

DVR — DENSE BANK VEGETATION RIGHT
ANY

DW2 — DEPTH OF WATER (2)
ANY

GW2 — GAP WIDTH RANGE (2)
002 — > 142 AND <= 1000
003 — > 1000

HL2 — BANK HEIGHT LEFT (2)
ANY

HR2 — BANK HEIGHT RIGHT (2)
ANY

HYC — HYDROGRAPHIC CATEGORY
003 — DRY
006 — NON-PERENNIAL /INTERMITTENT /FLUCTUATING
008 — PERENNIAL /PERMANENT

SL2 — SLOPE GRADIENT LEFT (2)
ANY

SR2 — SLOPE GRADIENT RIGHT (2)
ANY

WVA — WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

PTADB-SD

2H140 — RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A014

ATTRIBUTES:

BMC — BOTTOM MATERIAL COMPOSITION
ANY

CDA — COVERED DRAINAGE ATTRIBUTE
001 — UNCOVERED

DVL — DENSE BANK VEGETATION LEFT
ANY

DVR — DENSE BANK VEGETATION RIGHT
ANY

DW2 — DEPTH OF WATER (2)
ANY

GW2 — GAP WIDTH RANGE (2)
002 — > 142 AND <= 1000
003 — > 1000

HL2 — BANK HEIGHT LEFT (2)
ANY

HR2 — BANK HEIGHT RIGHT (2)
ANY

SL2 — SLOPE GRADIENT LEFT (2)
ANY

SR2 — SLOPE GRADIENT RIGHT (2)
ANY

TID — TIDAL /NON-TIDAL CATEGORY
002 — TIDAL /TIDAL FLUCTUATING

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZH140A014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WVA – WATER VELOCITY AVERAGE ANY		

ZH140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# ZH140A015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SC PTADB-SM PTADB-V TTADB-SC TTADB-SM TTADB-V

ZH140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# ZH140A016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000	LINE Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <=4.0mm)	CCM 250

ZH140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# ZH140A017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142	LINE Color: PURPLE (#95151) Lineweight: Variable (>=1.0mm to <3.0mm)	CCM 50

ZH140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# ZH140A020 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW1 – GAP WIDTH RANGE (1) 003 – >18 AND <= 25 004 – >25 AND <=50 005 – >50 AND <=75 006 – >75 AND <=100 007 – >100 AND <=142 008 – >142	DASH:PERIMETER Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-SD

ZH140 – RIVER /STREAM
AREA FEATURE.... SYMBOL# ZH140A021 COVERED DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDA – COVERED DRAINAGE ATTRIBUTE 002 – COVERED GW2 – GAP WIDTH RANGE (2) 002 – > 142 AND <= 1000 003 – > 1000	DASH:PERIMETER Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H140A021 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:CDA Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	

2H140 — RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A022 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP — HYDROGRAPHIC DEPTH ANY	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 1.80mm Length between rear apexes: 0.90mm Length center rear to inner apex: 0.71mm	TTADB-SD
LEN — LENGTH /DIAMETER ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm Tick length: 2.0mm Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	
LOC — LOCATION /ORIGIN CATEGORY 004 — SUSPENDED OR ELEVATED ABOVE GROUND OR WATER *SURFACE*		
WCP — WIDTH WITH GREATER PRECISION ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable	
	LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	

2H140 — RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A023 WASH/WADI

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC — BOTTOM MATERIAL COMPOSITION ANY	**ARROWHEAD** Color: BLACK (#58600) Length long sides: 0.80mm Length between rear apexes: 0.90mm Length center rear to inner apex: 0.71mm	TTADB-SD
CDA — COVERED DRAINAGE ATTRIBUTE 001 — *UNCOVERED*	**DASH:PERIMETER** Lineweight: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	
DVL — DENSE BANK VEGETATION LEFT ANY		
DVR — DENSE BANK VEGETATION RIGHT ANY	**LABEL:CODE** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DW1 — DEPTH OF WATER (1) ANY		
GW1 — GAP WIDTH RANGE (1) 000 — UNKNOWN 003 — >18 AND <= 25 004 — >25 AND <=50 005 — >50 AND <=75 006 — >75 AND <=100 007 — >100 AND <=142 008 — >142	**LABEL:WS** Type Size 6 - 24 point Type Style: Upper Case Color: BLACK (#58600)	
	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable	
HFC — HYDROGRAPHIC FORM CATEGORY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2H140A023 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFC - HYDROGRAPHIC FORM CATEGORY 021 - WASH/WADI/ARROYO	UNDERLINE:DVL,DVR Lineweight: 0.300mm Color: BLACK (#58600) Length: Variable Distance from type: 0.50mm.	
HL1 - BANK HEIGHT LEFT (1) ANY		
HR1 - BANK HEIGHT RIGHT (1) ANY		
SL1 - SLOPE GRADIENT LEFT (1) ANY		
SR1 - SLOPE GRADIENT RIGHT (1) ANY		
WVA - WATER VELOCITY AVERAGE ANY		

2H140 - RIVER /STREAM
AREA FEATURE.... SYMBOL# 2H140A024

ATTRIBUTES:	PARAMETERS:	PRODUCTS:	
EFC - HYDROGRAPHIC CATEGORY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING	SYMBOL Non-perennial rivers contain no fill. Banks are symbolized by 2H075L013.		HAC 1 HAC 2 HAC 3 HAC 4

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFC - HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT NAM - NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFC - HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING NAM - NAME CATEGORY ANY	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 008 – PERENNIAL /PERMANENT NAM – NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING	DASH Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED DVL – DENSE BANK VEGETATION LEFT ANY DVR – DENSE BANK VEGETATION RIGHT ANY DH1 – DEPTH OF WATER (1) ANY GW1 – GAP WIDTH RANGE (1) 002 – >3 AND <=18 HFC – HYDROGRAPHIC FORM CATEGORY 001 – CHANNELIZED STREAM 014 – BRAIDED 019 – GORGE 021 – WASH/WADI/ARROYO HL1 – BANK HEIGHT LEFT (1) ANY HR1 – BANK HEIGHT RIGHT (1) ANY LEN – LENGTH /DIAMETER ANY SL1 – SLOPE GRADIENT LEFT (1) ANY SR1 – SLOPE GRADIENT RIGHT (1) ANY WVA – WATER VELOCITY AVERAGE ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0..71mm. LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5 mm. Length: Variable.	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L008

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CVA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
002 – >3 AND <=18

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

HYC – HYDROGRAPHIC CATEGORY
003 – DRY
006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING
008 – PERENNIAL /PERMANENT

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides:1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5 mm.
Length: Variable.

PRODUCTS:

TTADB-SD

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L009

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
ANY

CVA – COVERED DRAINAGE ATTRIBUTE
001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
002 – >3 AND <=18

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

TID – TIDAL /NON-TIDAL CATEGORY
002 – TIDAL /TIDAL FLUCTUATING

WVA – WATER VELOCITY AVERAGE

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides:1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5 mm.
Length: Variable.

PRODUCTS:

TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H140L009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
WVA – WATER VELOCITY AVERAGE ANY		

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides:1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY		
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DW2 – DEPTH OF WATER (2) ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5 mm. Length: Variable.	
HFC – HYDROGRAPHIC FORM CATEGORY 001 – CHANNELIZED STREAM 014 – BRAIDED 019 – GORGE		
HL2 – BANK HEIGHT LEFT (2) ANY		
HR2 – BANK HEIGHT RIGHT (2) ANY		
SL2 – SLOPE GRADIENT LEFT (2) ANY		
SR2 – SLOPE GRADIENT RIGHT (2) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PTADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY		
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DW2 – DEPTH OF WATER (2) ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2N140L011 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BL2 – BANK HEIGHT LEFT (2) ANY	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5 mm. Length: Variable.	
BR2 – BANK HEIGHT RIGHT (2) ANY		
HYC – HYDROGRAPHIC CATEGORY 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING 008 – PERENNIAL /PERMANENT		
SL2 – SLOPE GRADIENT LEFT (2) ANY		
SR2 – SLOPE GRADIENT RIGHT (2) ANY		
WVA – WATER VELOCITY AVERAGE ANY		

2N140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2N140L012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	PIADB-SD
CDA – COVERED DRAINAGE ATTRIBUTE 001 – UNCOVERED	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DVL – DENSE BANK VEGETATION LEFT ANY		
DVR – DENSE BANK VEGETATION RIGHT ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
DM2 – DEPTH OF WATER (2) ANY	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
GW2 – GAP WIDTH RANGE (2) 001 – >18 AND <= 142		
BL2 – BANK HEIGHT LEFT (2) ANY	UNDERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5 mm. Length: Variable.	
BR2 – BANK HEIGHT RIGHT (2) ANY		
SL2 – SLOPE GRADIENT LEFT (2) ANY		
SR2 – SLOPE GRADIENT RIGHT (2) ANY		
TID – TIDAL /NON-TIDAL CATEGORY 002 – TIDAL /TIDAL FLUCTUATING		
WVA – WATER VELOCITY AVERAGE ANY		

2N140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2N140L013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC – BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TIADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H140L013 (Continued)

ATTRIBUTES:

CDA – COVERED DRAINAGE ATTRIBUTE
- 001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
- ANY

DVR – DENSE BANK VEGETATION RIGHT
- ANY

DW1 – DEPTH OF WATER (1)
- ANY

GW1 – GAP WIDTH RANGE (1)
- 001 – <3

HYC – HYDROGRAPHIC FORM CATEGORY
- 001 – CHANNELIZED STREAM
- 014 – BRAIDED
- 019 – GORGE
- 021 – WASH/WADI/ARROYO

HL1 – BANK HEIGHT LEFT (1)
- ANY

HR1 – BANK HEIGHT RIGHT (1)
- ANY

SL1 – SLOPE GRADIENT LEFT (1)
- ANY

SR1 – SLOPE GRADIENT RIGHT (1)
- ANY

WVA – WATER VELOCITY AVERAGE
- ANY

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5 mm.
Length: Variable.

PRODUCTS:

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L014

ATTRIBUTES:

BMC – BOTTOM MATERIAL COMPOSITION
- ANY

CDA – COVERED DRAINAGE ATTRIBUTE
- 001 – UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
- ANY

DVR – DENSE BANK VEGETATION RIGHT
- ANY

DW1 – DEPTH OF WATER (1)
- ANY

GW1 – GAP WIDTH RANGE (1)
- 001 – <3

HL1 – BANK HEIGHT LEFT (1)
- ANY

HR1 – BANK HEIGHT RIGHT (1)
- ANY

HYC – HYDROGRAPHIC CATEGORY
- 003 – DRY
- 006 – NON-PERENNIAL /INTERMITTENT /FLUCTUATING
- 008 – PERENNIAL /PERMANENT

SL1 – SLOPE GRADIENT LEFT (1)
- ANY

SR1 – SLOPE GRADIENT RIGHT (1)
- ANY

WVA – WATER VELOCITY AVERAGE
- ANY

PARAMETERS:

ARROWHEAD
Color: BLACK (#58600)
Length long sides: 1.80mm.
Length between rear apexes: 0.90mm.
Length center rear to inner apex: 0.71mm.

DASH
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable

UNDERLINE:DVR,DVL
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type = 0.5 mm.
Length: Variable

PRODUCTS:

TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC - BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
CDA - COVERED DRAINAGE ATTRIBUTE 001 - UNCOVERED	DASH Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	
DVL - DENSE BANK VEGETATION LEFT ANY		
DVR - DENSE BANK VEGETATION RIGHT ANY	LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
DW1 - DEPTH OF WATER (1) ANY		
GW1 - GAP WIDTH RANGE (1) 001 - <3	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
HL1 - BANK HEIGHT LEFT (1) ANY		
HR1 - BANK HEIGHT RIGHT (1) ANY	OVERLINE:DVR,DVL Lineweight: 0.300mm Color: BLACK (#58600) Distance from type: 0.5 mm. Length: Variable.	
SL1 - SLOPE GRADIENT LEFT (1) ANY		
SR1 - SLOPE GRADIENT RIGHT (1) ANY		
TID - TIDAL /NON-TIDAL CATEGORY 002 - TIDAL /TIDAL FLUCTUATING		
WVA - WATER VELOCITY AVERAGE ANY		

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW2 - GAP WIDTH RANGE (2) 001 - >18 AND <= 142	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GW1 - GAP WIDTH RANGE (1) 002 - >3 AND <=18	LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 50

2H140 - RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L020

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BMC - BOTTOM MATERIAL COMPOSITION ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:38Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H140L020 (Continued)

ATTRIBUTES:

CDA – COVERED DRAINAGE ATTRIBUTE
001 - UNCOVERED

DVL – DENSE BANK VEGETATION LEFT
ANY

DVR – DENSE BANK VEGETATION RIGHT
ANY

DW1 – DEPTH OF WATER (1)
ANY

GW1 – GAP WIDTH RANGE (1)
001 - <3

HFC – HYDROGRAPHIC FORM CATEGORY
001 - CHANNELIZED STREAM

HL1 – BANK HEIGHT LEFT (1)
ANY

HR1 – BANK HEIGHT RIGHT (1)
ANY

SL1 – SLOPE GRADIENT LEFT (1)
ANY

SR1 – SLOPE GRADIENT RIGHT (1)
ANY

WVA – WATER VELOCITY AVERAGE
ANY

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

UNDERLINE:DVL,DVR
Lineweight: 0.300mm
Color: BLACK (#58600)
Distance from type: 0.5mm.
Length: Variable.

PRODUCTS:

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L021 COVERED DRAINAGE

ATTRIBUTES:

CDA – COVERED DRAINAGE ATTRIBUTE
002 - COVERED

GW1 – GAP WIDTH RANGE (1)
001 - <3
002 - >3 AND <=18

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

TTADB-SD

2H140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2H140L022 COVERED DRAINAGE

ATTRIBUTES:

CDA – COVERED DRAINAGE ATTRIBUTE
002 - COVERED

GW2 – GAP WIDTH RANGE (2)
001 - >18 AND <= 142

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2K140 – RIVER /STREAM
LINE FEATURE.... SYMBOL# 2K140L023 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY	ARROWHEAD Color: BLACK (#58600) Length long sides: 1.80mm. Length between rear apexes: 0.90mm. Length center rear to inner apex: 0.71mm.	TTADB-SD
LEN – LENGTH /DIAMETER ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
WDP – WIDTH WITH GREATER PRECISION ANY	LINE Lineweight: 0.300mm Color: BLACK (#58600)	
	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	

2K140 – RIVER /STREAM
POINT FEATURE.... SYMBOL# 2K140P001 ELEVATED AQUEDUCT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDP – HYDROGRAPHIC DEPTH ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TTADB-SD
LEN – LENGTH /DIAMETER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LOC – LOCATION /ORIGIN CATEGORY 004 – SUSPENDED OR ELEVATED ABOVE GROUND OR WATER SURFACE	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
WDP – WIDTH WITH GREATER PRECISION ANY		

2K145 – RIVER OR STREAM VANISHING POINT
POINT FEATURE.... SYMBOL# 2K145P001 DISSIPATING DRAIN

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – HYDROGRAPHIC FORM CATEGORY 016 – DISSIPATING	Origin: Apex	COMBAT JOG A JOG G TIM 100K TIM 50K
	SYMBOL:V Lineweight: 0.200mm Length: 1.000mm Color: BLUE (#48253) Angle between stems: 90° Orientation: Apex points upstream, and connects to drainage feature at apex.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2H145 – RIVER OR STREAM VANISHING POINT
POINT FEATURE.... SYMBOL# 2H145P002 DISAPPEARING DRAIN

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HFC – HYDROGRAPHIC FORM CATEGORY 002 – DISAPPEARING	Origin: Center of clear circle **POSICUT** Posicut: #125 Color: BLUE (#48253) Orientation: Clear circle points downstream.	COMBAT JOG A JOG G TLM 100K TLM 50K

2H145 – RIVER OR STREAM VANISHING POINT
POINT FEATURE.... SYMBOL# 2H145P003 VANISHING POINT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Lead apex **TRIANGLE** Color: BLUE (#48253) Equilateral triangle: 2.0mm each side. Orientation: Lead apex points downstream.	ATC 200 JOG R ONC TPC

2H150 – SALT EVAPORATOR
AREA FEATURE.... SYMBOL# 2H150A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE:INTERIOR** Lineweight: 0.200mm Length: 1.500mm Color: BLUE (#48253) Grid squares: 1.500mm X 1.500mm. Grid alignment parallel to longest axis of perimeter line and centered. **LINE:PERIMETER** Lineweight: 0.200mm Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H150 – SALT EVAPORATOR
AREA FEATURE.... SYMBOL# 2H150A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:INTERNAL** Lineweight: 0.200mm Length: 1.500mm Color: BLACK (#58600) Grid squares: 1.500mm X 1.500mm. Alignment parallel to longest axis of perimeter line and centered. **LINE:PERIMETER** Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

2H150 – SALT EVAPORATOR
AREA FEATURE.... SYMBOL# 2H150A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# ZH150A010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:INTERIOR Lineweight: 0.200mm Length: 1.500mm Color: BLUE (#48253) Grid squares: 1.500mm X 1.500mm. Alignment parallel to longest axis of the primeter line and centered. LINE:PERIMETER Lineweight: 0.200mm Color: BLACK (#58600)	

ZH150 - SALT EVAPORATOR
AREA FEATURE.... SYMBOL# ZH150A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.500mm Length: 3.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600)	PTADB-SD TTADB-SD

ZH160 - SAMPLE
AREA FEATURE.... SYMBOL# ZH160A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP-103 Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG C JOG R OSC TLM 100K TLM 50K TPC

ZH160 - SAMPLE
AREA FEATURE.... SYMBOL# ZH160A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 - 24 point Type Style: Upper Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SD TTADB-SD

ZH170 - SPRING
POINT FEATURE.... SYMBOL# ZH170P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC - HYDROGRAPHIC CATEGORY 009 - PERENNIAL /PERMANENT SCC - SPRING /WELL CHARACTERISTIC CATEGORY ANY	Origin: Center of circle LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG C TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 2H170P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #124 Color: BLUE (#48253) Orientation 1: Wavy line (tail) points downhill with drain flow when drain is present. Orientation 2: When no drain is present, "tail" orientation is perpendicular to lines of latitude.	

2H170 — SPRING
POINT FEATURE.... SYMBOL# 2H170P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC — HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING SCC — SPRING /WELL CHARACTERISTIC CATEGORY ANY	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **POSICUT** Posicut: #215 Color: BLUE (#48253) Orientation 1: Wavy line (tail) points downhill with drain flow when drain is present. Orientation 2: When no drain is present, "tail" orientation is perpendicular to lines of latitude.	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2H170 — SPRING
POINT FEATURE.... SYMBOL# 2H170P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC — HYDROGRAPHIC CATEGORY 008 - PERENNIAL /PERMANENT	Origin: Center of dot **POSICUT** Posicut: #5 Color: BLUE (#48253)	ONC TPC

2H170 — SPRING
POINT FEATURE.... SYMBOL# 2H170P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HYC — HYDROGRAPHIC CATEGORY 003 - DRY 006 - NON-PERENNIAL /INTERMITTENT /FLUCTUATING	Origin: Center of circle **POSICUT** Posicut: #4 Color: BLUE (#48253)	ONC TPC

2H180 — WATERFALL
LINE FEATURE.... SYMBOL# 2H180L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM — NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2H180L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.200mm Color: BLUE (#48253)	

2H180 - WATERFALL
LINE FEATURE.... SYMBOL# 2H180L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2H180 - WATERFALL
POINT FEATURE.... SYMBOL# 2H180P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.200mm Length: 1.500mm Color: BLUE (#48253) Orientation: Centered 90° to stream.	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2I010 - CISTERN
POINT FEATURE.... SYMBOL# 2I010P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of square LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) POSICUT Posicut: #2 Color: BLUE (#48253)	CG CG ENV COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

2I020 - DAM
AREA FEATURE.... SYMBOL# 2I020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL MCP - MATERIAL COMPOSITION PRIMARY	LABEL:EXS,MCP Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 2I020A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	HAC 3 JOG A JOG G TLM 100K TLM 50K
NAM – NAME CATEGORY ANY	**LINE** Color: BLACK (#58600) Lineweight: Upstream = 0.4 mm. Lignweight: Downstream = 0.1 mm.	
TUC – TRANSPORTATION USE CATEGORY ANY	**LINE:INTERIOR** Lineweight: 0.100mm Color: BLACK (#58600) Interior line spacing: 0.5mm. at the narrowest point, oriented 90 degrees between upstream and downstream lines when dam is straight. When dam is curved, spacing is 0.5mm. at the narrowest (downhill side) and faned out equally towards the uphill side of the dam not to exceed 0.7mm.	

2I020 – DAM
AREA FEATURE.... SYMBOL# 2I020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TTADB-SD
HGT – HEIGHT ABOVE SURFACE LEVEL ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	
LEN – LENGTH /DIAMETER ANY	**LINE** Lineweight: 0.300mm Color: BLACK (#58600) Length: Variable (>=4.0mm). Width: Variable (>=1.0mm). Position, interior length line: Centerline of crest. Narrowest interior line spacing: 0.5mm, oriented 90° from downstream side.	
MCP – MATERIAL COMPOSITION PRIMARY ANY	**LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
WOC – WIDTH OF CREST ANY	**POSICUT** Posicut: #96 Color: BLACK (#58600)	

2I020 – DAM
LINE FEATURE.... SYMBOL# 2I020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	**LABEL:DAM,MCP** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K
MCP – MATERIAL COMPOSITION PRIMARY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	
NAM – NAME CATEGORY ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 210201001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TOC – TRANSPORTATION USE CATEGORY 021 – NOT APPLICABLE	LINE Lineweight: 0.500mm Color: BLACK (#58600)	

210200 – DAM
LINE FEATURE.... SYMBOL# 210201002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY USE – USE STATUS 010 – OTHER 086 – FLOOD CONTROL AND/OR RATE MEASURMENT	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

210200 – DAM
LINE FEATURE.... SYMBOL# 210201003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL HGT – HEIGHT ABOVE SURFACE LEVEL ANY LEN – LENGTH /DIAMETER ANY MCP – MATERIAL COMPOSITION PRIMARY ANY USE – USE STATUS 010 – OTHER WOC – WIDTH OF CREST ANY	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 1.000mm Color: BLACK (#58600) Length: Variable (>=4.000mm). LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. POSICOT Posicut: #96 Color: BLACK (#58600)	PIADB-SD TIADB-SD

210200 – DAM
LINE FEATURE.... SYMBOL# 210201005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 010 – PROPOSED 028 – OPERATIONAL MCP – MATERIAL COMPOSITION PRIMARY 018 – CONCRETE 023 – EARTHEN 048 – MASONRY NAM – NAME CATEGORY ANY	LABEL:DAM,MCP Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.500mm Color: BLACK (#58600)	ATC 200 JOG R OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2I020 – DAM
LINE FEATURE.... SYMBOL# 2I020L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE – USE STATUS 073 – FLOOD /STORM BARRAGE	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

2I020 – DAM
LINE FEATURE.... SYMBOL# 2I020L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL **MCP** – MATERIAL COMPOSITION PRIMARY ANY **NAM** – NAME CATEGORY ANY **TOC** – TRANSPORTATION USE CATEGORY 001 – ROAD AND RAILROAD 003 – RAILROAD 004 – ROAD	**LABEL:DAM,EXS,MCP** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600) Line casing width is variable depending on the width of the overpassing feature. Orientation: parallel to and positioned 0.1mm from side of parent feature.	CG CG ENV COMBAT TLM 100K TLM 50K

2I020 – DAM
LINE FEATURE.... SYMBOL# 2I020L012 WEIR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL **USE** – USE STATUS 086 – FLOOD CONTROL AND/OR RATE MEASURMENT	**LINE:NOTCHED** Lineweight: 1.000mm Color: BLACK (#58600) Length: Variable (>=4.000mm). Notch Opening: 45° angle on each side from center of downstream side; faces upstream.	TTADB-SD

2I020 – DAM
LINE FEATURE.... SYMBOL# 2I020L013 FLOOD BARRAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL **HDP** – HYDROGRAPHIC DEPTH ANY **LEN** – LENGTH /DIAMETER ANY	**DASH** Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) Space between dashes: 0.5mm. **INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	PTADB-SD TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 2I020L013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE - USE STATUS 073 - FLOOD /STORM BARRAGE WID - WIDTH ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE:END Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) Perpendicular at center to end of dashed line. LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. POSICUT Posicut: #96 Color: BLACK (#58600)	

2I020 - DAM
POINT FEATURE.... SYMBOL# 2I020P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AOO - ANGLE OF ORIENTATION ANY EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL HGT - HEIGHT ABOVE SURFACE LEVEL ANY LEN - LENGTH /DIAMETER ANY MCP - MATERIAL COMPOSITION PRIMARY ANY USE - USE STATUS 010 - OTHER WOC - WIDTH OF CREST ANY	INFORMATION BOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 24.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 1.000mm Length: 4.000mm Color: BLACK (#58600) LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. POSICUT Posicut: #96 Color: BLACK (#58600)	PTADB-SD TTADB-SD

2I020 - DAM
POINT FEATURE.... SYMBOL# 2I020P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL MCP - MATERIAL COMPOSITION PRIMARY ANY NAM - NAME CATEGORY ANY	LABEL:DAM,EXS,MCP Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.500mm Length: 1.500mm Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

21020 – DAM
POINT FEATURE.... SYMBOL# 21020P004 WEIR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL USE – USE STATUS 086 – FLOOD CONTROL AND/OR RATE MEASURMENT	**LINE:NOTCHED** Lineweight: 1.000mm Length: 4.000mm Color: BLACK (#58600) Notch Opening: 45° angle on each side from center of downstream side; faces upstream.	TTADB-SD

21020 – DAM
POINT FEATURE.... SYMBOL# 21020P005 FLOOD BARRAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 – UNDER CONSTRUCTION 028 – OPERATIONAL HDP – HYDROGRAPHIC DEPTH	**DASH** Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Placement: Centered between end lines. Space between dash and end line: 0.50mm.	PTADB-SD TTADB-SD
ANY LEN – LENGTH /DIAMETER ANY	**INFORMATION HOLD** Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	
USE – USE STATUS 073 – FLOOD /STORM BARRAGE WDP – WIDTH WITH GREATER PRECISION ANY WID – WIDTH ANY	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:END** Lineweight: 0.300mm Length: 2.000mm Color: BLACK (#58600) Perpendicular at center to end of dash. If extended 0.50mm. Distance between end lines: 2.0mm. **LINE:LEADER** Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable. **POSICUT** Posicut: #96 Color: BLACK (#58600)	

21030 – LOCK
AREA FEATURE.... SYMBOL# 21030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL:LOCK** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 21030A001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:HAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	HAC 3 TLM 100K TLM 50K
	LINE Lineweight: 0.400mm Color: BLACK (#58600)	
	LINE:END Lineweight: 0.250mm Color: BLACK (#58600) Position of ends: 45° angle pointing upstream.	

21030 – LOCK
AREA FEATURE.... SYMBOL# 21030A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 005 - UNDER CONSTRUCTION 028 - OPERATIONAL	INFORMATION HOLD Lineweight: 0.300mm Color: BLACK (#58600) Minimum baseline length: 18.0mm. Tick length: 2.0mm. Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.	TTADB-SD
LEN – LENGTH /DIAMETER ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	—
MCP – MATERIAL COMPOSITION PRIMARY ANY		
WID – WIDTH ANY	LINE:END Lineweight: 0.250mm Length of ends: Variable with width (>=1.0mm). Position ends to point upstream at 45° angle across stream.	
	LINE:LEADER Lineweight: 0.200mm Color: BLACK (#58600) Length: Variable.	
	LINE:SIDE Lineweight: 0.400mm Color: BLACK (#58600) Lineweight of sides: 0.4mm. Other measurements are plotted to scale or minimum size. Overall length: Variable (>=4.000mm). Length of sides: Variable (>=3.25mm). Spacing between sides: Variable (>=1.100mm).	
	POSICUT:EXS Posicut: #96 Color: BLACK (#58600)	

21030 – LOCK
LINE FEATURE.... SYMBOL# 21030L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:LOCK Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 JOG A JOG G JOG R OSC TPC
	LINE Lineweight: 0.300mm Color: BLACK (#58600)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2I030 - LOCK
LINE FEATURE.... SYMBOL# 2I030L002

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
028 - OPERATIONAL

LEN - LENGTH /DIAMETER
ANY

MCP - MATERIAL COMPOSITION PRIMARY
ANY

WID - WIDTH
ANY

PARAMETERS:

INFORMATION HOLD
Lineweight: 0.300mm
Color: BLACK (#58600)
Minimum baseline length: 18.0mm.
Tick length: 2.0mm.
Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:END
Lineweight: 0.250mm
Color: BLACK (#58600)
Length of ends: 1.06mm.
Position ends to point upstream at 45° angle.

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:SIDE
Lineweight: 0.400mm
Color: BLACK (#58600)
Lengths are plotted to scale or minimum size.
Overall length: Variable (>=4.000mm).
Length of sides: Variable (>=3.25mm).
Spacing between sides: 1.100mm.

POSICUT:EXS
Posicut: #96
Color: BLACK (#58600)

PRODUCTS:

PTADB-SD
TTADB-SD

2I030 - LOCK
POINT FEATURE.... SYMBOL# 2I030P002

ATTRIBUTES:

EXS - EXISTENCE CATEGORY
005 - UNDER CONSTRUCTION
028 - OPERATIONAL

LEN - LENGTH /DIAMETER
ANY

MCP - MATERIAL COMPOSITION PRIMARY
ANY

WID - WIDTH
ANY

PARAMETERS:

INFORMATION HOLD
Lineweight: 0.300mm
Color: BLACK (#58600)
Minimum baseline length: 18.0mm.
Tick length: 2.0mm.
Tick placement: Minimum 6.0mm spacing for centered labels with 0.5mm clearance from labels.

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE:END
Lineweight: 0.250mm
Color: BLACK (#58600)
Length of ends: 1.06mm.
Position ends to point upstream at 45° angle.

LINE:LEADER
Lineweight: 0.200mm
Color: BLACK (#58600)
Length: Variable.

LINE:SIDE
Lineweight: 0.400mm
Color: BLACK (#58600)
Overall length: 4.000mm.
Length of sides: 3.25mm.
Spacing between sides: 1.100mm.

PRODUCTS:

PTADB-SD
TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# ZI030P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:XXX Posicut: #96 Color: BLACK (#58600)	

ZI030 - LOCK
POINT FEATURE.... SYMBOL# ZI030P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:LOCK Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.100mm Length: 0.800mm Color: BLACK (#58600) Angle between wings: 90 degrees. Orientation: Centered on single line drain pointing upstream.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 TLM 100K TLM 50K

ZI040 - SLUICE GATE
LINE FEATURE.... SYMBOL# ZI040L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:SLUICE GATE Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.200mm Color: BLACK (#58600)	ATC 200 COMBAT JOG R OSC TLM 100K TLM 50K TPC

ZI040 - SLUICE GATE
LINE FEATURE.... SYMBOL# ZI040L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.200mm Color: BLACK (#58600) Line spacing: 0.5mm	HAC 1

ZI040 - SLUICE GATE
POINT FEATURE.... SYMBOL# ZI040P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:SLUICE GATE Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.100mm Length: 0.800mm Color: BLACK (#58600) Angle of line segments: 90°. Orientation: Apex centered on single line drain pointing upstream.	COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

2I050 – WATER INTAKE TOWER
AREA FEATURE.... SYMBOL# 2I050A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

2I050 – WATER INTAKE TOWER
POINT FEATURE.... SYMBOL# 2I050P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of dot in circle. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #7 Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

2J020 – GLACIAL MORAINE
AREA FEATURE.... SYMBOL# 2J020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA** Area Pattern: AP- 95 Color: BROWN (#58252)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2J030 – GLACIER
AREA FEATURE.... SYMBOL# 2J030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP-104 Color: BLUE (#48253) **DASH:PERIMETER** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	ATC 200 BNPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2J040 – ICE CLIFF
LINE FEATURE.... SYMBOL# 2J040L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.200mm Length: 5.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) TICK Lineweight: 0.100mm Length: 0.500mm Space/Spacing: 0.500mm Color: BLUE (#48253) Tick orientation: 90° angle to base line.	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2J060 – ICE PEAK, SUBMAR
POINT FEATURE.... SYMBOL# 2J060P001 ICE PEAK

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE	Origin: Center of symbol TICK Lineweight: 0.150mm Length: 0.600mm Color: BLUE (#48253) Tick orientation: 45° from each other. Tick interval: 0.5 mm radiating from center (circular) area. Tick placement: Clockwise around an imaginary circle diameter of 1.5 mm starting at the 0° position, in 45° angle increments.	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

2J060 – ICE PEAK, SUBMAR
POINT FEATURE.... SYMBOL# 2J060P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of symbol TICK Lineweight: 0.150mm Length: 0.600mm Color: BLACK (#58600) Tick orientation: 45°from each other. Tick interval: 0.5 mm radiating from center (circular) area. Tick placement: Clockwise starting at the 0° position, in 45° increments.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

2J060 – ICE PEAK, SUBMAR
POINT FEATURE.... SYMBOL# 2J060P003 SUBMAR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 066 – ROCK	Origin: Center of symbol TICK Lineweight: 0.150mm Length: 0.600mm Color: RED/BROWN (#61121) Tick orientation: 45° from each other. Tick interval: 0.5 mm radiating from center (circular) area. Tick placement: Clockwise around an imaginary circle diameter of 1.5 mm starting at the 0° position, in 45° angle increments.	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2J065 – ICE SHELF
AREA FEATURE.... SYMBOL# 2J065A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

2J065 – ICE SHELF
AREA FEATURE.... SYMBOL# 2J065A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**"V"** Lineweight: 0.300mm Color: BLACK (#58600) Length of sides: 2.0mm Interior angle: 10 degrees "V" points to inside of area **DASH** Lineweight: 0.300mm Length: 3.000mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

2J070 – PACK ICE
AREA FEATURE.... SYMBOL# 2J070A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HSA – HYDROGRAPHIC SEASONAL ATTRIBUTE **ANY**	**AREA:FILL1** Color: BLUE (#48253) Screen: 31%,45° Angle **AREA:FILL2** Area Pattern: AP-103 Color: BLACK (#58600) **LABEL:HSA** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 JOG A JOG R ONC TLM 100K TLM 50K TPC

2J080 – POLAR ICE
AREA FEATURE.... SYMBOL# 2J080A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HSA – HYDROGRAPHIC SEASONAL ATTRIBUTE **ANY**	**AREA:FILL1** Color: BLUE (#48253) Screen: 31%,45° Angle **AREA:FILL2** Area Pattern: AP-136 Color: BLACK (#58600) **LABEL:HSA** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLUE (#48253)	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

2J100 - SNOW FIELD /ICE FIELD
AREA FEATURE.... SYMBOL# 2J100A002

ATTRIBUTES:

SIC - SNOW /ICE CATEGORY
001 - SNOW
002 - ICE

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 4%,45° Angle

BASE:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

LABEL:SIC
Type Size: 6 - 16 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

ATC 200
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

2J110 - TUNDRA
AREA FEATURE.... SYMBOL# 2J110A001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

LABEL:TUNDRA
Type Size: 6 - 16 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101L001 INDEX

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 001 – INDEX MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN ZVL – Z VALUE ANY	**LABEL:ZVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121)	ATC 200 CG COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101L002 INTERMEDIATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 002 – INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN ZVL – Z VALUE ANY	**LABEL:ZVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) **LINE** Lineweight: 0.100mm Color: RED/BROWN (#61121)	ATC 200 CG COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101L003 SUPPLEMENTARY (1/2)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 003 – SUPPLEMENTARY (1/2) MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN ZVL – Z VALUE ANY	**DASH** Lineweight: 0.100mm Length: 3.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) **LABEL:ZVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121)	ATC 200 COMBAT JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101L004 DEPRESSION INDEX

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 005 – DEPRESSION INDEX MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN ZVL – Z VALUE ANY	**LABEL:ZVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Orientation: 90° angle to line. Tick Interval: Variable. Each depression contour shall have ticks spaced equally on each desending depression contour. The upper most depression contour shall have a tick spacing of 3.0 mm. Each successive descending contour shall have ticks at: 3.0 mm, 2.0 mm, 1.0 mm, and 0.5 mm.	ATC 200 CG COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L005 DEPRESSION INTERMEDIATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC - HYPSOGRAPHY PORTRAYAL CATEGORY 006 - DEPRESSION INTERMEDIATE MCP - MATERIAL COMPOSITION PRIMARY 023 - EARTHEN SVL - 2 VALUE ANY	LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) LINE Lineweight: 0.100mm Color: RED/BROWN (#61121) TICK Lineweight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Orientation: 90° angle to line pointing downward. Tick Interval: Variable. Depression contours shall have ticks spaced equally on each descending depression contour line. The upper most depression contour shall have a tick spacing of 3.0 mm. Each successive descending contour shall have tick spacing of: 3.0 mm, 2.0 mm, 1.0 mm, and 0.5 mm.	ATC 200 CG COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L006 FORM LINES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC - HYPSOGRAPHY PORTRAYAL CATEGORY 004 - FORM LINES MCP - MATERIAL COMPOSITION PRIMARY 023 - EARTHEN	DASH Lineweight: 0.100mm Length: 3.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121)	ATC 200 COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L007 INDEX-APPROXIMATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC - HYPSOGRAPHY PORTRAYAL CATEGORY 007 - INDEX APPROXIMATE MCP - MATERIAL COMPOSITION PRIMARY 023 - EARTHEN SVL - 2 VALUE ANY	DASH Lineweight: 0.200mm Length: 5.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L008 INTERMEDIATE-APPROXIMATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC - HYPSOGRAPHY PORTRAYAL CATEGORY 012 - INTERMEDIATE APPROXIMATE MCP - MATERIAL COMPOSITION PRIMARY 023 - EARTHEN SVL - 2 VALUE ANY	DASH Lineweight: 0.100mm Length: 5.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) LABEL:SVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L010 INDEX

ATTRIBUTES:

HQC – HYPSOGRAPHY PORTRAYAL CATEGORY
001 - INDEX

SVL – Z VALUE
ANY

PARAMETERS:

LABEL
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

LINE
Lineweight: 0.200mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L011 INTERMEDIATE

ATTRIBUTES:

HQC – HYPSOGRAPHY PORTRAYAL CATEGORY
002 - INTERMEDIATE

SVL – Z VALUE
ANY

PARAMETERS:

LABEL
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

LINE
Lineweight: 0.100mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L012 SUPPLEMENTARY (1/2)

ATTRIBUTES:

HQC – HYPSOGRAPHY PORTRAYAL CATEGORY
003 - SUPPLEMENTARY (1/2)

SVL – Z VALUE
ANY

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

LABEL
Type Size: 7 point
Type Style: Lower Case
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L013 FORM LINES

ATTRIBUTES:

HQC – HYPSOGRAPHY PORTRAYAL CATEGORY
004 - FORM LINES

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L014 INDEX-APPROXIMATE

ATTRIBUTES:

HQC – HYPSOGRAPHY PORTRAYAL CATEGORY
007 - INDEX APPROXIMATE

SVL – Z VALUE
ANY

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 5.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Screen: 67%,30/60° Biangle

PRODUCTS:

HAC 1
HAC 2
HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 3A010L014 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) Screen: 67%,30/60° Biangle	

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L015 INTERMEDIATE-APPROXIMATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 012 - INTERMEDIATE APPROXIMATE SVL – 2 VALUE ANY	DASH Linewaight: 0.100mm Length: 5.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Screen: 67%,30/60° Biangle LABEL Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600) Screen: 67%,30/60° Biangle	HAC 1 HAC 2 HAC 3

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L017 INDEX-MOUND

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 008 - MOUND INDEX MCP – MATERIAL COMPOSITION PRIMARY 023 - EARTHEN SVL – 2 VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) LINE Linewaight: 0.200mm Color: RED/BROWN (#61121) TICK Linewaight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Tick Spacing: 2.0mm	ATC 200 CG COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L018 INTERMEDIATE-MOUND

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 009 - MOUND INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 023 - EARTHEN SVL – 2 VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) LINE Linewaight: 0.100mm Color: RED/BROWN (#61121) TICK Linewaight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Tick Spacing: 2.0mm	ATC 200 CG COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L019 FORM LINES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 004 – FORM LINES MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE	DASH Lineweight: 0.100mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L021 SUPPLEMENTARY (1/4)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 014 – SUPPLEMENTARY (1/4) MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN ZVL – Z VALUE ANY	DASH Lineweight: 0.100mm Length: 1.500mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) LABEL:ZVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121)	COMBAT TLM 100K TLM 50K

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L027 INDEX-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 001 – INDEX MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE ZVL – Z VALUE ANY	LABEL:ZVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.200mm Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L028 INTERMEDIATE-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 002 – INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE ZVL – Z VALUE ANY	LABEL:ZVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Lineweight: 0.100mm Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L029 INDEX-APPROX.-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 007 – INDEX APPROXIMATE MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE	DASH Lineweight: 0.200mm Length: 5.000mm Space/Spacing: 0.500mm Color: BLUE (#48253)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 3A010L029 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EVL – Z VALUE ANY	LABEL:EVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L030 INTERMEDIATE-APPROX.-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 012 – INTERMEDIATE APPROXIMATE MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE EVL – Z VALUE ANY	DASH Linewidth: 0.100mm Length: 5.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) LABEL:EVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L031 INDEX-DEPRESSION-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 005 – DEPRESSION INDEX MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE EVL – Z VALUE ANY	LABEL:EVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Linewidth: 0.200mm Color: BLUE (#48253) TICK Linewidth: 0.100mm Length: 0.500mm Color: BLUE (#48253) Orientation: 90° angle to line. Tick Interval: Variable. Each depression contour shall have ticks spaced equally. The upper most depression contour shall have a tick spacing of 3.0 mm. Each successive descending depression contour shall have ticks spaced 3.0 mm, 2.0 mm, 1.0 mm, and 0.5 mm.	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L032 INTERMEDIATE-DEPRESSION-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 006 – DEPRESSION INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE EVL – Z VALUE ANY	LABEL:EVL Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253) LINE Linewidth: 0.100mm Color: BLUE (#48253) TICK Linewidth: 0.100mm Length: 0.500mm Color: BLUE (#48253) Orientation: 90° angle to line. Tick Interval: Variable. Each depression contour shall have ticks spaced equally pointing into the depression. The upper most depression contour shall have a tick spacing of 3.0 mm. Each successive descending depression contour shall have ticks spaced 3.0 mm, 2.0 mm, 1.0 mm, and 0.5 mm.	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101034 SUPPLEMENTARY (1/2)-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 003 - SUPPLEMENTARY (1/2) MCP – MATERIAL COMPOSITION PRIMARY 098 - SNOW /ICE EVL – Z VALUE ANY	**DASH** Lineweight: 0.100mm Length: 3.000mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 COMBAT JOG G JOG R ONC TLM 100K TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101035 SUPPLEMENTARY (1/4)-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 014 - SUPPLEMENTARY (1/4) MCP – MATERIAL COMPOSITION PRIMARY 098 - SNOW /ICE EVL – Z VALUE ANY	**DASH** Lineweight: 0.100mm Length: 1.500mm Space/Spacing: 0.500mm Color: BLUE (#48253) **LABEL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#48253)	COMBAT TLM 100K TLM 50K

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101036 INTERMEDIATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 002 - INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 023 - EARTHEN EVL – Z VALUE ANY	**LABEL:EVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121)	ONC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101037 DEPRESSION INTERMEDIATE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 006 - DEPRESSION INTERMEDIATE MCP – MATERIAL COMPOSITION PRIMARY 023 - EARTHEN EVL – Z VALUE ANY	**LABEL:EVL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: RED/BROWN (#61121) **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Orientation: 90° angle to line. Tick Interval: Variable. Each depression contour shall have ticks spaced equally on each desending depression contour. The upper most depression contour shall have a tick spacing of 3.0 mm. Each successive descending contour shall have ticks at: 3.0 mm, 2.0 mm, 1.0 mm, and 0.5 mm.	ONC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101038 INTERMEDIATE-MOUND

ATTRIBUTES:

HQC - HYPSOGRAPHY PORTRAYAL CATEGORY
009 - MOUND INTERMEDIATE

MCP - MATERIAL COMPOSITION PRIMARY
023 - EARTHEN

SVL - 2 VALUE
ANY

PARAMETERS:

LABEL
Type Size: 7 point
Type Style: Lower Case,Condensed,Italic
Color: RED/BROWN (#61121)

LINE
Lineweight: 0.200mm
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.100mm
Length: 0.500mm
Space/Spacing: 2.000mm
Color: RED/BROWN (#61121)

PRODUCTS:

OSC

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101039 DEPRESSION SUP (1/2)

ATTRIBUTES:

HQC - HYPSOGRAPHY PORTRAYAL CATEGORY
016 - DEPRESSION SUPPLEMENTARY (1/2)

MCP - MATERIAL COMPOSITION PRIMARY
023 - EARTHEN

SVL - 2 VALUE
ANY

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

LABEL:SVL
Type Size: 7 point
Type Style: Lower Case,Condensed,Italic
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.100mm
Length: 0.500mm
Color: RED/BROWN (#61121)
Orientation: 90° angle to line.
Tick Interval: Centered on each dash

PRODUCTS:

ATC 200
COMBAT
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101040 DEPRESSION SUP (1/4)

ATTRIBUTES:

HQC - HYPSOGRAPHY PORTRAYAL CATEGORY
017 - DEPRESSION SUPPLEMENTARY (1/4)

MCP - MATERIAL COMPOSITION PRIMARY
023 - EARTHEN

SVL - 2 VALUE
ANY

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 1.500mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

LABEL
Type Size: 7 point
Type Style: Lower Case,Condensed,Italic
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.100mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)
Orientation: 90° angle to line.
Tick Interval: Centered on each dash

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

3A010 - CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A0101041 DEPRESSION SUP (1/2)-SNOW/ICE

ATTRIBUTES:

HQC - HYPSOGRAPHY PORTRAYAL CATEGORY
016 - DEPRESSION SUPPLEMENTARY (1/2)

MCP - MATERIAL COMPOSITION PRIMARY
098 - SNOW /ICE

PARAMETERS:

DASH
Lineweight: 0.100mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: BLUE (#48253)

PRODUCTS:

ATC 200
COMBAT
JOG G
JOG R
OSC
TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 3A010L041 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ZVL – Z VALUE ANY	**LABEL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#4B253) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLUE (#4B253) Orientation: 90° angle to line. Tick Interval: Centered on each dash.	TLM 50K TPC

3A010 – CONTOUR (LAND)
LINE FEATURE.... SYMBOL# 3A010L042 DEPRESSION SUP (1/4)-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HQC – HYPSOGRAPHY PORTRAYAL CATEGORY 017 – DEPRESSION SUPPLEMENTARY (1/4) **MCP – MATERIAL COMPOSITION PRIMARY** 098 – SNOW /ICE **ZVL – Z VALUE** ANY	**DASH** Lineweight: 0.100mm Length: 15.000mm Space/Spacing: 0.500mm Color: BLUE (#4B253) **LABEL** Type Size: 7 point Type Style: Lower Case,Condensed,Italic Color: BLUE (#4B253) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: BLUE (#4B253) Orientation: 90° angle to line. Tick Interval: Centered on each dash.	COMBAT TLM 100K TLM 50K

3A020 – RIDGE LINE
LINE FEATURE.... SYMBOL# 3A020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.400mm Color: RED/BROWN (#61121)	ATC 200 JOG R

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE **ELA – ELEVATION ACCURACY** 001 – ACCURATE **ZVL – Z VALUE** ANY	Origin: Center of dot **DOT** Diameter: 0.640mm Color: BLACK (#58600) **LABEL** Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE	Origin: Center of label	HAC 1 HAC 2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 3A030P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EIA – ELEVATION ACCURACY ANY EVL – Z VALUE ANY	LABEL Type Size: 7 point Type Style: Lower Case Color: BLACK (#58600)	HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE EIA – ELEVATION ACCURACY 002 – APPROXIMATE MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN EVL – Z VALUE ANY	LABEL:EVL Type Size: 7 – 10 point Type Style: Lower Case Color: BLACK (#58600)	OSC TPC

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE EIA – ELEVATION ACCURACY 002 – APPROXIMATE MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN EVL – Z VALUE ANY	Origin: Center of dot DOT Diameter: 0.640mm Color: BLACK (#58600) LABEL:EVL and ± Type Size: 6 – 10 point Type Style: Lower Case Color: BLACK (#58600) "±" sign immediately follows the EVL label when elevations are approximate.	ATC 200 CG COMBAT JOG A JOG G TLM 100K TLM 50K

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE EIA – ELEVATION ACCURACY 002 – APPROXIMATE MCP – MATERIAL COMPOSITION PRIMARY 023 – EARTHEN EVL – Z VALUE ANY	LABEL:EVL Type Size: 6 – 10 point Type Style: Lower Case Color: BLACK (#58600) "±" sign immediately follows the EVL label when the elevation is approximate.	ATC 200 COMBAT JOG A JOG G TLM 100K TLM 50K TPC

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P008 SNOW/ICE ELEVATION

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE EIA – ELEVATION ACCURACY 001 – ACCURATE MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE EVL – Z VALUE ANY	LABEL:EVL Type Size: 6 – 10 point Type Style: Lower Case Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P009

ATTRIBUTES:

ACC – ACCURACY CATEGORY
002 – APPROXIMATE

ELA – ELEVATION ACCURACY
001 – ACCURATE

MCP – MATERIAL COMPOSITION PRIMARY
023 – EARTHEN

ZVL – Z VALUE
ANY

PARAMETERS:

LABEL:ZVL
Type Size: 6 - 10 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

ATC 200
COMBAT
JOG A
JOG G
JOG R
TLM 100K
TLM 50K

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P010 ELEVATION-SNOW/ICE

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

ELA – ELEVATION ACCURACY
001 – ACCURATE

MCP – MATERIAL COMPOSITION PRIMARY
098 – SNOW /ICE

ZVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.640mm
Color: BLACK (#58600)

LABEL:ZVL
Type Size: 6 - 10 point
Type Style: Lower Case
Color: BLUE (#48253)

PRODUCTS:

ATC 200
CG
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P011

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

ELA – ELEVATION ACCURACY
001 – ACCURATE

MCP – MATERIAL COMPOSITION PRIMARY
023 – EARTHEN

ZVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.640mm
Color: BLACK (#58600)

LABEL:ZVL
Type Size: 6 - 10 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P012

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE

ELA – ELEVATION ACCURACY
002 – APPROXIMATE

MCP – MATERIAL COMPOSITION PRIMARY
023 – EARTHEN

ZVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of "X"

"X"
Lineweight: 0.130mm
Length: 1.300mm
Color: BLACK (#58600)
Orientation of each leg to latitude/longitude lines = 45°

LABEL:ZVL
Type Size: 6 - 10 point
Type Style: Lower Case
Color: BLACK (#58600)

PRODUCTS:

ONC
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P013 ELEVATION-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE	Origin: Center of "X"	ONC TPC
ELA – ELEVATION ACCURACY 002 – APPROXIMATE	"X" Lineweight: 0.130mm Length: 1.300mm Color: BLACK (#58600) Orientation of each leg to latitude/longitude lines = 45°	
MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE	LABEL:ZVL Type Size: 6 - 10 point Type Style: Lower Case Color: BLUE (#48253)	
ZVL – Z VALUE ANY		

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P014 ELEVATION-APPROX.-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE	LABEL:ZVL Type Size: 6 - 10 point Type Style: Lower Case Color: BLUE (#48253)	ONC TPC
ELA – ELEVATION ACCURACY 002 – APPROXIMATE		
MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE		
ZVL – Z VALUE ANY		

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 002 – APPROXIMATE	LABEL:ZVL Type Size: 6 - 10 point Type Style: Lower Case Color: BLUE (#48253) "±" sign immediately follows the ZVL label when the elevation is approximate.	CG COMBAT JOG A JOG G TLM 100K TLM 50K
ELA – ELEVATION ACCURACY 002 – APPROXIMATE		
MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE		
ZVL – Z VALUE ANY		

3A030 – SPOT ELEVATION
POINT FEATURE.... SYMBOL# 3A030P016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE	DOT Diameter: 0.640mm Color: BLACK (#58600)	ATC 200 CG COMBAT JOG A JOG G TLM 100K TLM 50K
ELA – ELEVATION ACCURACY 002 – APPROXIMATE	LABEL:ZVL and ± Type Size: 6 - 10 point Type Style: Lower Case Color: BLUE (#48253) "±" sign immediately follows the ZVL label when the elevation is approximate.	
MCP – MATERIAL COMPOSITION PRIMARY 098 – SNOW /ICE		
ZVL – Z VALUE ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

4A005 – ASPHALT LAKE
AREA FEATURE.... SYMBOL# 4A005A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.100mm Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A001 DISTORTED SURFACE-SMALL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ARA – AREA COVERAGE ATTRIBUTE ≥12–<26 sm sq @scale MCP – MATERIAL COMPOSITION PRIMARY 006 – BOULDERS 030 – GAS /OIL BLISTER 040 – KARST 043 – LAVA 044 – LOESS 117 – ROCKY	**AREA:FILL** Area Pattern: AP-103 Color: RED/BROWN (#61121) **LABEL:MCP** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Light,Condensed,Italic Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A002 GRAVEL OR SAND AND GRAVEL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 035 – GRAVEL 118 – SAND AND GRAVEL	**AREA:FILL** Area Pattern: AP- 99 Color: RED/BROWN (#61121)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A003 SAND

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 069 – SAND	**AREA:FILL** Area Pattern: AP- 95 Color: RED/BROWN (#61121)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A004 LAVA FLOW

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP – MATERIAL COMPOSITION PRIMARY 043 – LAVA	**AREA:** Area Pattern: AP-103 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A025 DISTORTED SURFACE

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
040 – KARST
043 – LAVA
044 – LOESS

PARAMETERS:

AREA:FILL
Area Pattern: AP-103
Color: RED/BROWN (#61121)

LABEL:MCP
Type Size: 6 – 10 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
OSC
TPC

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A026 DISTORTED SURFACE-LARGE

ATTRIBUTES:

ARA – AREA COVERAGE ATTRIBUTE
≥ 26 mm sq @ scale

MCP – MATERIAL COMPOSITION PRIMARY
006 – BOULDERS

030 – GAS /OIL BLISTER
040 – KARST
043 – LAVA
044 – LOESS
117 – ROCKY

PARAMETERS:

LABEL:MCP
Type Size: 6 – 10 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLACK (#58600)
Label spaced over area at 100 mm interval
from nearest neighbor.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

4A010 – GROUND SURFACE
AREA FEATURE.... SYMBOL# 4A010A027

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
119 – SAND AND MUD
120 – SAND AND BOULDERS

PARAMETERS:

AREA:FILL
Area Pattern: AP- 95
Color: RED/BROWN (#61121)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Light,Condensed,Italic
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

4A020 – SALT PAN
AREA FEATURE.... SYMBOL# 4A020A001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

AREA:FILL
Area Pattern: AP- 95
Color: BLUE (#48253)

LABEL
Type Size: 6 – 16 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

LINE:PERIMETER
Lineweight: 0.200mm
Color: BLUE (#48253)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4A030 – SURFICIAL MATERIAL
AREA FEATURE.... SYMBOL# 4A030A001

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
077 – SOIL

SDC – SURFICIAL MATERIAL DEPTH CATEGORY
001 – < 0.5
002 – >= 0.5

SOG – STATE OF THE GROUND
001 – DRY
002 – MOIST
003 – WET
004 – FROZEN

SRQ – SURFACE ROUGHNESS QUALIFIER
ANY

STC – SOIL TYPE CATEGORY
ANY

PARAMETERS:

DASH/DOT:UNDRSCOR
Lineweight: 0.300mm
Length: 1.000mm
Space/Spacing: 0.500mm
Diameter: 0.300mm
Color: BLACK (#58600)
Alternate dots and dashes.
Row Length: width of digits plus 0.5mm each end.
Position 0.5mm below labels.

DASH:UNDERSCORE
Lineweight: 0.300mm
Length: 1.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Row length: width of digits plus 0.5mm each end.
Position 0.5mm below labels.

DOTS:UNDERSCORE
Space/Spacing: 0.800mm
Diameter: 0.300mm
Color: BLACK (#58600)
Row length: width of digits plus 0.5mm each end.
Position 0.5mm below labels.

LABEL
Type Size: 6 – 24 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

LINE:UNDERSCORE
Lineweight: 0.300mm
Color: BLACK (#58600)
Row length: Width of digits plus 0.5mm each end.
Position 0.5mm below labels or SOG symbol.

PRODUCTS:

PTADB-SM
TTADB-SM

4A030 – SURFICIAL MATERIAL
AREA FEATURE.... SYMBOL# 4A030A002

ATTRIBUTES:

MCP – MATERIAL COMPOSITION PRIMARY
006 – BOULDERS
024 – EVAPORITES
066 – ROCK
098 – SNOW /ICE
102 – OTHER

SRQ – SURFACE ROUGHNESS QUALIFIER
ANY

PARAMETERS:

LABEL
Type Size: 6 – 24 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

PTADB-SM
TTADB-SM

4B010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 4B010L001

ATTRIBUTES:

CLI – GREATER THAN/LESS THAN CONTOUR INTERVAL
001 – GREATER THAN OR EQUAL TO CONTOUR INTERVAL

PARAMETERS:

Orientation: Ticks point downhill

LINE
Lineweight: 0.200mm
Color: RED/BROWN (#61121)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 48010L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK Lineweight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Tick orientation: 90° to line. Tick interval: 0.5 mm.	

48010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 48010L002 ESCARPMENT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Teeth point downhill Origin: Baseline LINE Lineweight: 0.300mm Color: BLACK (#58600) TRIANGLE Color: BLACK (#58600) Length each side of equalateral triangle: 1.50mm. Points of adjacent triangles touch each other along baseline, which follows feature alignment.	PTADB-O

48010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 48010L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CLI – GREATER THAN/LESS THAN CONTOUR INTERVAL 002 – LESS THAN CONTOUR INTERVAL	Orientation: Tick points downhill DASH Lineweight: 0.200mm Length: 3.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) TICK Lineweight: 0.100mm Length: 0.500mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121)	COMBAT JOG A JOG G TLM 100K TLM 50K

48010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 48010L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Ticks point downhill LINE Lineweight: 0.200mm Color: BLACK (#58600) TICK Lineweight: 0.100mm Length: 0.500mm Color: BLACK (#58600) Orientation: 90 degrees to line. Interval: 0.5mm.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 4B010L006 ESCARPMENT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY PTH – PREDOMINANT FEATURE HEIGHT ANY	Orientation: Teeth point downhill **LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TRIANGLE** Length: 1.500mm Color: BLACK (#58600) Length each side of equalateral triangle: 1.50mm.	TTADB-O

4B010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 4B010L007 ESCARPMENT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Teeth point downhill Origin: Baseline **LINE** Lineweight: 0.300mm Color: PURPLE (#95151) **TRIANGLE** Length: 1.500mm Color: PURPLE (#95151) Length each side of equalateral triangle: 1.5mm.	CCM 250 CCM 50

4B010 – BLUFF /CLIFF, ESCARPMENT
LINE FEATURE.... SYMBOL# 4B010L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Ticks point downhill **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121) **TICK** Lineweight: 0.100mm Length: 0.500mm Color: RED/BROWN (#61121) Tick orientation: 90° to line. Tick interval: 0.5 mm.	ATC 200 CG CG ENV JOG R ONC TPC

4B030 – CAVE DWELLING
POINT FEATURE.... SYMBOL# 4B030P001 CAVE DWELLING

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	Origin: Intersection of line stem and V **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 480309001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.100mm Color: BLACK (#58600) Stem points to inside of cave. TICK:WING Lineweight: 0.100mm Length: 0.800mm Color: BLACK (#58600) Orientation: 45° angle to stem line end. Tick Placement: Apex connects to end of stem line.	

480G0 - CREVICE /CREVASSE
AREA FEATURE.... SYMBOL# 480G0A001 CREVASSE-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY 098 - SNOW /ICE	AREA:FILL Line Pattern: LP- 3 Color: BLUE (#48253) Oriented to longest axis of perimeter line. LABEL:CREVASSE Type Size: 6 - 10 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) LINE:PERIMETER Lineweight: 0.300mm Color: BLUE (#48253)	COMBAT TLM 100K TLM 50K

480G0 - CREVICE /CREVASSE
AREA FEATURE.... SYMBOL# 480G0A002 CREVASSE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY 023 - EARTHEN	AREA:FILL Line Pattern: LP- 3 Color: RED/BROWN (#61121) Oriented to the longest perimeter line axis. LABEL:CREVASSE Type Size: 6 - 10 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: RED/BROWN (#61121)	COMBAT TLM 100K TLM 50K

480G0 - CREVICE /CREVASSE
AREA FEATURE.... SYMBOL# 480G0A003 CREVASSE-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP - MATERIAL COMPOSITION PRIMARY 098 - SNOW /ICE	AREA:FILL Line Pattern: LP- 3 Color: BLUE (#48253) Oriented to the longest perimeter line axis. LINE:PERIMETER Lineweight: 0.300mm Color: BLUE (#48253)	ATC 200 JOG R OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B060 — CREVICE /CREVASSE
AREA FEATURE.... SYMBOL# 4B060A004 CREVASSE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP — MATERIAL COMPOSITION PRIMARY 023 - EARTHEN	**AREA:FILL** Line Pattern: LP- 3 Color: RED/BROWN (#61121) Oriented to the longest perimeter line axis. **LINE:PERIMETER** Lineweight: 0.300mm Color: RED/BROWN (#61121)	ATC 200 JOG R ONC TPC

4B060 — CREVICE /CREVASSE
LINE FEATURE.... SYMBOL# 4B060L001 CREVICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP — MATERIAL COMPOSITION PRIMARY 023 - EARTHEN	**LABEL:CREVICE** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600) **LINE** Lineweight: 0.250mm Color: RED/BROWN (#61121)	COMBAT JOG A JOG G TLM 100K TLM 50K

4B060 — CREVICE /CREVASSE
LINE FEATURE.... SYMBOL# 4B060L002 CREVICE-SNOW/ICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MCP — MATERIAL COMPOSITION PRIMARY 098 - SNOW /ICE	**LABEL:CREVICE** Type Size: 6 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253) **LINE** Lineweight: 0.250mm Color: BLUE (#48253)	COMBAT JOG A JOG G TLM 100K TLM 50K

4B071 — CUT LINE
LINE FEATURE.... SYMBOL# 4B071L001 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Ticks point downhill **LINE** Lineweight: 0.250mm Color: RED/BROWN (#61121) **TICK** Lineweight: 0.250mm Length: 0.500mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) Tick orientation: 90° angle to line.	ATC 200 CG JOG R ONC TPC

4B071 — CUT LINE
LINE FEATURE.... SYMBOL# 4B071L002 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Ticks point downhill **LINE** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4B071L002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: 90° angle to line.	

4B071 - CUT LINE
LINE FEATURE.... SYMBOL# 4B071L003 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CLI - GREATER THAN/LESS THAN CONTOUR INTERVAL 001 - GREATER THAN OR EQUAL TO CONTOUR INTERVAL	Orientation: Ticks point downhill LINE Lineweight: 0.250mm Color: RED/BROWN (#61121) TICK Lineweight: 0.250mm Length: 0.500mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) Orientation 90° angle to line.	COMBAT JOG A JOG G TLM 100K TLM 50K

4B071 - CUT LINE
LINE FEATURE.... SYMBOL# 4B071L004 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CLI - GREATER THAN/LESS THAN CONTOUR INTERVAL 002 - LESS THAN CONTOUR INTERVAL	Orientation: Ticks point downhill DASH Lineweight: 0.250mm Length: 3.000mm Space/Spacing: 0.500mm Color: RED/BROWN (#61121) TICK Lineweight: 0.250mm Length: 0.500mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) Tick orientation: 90° angle to line.	COMBAT JOG A JOG G TLM 100K TLM 50K

4B071 - CUT LINE
LINE FEATURE.... SYMBOL# 4B071L005 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBD - OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFD - PREDOMINANT FEATURE DEPTH ANY	Orientation: Ticks point downhill LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.300mm Color: BLACK (#58600) TICK Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 0.300mm Color: PURPLE (#95151) Orientation: 90° angle to line.	TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

4B071 — CUT LINE
LINE FEATURE.... SYMBOL# 4B071L006 CUT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Orientation: Ticks point downhill **LINE** Lineweight: 0.300mm Color: PURPLE (#95151) **TICK** Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 0.300mm Color: PURPLE (#95151) Orientation: 90° angle to line.	CCM 250 CCM 50

4B080 — DEPRESSION
AREA FEATURE.... SYMBOL# 4B080A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: 90° to line, pointing inward and downhill.	PTADB-O

4B080 — DEPRESSION
AREA FEATURE.... SYMBOL# 4B080A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OHD — OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFD — PREDOMINANT FEATURE DEPTH ANY	**LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: 90° to line, pointing inward and downhill.	TTADB-O

4B080 — DEPRESSION
AREA FEATURE.... SYMBOL# 4B080A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE:PERIMETER** Lineweight: 0.300mm Color: PURPLE (#95151) **TICK** Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: PURPLE (#95151) Orientation: 90° to line, pointing inward and downhill.	CCM 250 CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

40090 – EMBANKMENT
AREA FEATURE.... SYMBOL# 40090A001 INTERTIDAL CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

VRC – VERTICAL REFERENCE CATEGORY
008 – COVERS AND UNCOVERS

PARAMETERS:

AREA:FILL1
Color: BLACK (#58600)
Screen: 12%,15° Angle

AREA:FILL2
Color: BLUE (#48253)
Screen: 31%,45° Angle

DASH:PERIMETER
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

40090 – EMBANKMENT
AREA FEATURE.... SYMBOL# 40090A002 CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

NAM – NAME CATEGORY
ANY

VRC – VERTICAL REFERENCE CATEGORY
001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE
Lineweight: 0.200mm
Color: BLUE (#48253)

PRODUCTS:

CG
CG ENV
COMBAT
TLM 100K
TLM 50K

40090 – EMBANKMENT
AREA FEATURE.... SYMBOL# 40090A003 CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

VRC – VERTICAL REFERENCE CATEGORY
001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

LINE
Lineweight: 0.200mm
Color: BLACK (#58600)

PRODUCTS:

HAC 1
HAC 2
HAC 3

40090 – EMBANKMENT
AREA FEATURE.... SYMBOL# 40090A004 LEVEE

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
002 – LEVEE /DIKE

PARAMETERS:

LABEL:LEVEE
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.200mm
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.200mm
Length: 0.500mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)
Orientation: 90° angle to base line.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L002 FILL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 001 – FILL	Orientation: Ticks point downhill **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **TICK** Lineweight: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: 90° angle to base line.	PTADB-Q

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L004 CAUSEWAY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 003 – CAUSEWAY	**LABEL:CAUSEWAY** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: VIOLET (#44742)	ATC 200 JOG R

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L005 CAUSEWAY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 003 – CAUSEWAY VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**LABEL:CAUSEWAY** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L006 CAUSEWAY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 003 – CAUSEWAY VRC – VERTICAL REFERENCE CATEGORY 001 – ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	**CASING** Lineweight: 0.200mm Color: BLACK (#58600) Inside width: 1.0mm. **LABEL:CAUSEWAY** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L007 INTERTIDAL CAUSEWAY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 003 – CAUSEWAY VRC – VERTICAL REFERENCE CATEGORY 008 – COVERS AND UNCOVERS	**CASING** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Inside width: 1.0mm. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4B090L007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE:FILL1 Color: BLACK (#58600) Screen: 12%,15° Angle LINE:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L008 CAUSEWAY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 003 – CAUSEWAY	CASING Linewidth: 0.300mm Color: BLACK (#58600) Width: Variable. LABEL:CAUSEWAY Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) TICK Linewidth: 0.300mm Length: 0.500mm Space/Spacing: 3.000mm Color: BLACK (#58600) Orientation: 90° angle to casing line, pointing downhill.	PTADB-O

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L009 FILL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 001 – FILL	Orientation: Ticks point downhill LINE Linewidth: 0.250mm Color: RED/BROWN (#61121) TICK Linewidth: 0.250mm Length: 0.500mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) Tick orientation: 90° angle to base line.	ATC 200 CG CG ENV JOG R ONC TPC

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L011 EMBANKMENT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 002 – LEVEE /DIKE	LINE Linewidth: 0.300mm Color: BLACK (#58600) TICK Linewidth: 0.300mm Length: 2.000mm Space/Spacing: 2.000mm Color: BLACK (#58600) Orientation: Centered perpendicular to the base line.	PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L012 LEVEE/DIKE

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
002 – LEVEE /DIKE

PARAMETERS:

CASING
Lineweight: 0.250mm
Color: BLACK (#58600)
Line Spacing: 0.5mm.

TICK
Lineweight: 0.250mm
Length: 0.500mm
Space/Spacing: 1.500mm
Color: BLACK (#58600)
Orientation: 90° angle to casing line.

PRODUCTS:

HAC 1
HAC 2
HAC 3

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L014 LEVEE/DIKE

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
002 – LEVEE /DIKE

PARAMETERS:

LABEL:LEVEE
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.200mm
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.150mm
Length: 0.800mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)
Tick is centered on and is perpendicular to the base line.

PRODUCTS:

ATC 200
JOG R
ONC
TPC

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L016 FILL

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
001 – FILL

CLI – GREATER THAN/LESS THAN CONTOUR INTERVAL
001 – GREATER THAN OR EQUAL TO CONTOUR INTERVAL

PARAMETERS:

Orientation: Ticks point downhill

LINE
Lineweight: 0.250mm
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.250mm
Length: 0.500mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)
Tick orientation 90° angle to base line.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L017 FILL

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
001 – FILL

CLI – GREATER THAN/LESS THAN CONTOUR INTERVAL
002 – LESS THAN CONTOUR INTERVAL

PARAMETERS:

Orientation: Ticks point downhill

DASH
Lineweight: 0.250mm
Length: 3.000mm
Space/Spacing: 0.500mm
Color: RED/BROWN (#61121)

TICK
Lineweight: 0.250mm
Length: 0.500mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)
Tick orientation: 90° angle to base line.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

48090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 48090L018 LEVEE WITH ROAD AND/OR RAILROAD

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
002 – LEVEE /DIKE

TOC – TRANSPORTATION USE CATEGORY
001 – ROAD AND RAILROAD
003 – RAILROAD
004 – ROAD

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LINE:CASING
Lineweight: 0.250mm
Color: RED/BROWN (#61121)
Distance between parallel lines is variable to overpassing feature symbol width.

TICK
Lineweight: 0.250mm
Length: 0.500mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)
Tick orientation: 90° angle to base line.

PRODUCTS:

CG
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

48090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 48090L019 CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

PARAMETERS:

LABEL:CAUSEWAY
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

OSC
TPC

48090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 48090L020 FILL

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
001 – FILL

OBD – OBSTACLE HEIGHT/DEPTH CATEGORY
ANY

PFH – PREDOMINANT FEATURE HEIGHT
ANY

PARAMETERS:

Orientation: Ticks point downhill

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 0.500mm
Space/Spacing: 3.000mm
Color: BLACK (#58600)
Orientation: 90° angle to base line.

PRODUCTS:

TTADB-O

48090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 48090L021 CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

OBD – OBSTACLE HEIGHT/DEPTH CATEGORY
ANY

PFH – PREDOMINANT FEATURE HEIGHT
ANY

PARAMETERS:

Orientation: Ticks point downhill

CASING
Lineweight: 0.300mm
Color: BLACK (#58600)
Width: Variable.

LABEL:CAUSEWAY
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4B090L021 (Continued)

ATTRIBUTES:

PARAMETERS:

LABEL:CHD OR PFH
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 0.500mm
Space/Spacing: 3.000mm
Color: BLACK (#58600)
Orientation: 90° angle to casing line.

PRODUCTS:

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L022 EMBANKMENT

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
002 – LEVEE /DIKE

CHD – OBSTACLE HEIGHT/DEPTH CATEGORY
ANY

PFH – PREDOMINANT FEATURE HEIGHT
ANY

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Lower Case,Bold,Condensed
Color: BLACK (#58600)

LINE
Lineweight: 0.300mm
Color: BLACK (#58600)

TICK
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 2.000mm
Color: BLACK (#58600)
Orientation: Centered perpendicular to base line.

PRODUCTS:

TIADB-0

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L023 FILL

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
001 – FILL

PARAMETERS:

Orientation: Ticks point downhill

LINE
Lineweight: 0.300mm
Color: PURPLE (#95151)

TICK
Lineweight: 0.300mm
Length: 0.500mm
Space/Spacing: 3.000mm
Color: PURPLE (#95151)
Orientation: 90° angle to base line.

PRODUCTS:

CCM 250
CCM 50

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L024 CAUSEWAY

ATTRIBUTES:

EFI – EMBANKMENT /FILL IDENTIFIER
003 – CAUSEWAY

PARAMETERS:

Orientation: Ticks point downhill

CASING
Lineweight: 0.300mm
Color: PURPLE (#95151)
Width is variable.

LABEL:CAUSEWAY
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: PURPLE (#95151)

TICK
Lineweight: 0.300mm
Length: 0.500mm
Space/Spacing: 3.000mm
Color: PURPLE (#95151)
Orientation: 90° angle to casing line.

PRODUCTS:

CCM 250
CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L025 EMBANKMENT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 002 – LEVEE /DIKE	**LINE** Linewidth: 0.300mm Color: PURPLE (#95151) **TICK** Linewidth: 0.300mm Length: 2.000mm Space/Spacing: 2.000mm Color: PURPLE (#95151) Orientation: Centered perpendicular to base line.	CCM 250 CCM 50

4B090 – EMBANKMENT
LINE FEATURE.... SYMBOL# 4B090L026

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EFI – EMBANKMENT /FILL IDENTIFIER 002 – LEVEE /DIKE SUC – TRANSPORTATION USE CATEGORY 021 – NOT APPLICABLE	**LABEL:LEVEE** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Linewidth: 0.200mm Color: RED/BROWN (#61121) **TICK** Linewidth: 0.150mm Length: 0.800mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) Tick is centered on and perpendicular to the base line.	CG COMBAT JOG A JOG G TLM 100K TLM 50K

4B100 – LEVEE
LINE FEATURE.... SYMBOL# 4B100L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL:LEVEE** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Linewidth: 0.200mm Color: RED/BROWN (#61121)	ATC 200 COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

4B110 – FAULT
LINE FEATURE.... SYMBOL# 4B110L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LABEL:FAULT** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Linewidth: 0.200mm Color: RED/BROWN (#61121)	ATC 200 CG JOG R OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

4B110 – FAULT
LINE FEATURE.... SYMBOL# 4B110L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL:FAULT** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121)	COMBAT JOG A JOG G TLM 100K TLM 50K

4B115 – GEOTHERMAL FEATURE
POINT FEATURE.... SYMBOL# 4B115P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
GFT – GEOTHERMAL FEATURE TYPE 000 – UNKNOWN 001 – FUMAROLE 002 – GEYSER 003 – HOT SPRING	Origin: Center of solid circle. **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) **POSICUT** Posicut: #1124 Color: RED/BROWN (#61121) Tail of feature is oriented downstream to drain or to the lines of latitude when drain is not present.	COMBAT JOG A JOG G TLM 100K TLM 50K

4B135 – INLAND
AREA FEATURE.... SYMBOL# 4B135A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**LINE** Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-SD TTADB-SD

4B135 – INLAND
AREA FEATURE.... SYMBOL# 4B135A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 – 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

4B135 – INLAND
AREA FEATURE.... SYMBOL# 4B135A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL** Type Size: 6 – 18 point Type Style: Upper Case Color: BLACK (#58600)	ENRC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4R135 - ISLAND
POINT FEATURE.... SYMBOL# 4R135P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RCG - NAME CATEGORY ANY	DOT Diameter: 0.200mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

4R145 - MISCELLANEOUS OBSTACLE FEATURE
AREA FEATURE.... SYMBOL# 4R145A001 MISCELLANEOUS OBSTACLE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT - MISCELLANEOUS FEATURE TYPE 005 - IMPACT AREA 006 - MINEFIELD 009 - GENERAL AREA OBSTACLE MTS - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	PTADB-O TTADB-O

4R145 - MISCELLANEOUS OBSTACLE FEATURE
AREA FEATURE.... SYMBOL# 4R145A002 MISCELLANEOUS OBSTACLE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT - MISCELLANEOUS FEATURE TYPE 005 - IMPACT AREA 006 - MINEFIELD 009 - GENERAL AREA OBSTACLE MTS - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: PURPLE (#95151) LINE:PERIMETER Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 250 CCM 50

4R145 - MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4R145L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT - MISCELLANEOUS FEATURE TYPE 010 - MILITARY OBSTACLE MTS - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.300mm Length: 1.500mm Color: BLACK (#58600) Line Placement: Between corners of adjacent squares and running along feature alignment. SQUARE Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Width: 1.0 mm. Square placement: Between lines with opposite corners adjoining lines along feature alignment. Corners of adjacent squares are 1.500 mm apart.	PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4B145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4B145L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 002 – ELEVATED STRUCTURE 004 – ANTI-TANK DITCH 011 – GENERAL LINEAL OBSTACLE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-O
MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	**LINE** Lineweight: 0.300mm Color: BLACK (#58600)	
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY		
PFH – PREDOMINANT FEATURE HEIGHT ANY		

4B145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4B145L003 SHELTERBELT/WINDBREAK

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 001 – SHELTERBELT/WINDBREAK	Origin: Center of circles	TTADB-O
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
PFH – PREDOMINANT FEATURE HEIGHT ANY	**TOUCHING CIRCLES** Lineweight: 0.300mm Diameter: 2.000mm Color: BLACK (#58600)	

4B145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4B145L004 WOODED GULLY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 003 – WOODED GULLY	**CIRCLE** Lineweight: 0.300mm Diameter: 2.000mm Color: BLACK (#58600) Circle placement: Center of rectangles.	TTADB-O
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY	**LABEL** Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	
PFD – PREDOMINANT FEATURE DEPTH ANY	**RECTANGLE** Lineweight: 0.300mm Color: BLACK (#58600) Long line spacing: 2.000mm. Short line spacing: 3.000mm.	

4B145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4B145L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 010 – MILITARY OBSTACLE	**LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-O
MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	**LINE** Lineweight: 0.300mm Length: 1.500mm Color: BLACK (#58600) Line placement: Between corners of adjacent squares and running along feature alignment.	
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY		
PFH – PREDOMINANT FEATURE HEIGHT		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4R145L005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PFH – PREDOMINANT FEATURE HEIGHT ANY	SQUARE Lineweight: 0.300mm Length: 1.000mm Color: BLACK (#58600) Width: 1.0mm.	

4R145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4R145L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 010 - MILITARY OBSTACLE MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: PURPLE (#95151) LINE Lineweight: 0.300mm Length: 1.500mm Color: PURPLE (#95151) Line placement: Between corners of adjacent squares and running along feature alignment. SQUARE Lineweight: 0.300mm Length: 1.000mm Color: PURPLE (#95151) Width: 1.0mm.	CCM 250 CCM 50

4R145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4R145L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 002 - ELEVATED STRUCTURE 004 - ANTI-TANK DITCH 011 - GENERAL LINEAL OBSTACLE MTS – MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: PURPLE (#95151) LINE Lineweight: 0.300mm Color: PURPLE (#95151)	CCM 50

4R145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4R145L008 SHELTERBELT/WINDBREAK

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 001 - SHELTERBELT/WINDBREAK	Origin: Center of circle string CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: PURPLE (#95151) Circles touch outside edge to outside edge.	CCM 50

4R145 – MISCELLANEOUS OBSTACLE FEATURE
LINE FEATURE.... SYMBOL# 4R145L009 WOODED GULLY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MFT – MISCELLANEOUS FEATURE TYPE 003 - WOODED GULLY	CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: PURPLE (#95151) Circle placement: Centered in rectangles.	CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4B145L009 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	RECTANGLE Lineweight: 0.300mm Color: PURPLE (#95151) Long line spacing: 2.000 mm. Short line spacing: 3.000 mm.	

4B150 – MOUNTAIN PASS
POINT FEATURE.... SYMBOL# 4B150P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	Origin: Center of longest axis of symbol	COMBAT JOG A
	LABEL:NAM, Pass	JOG G
SVL – 2 VALUE	Type Size: 6 point	TLM 100K
ANY	Type Style: Upper/Lower Case,Condensed	TLM 50K
	Color: BLACK (#58600)	
	LABEL:SVL Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	
	POSICUT Posicut: #126 Color: BLACK (#58600)	

4B150 – MOUNTAIN PASS
POINT FEATURE.... SYMBOL# 4B150P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	JOG R ONC TPC
	POSICUT Posicut: ##126 Color: BLACK (#58600)	

4B155 – RAVINE, GORGE, CANYON
AREA FEATURE.... SYMBOL# 4B155A001 RAVINE, GORGE, CANYON

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV
	LINE Lineweight: 0.150mm Color: RED/BROWN (#61121)	
	TICK Lineweight: 0.150mm Length: 0.400mm Space/Spacing: 0.600mm Color: RED/BROWN (#61121)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

4H160 - ROCK FORMATION
AREA FEATURE.... SYMBOL# 4H160A001 COLUMNAR ROCKS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ROF - ROCK FORMATION TYPE 001 - COLUMNAR	LINE Lineweight: 0.200mm Color: RED/BROWN (#61121) TICK Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.800mm Color: RED/BROWN (#61121) Tick orientation: 90° angle to line.	COMBAT JOG A JOG G TLM 100K TLM 50K

4H160 - ROCK FORMATION
AREA FEATURE.... SYMBOL# 4H160A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH:PERIMETER Lineweight: 0.130mm Length: 7.600mm Space/Spacing: 1.500mm Color: RED/BROWN (#61121) LABEL:ROCK STRATA Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#38600)	ATC 200 JOG R OSC TPC

4H160 - ROCK FORMATION
AREA FEATURE.... SYMBOL# 4H160A004 WADI/WADI ISLANDS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.300mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#38600) This symbol is only used when occurring within Wadis/Washes/Arroyos (Symbol 2H140A023).	TTADB-SD

4H160 - ROCK FORMATION
POINT FEATURE.... SYMBOL# 4H160P001 PINNACLE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ROF - ROCK FORMATION TYPE 003 - PINNACLE	Origin: Center of tick circle TICK Lineweight: 0.250mm Length: 0.600mm Color: RED/BROWN (#61121) Overall tick diameter: 1.44 mm. Center diameter: 0.244 mm. Tick placement: In 60° increments clockwise starting at 30° from north.	COMBAT JOG A JOG G TLM 100K TLM 50K

4H170 - SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4H170A001 LATERAL DUNES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SDO - SAND DUNE ORIENTATION ANY SSC - STRUCTURE SHAPE CATEGORY 026 - LATERAL	AREA:FILL Area Pattern: AP-118 Color: RED/BROWN (#61121)	ATC 200 CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T07:58Z
Check the source to verify that this is the current version before use.

4B170 – SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4B170A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SDO – SAND DUNE ORIENTATION ANY SSC – STRUCTURE SHAPE CATEGORY 022 – CRESCENT 027 – MOUND 028 – RIPPLE 029 – STAR 030 – TRANSVERSE	**AREA:FILL** Area Pattern: AP-108 Color: RED/BROWN (#61121)	ATC 200 JOG R ONC TPC

4B170 – SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4B170A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP-100 Color: BLACK (#58600) **LABEL** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

4B170 – SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4B170A004 RIPPLE DUNES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SDO – SAND DUNE ORIENTATION ANY SSC – STRUCTURE SHAPE CATEGORY 028 – RIPPLE	**AREA:FILL** Area Pattern: AP-112 Color: RED/BROWN (#61121)	CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

4B170 – SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4B170A005 STAR DUNES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SDO – SAND DUNE ORIENTATION ANY SSC – STRUCTURE SHAPE CATEGORY 029 – STAR	**AREA:FILL** Area Pattern: AP-120 Color: RED/BROWN (#61121)	CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

4B170 – SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4B170A006 MOUND DUNES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SDO – SAND DUNE ORIENTATION ANY SSC – STRUCTURE SHAPE CATEGORY 027 – MOUND	**AREA:FILL** Area Pattern: AP-126 Color: RED/BROWN (#61121)	CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

4R170 — SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4R170A007 TRANSVERSE DUNES

ATTRIBUTES:

SDO — SAND DUNE ORIENTATION
ANY

SSC — STRUCTURE SHAPE CATEGORY
030 - TRANSVERSE

PARAMETERS:

AREA:FILL
Area Pattern: AP-127
Color: RED/BROWN (#61121)

PRODUCTS:

CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

4R170 — SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4R170A008 CRESCENT DUNES

ATTRIBUTES:

SDO — SAND DUNE ORIENTATION
ANY

SSC — STRUCTURE SHAPE CATEGORY
022 - CRESCENT

PARAMETERS:

AREA:FILL
Area Pattern: AP-108
Color: RED/BROWN (#61121)

PRODUCTS:

CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

4R170 — SAND DUNES /SAND HILLS
AREA FEATURE.... SYMBOL# 4R170A009 DUNES, SHAPE UNKNOWN

ATTRIBUTES:

SSC — STRUCTURE SHAPE CATEGORY
000 - UNKNOWN

PARAMETERS:

AREA:FILL
Area Pattern: AP- 95
Color: RED/BROWN (#61121)

LABEL
Type Size: 6 - 12 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG ENV
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

4R176 — SLOPE CATEGORY
AREA FEATURE.... SYMBOL# 4R176A001

ATTRIBUTES:

SPR — SLOPE POLYGON RANGE
ANY

PARAMETERS:

LABEL
Type Size: 6 - 24 point
Type Style: Upper Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

PTADB-SC
TTADB-SC

4R180 — VOLCANO
AREA FEATURE.... SYMBOL# 4R180A001 SUBMERGED VOLCANO

ATTRIBUTES:

ACC — ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE
003 - DOUBTFUL

DAT — DATE CATEGORY
ANY

EXS — EXISTENCE CATEGORY
001 - DEFINITE
002 - DOUBTFUL

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 2.000mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 - 12 point
Type Style: Upper Case,Italic
Color: BLACK (#58600)

PRODUCTS:

BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 4B180A001 (Continued)

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
003 - REPORTED

LOC – LOCATION /ORIGIN CATEGORY
006 - BELOW WATER SURFACE

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:OTHER
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

4B180 – VOLCANO
AREA FEATURE.... SYMBOL# 4B180A002

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

NAM – NAME CATEGORY
ANY

PARAMETERS:

LABEL:NAM
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)
NOTE: Features symbolized through rendition of contours (3A010) as applicable.

PRODUCTS:

ATC 200
JOG R
ONC
TPC

4B180 – VOLCANO
AREA FEATURE.... SYMBOL# 4B180A003

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

NAM – NAME CATEGORY
ANY

VGT – VOLCANO GEOLOGIC TYPE
001 - VOLCANO

PARAMETERS:

LABEL:NAM
Type Size: 6 - 16 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)
NOTE: Features symbolized through rendition of contours (3A010) as applicable.

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

4B180 – VOLCANO
POINT FEATURE.... SYMBOL# 4B180P001 CINDER CONE

ATTRIBUTES:

LOC – LOCATION /ORIGIN CATEGORY
003 - ON GROUND SURFACE

VGT – VOLCANO GEOLOGIC TYPE
002 - CINDER CONE

PARAMETERS:

CIRCLE
Lineweight: 0.100mm
Diameter: 1.000mm
Color: RED/BROWN (#61121)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

TICK
Lineweight: 0.100mm
Length: 1.000mm
Color: RED/BROWN (#61121)
Short tick length: 0.5 mm.
Ticks alternate in length starting with a long tick at the top each a 45° angle from the last. Each tick connects with the circle.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

4B190 – VOLCANIC DIKE
LINE FEATURE.... SYMBOL# 4B190L001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Bold,Condensed
Color: BLACK (#58600)

PRODUCTS:

PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 4B190L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.450mm Color: BLACK (#58600)	

4B190 - VOLCANIC DIKE
LINE FEATURE.... SYMBOL# 4B190L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OBD - OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFH - PREDOMINANT FEATURE HEIGHT ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: BLACK (#58600) LINE Lineweight: 0.450mm Color: BLACK (#58600)	TTADB-O

4B190 - VOLCANIC DIKE
LINE FEATURE.... SYMBOL# 4B190L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Bold,Condensed Color: PURPLE (#95151) LINE Lineweight: 0.450mm Color: PURPLE (#95151)	CCM 250 CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CMI - CCM MAP UNIT CODE (1) 001 - 1	AREA:FILL Color: GREEN (#52813) Screen: 67%,45° Angle LABEL:1 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CMI - CCM MAP UNIT CODE (1) 002 - 2	AREA:FILL Color: GREEN (#52813) Screen: 21%,45° Angle LABEL:2 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A003

ATTRIBUTES:

CM1 - CCM MAP UNIT CODE (1)
003 - 3

PARAMETERS:

AREA:FILL
Color: YELLOW (#57377)
Screen: 91%,45° Angle

LABEL:3
Type Size: 6 - 24 point
Type Style: Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A004

ATTRIBUTES:

CM1 - CCM MAP UNIT CODE (1)
004 - 4

PARAMETERS:

AREA:FILL
Color: YELLOW (#57377)
Screen: 42%,45° Angle

LABEL:4
Type Size: 6 - 24 point
Type Style: Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A005

ATTRIBUTES:

CM1 - CCM MAP UNIT CODE (1)
005 - 5

PARAMETERS:

AREA:FILL
Color: RED/BROWN (#61121)
Screen: 42%,45° Angle

LABEL:5
Type Size: 6 - 24 point
Type Style: Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A006

ATTRIBUTES:

CM1 - CCM MAP UNIT CODE (1)
006 - 6

PARAMETERS:

AREA:FILL
Color: BLUE (#48253)
Screen: 31%,45° Angle

LABEL:6
Type Size: 6 - 24 point
Type Style: Lower Case
Color: BLACK (#58600)

LINE:PERIMETER
Lineweight: 0.300mm
Color: BLACK (#58600)

PRODUCTS:

CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM1 - CCM MAP UNIT CODE (1) 007 - 7	LABEL:7 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 50

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM2 - CCM MAP UNIT CODE (2) 001 - 1	AREA:FILL Color: GREEN (#52813) Screen: 21%,45° Angle LABEL:1 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 250

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM2 - CCM MAP UNIT CODE (2) 002 - 2	AREA:FILL Color: YELLOW (#57377) Screen: 42%,45° Angle LABEL:2 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 250

4C010 - CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM2 - CCM MAP UNIT CODE (2) 003 - 3	AREA:FILL Color: RED/BROWN (#61121) Screen: 42%,45° Angle LABEL:3 Type Size: 6 - 24 point Type Style: Lower Case Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.300mm Color: BLACK (#58600)	CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

4C010 – CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM2 – CCM MAP UNIT CODE (2) 004 – 4	**AREA:FILL** Color: BLUE (#48253) Screen: 31%,45° Angle **LABEL:4** Type Size: 6 – 24 point Type Style: Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	CCM 250

4C010 – CROSS COUNTRY MOVEMENT SPEED RANGE
AREA FEATURE.... SYMBOL# 4C010A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CM2 – CCM MAP UNIT CODE (2) 005 – 5	**LABEL:5** Type Size: 6 – 24 point Type Style: Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600)	CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5A010 – CROPLAND (CULTIVATED)
AREA FEATURE.... SYMBOL# 5A010A001 RICE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FTC – FARMING TYPE CATEGORY 004 - OTHER VEG – VEGETATION CHARACTERISTICS 004 - RICE PADDIES	AREA:FILL Area Pattern: AP- 4 Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

5A010 – CROPLAND (CULTIVATED)
AREA FEATURE.... SYMBOL# 5A010A002 RICE-TERRACED

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
FTC – FARMING TYPE CATEGORY 003 - TERRACED VEG – VEGETATION CHARACTERISTICS 004 - RICE PADDIES	AREA:FILL Area Pattern: AP- 4 Color: BLUE (#48253) DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:FTC Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

5A010 – CROPLAND (CULTIVATED)
AREA FEATURE.... SYMBOL# 5A010A003 CULTIVATED LAND

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 001 - DRY CROPS	AREA:FILL Color: RED/BROWN (#61121) Screen: 7%,45° Angle	COMBAT TLM 100K TLM 50K

5A010 – CROPLAND (CULTIVATED)
AREA FEATURE.... SYMBOL# 5A010A004 CULTIVATED LAND

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 001 - DRY CROPS	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:CULTIVATED Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	OSC TPC

5A020 – HEDGEROW
LINE FEATURE.... SYMBOL# 5A020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LINE Lineweight: 0.200mm Color: GREEN (#52813)	CG COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 5A020L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK Lineweight: 0.800mm Length: 0.400mm Space/Spacing: 2.500mm Color: GREEN (#52813) Tick orientation: 90° angle to line. Tick placement: One side of line.	

5A020 – HEDGEROW
LINE FEATURE.... SYMBOL# 5A020L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
OHD – OBSTACLE HEIGHT/DEPTH CATEGORY ANY PFH – PREDOMINANT FEATURE HEIGHT ANY	CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: BLACK (#58600) Position: Centered in each dash space. DASH Lineweight: 0.300mm Length: 4.000mm Color: BLACK (#58600) Placement: Between circles LABEL Type Size: 6 point Type Style: Lower Case,Bold,Condensed Color: BLACK (#58600)	TTADB-O

5A020 – HEDGEROW
LINE FEATURE.... SYMBOL# 5A020L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	CIRCLE Lineweight: 0.300mm Diameter: 2.000mm Color: PURPLE (#95151) Position: Centered between dashes. DASH Lineweight: 0.300mm Length: 4.000mm Color: PURPLE (#95151) Placement: Between circles running along feature alignment.	CCM 50

5A020 – HEDGEROW
LINE FEATURE.... SYMBOL# 5A020L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	CIRCLE Lineweight: 0.300mm Color: BLACK (#58600) Diameter: 2.000mm. Position: Centered between dashes. DASH Lineweight: 0.300mm Length: 4.000mm Color: BLACK (#58600) Placement: Between circles runnung along feature alignment.	PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

5A030 - NURSERY
AREA FEATURE.... SYMBOL# 5A030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 74 Color: GREEN (#52813) LABEL:NURSERY Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

5A040 - ORCHARD /PLANTATION
AREA FEATURE.... SYMBOL# 5A040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 74 Color1: YELLOW (#57377) Screen1: 79%,30° Angle Color2: BLUE (#48253) Screen2: 31%,75° Angle Combine colors 1 and 2 with exact registration for process printing.	JOG B ONC TPC

5A040 - ORCHARD /PLANTATION
AREA FEATURE.... SYMBOL# 5A040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 74 Color: BLACK (#58600)	HAC 1 HAC 2

5A040 - ORCHARD /PLANTATION
AREA FEATURE.... SYMBOL# 5A040A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 019 - OTHER 022 - RUBBER 050 - BANANAS 051 - COTTON 054 - BAMBOO 055 - COFFEE 056 - COMMON FRUIT AND/OR NUT 057 - PALMS 058 - PALMETTO	AREA:FILL Area Pattern: AP- 74 Color: GREEN (#52813) LABEL:PRO Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT TLM 100K TLM 50K

5A040 - ORCHARD /PLANTATION
AREA FEATURE.... SYMBOL# 5A040A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO - PRODUCT CATEGORY 019 - OTHER 022 - RUBBER 050 - BANANAS 051 - COTTON 054 - BAMBOO 055 - COFFEE 056 - COMMON FRUIT AND/OR NUT 057 - PALMS 058 - PALMETTO	AREA:FILL Area Pattern: AP- 74 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Combine colors 1 and 2 with exact registration for process printing. LABEL:PRO Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	JOG A JOG C

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

5A050 — VINEYARD /HOPS
AREA FEATURE.... SYMBOL# 5A050A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 77 Color: GREEN (#52813)	CG CG ENV COMBAT TLM 100K TLM 50K

5A050 — VINEYARD /HOPS
AREA FEATURE.... SYMBOL# 5A050A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 77 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Combine colors 1 and 2 with exact registration for process printing.	JOG A JOG G JOG R

5B010 — GRASSLAND
AREA FEATURE.... SYMBOL# 5B010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 66 Color: GREEN (#52813)	COMBAT TLM 100K TLM 50K

5B010 — GRASSLAND
AREA FEATURE.... SYMBOL# 5B010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 66 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing.	JOG A JOG G JOG R

5B020 — SCRUB /BRUSH
AREA FEATURE.... SYMBOL# 5B020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 68 Color: GREEN (#52813)	COMBAT TLM 100K TLM 50K

5C010 — BAMBOO CANE
AREA FEATURE.... SYMBOL# 5C010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 86 Color: GREEN (#52813)	CG CG ENV COMBAT TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5C015 - FIREBREAK
AREA FEATURE.... SYMBOL# 5C015A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA Symbol: Appears as an open area through the background of the tree (5C030) symbol. LABEL Type Size: 6 - 12 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K

5C015 - FIREBREAK
LINE FEATURE.... SYMBOL# 5C015L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:FIREBREAK Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Symbol: Appears as an open line through the background of the tree (5C030) symbol Lineweight: 0.5 mm.	COMBAT JOG A JOG G TLM 100K TLM 50K

5C020 - OASIS
AREA FEATURE.... SYMBOL# 5C020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM - NAME CATEGORY ANY	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:OASIS Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIMETER Lineweight: 0.200mm Color: GREEN (#52813)	COMBAT TLM 100K TLM 50K

5C020 - OASIS
AREA FEATURE.... SYMBOL# 5C020A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL:OASIS Type Size: 6 - 10 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE:PERIM:COLOR2 Lineweight: 0.200mm Color1: YELLOW (#57377) Screen1: 79%,30° Angle Color2: BLUE (#48253) Screen2: 31%,75° Angle	ATC 200 JOG A JOG G JOG R OSC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

5C020 — OASIS
POINT FEATURE.... SYMBOL# 5C020P001

ATTRIBUTES:

VEG — VEGETATION CHARACTERISTICS
000 - UNKNOWN
021 - OTHER

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 1.300mm
Color1: BLUE (#48253)
Screen1: 31%,75° Angle
Color2: YELLOW (#57377)
Screen2: 79%,30° Angle
Note: Combine colors 1 and 2 with exact registration for process printing.

LABEL:OASIS
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
JOG R
ONC
TPC

5C020 — OASIS
POINT FEATURE.... SYMBOL# 5C020P002

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

Origin: Center of circle

LABEL:OASIS
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #130
Color: GREEN (#52813)

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

5C020 — OASIS
POINT FEATURE.... SYMBOL# 5C020P003

ATTRIBUTES:

VEG — VEGETATION CHARACTERISTICS
017 - PALM

PARAMETERS:

Origin: Center of circle

LABEL:OASIS
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #130
Color1: BLUE (#48253)
Screen1: 31%,75° Angle
Color2: YELLOW (#57377)
Screen2: 79%,30° Angle
Note: Combine colors 1 and 2 with exact registration for process printing.

PRODUCTS:

ATC 200
JOG R
ONC
TPC

5C020 — OASIS
POINT FEATURE.... SYMBOL# 5C020P004

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

Origin: Center of circle

LABEL:OASIS
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

POSICUT
Posicut: #130
Color1: BLUE (#48253)
Screen1: 31%, 75° Angle
Color2: YELLOW (#57377)
Screen2: 79%, 30° Angle
Note: Combine colors 1 and 2 with exact registration for process printing.

PRODUCTS:

JOG A
JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A002 WOODLAND-EVERGREEN

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN	AREA:FILL1 Area Pattern: AP- 60 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
DNT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 51	AREA:FILL2 Color: GREEN (#52813) Screen: 31%,45° Angle Area fills 1 and 2 are combined as one symbol.	
NAM – NAME CATEGORY ANY		
TRE – TREE CATEGORY 002 – EVERGREEN	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Letter space or extend type as necessary to fit area.	
VEG – VEGETATION CHARACTERISTICS 011 – CASUARINA 012 – CONIFEROUS 017 – PALM 018 – FILAO 020 – CYPRUS 021 – OTHER 031 – EUCALYPTUS		

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A003 WOODLAND-DECIDUOUS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN	AREA:FILL1 Area Pattern: AP- 54 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
DNT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 51	AREA:FILL2 Color: GREEN (#52813) Screen: 31%,45° Angle Area fills 1 and 2 are combined as one symbol.	
NAM – NAME CATEGORY ANY		
TRE – TREE CATEGORY 001 – DECIDUOUS	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Letter space or extend type as necessary to fit area.	

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A004 WOODLAND-MIXED

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN	AREA:FILL1 Area Pattern: AP- 63 Color: BLACK (#58600)	COMBAT TLM 100K TLM 50K
DNT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 51	AREA:FILL2 Color: GREEN (#52813) Screen: 31%,45° Angle Area fills 1 and 2 are combined as one symbol.	
NAM – NAME CATEGORY ANY		
TRE – TREE CATEGORY 003 – MIXED	LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Letter space or extend type as necessary to fit area.	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A005 NIPA PALM/MANGROVE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN VEG – VEGETATION CHARACTERISTICS 016 – NIPA PALM 019 – MANGROVE	AREA:FILL1 Area Pattern: AP- 8 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing of green. AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	ATC 200 JOG R ONC TPC

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A006 SCATTERED TREES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN DMT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 25 AND < 51	AREA:FILL Area Pattern: AP- 44 Color: GREEN (#52813)	COMBAT TLM 100K TLM 50K

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 019 – MANGROVE	AREA:FILL Area Pattern: AP- 8 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 011 – CASUARINA	AREA:FILL Area Pattern: AP-152 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 012 – CONIFEROUS	AREA:FILL Area Pattern: AP-154 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 016 – NIPA PALM	AREA:FILL Area Pattern: AP-155 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 017 – PALM	AREA:FILL Area Pattern: AP-156 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 018 – FILAO	AREA:FILL Area Pattern: AP-153 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A013 Evergreen Trees (General)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRE – TREE CATEGORY 002 – EVERGREEN VEG – VEGETATION CHARACTERISTICS 021 – OTHER	AREA:FILL Area Pattern: AP-157 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A014 MIXED VEGETATION/LARGE AREA

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PHT – PREDOMINANT HEIGHT ANY TRE – TREE CATEGORY 003 – MIXED VEG – VEGETATION CHARACTERISTICS 021 – OTHER	AREA:FILL Area Pattern: AP- 63 Color: BLACK (#58600) BAR Lineweight: 0.100mm Color: BLACK (#58600) Length of PHT figure. Positioned 0.3mm above PHT label. LABEL Type Size: 6 point Type Style: *Lower Case* Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A015 WOODS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DMT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 25 SHC – SHELTER BELT CONDITION 002 – DOES NOT FUNCTION AS A SHELTER BELT. VEG – VEGETATION CHARACTERISTICS 011 – CASUARINA 012 – CONIFEROUS 016 – NIPA PALM 017 – PALM 018 – FILAO 020 – CYPRUS 021 – OTHER 031 – EUCALYPTUS	AREA:FILL Area Pattern: AP- 43 Color: GREEN (#52813)	CG CG ENV

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5C030 — TREES
AREA FEATURE.... SYMBOL# 5C030A024

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN VEG — VEGETATION CHARACTERISTICS 011 — CASUARINA 012 — CONIFEROUS 017 — PALM 018 — FILAO 020 — CYPRUS 021 — OTHER 031 — EUCALYPTUS	AREA:FILL Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle	ATC 200 JOG R ONC TPC

5C030 — TREES
AREA FEATURE.... SYMBOL# 5C030A025

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 002 — LIMITS AND INFO UNKNOWN VEG — VEGETATION CHARACTERISTICS ANY	LABEL Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

5C030 — TREES
AREA FEATURE.... SYMBOL# 5C030A027 DECIDUOUS TREES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRE — TREE CATEGORY 001 — DECIDUOUS VEG — VEGETATION CHARACTERISTICS 021 — OTHER	AREA:FILL Area Pattern: AP-158 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 — TREES
AREA FEATURE.... SYMBOL# 5C030A028 WOODS/JUNGLE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 001 — LIMITS AND INFO KNOWN DMT — DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 51 NAM — NAME CATEGORY ANY VEG — VEGETATION CHARACTERISTICS 011 — CASUARINA 012 — CONIFEROUS 017 — PALM 018 — FILAO 020 — CYPRUS 021 — OTHER 031 — EUCALYPTUS	AREA:FILL Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle LABEL:NAM Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Letter space or extend type as necessary.	JOG A JOG G

5C030 — TREES
AREA FEATURE.... SYMBOL# 5C030A029 NIPA PALM

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG — VEGETATION CHARACTERISTICS 016 — NIPA PALM	AREA:FILL1 Area Pattern: AP- 7 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing of the color green.	JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 5C030A029 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A030 MANGROVE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRS – TREE CATEGORY 002 – EVERGREEN VEG – VEGETATION CHARACTERISTICS 019 – MANGROVE	AREA:FILL1 Area Pattern: AP- 8 Color: GREEN (#52813) AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT TLM 100K TLM 50K

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A031 SHELTER BELT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SBC – SHELTER BELT CONDITION 001 – FUNCTIONS AS A SHELTER BELT. WID – WIDTH ≥ 65m	LABEL Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Color: GREEN (#52813) Minimum lineweight: 0.4 mm.	CG CG ENV

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A032 EUCALYPTUS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 031 – EUCALYPTUS	AREA:FILL Area Pattern: AP-151 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A033 SCATTERED TREES

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CDD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN DMT – DENSITY MEASURE (% TREE /CANOPY COVER) ≥ 25 and < 51	AREA:FILL Area Pattern: AP- 44 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing of the color green.	JOG A JOG G JOG R

5C030 – TREES
AREA FEATURE.... SYMBOL# 5C030A034 MANGROVE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 019 – MANGROVE	AREA:FILL1 Area Pattern: AP- 8 Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing of the color green.	JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 5C030A034 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	

5C030 - TREES
AREA FEATURE.... SYMBOL# 5C030A036 NIPA PALM

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRE - TREE CATEGORY 002 - EVERGREEN VEG - VEGETATION CHARACTERISTICS 016 - NIPA PALM	AREA:FILL1 Area Pattern: AP- 7 Color: GREEN (#52813) AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	COMBAT TLM 100K TLM 50K

5C030 - TREES
AREA FEATURE.... SYMBOL# 5C030A037 Mangrove

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 019 - MANGROVE	AREA:FILL1 Area Pattern: AP- 8 Color: GREEN (#52813) AREA:FILL2 Color: BLUE (#48253) Screen: 31%,45° Angle	CG CG ENV

5C030 - TREES
LINE FEATURE.... SYMBOL# 5C030L001 SHELTER BELT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SBC - SHELTER BELT CONDITION 001 - FUNCTIONS AS A SHELTER BELT. WID - WIDTH < 65 m	LABEL Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LINE Lineweight: 0.400mm Color: GREEN (#52813)	CG CG ENV

5C030 - TREES
LINE FEATURE.... SYMBOL# 5C030L003 SHELTER BELT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
SBC - SHELTER BELT CONDITION 001 - FUNCTIONS AS A SHELTER BELT.	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) LINE Lineweight: 0.400mm Color1: BLUE (#48253) Screen1: 31%,75° Angle Color2: YELLOW (#57377) Screen2: 79%,30° Angle Note: Combine colors 1 and 2 with exact registration for process printing.	ATC 200 JOG A JOG G JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309001 ISOLATED TREE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS - EXISTENCE CATEGORY 031 - ISOLATED	Origin: Base of tree. POSICUT Posicut: #129 Color: GREEN (#52813)	COMBAT TLM 100K TLM 50K

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309002 CASUARINA

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 011 - CASUARINA	Origin: Center of circle POSICUT Posicut: #131 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309003 CONIFEROUS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 012 - CONIFEROUS	Origin: Center of circle. POSICUT Posicut: #132 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309004 NIPA PALM

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 016 - NIPA PALM	Origin: Center of circle. POSICUT Posicut: #133 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309005 PALM

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 017 - PALM	Origin: Center of circle. POSICUT Posicut: #130 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 - TREES
POINT FEATURE.... SYMBOL# 5C0309006 FILAO

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG - VEGETATION CHARACTERISTICS 018 - FILAO	Origin: Center of circle. POSICUT Posicut: #135 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

5C030 – TREES
POINT FEATURE.... SYMBOL# 5C030P007 EVERGREEN TREE (GENERAL)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRE – TREE CATEGORY 002 – EVERGREEN VEG – VEGETATION CHARACTERISTICS 021 – OTHER	Origin: Center of circle. **POSICUT** Posicut: #136 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
POINT FEATURE.... SYMBOL# 5C030P008 DECIDUOUS TREE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TRE – TREE CATEGORY 001 – DECIDUOUS VEG – VEGETATION CHARACTERISTICS 021 – OTHER	Origin: Center of circle. **POSICUT** Posicut: #134 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5C030 – TREES
POINT FEATURE.... SYMBOL# 5C030P009 EUCALYPTUS

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 031 – EUCALYPTUS	Origin: Center of circle. **POSICUT** Posicut: #220 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3

5D010 – BOG
AREA FEATURE.... SYMBOL# 5D010A001 CRANBERRY/PEAT

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VEG – VEGETATION CHARACTERISTICS 006 – CRANBERRY 007 – PEAT	**AREA:FILL** Area Pattern: AP- 12 Color: BLUE (#48253) **LABEL:VEG** Type Size: 6 - 16 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 COMBAT JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

5D020 – HUMMOCK
AREA FEATURE.... SYMBOL# 5D020A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DOT:PERIMETER** Space/Spacing: 0.800mm Diameter: 0.250mm Color: BLUE (#48253)	ATC 200 COMBAT JOG R ONC TIM 100K TIM 50K TPC

5D030 – SWAMP
AREA FEATURE.... SYMBOL# 5D030A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**AREA:FILL** Area Pattern: AP- 12 Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TIM 100K TIM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

SD030 – SWAMP
AREA FEATURE.... SYMBOL# SD030A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TID – TIDAL /NON-TIDAL CATEGORY 001 – NON-TIDAL	AREA:FILL Area Pattern: AP- 12 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

SD030 – SWAMP
AREA FEATURE.... SYMBOL# SD030A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TID – TIDAL /NON-TIDAL CATEGORY 002 – TIDAL /TIDAL FLUCTUATING	AREA:FILL Area Pattern: AP- 12 Color: BLACK (#58600) DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

SD040 – MARSH
AREA FEATURE.... SYMBOL# SD040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	AREA:FILL Area Pattern: AP- 12 Color: BLUE (#48253)	ATC 200 CG CG ESV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

SD040 – MARSH
AREA FEATURE.... SYMBOL# SD040A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TID – TIDAL /NON-TIDAL CATEGORY 001 – NON-TIDAL	AREA FILL Area Pattern: AP- 12 Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

SD040 – MARSH
AREA FEATURE.... SYMBOL# SD040A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TID – TIDAL /NON-TIDAL CATEGORY 002 – TIDAL /TIDAL FLUCTUATING	AREA:FILL Area Pattern: AP- 12 Color: BLACK (#58600) DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

5E010 – LAND USE /LAND COVER (VEGETATION)
AREA FEATURE.... SYMBOL# 5E010A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BUD – BRUSH /UNDERGROWTH DENSITY CODE ANY STR – SUMMER TREE COVER DENSITY CODE ANY VGC – VEGETATION TYPE CATEGORY ANY VH3 – PREDOMINANT VEGETATION HEIGHT RANGE (3) ANY	**LABEL** Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE:PERIMETER** Lineweight: 0.300mm Color: BLACK (#58600) **LINE:UNDERSCORE** Lineweight: 0.300mm Color: BLACK (#58600) Length: Width of digits plus 0.5 mm at each end. Position: 0.5 mm below label.	TTADB-V

5E010 – LAND USE /LAND COVER (VEGETATION)
AREA FEATURE.... SYMBOL# 5E010A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BUD – BRUSH /UNDERGROWTH DENSITY CODE ANY STR – SUMMER TREE COVER DENSITY CODE ANY VGC – VEGETATION TYPE CATEGORY ANY VH2 – PREDOMINANT VEGETATION HEIGHT RANGE (2) ANY	**LABEL** Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: BLACK (#58600) **LINE** Lineweight: 0.300mm Color: BLACK (#58600) **LINE:UNDERSCORE** Lineweight: 0.300mm Color: BLACK (#58600) Length: Width of digits plus 0.5 mm at each end. Position 0.5 mm below label.	PTADB-V

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

GA000 - ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001001 INTERNATIONAL

ATTRIBUTES:

ACC - ACCURACY CATEGORY
001 - ACCURATE
002 - APPROXIMATE

BST - BOUNDARY STATUS TYPE
001 - DEFINITE
002 - INDEFINITE
003 - IN DISPUTE

NM3 - NAME 3
ANY

NM4 - NAME 4
ANY

USE - USE STATUS
023 - INTERNATIONAL

PARAMETERS:

BAND:OVERPRINT
Color: RED/BROWN (#611Z1)
Screen: 54%,60° Angle
Width: 2.0 mm (centered on basic dashed line symbol).

DASH:LONG
Lineweight: 0.500mm
Length: 7.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

DASH:SHORT
Lineweight: 0.500mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)
2 short dash units follow 1 long dash unit.

LABEL
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

GA000 - ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001002 PRIMARY/1ST ORDER

ATTRIBUTES:

NM3 - NAME 3
ANY

NM4 - NAME 4
ANY

USE - USE STATUS
026 - PRIMARY /1ST ORDER

PARAMETERS:

DASH:LONG
Lineweight: 0.300mm
Length: 7.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

DASH:SHORT
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)
Long and short dashes alternate.

LABEL:NM3,NM4
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

GA000 - ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001003 2ND ORDER

ATTRIBUTES:

NM3 - NAME 3
ANY

NM4 - NAME 4
ANY

USE - USE STATUS
030 - 2ND ORDER

PARAMETERS:

DASH:LONG
Lineweight: 0.300mm
Length: 7.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL:NM3,NM4
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:SHORT
Lineweight: 0.300mm
Length: 2.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)
Two (2) short dashes follow one (1) long dash.

PRODUCTS:

ATC 200
COMBAT
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001005 INSULAR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME 3 ANY USE – USE STATUS 032 – INSULAR	DOT Space/Spacing: 0.750mm Diameter: 0.250mm Color: BLACK (#58600) LABEL:NAM,NM4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) Apply one or both names as applicable.	JOG A JOG G

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001006 CITY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME 3 ANY NM4 – NAME 4 ANY USE – USE STATUS 016 – CITY	DASH:LONG Lineweight: 0.150mm Length: 1.500mm Space/Spacing: 0.400mm Color: BLACK (#58600) DASH:SHORT Lineweight: 0.150mm Length: 0.800mm Space/Spacing: 0.400mm Color: BLACK (#58600) Long and short dashes alternate. LABEL:NAM,NM4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	CG

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001008 INTERNATIONAL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE BST – BOUNDARY STATUS TYPE 001 – DEFINITE 002 – INDEFINITE 003 – IN DISPUTE NAM – NAME 3 ANY NM4 – NAME 4 ANY USE – USE STATUS 023 – INTERNATIONAL	DASH Lineweight: 0.500mm Color: BLACK (#58600) Long Dash Length: 7.0mm. Short Dash Length: 2.0mm. Dash Spacing: 1.0mm. 2 short dashes following one long dash. LABEL Type Size: 8 point Type Style: Upper Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA0001009 INSULAR

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME 3 ANY USE – USE STATUS 032 – INSULAR	LABEL:NAM Type Size: 8 point Type Style: Upper Case Color: BLACK (#58600)	ATC 200 BNPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG A JOG G JOG R ONC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# GA000L009 (Continued)

ATTRIBUTES:

PARAMETERS:

PRODUCTS:
TLM 100K
TLM 50K
TPC

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA000L010 3RD ORDER/TERTIARY

ATTRIBUTES:

HM3 – NAME 3
ANY

HM4 – NAME 4
ANY

USE – USE STATUS
031 – 3RD ORDER

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 7.000mm
Space/Spacing: 1.500mm
Color: BLACK (#58600)

DOT
Space/Spacing: 1.500mm
Diameter: 0.400mm
Color: BLACK (#58600)
3 dots follow 1 line unit.

LABEL:HM3,HM4
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA000L011 NO DEFINED BOUNDARY

ATTRIBUTES:

BST – BOUNDARY STATUS TYPE
004 – NO DEFINED BOUNDARY

HM3 – NAME 3
ANY

HM4 – NAME 4
ANY

PARAMETERS:

LABEL
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:
ATC 200
BSPC
CG
CG ENV
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG A
JOG G
JOG R
OSC
TLM 100K
TLM 50K
TPC

GA000 – ADMINISTRATIVE BOUNDARY
LINE FEATURE.... SYMBOL# GA000L012

ATTRIBUTES:

USE – USE STATUS
029 – RESERVE AREA
030 – TRIBAL RESERVATION
031 – PROHIBITED AREA
032 – ANIMAL SANCTUARY
033 – FOREST PRESERVE

PARAMETERS:

DASH
Lineweight: 0.200mm
Length: 6.100mm
Space/Spacing: 2.500mm
Color: BLACK (#58600)

DOT
Diameter: 0.250mm
Color: BLACK (#58600)

LABEL
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:
COMBAT
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

GA020 – ARMISTICE LINE
LINE FEATURE.... SYMBOL# GA020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NM3 – NAME 3 ANY NM4 – NAME 4 ANY	**DASH** Lineweight: 0.300mm Length: 5.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL:NM3,NM4** Type Size: 8 point Type Style: Upper Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 8 point Type Style: Upper Case Color: BLACK (#58600)	ATC 200 BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG R ONC TPC

GA020 – ARMISTICE LINE
LINE FEATURE.... SYMBOL# GA020L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NM3 – NAME 3 ANY NM4 – NAME 4 ANY	**BAND:OVERPRINT** Color: RED/BROWN (#61121) Screen: 42%,60° Angle Centered on base line. Band width: 2.0 mm. **DASH** Lineweight: 0.300mm Length: 5.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL:NM3,NM4** Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

GA030 – CEASE-FIRE LINE
LINE FEATURE.... SYMBOL# GA030L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.250mm Length: 6.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL** Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

GA030 – CEASE-FIRE LINE
LINE FEATURE.... SYMBOL# GA030L002

ATTRIBUTES:

ACC – ACCURACY CATEGORY
001 – ACCURATE
002 – APPROXIMATE

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 6.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

GA040 – CLAIM LINE
LINE FEATURE.... SYMBOL# GA040L001

ATTRIBUTES:

NAM – NAME 3
ANY

TXT – TEXT ATTRIBUTE
ANY

PARAMETERS:

DASH
Lineweight: 0.400mm
Length: 5.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL:NAM
Type Size: 8 point
Type Style: Upper Case
Color: BLACK (#58600)

LABEL:TXT
Type Size: 8 point
Type Style: Upper Case
Color: BLACK (#58600)

PRODUCTS:

ATC 200
EXPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG R
OPC
TPC

GA050 – INTERNATIONAL MARITIME BOUNDARY
LINE FEATURE.... SYMBOL# GA050L001

ATTRIBUTES:

NAM – NAME 3
ANY

NAM – NAME 4
ANY

TXT – TEXT ATTRIBUTE
ANY

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

TICK
Lineweight: 0.250mm
Length: 1.500mm
Color: BLACK (#58600)
Oriented 90° to and centered on every second dash.

PRODUCTS:

ATC 200
COMBAT
JOG A
JOG G
JOG R
OPC
TLM 100K
TLM 50K
TPC

GA050 – INTERNATIONAL MARITIME BOUNDARY
LINE FEATURE.... SYMBOL# GA050L002

ATTRIBUTES:

NAM – NAME 3
ANY

NAM – NAME 4
ANY

TXT – TEXT ATTRIBUTE
ANY

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.000mm
Space/Spacing: 1.000mm
Color: PURPLE (#96532)

LABEL
Type Size: 8 point
Type Style: Upper Case
Color: PURPLE (#96532)

PRODUCTS:

EXPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# GA050L002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK Lineweight: 0.250mm Length: 1.500mm Color: PURPLE (#96532) Oriented 90° angle to and centered on every second dash.	

GA060 - DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA060L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE NM3 - NAME 3 ANY NM4 - NAME 4 ANY TXT - TEXT ATTRIBUTE ANY USE - USE STATUS 023 - INTERNATIONAL	DOT Space/Spacing: 1.500mm Diameter: 0.400mm Color: BLACK (#58600) LABEL Type Size: 8 point Type Style: Upper Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

GA060 - DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA060L002 DEFACTO INTERNATIONAL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC - ACCURACY CATEGORY 001 - ACCURATE 002 - APPROXIMATE NM3 - NAME 3 ANY NM4 - NAME 4 ANY TXT - TEXT ATTRIBUTE ANY USE - USE STATUS 023 - INTERNATIONAL	BAND:OVERPRINT Lineweight: 2.000mm Color: RED/BROWN (#61121) Screen: 42%,60° Angle Overprint band centered on dashed line symbol. DASH:LONG Lineweight: 0.500mm Length: 7.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121) DASH:SHORT Lineweight: 0.500mm Length: 2.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121) Symbol is 2 short dash units following one long dash unit. LABEL:DEFACTO Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:NM3,NM4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

GA060 - DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA060L003 DEFACTO-1ST ORDER

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NM3 - NAME 3 ANY NM4 - NAME 4 ANY	DASH:LONG Lineweight: 0.300mm Length: 7.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121)	COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# GA0601003 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
USE – USE STATUS 026 – PRIMARY /1ST ORDER	DASH:SHORT Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121) One (1) short dash unit follows one (1) long dash unit. LABEL:DEFACTO Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:HAT3,HAT4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	

GA060 – DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA0601004 DEFACTO-2ND ORDER

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HAT3 – NAME 3 ANY HAT4 – NAME 4 ANY USE – USE STATUS 030 – 2ND ORDER	DASH:LONG Lineweight: 0.300mm Length: 7.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121) DASH:SHORT Lineweight: 0.300mm Length: 2.000mm Space/Spacing: 1.000mm Color: RED/BROWN (#61121) Symbol is one (1) long unit followed by two (2) short units. LABEL:DEFACTO Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:HAT3,HAT4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	COMBAT JOG A JOG G TLM 100K TLM 50K

GA060 – DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA0601005 DEFACTO-INTERNATIONAL

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ACC – ACCURACY CATEGORY 001 – ACCURATE 002 – APPROXIMATE HAT3 – NAME 3 ANY HAT4 – NAME 4 ANY TXT – TEXT ATTRIBUTE ANY USE – USE STATUS 023 – INTERNATIONAL	BAND:OVERPRINT Lineweight: 2.000mm Color: RED/BROWN (#61121) Screen: 54%,60° Angle Band overprint centered on line part of the symbol. DOT Space/Spacing: 2.500mm Diameter: 0.400mm Color: BLACK (#58600) LABEL:ACC,TXT Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:HAT3,HAT4 Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 JOG R OPC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

GA060 – DEFACTO BOUND. /OTHER LINE OF SEPARATION
LINE FEATURE.... SYMBOL# GA060L006 DEFACTO-3RD ORDER

ATTRIBUTES:

NM3 – NAME 3
ANY

NM4 – NAME 4
ANY

USE – USE STATUS
031 – 3RD ORDER

PARAMETERS:

DASH
Lineweight: 0.300mm
Length: 7.000mm
Space/Spacing: 1.500mm
Color: RED/BROWN (#61121)

DOT
Space/Spacing: 1.500mm
Diameter: 0.400mm
Color: RED/BROWN (#61121)
One (1) dash unit followed by three (3) dot units.

LABEL:NM3,NM4
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG G
TLM 100K
TLM 50K

GA070 – DEMILITARIZED ZONE
AREA FEATURE.... SYMBOL# GA070A001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 5.000mm
Space/Spacing: 1.000mm
Color: BLACK (#58600)

LABEL
Type Size: 6 – 16 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

GA110 – INTERNATIONAL DATE LINE
LINE FEATURE.... SYMBOL# GA110L001

ATTRIBUTES:

NO ATTRIBUTE REQUIRED

PARAMETERS:

DASH
Lineweight: 0.500mm
Length: 6.000mm
Space/Spacing: 3.800mm
Color: BLACK (#58600)

LABEL:DATE
Type Size: 8 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 8 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
COMBAT
HAC 9
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

GA170 – ZONE OF OCCUPATION
AREA FEATURE.... SYMBOL# GA170AD01

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HMO – NAME 3 ANY	**DASH** Lineweight: 0.250mm Length: 5.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) **LABEL:HMO** Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 EXPC COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG A JOG G JOG R OPC TLM 100K TLM 50K TPC

GC020 – COLREGS DEMARCATION LINE
LINE FEATURE.... SYMBOL# GC020L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) **LABEL:"COLREGS"** Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2

GC030 – CUSTOMS BOUNDARY
LINE FEATURE.... SYMBOL# GC030L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) **POSICUT** Posicut: #15 Color: PURPLE (#96532) Posicut is spaced at 150mm interval along line. Bars of posicut are oriented horizontal. Space between posicut and dash: 0.6mm.	HAC 1

GC035 – DIRECTION OF BOUYAGE INDICATOR
POINT FEATURE.... SYMBOL# GC035P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DOF – DIRECTION OF FLOW ANY	Origin: Center of symbol	COMBAT HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 6C035P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	ARROW Lineweight: 0.200mm Color: PURPLE (#96532) Arrowhead is a right triangle (90°/45°/45°). Length of hypotenuse: 20mm. Arrow stem is a rectangle with sides perpendicular to hypotenuse of triangle 6.0mm long, and sides parallel to hypotenuse 12.0mm long. Rectangle is centered on hypotenuse side of triangle, and coincident boundaries are not shown. Arrow points in the direction of flow (DOF).	HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
	CIRCLE Lineweight: 0.200mm Color: PURPLE (#96532) Diameter: 4.0mm Circles are positioned within and with edges aligned with a rectangle bounding the hypotenuse and point of the arrowhead.	HAC 7 HAC 8 HAC 9
	LABEL Type Size: 8 point Type Style: Upper Case Color: PURPLE (#96532)	

6C040 – DREDGED CHANNEL /DREDGED AREA
AREA FEATURE.... SYMBOL# 6C040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY **DAT** – DATE CATEGORY ANY **HDP** – HYDROGRAPHIC DEPTH ANY **MAS** – MAINTENANCE STATUS 002 – NOT MAINTAINED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) **LABEL:"m",DAT** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) **LABEL:HDP** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript. **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C040 – DREDGED CHANNEL /DREDGED AREA
AREA FEATURE.... SYMBOL# 6C040A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY **HDP** – HYDROGRAPHIC DEPTH ANY **MAS** – MAINTENANCE STATUS 001 – MAINTAINED	**DASH** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) **LABEL:"m"** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) **LABEL:HDP** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 6C040A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	

6C040 – DREDGED CHANNEL /DREDGED AREA
LINE FEATURE.... SYMBOL# 6C040L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY DAT – DATE CATEGORY ANY HDP – HYDROGRAPHIC DEPTH ANY MAS – MAINTENANCE STATUS 002 – NOT MAINTAINED	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) Inside width between dashed lines = 1.0mm. LABEL:"m",DAT Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C040 – DREDGED CHANNEL /DREDGED AREA
LINE FEATURE.... SYMBOL# 6C040L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY HDP – HYDROGRAPHIC DEPTH ANY MAS – MAINTENANCE STATUS 001 – MAINTAINED	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) Inside width between dashed lines = 1.0mm. LABEL:"m" Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript. LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C070 – HARBOR LIMIT
LINE FEATURE.... SYMBOL# 6C070L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C070L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	

6C075 - INSHORE TRAFFIC ZONE
AREA FEATURE.... SYMBOL# 6C075A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 003 - SEPARATION ZONE AREA	AREA:FILL Area Pattern: AP-130 Color: PURPLE (#96532) LABEL Type Size: 8 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C075 - INSHORE TRAFFIC ZONE
LINE FEATURE.... SYMBOL# 6C075L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 004 - SEPARATION ZONE LINE	LABEL Type Size: 8 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) LINE Area Pattern: AP-130 Color: PURPLE (#96532) Width: 3.0mm	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C075 - INSHORE TRAFFIC ZONE
LINE FEATURE.... SYMBOL# 6C075L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 002 - OUTER BOUNDARY	DASH Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) TICK Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Centered and oriented 90° to dash.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C090 - MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD - CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN MLT - MARITIME LIMIT TYPE 018 - OIL /GAS FIELD NAM - NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: BLACK (#58600) LABEL Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

GC090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# GC090A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION	LABEL	EXPC
002 – LIMITS AND INFO UNKNOWN	Type Size: 8 – 14 point	HAC 1
	Type Style: Upper Case, Italic	HAC 2
MLT – MARITIME LIMIT TYPE	Color: BLACK (#58600)	HAC 3
018 – OIL /GAS FIELD		HAC 4
		HAC 5
NAM – NAME CATEGORY		HAC 6
ANY		HAC 7
		HAC 8
		HAC 9

GC090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# GC090A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOC – HYDROGRAPHIC ORIGIN CATEGORY	DASH:PERIMETER	COMBAT
005 – NATURAL	Lineweight: 0.200mm	HAC 1
	Length: 3.800mm	HAC 2
MLT – MARITIME LIMIT TYPE	Space/Spacing: 0.600mm	HAC 3
001 – OTHER	Color: BLACK (#58600)	HAC 4
		HAC 5
TXT – TEXT ATTRIBUTE	LABEL	HAC 6
ANY	Type Size: 8 – 14 point	HAC 7
	Type Style: Upper/Lower Case, Italic	HAC 8
	Color: BLACK (#58600)	HAC 9

GC090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# GC090A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOC – HYDROGRAPHIC ORIGIN CATEGORY	DASH:PERIMETER	COMBAT
004 – MAN-MADE	Lineweight: 0.200mm	
	Length: 3.800mm	
MLT – MARITIME LIMIT TYPE	Space/Spacing: 0.600mm	
001 – OTHER	Color: GREEN (#52813)	
TXT – TEXT ATTRIBUTE	LABEL	
ANY	Type Size: 8 – 14 point	
	Type Style: Upper/Lower Case, Italic	
	Color: GREEN (#52813)	

GC090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# GC090A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HOC – HYDROGRAPHIC ORIGIN CATEGORY	DASH:PERIMETER	HAC 1
004 – MAN-MADE	Lineweight: 0.200mm	HAC 2
	Length: 3.800mm	HAC 3
MLT – MARITIME LIMIT TYPE	Space/Spacing: 0.600mm	HAC 4
001 – OTHER	Color: PURPLE (#96532)	HAC 5
		HAC 6
TXT – TEXT ATTRIBUTE	LABEL	HAC 7
ANY	Type Size: 8 – 14 point	HAC 8
	Type Style: Upper/Lower Case, Italic	HAC 9
	Color: PURPLE (#96532)	

GC090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# GC090A013

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MLT – MARITIME LIMIT TYPE	DASH:PERIMETER	COMBAT
002 – FAIRWAY	Lineweight: 0.200mm	HAC 1
003 – TURNING AREA	Length: 3.800mm	HAC 2
	Space/Spacing: 0.600mm	HAC 3
	Color: BLACK (#58600)	HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A014

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
004 – SPOIL AREA

OPS – OPERATIONAL STATUS
001 – OPERATIONAL
002 – NON-OPERATIONAL

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A021

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
015 – DUMPING GROUND FOR HAZARDOUS MATERIAL

OPS – OPERATIONAL STATUS
001 – OPERATIONAL
002 – NON-OPERATIONAL

PRO – PRODUCT CATEGORY
000 – UNKNOWN
002 – AMMUNITION
006 – CHEMICAL
011 – EXPLOSIVES
019 – OTHER

TXT – TEXT ATTRIBUTE
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: GREEN (#52813)

LABEL:OPS
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: GREEN (#52813)

LABEL:OTHER
Type Size: 8 – 14 point
Type Style: Upper Case,Italic
Color: GREEN (#52813)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: GREEN (#52813)
Orientation: Centered and oriented 90 degrees to dash.

PRODUCTS:

COMBAT

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A022

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
015 – DUMPING GROUND FOR HAZARDOUS MATERIAL

OPS – OPERATIONAL STATUS
001 – OPERATIONAL
002 – NON-OPERATIONAL

PRO – PRODUCT CATEGORY
000 – UNKNOWN
002 – AMMUNITION
006 – CHEMICAL
011 – EXPLOSIVES
019 – OTHER

TXT – TEXT ATTRIBUTE
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

LABEL:OPS
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

LABEL:OTHER
Type Size: 8 – 14 point
Type Style: Upper Case,Italic
Color: PURPLE (#96532)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Centered and oriented 90 degrees to dash.

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A033

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
019 – PILOT BOARDING AREA

NAM – NAME CATEGORY
ANY

PBV – PILOT BOARDING VEHICLE
001 – BY BOAT
002 – BY HELICOPTER

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: PURPLE (#96532)

LABEL:OTHER
Type Size: 8 - 14 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

LABEL:PBV
Type Size: 8 - 14 point
Type Style: Upper Case,Italic
Color: PURPLE (#96532)

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A038

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
020 – DEGAUSSING RANGE

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

LIMIT LINE
Limit line consists of a repeating pattern of three T dashes followed by five repetitions of posicut # 56. The centerline of the posicut string follows the area boundary. T dash ticks point to the inside of the area. Space between ends of posicut string and T dashes is 0.5mm.

POSICUT
Posicut: #56
Color: PURPLE (#96532)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Centered and oriented 90 degrees to dash.

PRODUCTS:

HAC 1
HAC 2

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A039

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
011 – SUBMARINE EXERCISE AREA
012 – MINE LAYING PRACTICE AREA
013 – FIRING DANGER AREA
014 – PRECAUTIONARY AREA
016 – DREDGING AREA
023 – CARGO TRANSHIPMENT AREA

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: GREEN (#52813)

LABEL
Type Size: 8 - 14 point
Type Style: Upper/Lower Case,Italic
Color: GREEN (#52813)

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A040

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
- 011 – SUBMARINE EXERCISE AREA
- 012 – MINE LAYING PRACTICE AREA
- 013 – FIRING DANGER AREA
- 014 – PRECAUTIONARY AREA
- 016 – DREDGING AREA
- 017 – INCINERATION AREA
- 023 – CARGO TRANSHIPMENT AREA

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: PURPLE (#96532)

LABEL
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A041

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
- 005 – UNSURVEYED AREA
- 021 – FISH TRAP AREA
- 022 – MARINE FARM
- 024 – LOG POND

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

6C090 – MARITIME LIMIT
AREA FEATURE.... SYMBOL# 6C090A042

ATTRIBUTES:

MLT – MARITIME LIMIT TYPE
- 020 – DEGAUSSING RANGE

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LIMIT LINE
Limit line consists of a repeating pattern of three T dashes followed by five repetions of posicut # 56. The centerline of the posicut string follows the area boundary. T dash ticks point to the inside of the area. Space between posicut string and T dashes is 0.5mm.

POSICUT
Posicut: #56
Color: BLACK (#58600)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: BLACK (#58600)
Orientation: Centered and oriented 90 degrees to dash.

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

GC090 – MARITIME LIMIT
LINE FEATURE.... SYMBOL# GC090L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MLT – MARITIME LIMIT TYPE 025 – U.S. EXCLUSIVE ECONOMIC ZONE (EEZ)	**LABEL** Type Size: 8 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **LINE** Linewidth: 0.200mm Color: PURPLE (#96532)	EAC 1 EAC 2 EAC 3 EAC 4 EAC 5 EAC 6 EAC 7 EAC 8 EAC 9

GC090 – MARITIME LIMIT
POINT FEATURE.... SYMBOL# GC090P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MLT – MARITIME LIMIT TYPE 019 – PILOT BOARDING AREA NAM – NAME CATEGORY ANY PBV – PILOT BOARDING VEHICLE 001 – BY BOAT	Origin: Center of circle **LABEL** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) **POSICUT** Posicut: #139 Color: PURPLE (#96532)	EAC 1 EAC 2 EAC 3 EAC 4 EAC 5 EAC 6 EAC 7 EAC 8

GC090 – MARITIME LIMIT
POINT FEATURE.... SYMBOL# GC090P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MLT – MARITIME LIMIT TYPE 019 – PILOT BOARDING AREA NAM – NAME CATEGORY ANY PBV – PILOT BOARDING VEHICLE 002 – BY HELICOPTER	Origin: Center of circle **LABEL:"B"** Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) **POSICUT** Posicut: #139 Color: PURPLE (#96532)	EAC 1 EAC 2 EAC 3 EAC 4 EAC 5 EAC 6 EAC 7 EAC 8

GC100 – MEASURED DISTANCE LINE
LINE FEATURE.... SYMBOL# GC100L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
BER – BEARING AND RECIPROCAL CATEGORY ANY LOR – LENGTH OF RANGE ANY UNI – UNITS CATEGORY 006 – FEET 010 – KILOMETERS 013 – METERS 017 – NAUTICAL MILES 022 – YARDS	**DASH** Linewidth: 0.150mm Length: 1.250mm Space/Spacing: 0.600mm Color: BLACK (#58600) **LABEL:BER,LOR,UNI** Type Size: 6 point Type Style: Lower Case Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	EAC 1 EAC 2 EAC 3 EAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C100L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:ARROW Posicut: #168 Color: BLACK (#58600) One arrowhead placed at each end of 6C100 line, adjacent to Clearing Lines (2C020, LAF=006).	

6C110 — MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN EXS — EXISTENCE CATEGORY 001 - DEFINITE MAS — MAINTENANCE STATUS 001 - MAINTAINED	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) **LABEL** Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Centered and oriented 90 degrees to dash.	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C110 — MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN EXS — EXISTENCE CATEGORY 001 - DEFINITE MAS — MAINTENANCE STATUS 001 - MAINTAINED	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: GREEN (#52813) **LABEL** Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: GREEN (#52813) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: GREEN (#52813) Orientation: Centered and oriented 90 degrees to dash.	COMBAT

6C110 — MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD — CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN EXS — EXISTENCE CATEGORY 001 - DEFINITE MAS — MAINTENANCE STATUS 002 - NOT MAINTAINED	**DASH:PERIMETER** Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) **LABEL** Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C110 – MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813)	COMBAT
EXS – EXISTENCE CATEGORY 001 – DEFINITE		
MAS – MAINTENANCE STATUS 002 – NOT MAINTAINED	LABEL Type Size: 8 – 14 point Type Style: Upper Case,Italic Color: GREEN (#52813)	

6C110 – MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN	LABEL Type Size: 8 – 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
EXS – EXISTENCE CATEGORY 003 – REPORTED		

6C110 – MINE DANGER AREA
AREA FEATURE.... SYMBOL# 6C110A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN	LABEL Type Size: 8 – 14 point Type Style: Upper Case,Italic Color: GREEN (#52813)	COMBAT
EXS – EXISTENCE CATEGORY 003 – REPORTED		

6C110 – MINE DANGER AREA
POINT FEATURE.... SYMBOL# 6C110P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 001 – DEFINITE	Origin: Center of posicut	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
MAS – MAINTENANCE STATUS 001 – MAINTAINED	LABEL Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	
	POSICUT Posicut: #138 Color: PURPLE (#96532)	

6C110 – MINE DANGER AREA
POINT FEATURE.... SYMBOL# 6C110P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
EXS – EXISTENCE CATEGORY 001 – DEFINITE	Origin: Center of posicut	COMBAT
MAS – MAINTENANCE STATUS 001 – MAINTAINED	LABEL Type Size: 6 point Type Style: Upper Case,Italic Color: GREEN (#52813)	
	POSICUT Posicut: #138 Color: GREEN (#52813)	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C120 - PROHIBITED AREA
AREA FEATURE.... SYMBOL# 6C120A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) **LABEL** Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Centered and oriented 90 degrees to dash.	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C120 - PROHIBITED AREA
AREA FEATURE.... SYMBOL# 6C120A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: GREEN (#52813) **LABEL** Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: GREEN (#52813) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: GREEN (#52813) Orientation: Centered and oriented 90 degrees to dash.	COMBAT

6C120 - PROHIBITED AREA
POINT FEATURE.... SYMBOL# 6C120P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532) **POSICUT** Posicut: #138 Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C120 - PROHIBITED AREA
POINT FEATURE.... SYMBOL# 6C120P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Center of posicut **LABEL** Type Size: 6 point Type Style: Upper Case,Italic Color: GREEN (#52813)	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 6C120P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #138 Color: GREEN (#52813)	

6C130 – RADAR REFERENCE LINE
LINE FEATURE.... SYMBOL# 6C130L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RER – BEARING AND RECIPROCAL CATEGORY ANY	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:"Ra" Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) Label "Ra" is repeated at 150mm interval along top of line. LABEL:RER Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 016 – OTHER RAA – RESTRICTED AREA ATTRIBUTE ANY	DASH:PERIMETER Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) LABEL Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) TICK Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90 degrees to dash.	BKPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 016 – OTHER RAA – RESTRICTED AREA ATTRIBUTE ANY	DASH:PERIMETER Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: GREEN (#52813) LABEL Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) TICK Lineweight: 0.250mm Length: 1.000mm Color: GREEN (#52813) Orientation: tick centered and oriented 90 degrees to dash.	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C150 — RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A003

ATTRIBUTES:

DTC — DANGER /OBSTRUCTION CATEGORY
014 - FISHING PROHIBITED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

POSICUT
Posicut: #223
Color: PURPLE (#96532)
Spacing: 30mm (or after every tenth T-Dash).

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Tick centered and oriented 90 degrees to dash.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C150 — RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A004

ATTRIBUTES:

DTC — DANGER /OBSTRUCTION CATEGORY
012 - CABLE AREA

USE — USE STATUS
051 - TELEGRAPH
052 - TELEPHONE

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

LIMIT LINE
Limit line consists of a repeating pattern of three T dashes, followed by five repetitions of posicut #56. The center line of the posicut string follows the area boundary. T dash ticks point to the inside of area. Space between end of posicut string and T dashes is 0.5mm.

POSICUT
Posicut: #56
Color: PURPLE (#96532)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Tick centered and oriented 90 degrees to dash.

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C150 — RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A005

ATTRIBUTES:

DTC — DANGER /OBSTRUCTION CATEGORY
012 - CABLE AREA

USE — USE STATUS
051 - TELEGRAPH
052 - TELEPHONE

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LIMIT LINE
Limit line consists of a repeating pattern of three T dashes followed by five repetions of posicut #56. The centerline of the posicut string follows the area boundary. T dash ticks point to the inside of area. Space between end of posicut string and T dashes is 0.5mm.

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 6C150A005 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT Posicut: #56 Color: BLACK (#58600) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: BLACK (#58600) Orientation: Tick is centered and oriented 90 degrees to dash.	

6C150 - RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC - DANGER /OBSTRUCTION CATEGORY 013 - PIPELINE AREA PRO - PRODUCT CATEGORY 000 - UNKNOWN 006 - CHEMICAL 012 - NATURAL GAS 013 - GASOLINE 018 - OIL 027 - WATER	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) **LABEL** Type Size: 6 - 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) **LIMIT LINE** Limit line consists of a repeating pattern of three T Dashes followed by three Pipe Dashes, with a 0.5mm space betwen them. Ticks of T Dashes point to the inside of the area. **PIPE DASH** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) Dot diameter: 0.6mm **TICK** Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90 degrees to dash.	ENPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 - RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC - DANGER /OBSTRUCTION CATEGORY 013 - PIPELINE AREA PRO - PRODUCT CATEGORY 000 - UNKNOWN 006 - CHEMICAL 012 - NATURAL GAS 013 - GASOLINE 018 - OIL 027 - WATER	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 - 14 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **LIMIT LINE** Limit line consists of a repeating pattern of three T Dashes followed by three Pipe Dashes, with a 0.5mm space between them. Ticks of T Dashes point to the inside of the area. **PIPE DASH** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600) Dot diameter: 0.6mm	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 6C150A007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	TICK Lineweight: 0.250mm Length: 1.000mm Color: BLACK (#58600) Orientation: Tick is centered and oriented 90 degrees to dash.	

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 015 – CABLES AND PIPELINES PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) **LABEL** Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90 degrees to dash	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 015 – CABLES AND PIPELINES PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 8 – 14 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600) **TICK** Lineweight: 0.250mm Length: 1.000mm Color: BLACK (#58600) Orientation: centered and oriented 90 degrees to dash	COMBAT

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 053 – POWER	**DASH:PERIMETER** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) **LIMIT LINE** Limit line consists of a repeating pattern of three T dashes followed by five repetions of posicut #56. The centerline of the posicut string follows the area boundary. T dash ticks point to inside of area. Space bettween end of posicut string and T dashes is 0.5mm.	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# GC150A010 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	POSICUT:PERIMETER Posicut: #56 Color: PURPLE (#96532) POSICUT:POWER Posicut: #142 Color: PURPLE (#96532) Orientation: Centered in area. TICK Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90 degrees to dash.	

GC150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# GC150A011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 053 – POWER	DASH:PERIMETER Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: BLACK (#58600) LIMIT LINE Limit line consists of a repeating pattern of three T dashes followed by five repetitions of posicut #56. The centerline of the posicut string follows the area boundary. T dash ticks point to the inside of area. Spacing between end of posicut string and T dashes is 0.3mm. POSICUT:PERIMETER Posicut: #56 Color: BLACK (#58600) POSICUT:POWER Posicut: #142 Color: BLACK (#58600) Orientation: Centered in area. TICK Lineweight: 0.250mm Length: 1.000mm Color: BLACK (#58600) Orientation: Tick centered and oriented 90 degrees to dash.	COMBAT

GC150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# GC150A012

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 015 – CABLES AND PIPELINES PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER USE – USE STATUS 053 – POWER	DASH:PERIMETER Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) LABEL Type Size: 8 – 14 point Type Style: Upper/Lower Case, Italic Color: PURPLE (#96532) TICK Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90 degrees to dash.	EHPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C150 - RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A013

ATTRIBUTES:

DTC - DANGER /OBSTRUCTION CATEGORY
015 - CABLES AND PIPELINES

PRD - PRODUCT CATEGORY
000 - UNKNOWN
006 - CHEMICAL
012 - NATURAL GAS
013 - GASOLINE
018 - OIL
027 - WATER

USE - USE STATUS
053 - POWER

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 8 - 14 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: BLACK (#58600)
Orientation: Tick centered and oriented 90° to dash.

PRODUCTS:

COMBAT

6C150 - RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A014

ATTRIBUTES:

DTC - DANGER /OBSTRUCTION CATEGORY
018 - IMO AREA TO BE AVOIDED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

LABEL
Type Size: 8 - 14 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Tick centered and oriented 90° to dash.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C150 - RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A015

ATTRIBUTES:

DTC - DANGER /OBSTRUCTION CATEGORY
017 - ANCHORING PROHIBITED

WID - WIDTH
≥ 50mm at scale

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

POSICUT
Posicut: #81
Color: PURPLE (#96532)
Posicut repeated every 10.0 centimeters along perimeter of area. Anchor stocks centered on and parallel to area limit, with flukes pointing to the inside of the area.

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Tick centered and oriented 90° to dash.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A016

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
017 – ANCHORING PROHIBITED

WID – WIDTH
≥ 2500M

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: GREEN (#52813)

POSICUT
Posicut: #81
Color: GREEN (#52813)
Posicut repeated every 10 centimeters along the perimeter of the area. Anchor stock centered on and parallel to the area limit, with anchor flukes pointing to the inside of the area.

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: GREEN (#52813)
Orientation: Centered and oriented 90 degrees to dash.

PRODUCTS:

COMBAT

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A017

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
017 – ANCHORING PROHIBITED

WID – WIDTH
< 50mm at scale

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: PURPLE (#96532)

POSICUT
Posicut: #81
Color: PURPLE (#96532)
Posicut centered in area

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: PURPLE (#96532)
Orientation: Tick centered and oriented 90 degrees to dash.

PRODUCTS:

HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A018

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
017 – ANCHORING PROHIBITED

WID – WIDTH
< 2500M

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: GREEN (#52813)

POSICUT
Posicut: #81
Color: GREEN (#52813)
Posicut centered in area.

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: GREEN (#52813)
Orientation: Tick centered and oriented 90 degrees to dash.

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A019

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
018 – IMO AREA TO BE AVOIDED

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: GREEN (#52813)

LABEL
Type Size: 8 – 14 point
Type Style: Upper/Lower Case,Italic
Color: GREEN (#52813)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: GREEN (#52813)
Orientation: Tick centered and oriented 90 degrees to dash.

PRODUCTS:

COMBAT

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A020

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
020 – OUTFALL AREA
021 – INTAKE AREA
022 – SEWER AREA

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)

LABEL
Type Size: 6 – 14 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LIMIT LINE
Limit line consists of a repeating pattern of three T Dashes followed by three Pipe Dashes, with a 0.5mm space between them. Ticks of T Dashes point to inside of the area.

PIPE DASH
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: BLACK (#58600)
Dot diameter: 0.6mm

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: BLACK (#58600)
Orientation: Tick centered and oriented 90° to dash.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A021

ATTRIBUTES:

DTC – DANGER /OBSTRUCTION CATEGORY
019 – SAFETY ZONE

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.250mm
Length: 2.500mm
Space/Spacing: 0.500mm
Color: GREEN (#52813)

TICK
Lineweight: 0.250mm
Length: 1.000mm
Color: GREEN (#52813)
Orientation: Tick centered and oriented 90° to dash.

PRODUCTS:

COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C150 – RESTRICTED AREA
AREA FEATURE.... SYMBOL# 6C150A022

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC – DANGER /OBSTRUCTION CATEGORY 019 – SAFETY ZONE	DASH:PERIMETER Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.500mm Color: PURPLE (#96532) TICK Lineweight: 0.250mm Length: 1.000mm Color: PURPLE (#96532) Orientation: Tick centered and oriented 90° to dash.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE	POSICUT:CABLE Posicut: #56 Color: PURPLE (#96532) Symbol consists of a repeating pattern of posicut #56, forming a continous wave pattern. The endpoints of the posicut fall on the centerline of the feature.	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 051 – TELEGRAPH 052 – TELEPHONE	POSICUT:CABLE Posicut: #56 Color: BLACK (#38600) Symbol consists of a repeating pattern of posicut #56, forming a continous wave pattern. The endpoints of the posicut fall on the centerline of the feature.	COMBAT

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DEC – DANGER /OBSTRUCTION CATEGORY 013 – PIPELINE AREA PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: PURPLE (#96532) DOT Diameter: 0.600mm Color: PURPLE (#96532) Position: Adjacent to and centered on seaward end of dash. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 013 – PIPELINE AREA PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL 012 – NATURAL GAS 013 – GASOLINE 018 – OIL 027 – WATER	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600) DOT Diameter: 0.600mm Color: BLACK (#58600) Position: Adjacent to and centered on seaward end of dash. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 053 – POWER	POSICUT:CABLE Posicut: #56 Color: PURPLE (#96532) Symbol consists of a repeating pattern of posicut #56, forming a continous wave pattern. The endpoints of the posicuts fall on the centerline of the feature. Wave is broken for 1.0mm on either side of the flash posicut #142. POSICUT:POWER Posicut: #142 Color: PURPLE (#96532) Interval: 50mm.	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 012 – CABLE AREA USE – USE STATUS 053 – POWER	POSICUT:CABLE Posicut: #56 Color: BLACK (#58600) Symbol consists of a repeating pattern of posicut #56, forming a continous wave pattern. The endpoints of the posicut fall on the centerline of the feature, Wave is broken on either side for the flash posicut #142. POSICUT:POWER Posicut: #142 Color: BLACK (#58600) Interval: 50mm.	COMBAT

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 015 – CABLES AND PIPELINES PRO – PRODUCT CATEGORY 000 – UNKNOWN 006 – CHEMICAL	DASH Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C150L007 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PRO – PRODUCT CATEGORY		
012 – NATURAL GAS	LABEL	HAC 6
013 – GASOLINE	Type Size: 6 point	
018 – OIL	Type Style: Upper/Lower Case,Italic	
027 – WATER	Color: PURPLE (#96532)	
USE – USE STATUS		
051 – TELEGRAPH		
052 – TELEPHONE		

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L008

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY	DASH	COMBAT
015 – CABLES AND PIPELINES	Linewidth: 0.200mm	
	Length: 3.800mm	
PRO – PRODUCT CATEGORY	Space/Spacing: 0.600mm	
000 – UNKNOWN	Color: BLACK (#58600)	
006 – CHEMICAL		
012 – NATURAL GAS	LABEL	
013 – GASOLINE	Type Size: 6 point	
018 – OIL	Type Style: Upper/Lower Case,Italic	
027 – WATER	Color: BLACK (#58600)	
USE – USE STATUS		
051 – TELEGRAPH		
052 – TELEPHONE		

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY	DASH	BKPC
015 – CABLES AND PIPELINES	Linewidth: 0.200mm	HAC 1
	Length: 3.800mm	HAC 2
PRO – PRODUCT CATEGORY	Space/Spacing: 0.600mm	HAC 3
000 – UNKNOWN	Color: PURPLE (#96532)	HAC 4
006 – CHEMICAL		HAC 5
012 – NATURAL GAS	LABEL	HAC 6
013 – GASOLINE	Type Size: 6 point	
018 – OIL	Type Style: Upper/Lower Case,Italic	
027 – WATER	Color: PURPLE (#96532)	
USE – USE STATUS		
053 – POWER		

6C150 – RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY	DASH	COMBAT
015 – CABLES AND PIPELINES	Linewidth: 0.200mm	
	Length: 3.800mm	
PRO – PRODUCT CATEGORY	Space/Spacing: 0.600mm	
000 – UNKNOWN	Color: BLACK (#58600)	
006 – CHEMICAL		
012 – NATURAL GAS	LABEL	
013 – GASOLINE	Type Size: 6 point	
018 – OIL	Type Style: Upper/Lower Case,Italic	
027 – WATER	Color: BLACK (#58600)	
USE – USE STATUS		
053 – POWER		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C150 — RESTRICTED AREA
LINE FEATURE.... SYMBOL# 6C150L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC — DANGER /OBSTRUCTION CATEGORY 020 — OUTFALL AREA 021 — INTAKE AREA 022 — SEWER AREA	DASH Lineweight: 0.150mm Length: 2.500mm Space/Spacing: 1.900mm Color: BLACK (#58600) DOT Diameter: 0.600mm Color: BLACK (#58600) Postion: Adjacent to and centered on the seaward end of dash. LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3

6C150 — RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC — DANGER /OBSTRUCTION CATEGORY 016 — OTHER RAA — RESTRICTED AREA ATTRIBUTE ANY	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) POSICUT Posicut: #138 Color: PURPLE (#96532)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 — RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC — DANGER /OBSTRUCTION CATEGORY 016 — OTHER RAA — RESTRICTED AREA ATTRIBUTE ANY	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) POSICUT Posicut: #138 Color: GREEN (#52813)	COMBAT

6C150 — RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC — DANGER /OBSTRUCTION CATEGORY 014 — FISHING PROHIBITED	Origin: Center of cross POSICUT Posicut: #223 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C150 – RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 017 – ANCHORING PROHIBITED	Origin: Center of cross POSICUT Posicut: #81 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8

6C150 – RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 017 – ANCHORING PROHIBITED	Origin: Center of cross POSICUT Posicut: #81 Color: GREEN (#52813)	COMBAT

6C150 – RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 018 – IMO AREA TO BE AVOIDED	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532) POSICUT Posicut: #138 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C150 – RESTRICTED AREA
POINT FEATURE.... SYMBOL# 6C150P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DTC – DANGER /OBSTRUCTION CATEGORY 018 – IMO AREA TO BE AVOIDED	Origin: Center of posicut LABEL Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813) POSICUT Posicut: #138 Color: GREEN (#52813)	COMBAT

6C160 – ROUNDABOUT
AREA FEATURE.... SYMBOL# 6C160A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP – TRAFFIC SCHEME PART 003 – SEPARATION ZONE AREA	AREA:FILL Area Pattern: AP-130 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C160 — ROUNDABOUT
LINE FEATURE.... SYMBOL# 6C160L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
THP — TRAFFIC SCHEME PART 002 - OUTER BOUNDARY	DASH Lineweight: 0.400mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C160 — ROUNDABOUT
POINT FEATURE.... SYMBOL# 6C160P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
THP — TRAFFIC SCHEME PART 005 - SEPERATION ZONE POINT	Origin: Center of symbol CIRCLE Lineweight: 0.250mm Diameter: 3.000mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C160 — ROUNDABOUT
POINT FEATURE.... SYMBOL# 6C160P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
THP — TRAFFIC SCHEME PART 001 - ARROW	ARROW Lineweight: 0.200mm Color: PURPLE (#96532) Arrowhead: Shape is equalateral triangle, length of sides variable. Arrow stem: Length = triangle side length x 2. Width = triangle side length x 1/2. Arrow curves to conform to the shape of the roundabout.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C165 — ROUTE
AREA FEATURE.... SYMBOL# 6C165A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN RTT — ROUTE TYPE ATTRIBUTE 004 - DEEP WATER ROUTE	DASH:PERIMETER Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C165 — ROUTE
AREA FEATURE.... SYMBOL# 6C165A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN HDP — HYDROGRAPHIC DEPTH ANY RTT — ROUTE TYPE ATTRIBUTE 004 - DEEP WATER ROUTE	DASH:PERIMETER Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL:"DW" Type Size: 8 - 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 6C165A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:"m" Type Size: 8 point Type Style: Lower Case,Italic Color: PURPLE (#96532) LABEL:MDP Type Size: 8 point Type Style: Lower Case,Italic Color: PURPLE (#96532) 6 point subscript.	

6C165 – ROUTE
AREA FEATURE.... SYMBOL# 6C165A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RTT – ROUTE TYPE ATTRIBUTE 007 – TWO WAY ROUTE	DASH:PERIMETER Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) NOTE Often shown in association with recommended direction of traffic flow arrows for one-way sections.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C165 – ROUTE
AREA FEATURE.... SYMBOL# 6C165A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RTT – ROUTE TYPE ATTRIBUTE 008 – MINESWEPT CHANNEL	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532) LABEL Type Size: 8 – 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C165 – ROUTE
AREA FEATURE.... SYMBOL# 6C165A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RTT – ROUTE TYPE ATTRIBUTE 008 – MINESWEPT CHANNEL	DASH:PERIMETER Lineweight: 0.200mm Length: 3.800mm Space/Spacing: 0.600mm Color: GREEN (#52813) LABEL Type Size: 8 – 14 point Type Style: Upper Case,Italic Color: GREEN (#52813)	COMBAT

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
AIM – AIDS TO NAVIGATION 001 – MARKED BRR – BEARING AND RECIPROCAL CATEGORY ANY	LABEL:BRR Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C165L001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DRP – DESCRIPTION OF REFERENCE POINT ANY	LABEL:DRP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	HAC 5 HAC 6
EXS – EXISTENCE CATEGORY 023 – TWO WAY	LINE Lineweight: 0.250mm Color: BLACK (#58600)	
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN		
RTT – ROUTE TYPE ATTRIBUTE 002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS		

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASN – AIDS TO NAVIGATION 001 – MARKED	ARROW Lineweight: 0.200mm Color: PURPLE (#96532) Arrowhead: Shape is an equalateral triangle. Length of sides: 2.0mm. Arrow stem: Length: 6.0mm. Width: 0.6mm. Black line broken for 1.0mm on each side of arrow.	COMBAT HAC 1 HAC 2
BRS – BEARING FROM SEAWARD ANY	LABEL:BRS Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	HAC 3 HAC 4 HAC 5 HAC 6
DRP – DESCRIPTION OF REFERENCE POINT ANY	LABEL:DRP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
EXS – EXISTENCE CATEGORY 022 – ONE WAY	LINE Lineweight: 0.250mm Color: BLACK (#58600)	
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 – DEPTH UNKNOWN		
RTT – ROUTE TYPE ATTRIBUTE 002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS		

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASN – AIDS TO NAVIGATION 001 – MARKED	LABEL:"m",BRR Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRR – BEARING AND RECIPROCAL CATEGORY ANY	LABEL:DRP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	
DRP – DESCRIPTION OF REFERENCE POINT ANY	LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) 5 point subscript.	
EXS – EXISTENCE CATEGORY 023 – TWO WAY	LINE Lineweight: 0.250mm Color: BLACK (#58600)	
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN	SYMBOL:V Lineweight: 0.250mm Length: 2.500mm Color: BLACK (#58600) Apex centered with open ends at 45 degree angle to line.	
HDP – HYDROGRAPHIC DEPTH ANY		
RTT – ROUTE TYPE ATTRIBUTE 002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L004

ATTRIBUTES:

ASW – AIDS TO NAVIGATION
001 – MARKED

BRG – BEARING FROM SEAWARD
ANY

DEP – DESCRIPTION OF REFERENCE POINT
ANY

EXS – EXISTENCE CATEGORY
022 – ONE WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

RTT – ROUTE TYPE ATTRIBUTE
002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS

PARAMETERS:

ARROW
Lineweight: 0.200mm
Color: PURPLE (#96532)
Arrowhead: Shape is an equalateral triangle. Length of sides: 2.0mm. Arrow stem: Length: 6.0mm. Width: 0.6mm. Black line is broken for 1.0mm on each side of arrow.

LABEL:"n",BRG
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

LABEL:DEP
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

LABEL:HDP
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)
5 point subscript.

LINE
Lineweight: 0.250mm
Color: BLACK (#58600)

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: BLACK (#58600)
Apex centered with open ends at 45 degrees to line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L005

ATTRIBUTES:

ASW – AIDS TO NAVIGATION
002 – UNMARKED

BRG – BEARING AND RECIPROCAL CATEGORY
ANY

EXS – EXISTENCE CATEGORY
023 – TWO WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

RTT – ROUTE TYPE ATTRIBUTE
002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered between dashes with open ends at 45 degree angle to dash line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L006

ATTRIBUTES:

ASW – AIDS TO NAVIGATION
002 – UNMARKED

BRG – BEARING FROM SEAWARD
ANY

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C165L006 (Continued)

ATTRIBUTES:

EXS – EXISTENCE CATEGORY
022 – ONE WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 – DEPTH UNKNOWN

RTT – ROUTE TYPE ATTRIBUTE
002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS

PARAMETERS:

LABEL
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered between dashes with open ends at 45 degree angle to dash line.

PRODUCTS:

HAC 6

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L007

ATTRIBUTES:

ATN – AIDS TO NAVIGATION
002 – UNMARKED

BRR – BEARING AND RECIPROCAL CATEGORY
ANY

EXS – EXISTENCE CATEGORY
023 – TWO WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

RTT – ROUTE TYPE ATTRIBUTE
002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:"n",BRR
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

LABEL:HDP
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)
5 point subscript.

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered between dashes with open ends at 45 degree angle to dash line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L008

ATTRIBUTES:

ATN – AIDS TO NAVIGATION
002 – UNMARKED

BRR – BEARING FROM SEAWARD
ANY

EXS – EXISTENCE CATEGORY
022 – ONE WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 – DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

RTT – ROUTE TYPE ATTRIBUTE
002 – RECOMMENDED TRACK FOR OTHER THAN DEEP DRAFT VESSELS

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: BLACK (#58600)

LABEL:"n",BRR
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)

LABEL:HDP
Type Size: 6 point
Type Style: Lower Case,Italic
Color: BLACK (#58600)
5 point subscript.

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered between dashes with open ends at 45 degree angle to dash line.

PRODUCTS:

COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C165 - ROUTE
LINE FEATURE.... SYMBOL# 6C165L009

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASW - AIDS TO NAVIGATION 001 - MARKED	LABEL:"DW" Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRR - BEARING AND RECIPROCAL CATEGORY ANY	LABEL:BRR Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
DEP - DESCRIPTION OF REFERENCE POINT ANY	LABEL:DEP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	
EXS - EXISTENCE CATEGORY 023 - TWO WAY		
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN		
RTT - ROUTE TYPE ATTRIBUTE 003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS	LINE Lineweight: 0.250mm Color: PURPLE (#96532)	

6C165 - ROUTE
LINE FEATURE.... SYMBOL# 6C165L010

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASW - AIDS TO NAVIGATION 001 - MARKED	LABEL:"DW" Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRS - BEARING FROM SEAWARD ANY	LABEL:BRS Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
DEP - DESCRIPTION OF REFERENCE POINT ANY	LABEL:DEP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	
EXS - EXISTENCE CATEGORY 022 - ONE WAY		
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN		
RTT - ROUTE TYPE ATTRIBUTE 003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS	LINE Lineweight: 0.250mm Color: PURPLE (#96532)	
	SYMBOL:V Lineweight: 0.250mm Length: 2.500mm Color: PURPLE (#96532) Apex centered with open ends at 45 degree angle to line. Line is broken inside of V.	

6C165 - ROUTE
LINE FEATURE.... SYMBOL# 6C165L011

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASW - AIDS TO NAVIGATION 001 - MARKED	LABEL:"DW" Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRR - BEARING AND RECIPROCAL CATEGORY ANY	LABEL:"m",BRR Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
DEP - DESCRIPTION OF REFERENCE POINT ANY	LABEL:DEP Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	
EXS - EXISTENCE CATEGORY 023 - TWO WAY		
HDI - HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C165L011 (Continued)

ATTRIBUTES:

HDP – HYDROGRAPHIC DEPTH
ANY

RTT – ROUTE TYPE ATTRIBUTE
003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS

PARAMETERS:

LABEL:HDP
Type Size: 6 point
Type Style: Lower Case,Italic
Color: PURPLE (#96532)
5 point subscript.

LINE
Lineweight: 0.250mm
Color: PURPLE (#96532)

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered with open ends at 45 degree angle to line.

PRODUCTS:

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L012

ATTRIBUTES:

ATN – AIDS TO NAVIGATION
001 - MARKED

BRS – BEARING FROM SEAWARD
ANY

DRP – DESCRIPTION OF REFERENCE POINT
ANY

EXS – EXISTENCE CATEGORY
022 - ONE WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
009 - DEPTH KNOWN

HDP – HYDROGRAPHIC DEPTH
ANY

RTT – ROUTE TYPE ATTRIBUTE
003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS

PARAMETERS:

LABEL:"DW"
Type Size: 6 point
Type Style: Upper Case,Italic
Color: PURPLE (#96532)

LABEL:"m",BRS
Type Size: 6 point
Type Style: Lower Case,Italic
Color: PURPLE (#96532)

LABEL:DRP
Type Size: 6 point
Type Style: Upper/Lower Case,Italic
Color: PURPLE (#96532)

LABEL:HDP
Type Size: 6 point
Type Style: Lower Case,Italic
Color: PURPLE (#96532)
5 point subscript.

LINE
Lineweight: 0.250mm
Color: PURPLE (#96532)

SYMBOL:V
Lineweight: 0.250mm
Length: 2.500mm
Color: PURPLE (#96532)
Apex centered with open ends at 45 degree angle to line. Line is broken for inside of V.

PRODUCTS:
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L013

ATTRIBUTES:

ATN – AIDS TO NAVIGATION
002 - UNMARKED

BRR – BEARING AND RECIPROCAL CATEGORY
ANY

EXS – EXISTENCE CATEGORY
023 - TWO WAY

HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION
012 - DEPTH UNKNOWN

RTT – ROUTE TYPE ATTRIBUTE
003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS

PARAMETERS:

DASH
Lineweight: 0.250mm
Length: 3.800mm
Space/Spacing: 0.600mm
Color: PURPLE (#96532)

LABEL:"DW"
Type Size: 6 point
Type Style: Upper Case,Italic
Color: PURPLE (#96532)

LABEL:BRR
Type Size: 6 point
Type Style: Lower Case,Italic
Color: PURPLE (#96532)

PRODUCTS:
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:38Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C165L013 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LINE Lineweight: 0.250mm Color: PURPLE (#96532)	
	SYMBOL:V Lineweight: 0.250mm Length: 2.500mm Color: PURPLE (#96532) Apex centered between dashes with open ends at 45 degree angle to dash line.	

6C165 — ROUTE
LINE FEATURE.... SYMBOL# 6C165L014

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASW — AIDS TO NAVIGATION 002 - UNMARKED	DASH Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRG — BEARING FROM SEAWARD ANY	LABEL:"DW" Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	
EXS — EXISTENCE CATEGORY 022 - ONE WAY	LABEL:BRG Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 012 - DEPTH UNKNOWN	SYMBOL:V Lineweight: 0.250mm Length: 2.500mm Color: PURPLE (#96532) Apex centered between dashes with open ends at 45 degree angle to dash line.	
RTT — ROUTE TYPE ATTRIBUTE 003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS		

6C165 — ROUTE
LINE FEATURE.... SYMBOL# 6C165L015

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASW — AIDS TO NAVIGATION 002 - UNMARKED	DASH Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRR — BEARING AND RECIPROCAL CATEGORY ANY	LABEL:"DW" Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	
EXS — EXISTENCE CATEGORY 023 - TWO WAY	LABEL:"m",BRR Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
HDI — HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 - DEPTH KNOWN	LABEL:HDP Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532) 5 point subscript.	
HDP — HYDROGRAPHIC DEPTH ANY	SYMBOL:V Lineweight: 0.250mm Length: 2.500mm Color: PURPLE (#96532) Apex centered between dashes with open ends at 45 degree angle to dash line.	
RTT — ROUTE TYPE ATTRIBUTE 003 - RECOMMENDED TRACK FOR DEEP DRAFT VESSELS		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L016

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ASN – AIDS TO NAVIGATION 002 – UNMARKED	**DASH** Lineweight: 0.250mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
BRG – BEARING FROM SEAWARD ANY	**LABEL:"DW"** Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	
EXS – EXISTENCE CATEGORY 022 – ONE WAY	**LABEL:"m",BRG** Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532)	
HDI – HYDROGRAPHIC DEPTH /HEIGHT INFORMATION 009 – DEPTH KNOWN	**LABEL:HDP** Type Size: 6 point Type Style: Lower Case,Italic Color: PURPLE (#96532) 5 point subscript.	
HDP – HYDROGRAPHIC DEPTH ANY	**SYMBOL:V** Lineweight: 0.250mm Length: 2.500mm Color: PURPLE (#96532) Apex centered between dashes with open ends at 45 degree angle to dash line.	
RTT – ROUTE TYPE ATTRIBUTE 003 – RECOMMENDED TRACK FOR DEEP DRAFT VESSELS		

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L017

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY	**DASH** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.600mm Color: PURPLE (#96532) Note: Often shown with recommended direction of traffic arrows alongside.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6
NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	
RTT – ROUTE TYPE ATTRIBUTE 005 – RECOMMENDED ROUTE	**LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: PURPLE (#96532)	

6C165 – ROUTE
LINE FEATURE.... SYMBOL# 6C165L018

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY	**DASH** Lineweight: 0.250mm Length: 2.500mm Space/Spacing: 0.600mm Color: GREEN (#52813) Note: Often shown with recommended direction of traffic arrows alongside.	COMBAT
NAM – NAME CATEGORY ANY	**LABEL:NAM** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813)	
RTT – ROUTE TYPE ATTRIBUTE 005 – RECOMMENDED ROUTE		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LINE FEATURE.... SYMBOL# 6C165L018 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: GREEN (#52813)	

6C165 – ROUTE
POINT FEATURE.... SYMBOL# 6C165P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
RTT – ROUTE TYPE ATTRIBUTE 006 – RECOMMENDED DIRECTION OF TRAFFIC FLOW	ARROW STEM Lineweight: 0.200mm Color: PURPLE (#96532) Arrow stem is a dashed rectangle: Dash length: 2.0mm. Space: 0.5mm. Length of rectangle = length of arrowhead triangle side x 3. Width of rectangle = length of arrowhead triangle side x 1/2. ARROWHEAD Lineweight: 0.200mm Color: PURPLE (#96532) Shape is equalateral triangle, length of sides is variable.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C170 – SAFETY FAIRWAY
AREA FEATURE.... SYMBOL# 6C170A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 – 14 point Type Style: Upper Case,Italic Color: PURPLE (#96532) LINE:PERIMETER Lineweight: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

6C170 – SAFETY FAIRWAY
AREA FEATURE.... SYMBOL# 6C170A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	LABEL Type Size: 6 – 14 point Type Style: Upper Case,Italic Color: GREEN (#52813) LINE:PERIMETER Lineweight: 0.600mm Color: GREEN (#52813)	COMBAT

6C170 – SAFETY FAIRWAY
LINE FEATURE.... SYMBOL# 6C170L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	CASING Lineweight: 0.600mm Color: PURPLE (#96532) Line spacing: 1.0mm LABEL Type Size: 6 point Type Style: Upper Case,Italic Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6C170 — SAFETY FAIRWAY
LINE FEATURE.... SYMBOL# 6C170L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	**CASING** Lineweight: 0.600mm Color: GREEN (#52813) Line Spacing: 1.0mm. **LABEL** Type Size: 6 point Type Style: Upper Case,Italic Color: GREEN (#52813)	COMBAT

6C177 — SWEPT AREA
AREA FEATURE.... SYMBOL# 6C177A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
DAT - DATE CATEGORY ANY HDP - HYDROGRAPHIC DEPTH ANY	**AREA:FILL** Color: GREEN (#52813) Screen: 12%,15° Angle **DASH:PERIMETER** Lineweight: 0.400mm Length: 3.800mm Space/Spacing: 1.300mm Color: GREEN (#52813) **LABEL:DAT** Type Size: 8 - 14 point Type Style: Lower Case,Italic Color: GREEN (#52813) **LABEL:HDP** Type Size: 8 - 14 point Type Style: Lower Case,Italic Color: GREEN (#52813) Type Size-Subscript: 6 to 12 Point (Two points smaller than principal digit). **UNDERSCORE:HDP** Lineweight: 0.200mm Color: GREEN (#52813) Length = width of digits plus 0.5mm on each end. Tick length = 1.0mm, oriented 90° to end of line.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

6C180 — TRAFFIC SEPARATION SCHEME
AREA FEATURE.... SYMBOL# 6C180A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 003 - SEPARATION ZONE AREA	**AREA:FILL** Area Pattern: AP-130 Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C180 — TRAFFIC SEPARATION SCHEME
LINE FEATURE.... SYMBOL# 6C180L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 002 - OUTER BOUNDARY	**DASH** Lineweight: 0.400mm Length: 3.800mm Space/Spacing: 0.600mm Color: PURPLE (#96532)	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:38Z
Check the source to verify that this is the current version before use.

6C180 - TRAFFIC SEPARATION SCHEME
LINE FEATURE.... SYMBOL# 6C180L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 004 - SEPARATION ZONE LINE	AREA:FILL Area Pattern: AP-130 Color: PURPLE (#96532) Width: 3.0mm.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C180 - TRAFFIC SEPARATION SCHEME
POINT FEATURE.... SYMBOL# 6C180P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TSP - TRAFFIC SCHEME PART 001 - ARROW	ARROW Lineweight: 0.200mm Color: PURPLE (#96532) Arrowhead shape is equalateral triangle, length of sides is variable. Arrow stem is a rectangle, length = triangle side length x 3, width = triangle side length x 1/2.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C210 - WORK IN PROGRESS AREA
AREA FEATURE.... SYMBOL# 6C210A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD - CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN DAT - DATE CATEGORY ANY WPC - WORK IN PROGRESS CATEGORY 001 - LAND RECLAMATION	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:DAT Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

6C210 - WORK IN PROGRESS AREA
AREA FEATURE.... SYMBOL# 6C210A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD - CERTAINTY OF DELINEATION 001 - LIMITS AND INFO KNOWN DAT - DATE CATEGORY ANY WPC - WORK IN PROGRESS CATEGORY 002 - CONSTRUCTION OF STRUCTURES	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) LABEL:DAT Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) LABEL:OTHER Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6C210 – WORK IN PROGRESS AREA
AREA FEATURE.... SYMBOL# 6C210A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATN – AIDS TO NAVIGATION 001 – MARKED CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN DAN – DESCRIPTION OF AIDS TO NAVIGATION ANY DAT – DATE CATEGORY ANY	**LABEL:DAT** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

6C210 – WORK IN PROGRESS AREA
AREA FEATURE.... SYMBOL# 6C210A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ATN – AIDS TO NAVIGATION 002 – UNMARKED CCD – CERTAINTY OF DELINEATION 002 – LIMITS AND INFO UNKNOWN DAT – DATE CATEGORY ANY	**LABEL:DAT** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

6C210 – WORK IN PROGRESS AREA
LINE FEATURE.... SYMBOL# 6C210L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CCD – CERTAINTY OF DELINEATION 001 – LIMITS AND INFO KNOWN DAT – DATE CATEGORY ANY WPC – WORK IN PROGRESS CATEGORY 002 – CONSTRUCTION OF STRUCTURES	**DASH:CASING** Lineweight: 0.200mm Length: 1.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) Symbol width: 1.0mm. **LABEL:DAT** Type Size: 6 point Type Style: Lower Case,Italic Color: BLACK (#58600) **LABEL:OTHER** Type Size: 6 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	COMBAT HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

SB030 – BOUNDARY MARKER
POINT FEATURE.... SYMBOL# SB030P001

ATTRIBUTES:

NAM – NAME CATEGORY
ANY

PARAMETERS:

Origin: Dot

DOT
Diameter: 0.200mm
Color: BLACK (#58600)
Dot is centered in square.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:OTHER
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

SQUARE
Lineweight: 0.100mm
Color: BLACK (#58600)
Square size: 1.0 cm on each side.

PRODUCTS:

COMBAT
TLM 100K
TLM 50K

SB035 – CONTROL POINT
POINT FEATURE.... SYMBOL# SB035P001 HORIZONTAL

ATTRIBUTES:

CEA – CONTROL POINT ATTRIBUTE
002 – HORIZONTAL

NAM – NAME CATEGORY
ANY

PARAMETERS:

Origin: Dot

DOT
Diameter: 0.300mm
Color: BLACK (#58600)
Dot is centered in triangle.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

TRIANGLE
Lineweight: 1.000mm
Color: BLACK (#58600)
Equalateral triangle side length: 1.5 cm.

PRODUCTS:

CG
CG ENV
COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

SB035 – CONTROL POINT
POINT FEATURE.... SYMBOL# SB035P002 HORIZONTAL WITH BENCH MARK

ATTRIBUTES:

CEA – CONTROL POINT ATTRIBUTE
003 – HORIZONTAL WITH BENCH MARK

EVL – Z VALUE
ANY

PARAMETERS:

Origin: Center of dot.

DOT
Diameter: 0.300mm
Color: BLACK (#58600)
Dot is centered in triangle.

LABEL:EM
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:EVL
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

TRIANGLE
Lineweight: 0.100mm
Color: BLACK (#58600)
Equalateral triangle side length: 1.5 cm.

PRODUCTS:

JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

9B035 - CONTROL POINT
POINT FEATURE.... SYMBOL# 9B035P003 BENCH MARK

ATTRIBUTES:

CPA - CONTROL POINT ATTRIBUTE
001 - BENCH MARK

SVL - Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.500mm
Color: BLACK (#58600)

LABEL:BM
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:SVL
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

JOG R

9B035 - CONTROL POINT
POINT FEATURE.... SYMBOL# 9B035P004 ASTRONOMIC POSITION

ATTRIBUTES:

CPA - CONTROL POINT ATTRIBUTE
004 - ASTRONOMIC POSITION

NAM - NAME CATEGORY
ANY

SVL - Z VALUE
ANY

PARAMETERS:

Origin: Center of cross.

CIRCLE
Lineweight: 0.100mm
Diameter: 1.600mm
Color: BLACK (#58600)
Cross centered in circle.

CROSS
Lineweight: 0.100mm
Length: 1.600mm
Color: BLACK (#58600)
Cross is centered in circle oriented north.

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:SVL
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

JOG A
JOG G

9B035 - CONTROL POINT
POINT FEATURE.... SYMBOL# 9B035P005 BENCH MARK DETERMINED BY VERTICAL ANGLES

ATTRIBUTES:

CPA - CONTROL POINT ATTRIBUTE
005 - VERTICAL

NAM - NAME CATEGORY
ANY

SVL - Z VALUE
ANY

PARAMETERS:

Origin: Center of dot

DOT
Diameter: 0.500mm
Color: BLACK (#58600)

LABEL:"VABM"
Type Size: 6 point
Type Style: Upper Case,Condensed
Color: BLACK (#58600)

LABEL:NAM
Type Size: 6 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

LABEL:SVL
Type Size: 6 point
Type Style: Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

COMBAT
JOG A
JOG G
TLM 100K
TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

92035 - CONTROL POINT
POINT FEATURE.... SYMBOL# 92035P006 HORIZONTAL WITH BENCH MARK

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CPA - CONTROL POINT ATTRIBUTE 003 - HORIZONTAL WITH BENCH MARK NAM - NAME CATEGORY ANY EVL - 2 VALUE ANY	Origin: Center of dot DOT Diameter: 0.300mm Color: BLACK (#58600) Dot is centered in triangle. LABEL:BM Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:EVL Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600) TRIANGLE Lineweight: 0.100mm Color: BLACK (#58600) Equalateral triangle side length: 1.9mm.	COMBAT JOG A JOG G TLM 100K TLM 50K

92035 - CONTROL POINT
POINT FEATURE.... SYMBOL# 92035P007 BENCH MARK

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CPA - CONTROL POINT ATTRIBUTE 001 - BENCH MARK NAM - NAME CATEGORY ANY EVL - 2 VALUE ANY	Origin: Center of dot DOT Diameter: 0.500mm Color: BLACK (#58600) LABEL:BM Type Size: 6 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LABEL:NAM Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) LABEL:EVL Type Size: 6 point Type Style: Lower Case,Condensed Color: BLACK (#58600)	CG CG ENV COMBAT JOG A JOG G TLM 100K TLM 50K

92070 - PRECISE RADAR SURVEYCRAFT LOCATION
POINT FEATURE.... SYMBOL# 92070P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	Origin: Implied intersection of cross. LINE Lineweight: 0.250mm Length: 7.600mm Color: BLACK (#58600) Line tick spacing: 3.8mm. Line tick orientation: Four lines set at 90° angles from each other around the open center line tick space starting at 0°.	JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

9C040 - MAGNETIC DISTURBANCE AREA
AREA FEATURE.... SYMBOL# 9C040A001

ATTRIBUTES:

CCD - CERTAINTY OF DELINEATION
001 - LIMITS AND INFO KNOWN

VAV - VARIATION ANOMALY VALUE
ANY

PARAMETERS:

DASH:PERIMETER
Lineweight: 0.200mm
Length: 3.600mm
Space/Spacing: 0.600mm
Color: PURPLE (#96532)

LABEL:VAV
Type Size: 12 point
Type Style: Upper/Lower Case
Color: PURPLE (#96532)

PRODUCTS:

BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

9C040 - MAGNETIC DISTURBANCE AREA
AREA FEATURE.... SYMBOL# 9C040A002

ATTRIBUTES:

CCD - CERTAINTY OF DELINEATION
002 - LIMITS AND INFO UNKNOWN

VAV - VARIATION ANOMALY VALUE
ANY

PARAMETERS:

LABEL
Type Size: 12 point
Type Style: Upper/Lower Case
Color: PURPLE (#96532)

PRODUCTS:

BNPC
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

9C040 - MAGNETIC DISTURBANCE AREA
AREA FEATURE.... SYMBOL# 9C040A003 CAUTION NOTE

ATTRIBUTES:

VA1 - FIRST MAGNETIC VARIATION VALUE
ANY

VA2 - SECOND MAGNETIC VARIATION
ANY

PARAMETERS:

LABEL:"CAUTION"
Type Size: 10 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)
"CAUTION" placed inside of the box at the top and centered.

LABEL:OTHER
Type Size: 10 point
Type Style: Upper/Lower Case,Condensed
Color: AERO BLUE (#46351)
Place text under caution to fill the box.

LABEL:VA1,VA2
Type Size: 10 point
Type Style: Lower Case,Condensed
Color: AERO BLUE (#46351)
Insert these values into the text.

LINE:PERIMETER
Lineweight: 0.250mm
Color: AERO BLUE (#46351)
Box area size is variable depending on the space required for the information to be included in the box.

PRODUCTS:

JOG A

9C040 - MAGNETIC DISTURBANCE AREA
AREA FEATURE.... SYMBOL# 9C040A004 CAUTION NOTE

ATTRIBUTES:

VA1 - FIRST MAGNETIC VARIATION VALUE
ANY

VA2 - SECOND MAGNETIC VARIATION
ANY

PARAMETERS:

LABEL:"CAUTION"
Type Size: 10 point
Type Style: Upper Case,Condensed
Color: AERO BLUE (#46351)
"CAUTION" is placed inside the box at the top and centered.
Text reads as follows:
Variation of VA1° to VA2° reported to exist in this area.

PRODUCTS:

JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 9C040A004 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL:OTHER Type Size: 10 point Type Style: Upper/Lower Case,Condensed Color: AERO BLUE (#46351) Place text under caution to fill the box	
	LABEL:VA1,VA2 Type Size: 10 point Type Style: Lower Case,Condensed Color: AERO BLUE (#46351)	
	LINE:PERIMETER Lineweight: 0.250mm Color: AERO BLUE (#46351) Box area size is variable depending on the space required for the information to be included in the box.	

9D012 – MISCELLANEOUS CULTURAL FEATURE
AREA FEATURE.... SYMBOL# 9D012A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R OSC
TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	TLM 100K TLM 50K TPC

9D012 – MISCELLANEOUS CULTURAL FEATURE
AREA FEATURE.... SYMBOL# 9D012A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5
NAM – NAME CATEGORY ANY		
TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	HAC 6 HAC 7 HAC 8 HAC 9

9D012 – MISCELLANEOUS CULTURAL FEATURE
AREA FEATURE.... SYMBOL# 9D012A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS	DASH:PERIMETER Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5
NAM – NAME CATEGORY ANY		
TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

9D012 – MISCELLANEOUS CULTURAL FEATURE
LINE FEATURE.... SYMBOL# 9D012L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY	DASH:LINE Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC
TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	

9D012 – MISCELLANEOUS CULTURAL FEATURE
LINE FEATURE.... SYMBOL# 9D012L002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY TXT – TEXT ATTRIBUTE ANY	DASH:LINE Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

9D012 – MISCELLANEOUS CULTURAL FEATURE
LINE FEATURE.... SYMBOL# 9D012L003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS NAM – NAME CATEGORY ANY TXT – TEXT ATTRIBUTE ANY	DASH:LINE Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 1.000mm Color: BLACK (#58600) LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

9D012 – MISCELLANEOUS CULTURAL FEATURE
POINT FEATURE.... SYMBOL# 9D012P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NAM – NAME CATEGORY ANY TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600) POSICUT Posicut: #2 Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

9D012 – MISCELLANEOUS CULTURAL FEATURE
POINT FEATURE.... SYMBOL# 9D012P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 001 – CONSPICUOUS NAM – NAME CATEGORY ANY	LABEL Type Size: 6 point Type Style: Upper Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# 90012P002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
TXT – TEXT ATTRIBUTE ANY	POSICUT Posicut: #55 Color: BLACK (#58600)	HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

90012 – MISCELLANEOUS CULTURAL FEATURE
POINT FEATURE.... SYMBOL# 90012P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
COC – CONSPICUOUS OBJECT CATEGORY 002 – NOT CONSPICUOUS NAM – NAME CATEGORY ANY TXT – TEXT ATTRIBUTE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600) POSICUT Posicut: #7 Color: BLACK (#58600)	ESPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

90015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 90015P001 ROAD/RAILROAD/BOUNDARY

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 001 – TRANSPORTATION/ROAD OR RAILROAD 003 – BOUNDARIES	LINE Lineweight: 0.200mm Length: 1.500mm Color: BLACK (#58600) Line is placed 90° to line feature and on the top side of that feature only when a division of classification is necessary.	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

90015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 90015P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 001 – TRANSPORTATION/ROAD OR RAILROAD 002 – HYDROGRAPHY/DRAINAGE 005 – OBSTACLES	POSICUT Posicut: #44 Color: BLACK (#58600) Origin: End of staff that does not intersect top dot.	PTADB-SD PTADB-T TRANS 50 TRANS250 TTADB-O TTADB-SD TTADB-T

90015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 90015P004 ROAD WIDTH CHANGE MARKER

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 004 – ROAD WIDTH CHANGE	LINE Lineweight: 0.300mm Length: 3.000mm Color: BLACK (#58600) Angle: Sides slanted 60° to road and join at a 60° angle.	PTADB-T TRANS 50 TRANS250 TTADB-T

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

9D015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 9D015P005 DRAINAGE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 002 – HYDROGRAPHY/DRAINAGE	**LINE** Lineweight: 0.200mm Length: 1.500mm Color: BLUE (#48253) Line is placed 90° to line feature and on the top side of that feature only when a division of classification is necessary.	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R TLM 100K TLM 50K

9D015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 9D015P006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 007 – DREDGED CHANNEL 008 – RECOMMENDED TRACK FOR OTHER THAN DEEP WATER VESSELS	Origin: Center of line **LINE** Lineweight: 0.100mm Length: 3.000mm Color: BLACK (#58600) Orientation: Perpendicular to and centered on linear route or channel.	COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

9D015 – POINT OF CHANGE
POINT FEATURE.... SYMBOL# 9D015P007

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
PCI – POINT OF CHANGE IDENTIFIER 009 – RECOMMENDED TRACK FOR DEEP WATER VESSELS	Origin: Center of line **LINE** Lineweight: 0.100mm Length: 3.000mm Color: PURPLE (#96532) Orientation: Perpendicular to and centered on linear route or channel.	HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6

9D020 – VOID COLLECTION AREA
AREA FEATURE.... SYMBOL# 9D020A001 RELIEF DATA INCOMPLETE

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VCT – VOID COLLECTION TYPE 001 – RELIEF	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600) **LABEL** Type Size: 6 – 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	ATC 200 COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC

9D020 – VOID COLLECTION AREA
AREA FEATURE.... SYMBOL# 9D020A002 LIMITS OF RELIABLE INFORMATION

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
VCT – VOID COLLECTION TYPE 002 – OTHER	**DASH** Lineweight: 0.200mm Length: 2.000mm Space/Spacing: 0.500mm Color: BLACK (#58600)	COMBAT JOG A JOG G ONC TLM 100K TLM 50K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

AREA FEATURE.... SYMBOL# 9D020A002 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
	LABEL Type Size: 6 - 16 point Type Style: Upper Case,Condensed Color: BLACK (#58600)	TPC

9D040 - MIXED LOCATION
AREA FEATURE.... SYMBOL# 9D040A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT - CATEGORY/SUBCATEGORY INDEX 000 - UNIFORM 001 - 1A-1C-1D 002 - 1H-1K-1L 003 - 1M-1P-1Q 004 - 1T 005 - 1U 007 - 2B 009 - 4B 010 - 5 011 - 6 012 - 9 NAM - NAME CATEGORY ANY	LABEL Type Size: 5 - 30 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 EHPC CG CG ENV COMBAT HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9 JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

9D040 - MIXED LOCATION
AREA FEATURE.... SYMBOL# 9D040A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT - CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H NAM - NAME CATEGORY ANY	LABEL Type Size: 5 - 30 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

9D040 - MIXED LOCATION
AREA FEATURE.... SYMBOL# 9D040A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT - CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H NAM - NAME CATEGORY ANY	LABEL Type Size: 5 - 30 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	EHPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

9D040 – NAMED LOCATION
LINE FEATURE.... SYMBOL# 9D040L001

ATTRIBUTES:

CEI – CATEGORY/SUBCATEGORY INDEX
- 000 – UNKNOWN
- 001 – 1A-1C-1D
- 002 – 1H-1K-1L
- 003 – 1N-1P-1Q
- 004 – 1T
- 005 – 1U
- 007 – 2B
- 009 – 4B
- 010 – 5
- 011 – 6
- 012 – 9

NAM – NAME CATEGORY
- ANY

PARAMETERS:

LABEL
Type Size: 5 - 30 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
BNPC
CG
CG ENV
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

9D040 – NAMED LOCATION
LINE FEATURE.... SYMBOL# 9D040L002

ATTRIBUTES:

CEI – CATEGORY/SUBCATEGORY INDEX
- 006 – 2A
- 008 – 2H

NAM – NAME CATEGORY
- ANY

PARAMETERS:

LABEL
Type Size: 5 - 30 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

9D040 – NAMED LOCATION
LINE FEATURE.... SYMBOL# 9D040L003

ATTRIBUTES:

CEI – CATEGORY/SUBCATEGORY INDEX
- 006 – 2A
- 008 – 2H

NAM – NAME CATEGORY
- ANY

PARAMETERS:

LABEL
Type Size: 5 - 30 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

9D040 – NAMED LOCATION
POINT FEATURE.... SYMBOL# 9D040P001

ATTRIBUTES:

CEI – CATEGORY/SUBCATEGORY INDEX
- 000 – UNKNOWN
- 001 – 1A-1C-1D
- 002 – 1H-1K-1L
- 003 – 1N-1P-1Q
- 004 – 1T
- 005 – 1U
- 007 – 2B
- 009 – 4B
- 010 – 5
- 011 – 6
- 012 – 9

NAM – NAME CATEGORY
- ANY

PARAMETERS:

LABEL
Type Size: 5 - 30 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
BNPC
CG
CG ENV
COMBAT
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9
JOG A
JOG G
JOG R
ONC
TLM 100K

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

POINT FEATURE.... SYMBOL# SD040P001 (Continued)

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
		TLM 50K TPC

SD040 – MIXED LOCATION
POINT FEATURE.... SYMBOL# SD040P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT – CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H NAM – NAME CATEGORY ANY	LABEL Type Size: 5 - 30 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

SD040 – MIXED LOCATION
POINT FEATURE.... SYMBOL# SD040P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT – CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H NAM – NAME CATEGORY ANY	LABEL Type Size: 5 - 30 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	ENPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

SD045 – TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# SD045A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT – CATEGORY/SUBCATEGORY INDEX 000 - UNKNOWN 001 - 1A-1C-1D 002 - 1H-1K-1L 003 - 1M-1P-1Q 004 - 1T 005 - 1U 007 - 2B 009 - 4B 010 - 5 011 - 6 012 - 9 LAB – LABEL OF THE FEATURE ANY	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

SD045 – TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# SD045A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT – CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H LAB – LABEL OF THE FEATURE ANY	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

9D045 - TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# 9D045A003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LAB - LABEL OF THE FEATURE ANY	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9
VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED 008 - COVERS AND UNCOVERS		

9D045 - TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# 9D045A004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MTB - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: BLACK (#58600)	PTADB-O TTADB-O

9D045 - TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# 9D045A005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MTB - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: PURPLE (#95151)	CCM 250 CCM 50

9D045 - TEXT DESCRIPTION
AREA FEATURE.... SYMBOL# 9D045A006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LAB - LABEL OF THE FEATURE ANY	LABEL Type Size: 6 point Type Style: Upper/Lower Case Color: BLACK (#58600)	BNPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9
VRC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)		

9D045 - TEXT DESCRIPTION
LINE FEATURE.... SYMBOL# 9D045L001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CSI - CATEGORY/SUBCATEGORY INDEX 000 - UNKNOWN 001 - 1A-1C-1D 002 - 1H-1K-1L 003 - 1N-1P-1Q 004 - 1T 005 - 1U 007 - 2B 009 - 4B 010 - 5 011 - 6 012 - 9	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Condensed Color: BLACK (#58600)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R ONC TLM 100K TLM 50K TPC
LAB - LABEL OF THE FEATURE ANY		

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

SD045 - TEXT DESCRIPTION
LINK FEATURE.... SYMBOL# SD0451002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
CAT - CATEGORY/SUBCATEGORY INDEX 006 - 2A 008 - 2H LAB - LABEL OF THE FEATURE ANY	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Condensed,Italic Color: BLUE (#48253)	ATC 200 CG CG ENV COMBAT JOG A JOG G JOG R OSC TLM 100K TLM 50K TPC

SD045 - TEXT DESCRIPTION
LINK FEATURE.... SYMBOL# SD0451003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LAB - LABEL OF THE FEATURE ANY VRC - VERTICAL REFERENCE CATEGORY 004 - BELOW SURFACE /SUBMERGED 008 - COVERS AND UNCOVERS	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case,Italic Color: BLACK (#58600)	ENPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

SD045 - TEXT DESCRIPTION
LINK FEATURE.... SYMBOL# SD0451004

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MTS - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: BLACK (#58600)	TTADB-O TTADB-O

SD045 - TEXT DESCRIPTION
LINK FEATURE.... SYMBOL# SD0451005

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
MTS - MISCELLANEOUS TEXTUAL DESCRIPTION ANY	LABEL Type Size: 6 - 24 point Type Style: Upper/Lower Case Color: PURPLE (#95151)	CCM 250 CCM 50

SD045 - TEXT DESCRIPTION
LINK FEATURE.... SYMBOL# SD0451006

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
LAB - LABEL OF THE FEATURE ANY VRC - VERTICAL REFERENCE CATEGORY 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)	LABEL Type Size: 6 - 20 point Type Style: Upper/Lower Case Color: BLACK (#58600)	ENPC HAC 1 HAC 2 HAC 3 HAC 4 HAC 5 HAC 6 HAC 7 HAC 8 HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

9D045 – TEXT DESCRIPTION
POINT FEATURE.... SYMBOL# 9D045P001

ATTRIBUTES:

CSI – CATEGORY/SUBCATEGORY INDEX
- 000 - UNKNOWN
- 001 - 1A-1C-1D
- 002 - 1H-1K-1L
- 003 - 1N-1P-1Q
- 004 - 1T
- 005 - 1U
- 007 - 2B
- 009 - 4B
- 010 - 5
- 011 - 6
- 012 - 9

LAB – LABEL OF THE FEATURE
- ANY

PARAMETERS:

LABEL
Type Size: 6 - 20 point
Type Style: Upper/Lower Case,Condensed
Color: BLACK (#58600)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

9D045 – TEXT DESCRIPTION
POINT FEATURE.... SYMBOL# 9D045P002

ATTRIBUTES:

CSI – CATEGORY/SUBCATEGORY INDEX
- 006 - 2A
- 008 - 2H

LAB – LABEL OF THE FEATURE
- ANY

PARAMETERS:

LABEL
Type Size: 6 - 20 point
Type Style: Upper/Lower Case,Condensed,Italic
Color: BLUE (#48253)

PRODUCTS:

ATC 200
CG
CG ENV
COMBAT
JOG A
JOG G
JOG R
ONC
TLM 100K
TLM 50K
TPC

9D045 – TEXT DESCRIPTION
POINT FEATURE.... SYMBOL# 9D045P003

ATTRIBUTES:

LAB – LABEL OF THE FEATURE
- ANY

VRC – VERTICAL REFERENCE CATEGORY
- 004 - BELOW SURFACE /SUBMERGED
- 008 - COVERS AND UNCOVERS

PARAMETERS:

LABEL
Type Size: 6 - 20 point
Type Style: Upper/Lower Case,Italic
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

9D045 – TEXT DESCRIPTION
POINT FEATURE.... SYMBOL# 9D045P004

ATTRIBUTES:

LAB – LABEL OF THE FEATURE
- ANY

VRC – VERTICAL REFERENCE CATEGORY
- 001 - ABOVE SURFACE /DOES NOT COVER (AT HIGH WATER)

PARAMETERS:

LABEL
Type Size: 6 - 20 point
Type Style: Upper/Lower Case
Color: BLACK (#58600)

PRODUCTS:

BNPC
HAC 1
HAC 2
HAC 3
HAC 4
HAC 5
HAC 6
HAC 7
HAC 8
HAC 9

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

SD060 – VERTICAL RELIABILITY AREA LIMITS
AREA FEATURE.... SYMBOL# SD060A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
NO ATTRIBUTE REQUIRED	DOTS Space/Spacing: 3.000mm Diameter: 1.000mm Color: RED/BROWN (#61121)	ATC 200

SD066 – ANNOTATION DESCRIPTION
AREA FEATURE.... SYMBOL# SD066A001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANT – ANNOTATION TYPE 002 – SPECIAL AREA DRI – DATA REFERENCE IDENTIFIER ANY	Origin: Center of dot. DOT Diameter: 0.600mm Color: BLACK (#58600) LABEL Type Size: 8 point Type Style: Upper Case,Condensed Color: BLACK (#58600) LEADER LINE Lineweight: 0.200mm Color: BLACK (#58600) Length : Variable Angle : Variable	ATC 200 JOG R

SD066 – ANNOTATION DESCRIPTION
AREA FEATURE.... SYMBOL# SD066A002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANT – ANNOTATION TYPE 009 – MULTIPLE TARGETS WITHIN AREA TARGET DRI – DATA REFERENCE IDENTIFIER ANY	Origin: Center of dot DOT Diameter: 0.600mm Color: RED/BROWN (#61121) LABEL Type Size: 8 point Type Style: Upper Case,Condensed Color: RED/BROWN (#61121) LEADER LINE Lineweight: 0.200mm Color: RED/BROWN (#61121) Length : variable Angle : variable	ATC 200 JOG R

SD066 – ANNOTATION DESCRIPTION
POINT FEATURE.... SYMBOL# SD066P001

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANT – ANNOTATION TYPE 005 – POINT TARGET NOT DEFINED UNDER EXISTING FACS CODE DRI – DATA REFERENCE IDENTIFIER ANY	Origin: Center of dot. DOT Diameter: 0.760mm Color: RED/BROWN (#61121) LABEL Type Size: 8 point Type Style: Upper/Lower Case,Condensed Color: RED/BROWN (#61121) LEADER LINE Lineweight: 0.200mm Color: RED/BROWN (#61121) Length : Variable Angle : Variable	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

9D066 – ANNOTATION DESCRIPTION
POINT FEATURE.... SYMBOL# 9D066P002

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANT – ANNOTATION TYPE 001 – TARGET REFERENCE POINT DRI – DATA REFERENCE IDENTIFIER ANY	Origin: End of leader line. **LABEL** Type Size: 8 point Type Style: Upper Case,Condensed Color: RED/BROWN (#61121) **LEADER LINE** Lineweight: 0.200mm Color: RED/BROWN (#61121) Length : variable Angle : variable	ATC 200 JOG R

9D066 – ANNOTATION DESCRIPTION
POINT FEATURE.... SYMBOL# 9D066P003

ATTRIBUTES:	PARAMETERS:	PRODUCTS:
ANT – ANNOTATION TYPE 004 – PRECISE RADAR SIGNIFICANT LOCATION (PRSL) DRI – DATA REFERENCE IDENTIFIER ANY RLN – REFERENCE POINT LONGITUDE ANY RLT – REFERENCE POINT LATITUDE ANY ZVL – Z VALUE ANY	Origin: End of leader line. **LABEL:DRI** Type Size: 6 point Type Style: Lower Case,Condensed Color: VIOLET (#44742) **LABEL:RLT,RLN** Type Size: 8 point Type Style: Upper Case,Condensed Color: VIOLET (#44742) **LABEL:ZVL** Type Size: 6 point Type Style: Lower Case,Condensed Color: VIOLET (#44742) **LEADER LINE #1** Lineweight: 0.200mm Color: VIOLET (#44742) Length: Variable. Angle: Variable. Connected to horizontal leader line (#2). **LEADER LINE #2** Lineweight: 0.200mm Color: VIOLET (#44742) Length: Variable. Angle: Horizontal to lines of latitude.	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This standard contains requirements for portrayal of MC&G symbols on DMA graphic (hardcopy) products. It is primarily intended for DMA and its contractors for production of maps, charts, and other graphic products. It is not intended as an explanation of symbology to the users of DMA's MC&G products. This information is normally provided to users by other means, such as a legend on the map, or by a separate symbol book, such as the US Chart No. 1 for nautical products. The symbols have been designed with a resolution commensurate with lithographic printing, and may not be suitable for digital displays on CRT screens. In addition, the FACS coding used in this standard is consistent with DMA internal production methods, rather than with the Digital Geographic Information Exchange Standard (DIGEST) Feature Attribute Coding Catalog (FACC), which is the approved coding standard for digital data, including DMA Vector Product Format (VPF) products. For symbols for digital (VPF) products, see MIL-STD-2412, and MIL-V-89045, Vector Product Format Symbology.

6.2 Issue of DoDISS. When this standard is used in acquisition, the applicable issue of the DoDISS must be cited in the solicitation (See 2.1).

6.3 Supersession. This standard supersedes the DMA Standard Supporting Mark 90, Section 300 - Symbology, and APPENDIX I - Symbol Graphics. Any symbol specifications contained in DMA product specifications (PS/xxx/nnn) for products covered by this standard (see 4.5) are also superseded by this standard.

6.4 Subject term (key word) listing.

Graphics
Mapping, Charting and Geodesy
Symbol
Symbology
Symbology Graphics

6.5 Standardization agreements. Certain provisions of this specification (identified by paragraph number or similar manner, if appropriate) are subject to standardization agreements. When an amendment, revision, or cancellation of this standard is proposed that will modify the standardization agreement concerned, the preparing activity will take appropriate action through standardization channels, including departmental standardization offices, to change the agreement or make other appropriate accommodations.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

6.5.1 NATO Standardization Agreements (STANAGs).

STANAG 3675, Symbols on Land Maps, Aeronautical Charts, and Special Naval Charts.

6.5.2 Quadripartite Standardization Agreements (QSTAGs).

This section is not applicable to this standard.

6.5.3 Air Standardization Coordinating Committee Agreements (ASCCs).

This section is not applicable to this standard.

6.5.4 International MC&G Agreements.

Symbols applicable to nautical charts generally agree with those of the International Hydrographic Organization (IHO) INT 1, Symbols, Abbreviations, and Terms Used on Charts, with a few exceptions. Some minor variations exist, due to symbol standardization with other DMA products, or simplification for digital rendering.

6.5.5 Executive Orders.

This section is not applicable to this standard.

6.5.6 Interagency Agreements.

This section is not applicable to this standard.

6.5.7 Other Documentation.

This section is not applicable to this standard.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

SYMBOLOGY GRAPHICS

10. SCOPE

10.1 Scope. This APPENDIX provides a graphic illustration of the format and design for MC&G symbology for graphic products. This APPENDIX is a mandatory part of MIL-STD-2402, Edition 28 April 1995, and the information contained herein is intended for compliance.

20 APPLICABLE DOCUMENTS

20.1 Government Documents.

20.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the current Department of Defense Index of Specifications and Standards (DODISS) and the supplement thereto, cited in the solicitation.

MILITARY STANDARDS

MIL-STD-2403(DMA)	-	MC&G Product Generation Rules
MIL-STD-2408(DMA)	-	Glossary of Mapping, Charting & Geodesy Feature and Attribute Definitions
MIL-STD-2410 (DMA)	-	MC&G Reproduction and Printing

NOTE: Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094).

20.1.2 Other government documents, drawings, and publications.

This section is not applicable to this APPENDIX.

20.2 Non-government publications.

This section is not applicable to this APPENDIX.

20.3 Order of precedence. In the event of a conflict between the information of this APPENDIX and TABLE I, MIL-STD-2403, 2408, 2410 cited above, the TABLE I, MIL-STD-2403, MIL-STD-2408 and MIL-STD-2410, take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

30. REQUIREMENTS

30.1 Symbology Graphics. The following pages provide a complete set of symbol graphic examples for all MC&G symbols contained in this standard. See Sections 4.2 and 4.4 for specific requirements associated with the symbol graphics.

30.2 Format of symbol graphics. The symbol graphics appearing in this document were generated using Pagemaker 3.0, a commercial software package. The use of Pagemaker in this standard is not meant to imply any particular graphics standard for DMA digital symbology, which is addressed in MIL-STD-2414, Vector Product Format Symbology.

30.3 Corrections. The symbol 5C030L003 was printed incorrectly in this Appendix. It should be printed in process green (Blue SPC-48253, 31% screen at 75° angle, and Yellow SPC-57377, 79% screen at 30° angle).

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

LISTING OF FEATURES BY FACS CODE

CULTURE 1 Page

EXTRACTION 1A

1A010 ..... MINE 611
1A030 ..... QUARRY 611
1A040 ..... RIG / SUPERSTRUCTURE 612
1A050 ..... WELL 612

DISPOSAL 1B

1B000 ..... DISPOSAL SITE / WASTE PILE 613
1B010 ..... WRECKING YARD / SCRAP YARD 613

PROCESSING INDUSTRY 1C

1C000 ..... PROCESSING PLANT / TREATMENT PLANT 614
1C020 ..... CATALYTIC CRACKER 614
1C030 ..... SETTLING BASIN / SLUDGE POND 615

POWER GENERATION 1D

1D010 ..... POWER PLANT FACILITY 615
1D020 ..... SOLAR PANEL 616
1D030 ..... SUBSTATION / TRANSFORMER YARD 616

ASSOCIATED INDUSTRIAL FEATURES 1F

1F010 ..... CHIMNEY / SMOKESTACK 617
1F020 ..... CONVEYOR 617
1F030 ..... COOLING TOWER 617
1F040 ..... CRANE 618
1F070 ..... FLARE PIPE 618

INSTITUTIONAL / GOVERNMENTAL 1H

1H020 ..... BATTERY 619
1H045 ..... FIRING RANGE 619
1H050 ..... FORT 619

RESIDENTIAL 1I

1I020 ..... MOBILE HOME PARK 620

AGRICULTURAL 1J

1J030 ..... FEED LOT / STOCKYARD / HOLDING PEN 620
1J050 ..... WINDMILL / WINDMOTOR 620

RECREATIONAL 1K

1K020..... AMUSEMENT PARK ATTRACTION 621
1K030..... AMUSEMENT PARK 621

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1K040..... ATHLETIC FIELD 622
1K060..... CAMPGROUND / CAMPSITE 622
1K070..... DRIVE-IN THEATER 622
1K080..... DRIVE-IN THEATER SCREEN 622
1K090..... FAIRGROUNDS 623
1K100..... GOLF COURSE 623
1K110..... GRANDSTAND 623
1K115..... OUTDOOR THEATER / AMPHITHEATER 623
1K120..... PARK 624
1K130..... RACE TRACK 624
1K140..... RECREATIONAL VEHICLE AREA 624
1K150..... SKI JUMP 624
1K160..... STADIUM 625
1K170..... SWIMMING POOL 625
1K180..... ZOO 625

MISCELLANEOUS FEATURES 1L

1L015..... BUILDING 626
1L018..... BUILDING SUPERSTRUCTURE ADDITION 630
1L020..... BUILT-UP AREA 631
1L025..... CAIRN 631
1L030..... CEMETERY 632
1L045..... COMPLEX OUTLINE 632
1L050..... DISPLAY SIGN 632
1L060..... DRAGON (TIGER) TEETH 633
1L070..... FENCE 633
1L073..... FLAGSTAFF / FLAGPOLE 633
1L075..... GALLERY 633
1L085..... GEOPHYSICAL PROSPECTING GRID 634
1L095..... HOMOGENEOUS RADAR SIGNIFICANT AREA 634
1L100..... HUT 634
1L120..... MISSILE SITE 634
1L130..... MONUMENT 635
1L135..... NATIVE SETTLEMENT 635
1L140..... NUCLEAR ACCELERATOR 635
1L155..... OVERHEAD OBSTRUCTION LOCATION 636
1L160..... PIPELINE / PIPE 636
1L165..... PIPELINE / PIPE CROSSING POINT 637
1L170..... PLAZA / CITY SQUARE 637
1L180..... PUMPING STATION 638
1L200..... RUINS 638
1L208..... SHANTY TOWN 639
1L210..... SNOW SHED / ROCK SHED 640
1L215..... SPECIAL AREA 640
1L220..... STEEPLE 640
1L228..... TENT DWELLING 640
1L240..... TOWER (NON-COMMUNICATION) 641
1L250..... UNDERGROUND DWELLING 641
1L260..... WALL 641

STORAGE 1M

1M010..... DEPOT (STORAGE) 642
1M020..... GRAIN BIN 642
1M030..... GRAIN ELEVATOR 643
1M040..... MINERAL PILE 643

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

1M050..... SILO 643
1M060..... STORAGE BUNKER / STORAGE MOUND 644
1M070..... TANK 644
1M080..... WATER TOWER 645

TRANSPORTATION R / R 1N

1N010..... RAILROAD TRACK 645
1N050..... RR SIDING / RR SPUR 647
1N075..... RR TURNTABLE 648
1N080..... RR YARD 648
1N090..... TRAMWAY / INCLINE RAILWAY 648

TRANSPORTATION ROADS 1P

1P010..... CART TRACK 649
1P020..... INTERCHANGE 649
1P030..... ROAD 650
1P050..... TRAIL 651

ASSOCIATED TRANSPORTATION 1Q

1Q010..... AERIAL CABLEWAY LINE / SKI LIFT LINE 651
1Q020..... AERIAL CABLEWAY PYLON / SKI PYLON 651
1Q040..... BRIDGE / OVERPASS / VIADUCT 652
1Q045..... BRIDGE SPAN 653
1Q050..... BRIDGE SUPERSTRUCTURE 654
1Q058..... CONSTRICTION 654
1Q060..... CONTROL TOWER 654
1Q065..... CULVERT 654
1Q068..... DROP GATE / ROLLING BLOCK 654
1Q070..... FERRY CROSSING 655
1Q080..... FERRY SITE / FERRY SLIP 655
1Q100..... DISTANCE MARKER 655
1Q110..... MOORING MAST 655
1Q111..... PREPARED RAFT OR FLOAT BRIDGE SITE 656
1Q115..... REST AREA / VEHICLE STOPPING AREA 656
1Q116..... ROUTE MARKER 656
1Q118..... SHARP CURVE 656
1Q125..... STEEP GRADE 656
1Q131..... TUNNEL 656
1Q132..... TUNNEL ENTRANCE / EXIT 657
1Q140..... VEHICLE STORAGE / VEHICLE PARKING 657

AIR TRAFFIC SERVICES 1R

1R005..... AIR OBSTRUCTION LIGHT 657
1R010..... AIRSPACE 658
1R030..... NAVAIDS (AERONAUTICAL) 658

COMMUNICATION / TRANSMISSION 1T

1T005..... CABLE 659
1T010..... DISH 659
1T020..... EARLY WARNING RADAR SITE 659
1T030..... POWER TRANSMISSION LINE 660
1T040..... POWER TRANSMISSION PYLON 660

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

1T045..... RADAR TRANSMITTER 660
1T050..... COMMUNICATIONS FACILITY 661
1T060..... TELEPHONE LINE / TELEGRAPH LINE 661
1T080..... TOWER (COMMUNICATION) 662

AIRPORT 1U

1U025..... AIRPORT LANDING PAD 662
1U030..... AIRCRAFT FACILITY 662
1U040..... AIRCRAFT FACILITY BEACON 663
1U060..... APRON / HARDSTAND 664
1U130..... OVERRUN / STOPWAY 664
1U160..... RUNWAY 664
1U190..... SEAPLANE LANDING OR TAKEOFF AREA 665
1U200..... TAXIWAY 665

HYDROGRAPHY 2

COASTAL HYDROGRAPHY 2A

2A010..... COASTAL SHORELINE 666
2A020..... FORESHORE 666
2A040..... OPEN WATER (EXCEPT INLAND) 667

PORTS AND HARBORS 2B

2B010..... ANCHORAGE 667
2B020..... BERTH 668
2B040..... BREAKWATER 668
2B050..... CALLING-IN POINT 669
2B080..... DOLPHIN 669
2B090..... DRY DOCK 669
2B100..... FISHERY / FISH STAKES 670
2B105..... FISHING HARBOR 670
2B110..... FISH TRAP / FISH WEIR 670
2B115..... GRIDIRON 670
2B140..... JETTY 671
2B150..... LANDING PLACE 671
2B155..... MARITIME STATION 671
2B170..... OFFSHORE LOADING FACILITY 672
2B180..... OYSTER OR CULTIVATED SHELLFISH BED 672
2B190..... PIER, WHARF 672
2B220..... RAMP 673
2B225..... RIPRAP 673
2B230..... SEAWALL 673
2B240..... SLIPWAY 673

NAVAIDS 2C

2C010..... BUOY 674
2C020..... CLEARING LINE 675
2C030..... ELECTRONIC BEACON 675
2C040..... LEADING LINE 675
2C050..... LIGHT 675
2C055..... MARKER 676
2C060..... VISUAL BEACON 676

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

DANGERS AND UNDERWATER FEATURES 2D

2D000.....	MISCELLANEOUS UNDERWATER FEATURE	677
2D010.....	BREAKERS	678
2D020.....	CRIB	679
2D030.....	DISCOLORED WATER	679
2D040.....	EDDIES	679
2D050.....	FOUL GROUND	679
2D060.....	KELP	680
2D080.....	OVERFALLS / TIDE RIPS	680
2D090.....	PERCH / STAKE	680
2D100.....	PILING	680
2D110.....	PLATFORM	681
2D120.....	REEF	681
2D125.....	REEF POOL	682
2D130.....	ROCK	682
2D140.....	SNAG / STUMP	683
2D180.....	WRECK	684

DEPTH INFORMATION 2E

2E010.....	DEPTH CURVE	685
2E015.....	DEPTH CONTOUR	685
2E020.....	SOUNDING	685
2E030.....	TRACK LINE	685
2E040.....	TRACK SWATH	686

BOTTOM FEATURES 2F

2F010.....	BOTTOM CHARACTERISTICS	686

TIDE AND CURRENT INFORMATION 2G

2G010.....	CURRENT ARROW / FLOW ARROW	687
2G020.....	TIDE GAUGE	687
2G030.....	TIDAL STREAM DATA POINT	687
2G040.....	CURRENT DIAGRAM	687

INLAND WATER 2H

2H010.....	AQUEDUCT	688
2H020.....	CANAL	689
2H030.....	DITCH	691
2H040.....	FILTRATION / AERATION BEDS	692
2H050.....	FISH HATCHERY	692
2H060.....	FLUME	692
2H070.....	FORD	692
2H075.....	INLAND SHORELINE	693
2H080.....	LAKE / POND	693
2H090.....	LAND SUBJECT TO INUNDATION	694
2H095.....	MISCELLANEOUS SURFACE DRAINAGE FEATURE	694
2H100.....	MOAT	694
2H110.....	PENSTOCK	694
2H120.....	RAPIDS	695
2H130.....	RESERVOIR	695
2H140.....	RIVER / STREAM	696
2H145.....	RIVER VANISHING POINT / STREAM VANISHING POINT	697

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

2H150..... SALT EVAPORATOR 697
2H160..... SABKHA 698
2H170..... SPRING / WATER-HOLE 698
2H180..... WATERFALL 698

MISCELLANEOUS INLAND WATER 2I

2I010..... CISTERN 699
2I020..... DAM 699
2I030..... LOCK 699
2I040..... SLUICE GATE 700
2I050..... WATER INTAKE TOWER 700

SNOW / ICE 2J

2J020..... GLACIAL MORAINE 700
2J030..... GLACIER 700
2J040..... ICE CLIFF 700
2J060..... ICE PEAK / NUNATAK 701
2J065..... ICE SHELF 701
2J070..... PACK ICE 701
2J080..... POLAR ICE 701
2J100..... SNOW FIELD / ICE FIELD 701
2J110..... TUNDRA 701

HYPSOGRAPHY 3

RELIEF PORTRAYAL 3A

3A010..... CONTOUR (LAND) 702
3A020..... RIDGE LINE 703
3A030..... SPOT ELEVATION 703

PHYSIOGRAPHY 4

EXPOSED SURFACE MATERIAL 4A

4A005..... ASPHALT LAKE 704
4A010..... GROUND SURFACE 704
4A020..... SALT PAN 704
4A030..... SURFICIAL MATERIAL 704

LANDFORMS 4B

4B010..... BLUFF / CLIFF, ESCARPMENT 705
4B030..... CAVE DWELLING 705
4B060..... CREVICE / CREVASSE 705
4B071..... CUT LINE 705
4B080..... DEPRESSION 706
4B090..... EMBANKMENT 706
4B100..... ESKER 707
4B110..... FAULT 707
4B115..... GEOTHERMAL FEATURE 707
4B135..... ISLAND 708
4B145..... MISCELLANEOUS OBSTACLE FEATURE 708
4B150..... MOUNTAIN PASS 709
4B155..... RAVINE, GORGE, CANYON 709

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:38Z
Check the source to verify that this is the current version before use.

4B160..... ROCK FORMATION 709
4B170..... SAND DUNES / SAND HILLS 709
4B176..... SLOPE CATEGORY 709
4B180..... VOLCANO 710
4B190..... VOLCANIC DIKE 710

CROSS COUNTRY MOVEMENT 4C

4C010..... CROSS COUNTRY MOVEMENT SPEED RANGE 710

VEGETATION 5

CROPLAND 5A

5A010..... CROPLAND (CULTIVATED) 711
5A020..... HEDGEROW 711
5A030..... NURSERY 711
5A040..... ORCHARD / PLANTATION 711
5A050..... VINEYARD / HOPS 711

RANGELAND 5B

5B010..... GRASSLAND 712
5B020..... SCRUB / BRUSH 712

WOODLAND 5C

5C010..... BAMBOO / CANE 712
5C015..... FIREBREAK 712
5C020..... OASIS 712
5C030..... TREES 713

WETLANDS 5D

5D010..... BOG 714
5D020..... HUMMOCK 714
5D030..... SWAMP 714
5D040..... MARSH 715

LAND USE / LAND COVER 5E

5E010..... LAND USE / LAND COVER 715

DEMARCATION 6

BOUNDARIES / LIMITS / ZONES (TOPOGRAPHIC) 6A

6A000..... ADMINISTRATIVE BOUNDARY 716
6A020..... ARMISTICE LINE 716
6A030..... CEASE FIRE LINE 716
6A040..... CLAIM LINE 716
6A050..... INTERNATIONAL MARITIME BOUNDARY 717
6A060..... DEFACTO BOUNDARY/OTHER LINE OF SEPARATION 717
6A070..... DEMILITARIZED ZONE 717
6A110..... INTERNATIONAL DATE LINE 717
6A170..... ZONE OF OCCUPATION 717

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

6C020..... COLREGS DEMARCATION LINE 718
6C030..... CUSTOMS BOUNDARY 718
6C035..... DIRECTION OF BUOYAGE INDICATOR..... 718
6C040..... DREDGED CHANNEL / DREDGED AREA 718
6C070..... HARBOR LIMIT 719
6C075..... INSHORE TRAFFIC ZONE 719
6C090..... MARITIME LIMIT 719
6C100..... MEASURED DISTANCE LINE 720
6C110..... MINE DANGER AREA 720
6C120..... PROHIBITED AREA..... 721
6C130..... RADAR-REFERENCE LINE 721
6C150..... RESTRICTED AREA 721
6C160..... ROUNDABOUT 723
6C165..... ROUTE 723
6C170..... SAFETY FAIRWAY 724
6C177..... SWEPT AREA 724
6C180..... TRAFFIC SEPARATION SCHEME 725
6C210..... WORK IN PROGRESS AREA 725

GENERAL 9

CONTROL POINTS 9B

9B030..... BOUNDARY MARKER 726
9B035..... CONTROL POINT 726
9B070..... PRECISE RADAR SIGNIFICANT LOCATION 726

MAGNETIC VARIATION INFORMATION 9C

9C040..... MAGNETIC DISTURBANCE AREA 726

MISCELLANEOUS 9D

9D012..... MISCELLANEOUS CULTURAL FEATURE..... 727
9D015..... POINT OF CHANGE 727
9D020..... VOID COLLECTION AREA 727
9D040..... NAMED LOCATION 727
9D045..... TEXT DESCRIPTION 728
9D050..... VERTICAL RELIABILITY AREA LIMITS..... 728
9D066..... ANNOTATION DESCRIPTION 728

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

EXTRACTION 1A

SYMBOL NUMBER	FEATURE SYMBOL	
	MINE	
1A010A001	NAM MIN PRO	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A010A002		HAC 1-3
1A010A003	MIN abandoned	ATC 200 JOG R ONC TPC
1A010A004	MIN	ATC 200 ONC TPC JOG R
1A010A005	NAM MIN PRO	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A010A006	Peat cuttings	TLM 50 / TLM 100 ATC 200 JOG A, G & R COMBAT ONC, TPC
1A010P001	NAM MIN PRO	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A010P002	NAM MIN PRO	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A010P003		HAC 1-3
1A010P004	Peat cuttings	TLM 50 / TLM 100 JOG A & G COMBAT
1A010P005	MIN abandoned	ATC 200 JOG R ONC TPC
1A010P006	MIN	ATC 200 JOG R ONC TPC
1A010P007	Peat cuttings	ATC 200 JOG R ONC TPC

EXTRACTION 1A

SYMBOL NUMBER	FEATURE SYMBOL	
	QUARRY	
1A030A001	PRO quarry	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A030A002	PRO quarry	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A030A003	Quarry abandoned	ATC 200 ONC TPC JOG R
1A030A004	Quarry	ATC 200 ONC TPC JOG R
1A030A005		HAC 1-3
1A030P001	PRO quarry	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A030P002	PRO quarry	TLM 50 TLM 100 JOG A & G C. G. & ENVIRONS COMBAT
1A030P003	Quarry abandoned	ATC 200 JOG R ONC TPC
1A030P004	Quarry	ATC 200 JOG R ONC TPC
1A030P005		HAC 1-3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

EXTRACTION 1A

SYMBOL NUMBER	FEATURE SYMBOL	
	RIG / SUPERSTRUCTURE	
1A040P001 1A040P005	PRO rig COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1A040P003	Rig COE (HGT)	ATC 200 JOG R
1A040P006	Rig COE ZVL (HGT)	ONC TPC
1A040P007	Rig (HGT)	ONC TPC
1A040P009	PRO rig COE (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1A040P010 1A040P011	Rig	TLM 50 TLM 100 C. G. ENVIRONS COMBAT

EXTRACTION 1A

SYMBOL NUMBER	FEATURE SYMBOL	
	WELL	
1A050P001	PRO EXS	ATC 200 TLM 50 TLM 100 COMBAT JOG A, G & R C. G. & ENVIRONS ONC / TPC
1A050P003	NAM WFT SCC EXS	TLM 50 TLM 100 COMBAT JOG A & G C. G. & ENVIRONS
1A050P004	NAM WFT SCC EXS	TLM 50 TLM 100 COMBAT JOG A & G
1A050P014		ONC TPC
1A050P015		ONC TPC
1A050P016	NAM well	ATC 200 JOG R
1A050P017	NAM well	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

DISPOSAL 1B

SYMBOL NUMBER	FEATURE SYMBOL	
	DISPOSAL SITE / WASTE PILE	
1B000A001	WASTE PILE	HAC 1
1B000A002 1B000A009	PRO dump	ATC 200 ONC TPC JOG R
1B000A006	Landfill	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1B000A007	PRO dump	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1B000A008	Slag	ATC 200 JOG R
1B000P001	PRO dump	ONC TPC

DISPOSAL 1B

SYMBOL NUMBER	FEATURE SYMBOL	
	WRECKING YARD / SCRAP YARD	
1B010A001	Scrap yard	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1B010A002	SCRAP YARD	HAC 1-2
1B010A003	WY	ATC 200 JOG R
1B010P001	WY	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

PROCESSING INDUSTRY 1C

SYMBOL NUMBER	FEATURE SYMBOL	
	PROCESSING PLANT TREATMENT PLANT	
1C000A001	PRO REFINERY	HAC 1-4
1C000A003 1C000A004	PRO refinery	HAC 1-4 TLM 50 TLM 100 JOG A & G COMBAT
1C000A005	PRO plant	ONC TPC
1C000A007	NAM PRO plant	TLM 50 TLM 100 JOG A & G COMBAT
1C000A008 1C000A009 1C000A011	PRO	ATC 200 JOG R
1C000A010 1C000A012	PRO	ATC 200 JOG R
1C000A013	PRO	ATC 200 JOG R
1C000P003	NAM PRO plant	TLM 50 TLM 100 JOG A & G COMBAT
1C000P004	PRO plant	ATC 200 JOG R ONC TPC

PROCESSING INDUSTRY 1C

SYMBOL NUMBER	FEATURE SYMBOL	
	CATALYTIC CRACKER	
1C020P001 1C020P006	Catalytic cracker	TLM 50 TLM 100 JOG R ATC 200 COMBAT
1C020P002	Catalytic cracker COE (HGT)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

PROCESSING INDUSTRY 1C

SYMBOL NUMBER	FEATURE SYMBOL	
	SETTLING BASIN / SLUDGE POND	
1C030A001	SLUDGE POND	HAC 1
1C030A002	Sludge pond	ATC 200 JOG R ONC TPC
1C030A003	W	TTADB-SC TTADB-SD TTADB-SM TTADB-V PTADB - SD
1C030A004	Sewage disposal bed	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS JOG A & G

POWER GENERATION 1D

SYMBOL NUMBER	FEATURE SYMBOL	
	POWER PLANT FACILITY	
1D010A001	NAM PPC power plant	TLM 50 TLM 100 JOG A & G COMBAT
1D010A002	POWER PLANT	HAC 1-5
1D010A003	Power plant	HAC 1-4
1D010A005 1D010A006 1D010A008	PP	ATC 200 JOG R
1D010A007 1D010A009	PP	ATC 200 JOG R
1D010A010	PP	ATC 200 JOG R
1D010P004	PPC PP	ATC 200 JOG R
1D010P010	PPC PP COE (HGT)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

POWER GENERATION 1D

SYMBOL NUMBER	FEATURE SYMBOL	
	SOLAR PANEL	
1D020P001	▪ Solar panel	TLM 50 TLM 100 COMBAT

POWER GENERATION 1D

SYMBOL NUMBER	FEATURE SYMBOL	
	SUBSTATION / TRANSFORMER YARD	
1D030A001	TRANSFORMER SUBSTATION	HAC 1
1D030A002	Transformer yard	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1D030A003	SSTN	ONC TPC
1D030A004	SSTN	ATC 200 JOG R
1D030P001	▪ Transformer substation	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1D030P002	▪ TRANSFORMER SUBSTATION	HAC 1
1D030P003	▪ SSTN	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED INDUSTRIAL FEATURES 1F

SYMBOL NUMBER	FEATURE SYMBOL	
	CHIMNEY / SMOKESTACK	
1F010P001	Chimney COE ZVL (HGT)	TLM 50 TLM 100 COMBAT JOG A & G
1F010P002 1F010P003	⊙ Chimney	TLM 50 TLM 100 COMBAT JOG A & G C.G. & ENVIRONS
1F010P004	CHY (HGT)	HAC 1-4
1F010P005		HAC 1-3
1F010P006	SS COE (HGT)	ATC 200 JOG R
1F010P007 1F010P009	▪ SS	ATC 200 JOG R ONC TPC
1F010P008	SS COE ZVL (HGT)	ONC TPC

ASSOCIATED INDUSTRIAL FEATURES 1F

SYMBOL NUMBER	FEATURE SYMBOL	
	CONVEYOR	
1F020L001	Conveyor	ATC 200 ONC / TPC TLM 50 / TLM 100 JOG A, G & R C.G. & ENVIRONS COMBAT
	COOLING TOWER	
1F030A001	● Cooling tower	C.G. & ENVIRONS
1F030P001	⊙ COOLING TR (HGT)	HAC 1-4
1F030P002	⊙ Cooling Tr	HAC 1-3
1F030P003 1F030P005	⊙ Cooling tower	TLM 50 TLM 100 COMBAT JOG A & G C.G. & ENVIRONS
1F030P004	Cooling tower COE ZVL (HGT)	TLM 50 TLM 100 COMBAT JOG A & G
1F030P006	▪ CLT	ATC 200 JOG R
1F030P007	Cooling tower COE (HGT)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED INDUSTRIAL FEATURES 1F

SYMBOL NUMBER	FEATURE SYMBOL	
	CRANE	
1F040P001		HAC 1-3
1F040P002 1F040P003	Crane	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1F040P004 1F040P005	Crane COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1F040P006	Crane	ONC TPC
1F040P007		HAC 1-3
1F040P008	C COE (HGT)	ATC 200 JOG R

ASSOCIATED INDUSTRIAL FEATURES 1F

SYMBOL NUMBER	FEATURE SYMBOL	
	FLARE PIPE	
1F070P001		HAC 1-3
1F070P002		BNPC HAC 1-4
1F070P003	FLARE (HGT)	HAC 1-4
1F070P004 1F070P006	FP	ATC 200 JOG R ONC TPC
1F070P005	FP COE (HGT)	ATC 200 JOG R
1F070P007	FP COE ZVL (HGT)	ONC TPC
1F070P008	Flare pipe COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

INSTITUTIONAL/GOVERNMENTAL 1H

SYMBOL NUMBER	FEATURE SYMBOL	
	BATTERY	
1H020A001	HAC 1-2	
1H020P001	HAC 1-3	
	FIRING RANGE	
1H045A001	Firing range	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS

INSTITUTIONAL/GOVERNMENTAL 1H

SYMBOL NUMBER	FEATURE SYMBOL	
	FORT	
1H050A001	NAM Fort	TLM 50 TLM 100 JOG A & G COMBAT CITY GRAPHIC
1H050A002 1H050A003	NAM	HAC 1-3
1H050A004	Fort	ATC 200 JOG R ONC TPC
1H050A005	IDN	C.G. & ENVIRONS
1H050P001	NAM Fort	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1H050P002	FORT	HAC 1-4
1H050P003		HAC 1-3
1H050P004	Fort	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

RESIDENTIAL 1I

SYMBOL NUMBER	FEATURE SYMBOL	
	MOBILE HOME PARK	
1I020A001	Mobile home park	TLM 50 TLM 100 COMBAT
1I020A002	TP	ATC 200 JOG R
1I020P001	TP	ATC 200 JOG R

AGRICULTURAL 1J

SYMBOL NUMBER	FEATURE SYMBOL	
	FEED LOT / STOCKYARD HOLDING PEN	
1J030A001	TXT	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1J030P001	TXT	TLM 50 TLM 100 COMBAT
	WINDMILL / WINDMOTOR	
1J050P001	Windmill	TLM 50 TLM 100 JOG A & G COMBAT
1J050P002 1J050P007	Windmill COE ZVL (HGT)	TLM 50 TLM 100 COMBAT JOG A & G ONC TPC
1J050P003		HAC 1-3
1J050P004 1J050P006	Windmill	ATC 200 JOG R ONC TPC
1J050P005	Windmill COE (HGT)	ATC 200 JOG R
1J050P008		HAC 1-3
1J050P009	WINDMILL (HGT)	HAC 1-3
1J050P010	WINDMOTOR (HGT)	HAC 1-3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	AMUSEMENT PARK ATTRACTION	
1K020L001	ROLLER COASTER	HAC 1
1K020P001	APS	HAC 1
1K020P002 1K020P006	APS COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G ONC TPC COMBAT
1K020P003 1K020P005	APS	ATC 200 JOG R ONC TPC
1K020P004	APS COE (HGT)	ATC 200 JOG R

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	AMUSEMENT PARK	
1K030A001	NAM Amusement park	TLM 50 TLM 100 COMBAT
1K030A002	Amusement park	C.G. & ENVIRONS
1K030A003 1K030A004 1K030A006	AP	ATC 200 JOG R
1K030A005 1K030A007	AP	ATC 200 JOG R
1K030A008	AP	ATC 200 JOG R
1K030P001	AP	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS
CULTURE

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	ATHLETIC FIELD	
1K040A001	NAM Athletic field	C.G. & ENVIRONS
1K040A002	NAM Athletic field	HAC 1 TLM 50 & 100 COMBAT ATC 200 JOG A, G, & R ONC / TPC
1K040P001	■ Athletic field	ONC TPC

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	CAMPGROUND / CAMPSITE	
1K060A001	NAM Campground	TLM 50 TLM 100 COMBAT
	DRIVE-IN THEATER	
1K070A001	Drive-in theater	TLM 50 TLM 100 COMBAT
1K070A002	DIT	ATC 200 JOG R ONC TPC
1K070P001	■ DIT	ATC 200 JOG R ONC TPC
	DRIVE-IN THEATER SCREEN	
1K080P001	⊙ DRIVE-IN SCREEN	HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	FAIRGROUNDS	
1K090A001	NAM Fairgrounds	TLM 50 TLM 100 COMBAT
1K090A002	NAM FAIRGROUNDS	HAC 1
1K090A003	NAM Fairgrounds	C.G. & ENVIRONS
	GOLF COURSE	
1K100A001	NAM Golf course	TLM 50 TLM 100 COMBAT
1K100A002	NAM GOLF COURSE	HAC 1
1K100A003	NAM Golf course	C.G. & ENVIRONS

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	GRANDSTAND	
1K110A001	C	C.G. & ENVIRONS
	OUTDOOR THEATER / AMPHITHEATER	
1K115A001	NAM Amphitheater	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1K115A002	Amphitheater	ATC 200 JOG R ONC TPC
1K115P001 1K115P002	Amphitheater	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	PARK	
1K120A002	NAM PARK	HAC 1
1K120A003	NAM Park	C.G. & ENVIRONS
1K120A004	NAM	TLM 50 TLM 100 JOG A & G COMBAT
	RACE TRACK	
1K130L001	NAM	HAC 1
1K130L002	NAM Race track	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1K130L003	Track	ATC 200 JOG R ONC TPC
1K130P001	■ Track	ATC 200 JOG R ONC TPC

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	RECREATIONAL VEHICLE AREA	
1K140A001	RVP	ATC 200 JOG R
1K140P001	■ RVP	ATC 200 JOG R
	SKI JUMP	
1K150L001	Ski jump	TLM 50 TLM 100 COMBAT ONC TPC
1K150P001 1K150P007	⊙ Ski jump	TLM 50 TLM 100 COMBAT JOG A & G C.G. ENVIRONS
1K150P002 1K150P006	Ski jump COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1K150P003	Ski jump COE (HGT)	ATC 200 JOG R
1K150P004 1K150P005	■ Ski jump	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	STADIUM	
1K160A001 1K160A006	NAM Stadium	HAC 1-3 TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1K160A002	Stadium	ATC 200 JOG R ONC TPC
1K160A004	NAM STADIUM	HAC 1-4
1K160A005	NAM Stadium	C.G. & ENVIRONS
1K160P001	STADIUM	HAC 1-4
1K160P002 1K160P005	Stadium	ATC 200 JOG A, G & R ONC TPC
1K160P003	Stadium COE (HGT)	ATC 200 JOG R
1K160P004 1K160P008	Stadium COE ZVL (HGT)	TLM 50 / TLM 100 COMBAT JOG A & G ONC TPC
1K160P007	Stadium	HAC 1-3

RECREATIONAL 1K

SYMBOL NUMBER	FEATURE SYMBOL	
	SWIMMING POOL	
1K170A001	Swimming pool	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
	ZOO	
1K180A001	NAM Zoo	TLM 50 TLM 100 COMBAT
1K180A002	NAM ZOO	HAC 1
1K180A003	NAM Zoo	C.G. & ENVIRONS

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	BUILDING
1L015A001	HAC 1-4
1L015A002	HAC 1-4
1L015A003	C.G. & ENVIRONS; IDN
1L015A004	C.G. & ENVIRONS; IDN
1L015A005	HAC 1-4
1L015A006	HAC 1-3; NAM Hospital
1L015A007	HAC 1-4
1L015A008	HAC 1-4; CASTLE
1L015A009	HAC 1-3; Castle
1L015A010 1L015A011	HAC 1-4; HWT
1L015A012	HAC 1-4; MOSQUE
1L015A013	HAC 1-3; Mosque
1L015A014	HAC 1-4; BFC

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	BUILDING
1L015A015 1L015A039	HAC 1-3
1L015A016	HAC 1-4; HWT
1L015A017	HAC 1-3; HWT
1L015A018	HAC 1-4; STUPA
1L015A019	HAC 1-3
1L015A020	C.G. & ENVIRONS; IDN
1L015A022 1L015A023 1L015A027	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS; NAM BFC
1L015A025	C.G. & ENVIRONS; IDN
1L015A026	C.G. & ENVIRONS; IDN
1L015A028	TLM 50 TLM 100 COMBAT; NAM
1L015A029	C.G. & ENVIRONS; IDN
1L015A030	TLM 50 TLM 100 JOG A & G COMBAT; NAM
1L015A031	C.G. & ENVIRONS; IDN

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015A032		C.G. & ENVIRONS
1L015A033		C.G. & ENVIRONS
1L015A034 1L015A036		HAC 1-4
1L015A038		HAC 1-4
1L015A040 1L015A049		HAC 1 ONC TPC
1L015A042 1L015A043 1L015A045		ATC 200 JOG R
1L015A044 1L015A046		ATC 200 JOG R
1L015A047		ATC 200 JOG R
1L015A050		C.G. & ENVIRONS
1L015A051		TLM 50 TLM 100 COMBAT
1L015A052		TLM 50 TLM 100 COMBAT
1L015A053		TLM 50 TLM 100 COMBAT
1L015A054 1L015A055		TLM 50 TLM 100 COMBAT C.G. & ENVIRONS

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015A056		HAC 1-4
1L015A057		TLM 50 TLM 100 COMBAT
1L015A058		TLM 50 TLM 100 COMBAT
1L015A059		TLM 50 TLM 100 COMBAT
1L015L001		TLM 50 TLM 100 COMBAT
1L015L002		TLM 50 TLM 100 COMBAT
1L015L003		TLM 50 TLM 100 COMBAT
1L015L004		TLM 50 TLM 100 COMBAT
1L015L005		TLM 50 TLM 100 COMBAT
1L015L006		TLM 50 TLM 100 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015L007	NAM	TLM 50 TLM 100 COMBAT
1L015L008	NAM	TLM 50 TLM 100 COMBAT
1L015L009	NAM	TLM 50 TLM 100 COMBAT
1L015L010	NAM	TLM 50 TLM 100 COMBAT
1L015P001		TLM 50 TLM 100 COMBAT
1L015P004	NAM BFC	TLM 50 TLM 100 JOG A & G COMBAT
1L015P005	IDN	C.G. & ENVIRONS
1L015P006	IDN	C.G. & ENVIRONS
1L015P007	NAM BFC	C.G. & ENVIRONS
1L015P008	IDN	C.G. & ENVIRONS
1L015P009	NAM	TLM 50 TLM 100 COMBAT

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015P010	IDN	C.G. & ENVIRONS
1L015P011	NAM	TLM 50 TLM 100 COMBAT JOG A & G
1L015P012	IDN	C.G. & ENVIRONS
1L015P013		HAC 1-4
1L015P014		HAC 1-4
1L015P015	NAM	TLM 50 TLM 100 COMBAT JOG A & G
1L015P016	IDN	C.G. & ENVIRONS
1L015P017		HAC 1-4
1L015P018	Hospital	HAC 1-3
1L015P019		HAC 1-4
1L015P020		HAC 1-3
1L015P021	HWT	HAC 1-4
1L015P023		HAC 1-3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015P025 1L015P026	HWT	HAC 1-4
1L015P027 1L015P028 1L015P079	HWT	HAC 1-4 TLM 50 / TLM 100 COMBAT JOG A & G
1L015P029 1L015P030 1L015P048 1L015P062	BFC	TLM 50 / TLM 100 COMBAT HAC 1-4 JOG A & G ONC TPC
1L015P031 1L015P033 1L015P045 1L015P066		HAC 1-3 ATC 200 JOG R ONC TPC
1L015P032	BLDG	HAC 1-4
1L015P034 1L015P051	HWT	HAC 1-4
1L015P035	STUPA	HAC 1-4
1L015P036		HAC 1-3
1L015P037	NAM	TLM 50 TLM 100 COMBAT JOG A & G
1L015P038	IDN	C.G. & ENVIRONS
1L015P039	NAM	TLM 50 TLM 100 JOG A & G COMBAT
1L015P040	IDN	C.G. & ENVIRONS
1L015P041	NAM	TLM 50 TLM 100 JOG A & G COMBAT

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015P042	IDN	C.G. & ENVIRONS
1L015P043	MARABOUT	HAC 1-4
1L015P044	Marabout	HAC 1-3
1L015P046	LTH	ATC 200 JOG R
1L015P047	BLDG COE (HGT)	ATC 200 JOG R
1L015P050	BFC COE ZVL (HGT)	ONC TPC
1L015P052	CASTLE	HAC 1-4
1L015P053	NAM	TLM 50 TLM 100 COMBAT JOG A & G
1L015P054	LTH COE (HGT)	ATC 200 JOG R
1L015P055	NAM Aband Lt Ho	HAC 1-3
1L015P056	NAM lighthouse	TLM 50 TLM 100 JOG A & G C.G. & ENVIRONS
1L015P057	NAM lighthouse (abandoned)	TLM 50 TLM 100 JOG A & G COMBAT
1L015P058	NAM lighthouse COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015P059	NAM lighthouse (abandoned) COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1L015P060	IDN	CITY GRAPHIC
1L015P061	NAM station	JOG A & G
1L015P064	BFC COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1L015P067	NAM station	JOG A & G
1L015P072		C.G. & ENVIRONS
1L015P073	NAM	TLM 50 TLM 100 COMBAT JOG A & G
1L015P074	HOSPITAL	HAC 1-4
1L015P075	NAM ABAND LT HO	HAC 1-4
1L015P076	Destroyed	TLM 50 TLM 100 COMBAT
1L015P077	NAM sation	TLM 50 TLM 100 COMBAT
1L015P078	NAM sation	TLM 50 TLM 100 COMBAT
1L015P080	Minaret	TLM 50 TLM 100 COMBAT JOG A & G

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILDING	
1L015P081	HWT COE ZVL (HGT)	TLM 50 TLM 100 COMBAT JOG A & G
	BUILDING SUPERSTRUCTURE ADDITION	
1L018P001	RSU	HAC 1-3
1L018P002	RSU	HAC 1-3
1L018P005		HAC 1-3

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILT-UP AREA	
1L020A001		BNPC HAC 1-9
1L020A002		JOG A & G ONC TPC
1L020A003		TLM 50 TLM 100 COMBAT
1L020A004		TLM 50 TLM 100 COMBAT
1L020A005		CITY GRAPHIC
1L020A006		C.G. ENVIRONS
1L020A007		CITY GRAPHIC
1L020A010		TTADB - V, SM PTADB - V, SM
1L020A023		TTADB - O PTADB - O
1L020A024		C.G. & ENVIRONS
1L020A025		TLM 50 TLM 100 COMBAT

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	BUILT-UP AREA	
1L020P001	○	BNPC HAC 3-9 JOG A & G
1L020P002	□	ONC TPC
	CAIRN	
1L025P001	⁂ CAIRN	HAC 1-2
1L025P002 1L025P003	⁂	HAC 1-2 TLM 50 TLM 100 COMBAT JOG A & G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	CEMETERY
1L030A001	HAC 1-2
1L030A002	C.G. & ENVIRONS NAM Cem
1L030A004	TLM 50 TLM 100 COMBAT REL NAM cemetery
1L030A005	ATC 200 JOG R TPC Cemetery
1L030P001	TLM 50 TLM 100 COMBAT
1L030P002	TLM 50 TLM 100 COMBAT
1L030P003	TLM 50 TLM 100 COMBAT
1L030P004	TLM 50 TLM 100 COMBAT

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	COMPLEX OUTLINE
1L045A001	C.G. & ENVIRONS IDN
	DISPLAY SIGN
1L050P001	HAC 1
1L050P002	ONC TPC Sign COE ZVL (HGT)
1L050P003	ATC 200 JOG R Sign COE (HGT)
1L050P004	HAC 1 SIGN
1L050P005	HAC 1 Sign

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	DRAGON (TIGER) TEETH
1L060A002	 TTADB-O
1L060A003	CCM 50 CCM 250
1L060L001	ONC TPC
1L060L002	TLM 50 TLM 100 COMBAT PTADB-O
1L060L003	 TTADB-O
1L060L004	CCM50 CCM 250
	FENCE
1L070L002	TLM 50 / TLM 100 ATC 200 JOG A, G & R COMBAT C.G. & ENVIRONS HAC 1 ONC / TPC
1L070L003	PTADB-O

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL
	FENCE
1L070L004	TTADB-O
1L070L005	CCM 50 CCM 250
	FLAGSTAFF / FLAGPOLE
1L073P001	HAC 1-2
	GALLERY
1L075L001	 TTADB-T PTADB-T TRANS 50 TRANS 250
1L075P001	TTADB-T PTADB-T TRANS 50 TRANS 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	GEOPHYSICAL PROSPECTING GRID	
1L085L001	Geophysical prospecting grid	TLM 50 TLM 100 JOG A, G, & R COMBAT ATC 200
	HOMOGENEOUS RADAR SIGNIFICANT AREA	
1L095A001 1L095A002 1L095A004		ATC 200 JOG R
1L095A003 1L095A005		ATC 200 JOG R
1L095A006		ATC 200 JOG R
1L095A008		ATC 200 JOG R
1L095L001		ATC 200
1L095L002		ATC 200
1L095P001		ATC 200 JOG R

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	HUT	
1L100P001	Huts	TLM 50 TLM 100 JOG A & G COMBAT
	MISSLE SITE	
1L120A004	MST	ATC 200 JOG R
1L120A005	MST	ATC 200 JOG R
1L120P003	MST	ATC 200 JOG R
1L120P004	MST	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	MONUMENT	
1L130P001	NAM SSC (HGT)	HAC 1-4
1L130P002	NAM SSC COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1L130P003 1L130P009	NAM SSC	TLM 50 TLM 100 JOG A & G C G. & ENVIRONS COMBAT
1L130P004	SSC	HAC 1-3
1L130P005 1L130P007	SSC	ATC 200 JOG R ONC TPC
1L130P006	SSC COE (HGT)	ATC 200 JOG R
1L130P008	SSC COE ZVL (HGT)	ONC TPC

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	NATIVE SETTLEMENT	
1L135A001		JOG A & G ONC TPC
1L135A003	X	TTADB-SM TTADB-V PTADB-SM PTADB-V
1L135A004	PLU USP PH4	TTADB-O PTADB-O
1L135A005		TLM 50 TLM 100 COMBAT
1L135P001		ONC TPC
	NUCLEAR ACCELERATOR	
1L140A001	Nuclear accelerator	TLM 50 TLM 100 COMBAT C G. & ENVIRONS
1L140P001	Nuclear accelerator	JOG A & G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	OVERHEAD OBSTRUCTION LOCATION	
1L155P001		TTADB-T PTADB-T TRANS 50 TRANS 250

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	PIPELINE/PIPE	
1L160L001		BNPC HAC 1-6
1L160L002		BNPC HAC 1-6
1L160L003		TLM 50 TLM 100 COMBAT C.G. & ENVIRONS JOG A & G
1L160L004		TLM 50 TLM 100 JOG A &G COMBAT C.G. & ENVIRONS
1L160L005 1L160L015		COMBAT HAC 1-4
1L160L007		COMBAT HAC 1-3
1L160L008		ATC 200 JOG R ONC TPC
1L160L009 1L160L020		TLM 50 / TLM 100 COMBAT C.G. & ENVIRONS JOG A, G & R ONC / TPC ATC 200
1L160L010		TLM 50 TLM 100 COMBAT C.G. & ENVIRONS JOG A & G ONC TPC
1L160L011		ATC 200 JOG R ONC TPC
1L160L012		ATC 200 JOG R ONC TPC
1L160L013		ATC 200 JOG R ONC TPC
1L160L014		PTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	PIPELINE / PIPE	
1L160L016		COMBAT
1L160L017	Sewer	COMBAT HAC 1-3
1L160L022	Elevated	TLM 50 TLM 100 JOG A & G COMBAT C G. & ENVIRONS
1L160L023	Elevated	TLM 50 TLM 100 JOG A & G COMBAT C G. & ENVIRONS
1L160L025	PRO Buried DEP m	BNPC HAC 1-6
1L160L027	PRO	HAC 1-4
1L160L028	Overhead pipe SOC a d SOC b c	HAC 1-4
1L160L029	Intake	HAC 1-3 COMBAT
1L160L030	PRO Buried DEP m	COMBAT
1L160L032	Pipeline EXS OHD or PFH	TTADB-O
1L160L033	Pipeline EXS	CCM 50 CCM 250

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	PIPELINE / PIPE CROSSING POINT	
1L165P001		TTADB-O PTADB-O
1L165P002		CCM 50 CCM 250
	PLAZA / CITY SQUARE	
1L170A001	NAM	TLM 50 TLM 100 COMBAT
1L170A002		CITY GRAPHIC

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	PUMPING STATION	
1L180A001	Pumping station	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1L180A002	PUMPING STATION	HAC 1
1L180A003 1L180A004 1L180A006		ATC 200 JOG R
1L180A005 1L180A007		ATC 200 JOG R
1L180A008		ATC 200 JOG R
1L180P001	▪ PUMPING STATION	HAC 1
1L180P002	▪ Pumping station	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1L180P003	PS [COE] ([HGT])	ATC 200 JOG R
1L180P005	▪ PS	ATC 200 JOG R

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	RUINS	
1L200A001 1L200A008	Ruins	TLM 50 / TLM 100 JOG A, G & R COMBAT CITY GRAPHIC ATC 200 ONC / TPC
1L200A003	[NAM] RU	HAC 1-2
1L200A004	[NAM] Ru	HAC 1-2
1L200A009	*Ru*	COMBAT HAC 1-2
1L200A010	*Ru* ([HDP])	COMBAT HAC 1-2
1L200A011	*Ru* ([HDP])	COMBAT HAC 1-2
1L200A012	*Ru*	COMBAT HAC 1-2
1L200A013	Ru	COMBAT HAC 1-2
1L200P002 1L200P009	▫ Ruins	TLM 50 TLM 100 JOG A & G COMBAT
1L200P003	▪ Ruins	ATC 200 JOG R ONC TPC
1L200P004	⊙ [NAM] RU	HAC 1-2
1L200P005	⊙ [NAM] Ru	HAC 1-2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	RUINS	
1L200P006		COMBAT HAC 1-2
1L200P007		COMBAT HAC 1-2
1L200P008		COMBAT HAC 1-2
1L200P010		COMBAT HAC 1-2
1L200P011		COMBAT HAC 1-2

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	SHANTY TOWN	
1L208A001		C.G. & ENVIRONS
1L208A002		JOG A & G
1L208A003		TLM 50 TLM 100 COMBAT ONC TPC
1L208A004		TTADB-SM TTADB-V PTADB-SM PTADB-V
1L208A005		TTADB-O PTADB-O
1L208P001		JOG A & G
1L208P002		ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	SNOW SHED / ROCK SHED	
1L210L001		TLM 50 TLM 100 JOG A, G & R COMBAT
1L210L002		TTADB-T PTADB-T TRANS-50 TRANS-250
1L210P001		TLM 50 TLM 100 JOG A, G & R COMBAT
1L210P002		TTADB-T PTADB-T TRANS-50 TRANS-250
	SPECIAL AREA	
1L215A001		ATC 200 JOG R

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	STEEPLE	
1L220P004		ATC 200 JOG R
1L220P005		ONC TPC
1L220P006		HAC 1-4
1L220P007		HAC 1-4
	TENT DWELLING	
1L228A001		TLM 50 TLM 100 COMBAT
1L228P001		TLM 50 TLM 100 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	TOWER (NON-COMMUNICATION)	
1L240P001 1L240P008	Tower COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1L240P002 1L240P006 1L240P009	Tower	TLM 50 TLM 100 JOG A & G COMBAT ONC / TPC C.G. & ENVIRONS
1L240P003	TR (HGT)	HAC 1-4
1L240P005	Tower	ATC 200 JOG R
1L240P007	Tower COE (HGT)	ATC JOG R
1L240P010		HAC 1-3
	UNDERGROUND DWELLING	
1L250P001	Underground dwelling	TLM 50 TLM 100 COMBAT

MISCELLANEOUS FEATURES 1L

SYMBOL NUMBER	FEATURE SYMBOL	
	WALL	
1L260L001	Wall	TLM 50 / TLM 100 JOG A, G & R ATC 200 ONC / TPC COMBAT C.G. & ENVIRONS
1L260L003	WALL	HAC 1
1L260L004	MCP WTI	PTADB-O
1L260L005	MCP WTI OHD or PFH	TTADB-O
1L260L006	MCP WTI	CCM 50 CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	DEPOT (STORAGE)	
1M010A001	LOC storage depot	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1M010A002	Storage depot	HAC 1
1M010A003 1M010A004 1M010A006	SD	ATC 200 JOG R
1M010A005 1M010A007	SD	ATC 200 JOG R
1M010A008	SD	ATC 200 JOG R
1M010P001	SD	ATC 200 JOG R

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	GRAIN BIN	
1M020A001	Grain bin	TLM 50 TLM 100 COMBAT CITY GRAPHIC
1M020A002 1M020A003 1M020A005		ATC 200 JOG R
1M020A004 1M020A006		ATC 200 JOG R
1M020A007		ATC 200 JOG R
1M020P001	Grain bin	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1M020P002		ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	GRAIN ELEVATOR	
1M030A001	GRAIN ELEVATOR	HAC 1-4
1M030A002	Grain elevator	HAC 1-3
1M030A003	GE	ONC TPC
1M030A005 1M030A006 1M030A007	GE	ATC 200 JOG R
1M030A008	Grain elevator	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1M030P001	GRAIN ELEVATOR	HAC 1-4
1M030P002	Grain elevator	HAC 1-3
1M030P003	Grain elevator COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1M030P004	Grain elevator	TLM 50 TLM 100 JOG A & G COMBAT
1M030P005 1M030P006	GE	ATC 200 JOG R ONC TPC
1M030P007	GE COE (HGT)	ATC 200 JOG R
1M030P008	GE COE ZVL (HGT)	ONC TPC

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	MINERAL PILE	
1M040A001	PRO PILE	HAC 1
1M040A002	PRO pile	ATC 200 JOG R
1M040A004	PRO pile	CITY GRAPHIC
1M040A005	PRO pile	ATC 200 JOG R
	SILO	
1M050P001	SILO (HGT)	HAC 1-3
1M050P002 1M050P003	Silo	TLM 50 TLM 100 JOG A & G COMBAT HAC 1-3
1M050P004 1M050P008	Silo COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1M050P005		ATC 200 JOG R
1M050P006	Silo	ONC TPC
1M050P007	Silo COE (HGT)	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	STORAGE BUNKER / STORAGE MOUND	
1M060A001	PRO storage	TLM 50 TLM 100 COMBAT ATC 200 JOG R
1M060P001	PRO storage	TLM 50 TLM 100 COMBAT CITY GRAPHIC
	TANK	
1M070A001 1M070A014	PRO	TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
1M070A002		HAC 1-3
1M070A003	PRO TANK	HAC 1-4
1M070A006 1M070A007 1M070A009		ATC 200 JOG R
1M070A008 1M070A010		ATC 200 JOG R
1M070A011		ATC 200 JOG R

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	TANK	
1M070P001	TANK	HAC 1-4
1M070P002		HAC 1-3
1M070P003	PRO LOC	TLM 50 TLM 100 JOG A & G COMBAT
1M070P004		ATC 200 JOG R
1M070P005	Tank	ONC TPC
1M070P006	Tank COE (HGT)	ATC 200 JOG R
1M070P007	Tank COE ZVL (HGT)	ONC TPC
1M070P008	PRO	C. G. & ENVIRONS
1M070P010	PRO tank COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

STORAGE 1M

SYMBOL NUMBER	FEATURE SYMBOL	
	WATER TOWER	
1M080P001 1M080P008	⊙ Water tower	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1M080P002	WATER TR (HGT)	HAC 1-4
1M080P003		HAC 1-3
1M080P004 1M080P005	▪ WT	ATC 200 JOG R ONC TPC
1M080P006	WT COE (HGT)	ATC 200 JOG R
1M080P007	WT COE ZVL (HGT)	ONC TPC
1M080P009	Water tower COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL	
	RAILROAD TRACK	
1N010L003	NAM RGC LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L009	NAM RGC LTN *TRACK* LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L011	NAM GAW *METERS* LTN *TRACK* LOC	TLM 50 / TLM 100 JOG A & G / COMBAT C.G. & ENVIRONS
1N010L013	NAM RGC LTN *TRACK* LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L014	NAM GAW *METERS* LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L018	NAM GAW *METERS* LTN *TRACK* LOC	TLM 50 / TLM 100 JOG A & G / COMBAT C.G. & ENVIRONS
1N010L021	NAM RGC LTN *TRACK* EXS LOC	TLM 50 / TLM 100 JOG A & G / COMBAT C.G. & ENVIRONS
1N010L022	NAM RGC EXS LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L023	NAM EXS GAW *METERS* LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L024	NAM EXS GAW *METERS* LTN *TRACK* LOC	TLM 50 / TLM 100 JOG A & G / COMBAT C.G. & ENVIRONS
1N010L025	NAM LOC EXS	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L026		TLM 50 TLM 100 JOG A & G CITY GRAPHIC
1N010L029	*Dismantled railroad*	TLM 50 TLM 100 JOG A, G & R COMBAT C.G. & ENVIRONS ATC 200 ONC / TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL	
	RAILROAD TRACK	
1N010L030 1N010L033		HAC 1-5 ATC 200 JOG R ONC TPC
1N010L031		HAC 1-5
1N010L032	Marine RR	COMBAT HAC 1
1N010L034		ATC 200 JOG R ONC TPC
1N010L035	LTN *TRACK*	ATC 200 JOG R ONC TPC
1N010L036		ATC 200 JOG R ONC TPC
1N010L037	EXS	ATC 200 JOG R ONC TPC
1N010L039		ATC 200 JOG R ONC TPC
1N010L040		ATC 200 JOG R ONC TPC
1N010L055	NAM EXS LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L057	NAM LTN *TRACK* GAW *METERS* EXS LOC	TLM 50 / TLM 100 JOG A & G / COMBAT C.G. & ENVIRONS
1N010L063	NAM RGC EXS LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L065	NAM RGC LTN *TRACK* EXS LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL	
	RAILROAD TRACK	
1N010L067	NAM RRC GAW *METERS* LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L071	NAM RGC LOC	TLM 50 / TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N010L072		COMBAT HAC 1
1N010L073		COMBAT HAC 1
1N010L074	*Railroad in road*	TLM 50 TLM 100 JOG A & G COMBAT
1N010L076	EXS	ONC TPC ATC 200 JOG R
1N010L077	EXS RGC	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L078	EXS RGC	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L079	EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L080	EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L081	EXS RGC	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L082	EXS RGC	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L083	EXS	TTADB-T PTADB-T TRANS 50 TRANS 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL	
	RAILROAD TRACK	
1N010L084	EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L085		TTADB-T PTADB-T TRANS 50 TRANS 250
1N010L086	LTN TRACK	ATC-200 JOG-R ONC TPC
1N010L087	LTN TRACK EXS	ATC-200 JOG-R ONC TPC
	RR SIDING / RR SPUR	
1N050L001	RGC	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N050L002		TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N050L003 1N050L054		TLM 50 TLM 100 JOG A & G COMBAT HAC 1 C.G. & ENVIRONS
1N050L005 1N050L045		TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N050L007 1N050L011		ATC 200 JOG R ONC TPC
1N050L008 1N050L051		ATC 200 JOG R ONC TPC
1N050L040	RGC	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL	
	RR SIDING / RR SPUR	
1N050L053		TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1N050L055		HAC 1
1N050L056	RGC RSA CTL EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N050L058	RSA CTL EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N050L060	RGC RSA CTL EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N050L062	RSA CTL EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1N050L064		TTADB-T PTADB-T TRANS 50 TRANS 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL
	RR SIDING / RR SPUR
1N050P001	PTADB-T TRANS 250 RSA CTL EXS
	RR TURNTABLE
1N075P001	TLM 50 TLM 100 COMBAT
	RR YARD
1N080A003	ATC 200 JOG R
1N080A011	TTADB-T PTADB-T TRANS 50 TRANS 250 Y CTL EXS
1N080A012	TLM 50 TLM 100 JOG A & G HAC 1 COMBAT C G. & ENVIRONS EXS

TRANSPORTATION R/R 1N

SYMBOL NUMBER	FEATURE SYMBOL
	RR YARD
1N080L001	ONC TPC *RAILROAD YARD*
1N080L002	PTADB-T TRANS 250 Y CTL EXS
1N080P001	ONC TPC *RAILROAD YARD*
1N080P002	PTADB-T TRANS 250 Y CTL EXS
	TRAMWAY / INCLINE RAILWAY
1N090L001	TLM 50 TLM 100 JOG A & G COMBAT HAC 1 Tramway
1N090L002	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION ROADS 1P

SYMBOL NUMBER	FEATURE SYMBOL	
	CART TRACK	
1P010L001		TLM 50 TLM 100 JOG A & G COMBAT
1P010L002		C.G. & ENVIRONS
1P010L003	Winter use	ATC 200 JOG R ONC / TPC TLM 50 TLM 100 COMBAT
1P010L004		ATC 200 JOG R ONC TPC
1P010L005	ACC WTW	TTADB-T PTADB-T TRANS 50 TRANS 250
1P010L007		HAC 1-2

TRANSPORTATION ROADS 1P

SYMBOL NUMBER	FEATURE SYMBOL	
	INTERCHANGE	
1P020L001		TLM 50 TLM 100 COMBAT
1P020L002		TLM 50 TLM 100 COMBAT
1P020L004		TLM 50 TLM 100 COMBAT
1P020L005		TLM 50 TLM 100 COMBAT
1P020L007 1P020L008		ATC 200 JOG R ONC TPC
1P020L009	LOC WTW EXS	TTADB-T TRANS 50
1P020L010		HAC 1
1P020L011		C.G. & ENVIRONS
1P020L012		CITY GRAPHIC
1P020L013		CITY GRAPHIC
1P020L014		C.G. & ENVIRONS
1P020P001		JOG A JOG G JOG R ATC 200

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION ROADS 1P

SYMBOL NUMBER	FEATURE SYMBOL	
	ROAD	
1P030L001	NAM LTN *LANES* LOC	TLM 50 TLM 100 JOG A & G COMBAT
1P030L002	NAM LTN *LANES DUAL-DIVIDED* LOC	TLM 50 TLM 100 COMBAT
1P030L003	NAM LOC	TLM 50 TLM 100 JOG A & G COMBAT
1P030L005		HAC 2-3
1P030L006		HAC 4
1P030L007	LOC	TLM 50 TLM 100 JOG A & G COMBAT
1P030L009	NAM	TLM 50 TLM 100 JOG A & G COMBAT
1P030L011	NAM LTN *LANES*	TLM 50 TLM 100 JOG A & G COMBAT
1P030L012	WID m NAM	CITY GRAPHIC
1P030L013 1P030L022	WID m NAM	C.G. & ENVIRONS
1P030L014	WID NAM	CITY GRAPHIC
1P030L016		ATC 200 JOG R ONC TPC
1P030L017		ATC 200 JOG R ONC TPC

TRANSPORTATION ROADS 1P

SYMBOL NUMBER	FEATURE SYMBOL	
	ROAD	
1P030L018	LTN *LANES*	ATC 200 JOG R ONC TPC
1P030L020	*UNDER CONSTRUCTION*	ONC TPC
1P030L021	WID m NAM	C.G. ENVIRONS
1P030L023	*CONSTRUCTION* LOC	TLM 50 TLM 100 JOG A & G COMBAT
1P030L024	ACC 2x WTW LOC EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1P030L025	ACC WTW LOC EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1P030L030	ACC WTW LOC EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1P030L031	ACC WTW EXS	TTADB-T PTADB-T TRANS 50 TRANS 250
1P030L040	NAM	CITY GRAPHIC
1P030L046	EXS	TLM 50 TLM 100 JOG A & G COMBAT
1P030L047	*CONSTRUCTION* LTN *LANES DUAL DIVIDED* LOC	TLM 50 / 100 JOG A & G, COMBAT
1P030L048	*CONSTRUCTION* LTN LOC	TLM 50 TLM 100 JOG A & G COMBAT
1P030L049	*CONSTRUCTION*	TLM 50 TLM 100 JOG A & G COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

TRANSPORTATION ROADS 1P

SYMBOL NUMBER	FEATURE SYMBOL	
	ROAD	
1P030L051	CONSTRUCTION LTN LANES	TLM 50 TLM 100 JOG A & G COMBAT
1P030L054	CONSTRUCTION	CITY GRAPHIC
1P030L055	CONSTRUCTION	C.G. & ENVIRONS
1P030L060	CONSTRUCTION	JOG A JOG G
1P030L061	NAM	HAC 1
1P030L062	NAM	HAC 1
1P030L063	NAM DIVIDED LTN LANES LOC	JOG A JOG G
1P030L064	NAM DIVIDED LTN LANES LOC	ATC 200 JOG R
	TRAIL	
1P050L001	WTC	TLM 50 TLM 100 JOG A & G COMBAT
1P050L002	Winter use	ATC 200 JOG R ONC TPC

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	TRAIL	
1P050L003		ATC 200 JOG R ONC TPC
1P050L004		TTADB-T PTADB-T TRANS 50 TRANS 250
1P050L005		C.G. & ENVIRONS
	AERIAL CABLEWAY LINE / SKI LIFT LINE	
1Q010L001 1Q010L003	Aerial cableway	TLM 50 / 100 JOG A & G COMBAT C.G. & ENVIRONS ONC TPC
1Q010L002	SOC SOC a b c d	HAC 1-4
1Q010L004	Aerial cableway (PHT)	ATC 200 JOG R
1Q010L005	Ski lift	TLM 50 TLM 100 JOG A & G COMBAT
1Q010L006	Tramway	TLM 50 TLM 100 JOG A & G COMBAT
	AERIAL CABLEWAY PYLON / SKI PYLON	
1Q020P001	Pyl	HAC 1
1Q020P005	Pylon COE (HGT)	ATC 200 JOG R
1Q020P007	COE ZVL (HGT)	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL
	BRIDGE / OVERPASS / VIADUCT
1Q040A002	
1Q040A004	
1Q040A005	
1Q040A006	
1Q040A007	
1Q040A008	
1Q040L001	
1Q040L002	
1Q040L003	
1Q040L004	
1Q040L005	
1Q040L006	

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL
	BRIDGE / OVERPASS / VIADUCT
1Q040L007	
1Q040L008	
1Q040L009	
1Q040L010	
1Q040L011	
1Q040L013	
1Q040L014	
1Q040L017	
1Q040L018	
1Q040L019	
1Q040L020	
1Q040L021	
1Q040L022	

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL
	BRIDGE / OVERPASS / VIADUCT
1Q040L023	TTADB-T TRANS 50 EC EXS
1Q040L024	TTADB-T TRANS 50 EXS OHC LEN IDN WTW
1Q040L026	PTADB-T TRANS 250 IDN EXS
1Q040L027	PTADB-T TRANS 250 EXS OHC IDN LEN
1Q040L028	TLM 50 TLM 100 COMBAT JOG A , G & R C.G. & ENVIRONS ATC 200 NAM EXS
1Q040P001	ATC 200 JOG R
1Q040P002	ONC TPC EXS
1Q040P003	ATC 200 JOG R COE OHB
1Q040P004	ONC TPC
1Q040P007	TTADB-T TRANS 50 EXS OHC IDN LGP
1Q040P008	TTADB-T TRANS 50 EXS LC1 or LC3 OHC IDN LGP BCC WTW

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL
	BRIDGE / OVERPASS / VIADUCT
1Q040P011	ONC TPC COE ZVL (OHB)
1Q040P012	TLM 50 TLM 100 JOG A & G COMBAT NAM EXS
1Q040P013	TTADB-T TRANS 50 EXS OHC IDN LGP WTW
1Q040P014	PTADB-T TRANS 250 IDN EXS
1Q040P015	PTADB-T TRANS 250 EXS OHC IDN LGP
1Q040P016	TLM 50 TLM 100 JOG A & G COMBAT NAM EXS
1Q040P017	PTADB-T TRANS 250
1Q040P018	PTADB-T TRANS 250 rr
	BRIDGE SPAN
1Q045A001	HAC 1 SOC open SHC
1Q045L002	HAC 1-4 SOC open SHC
1Q045L003	HAC 1-4 SOC SHC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS
CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	BRIDGE SUPERSTRUCTURE	
1Q050P001		TLM 50 TLM 100 JOG A & G COMBAT
	CONSTRICTION	
1Q058L001		TTADB-T TRANS 50
1Q058L002		TTADB-T TRANS 50
1Q058P001		TTADB-T TRANS 50
1Q058P002		TTADB-T TRANS 50
	CONTROL TOWER	
1Q060P001	⊙ CONTROL TR	HAC 1-4
1Q060P002	⊙ Control Tr	HAC 1-3
1Q060P003 1Q060P007	⊙ Control tower	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	CONTROL TOWER	
1Q060P004		TLM 50 TLM 100 JOG A & G COMBAT
1Q060P005		ATC 200 JOG R
1Q060P006		ATC 200 JOG R
	CULVERT	
1Q065P001		TLM 50 TLM 100 CITY GRAPHIC COMBAT
1Q065P002		TTADB-T TRANS-50
	DROP GATE / ROLLING BLOCK	
1Q068P001		TTADB-T PTADB-T TRANS 50 TRANS-250
1Q068P002		TTADB-T PTADB-T TRANS 50 TRANS-250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	FERRY CROSSING	
1Q070L001 1Q070L006	NAM Ferry	TLM 50 / TLM 100 JOG A, G, & R COMBAT C G. & ENVIRONS ATC 200 ONC / TPC
1Q070L002		HAC 1-4
1Q070L003	Cable ferry	HAC 1-4
1Q070L004 1Q070L007	Ferry	TTADB-T PTADB-T TRANS 50 TRANS 250
1Q070L005	NAM Ferry (cables)	COMBAT
1Q070L008 1Q070L009	Ferry	TTADB-T PTADB-T TRANS 50 TRANS 250
1Q070P001	NAM Ferry	ATC 200 JOG R ONC TPC
1Q070P002	Ferry	TTADB-T PTADB-T TRANS 50 TRANS 250
1Q070P003	NAM Ferry	TLM 50 TLM 100 JOG A & G COMBAT

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	FERRY SITE / FERRY SLIP	
1Q080P001	Ferry slip	ATC 200 JOG R
1Q080P002	Ferry slip	HAC 1
	DISTANCE MARKER	
1Q100P001	DVA	JOG G
1Q100P002	UNI DVA	HAC 1-2
1Q100P003	UNI DVA	HAC 1-2
	MOORING MAST	
1Q110P001	Mooring mast COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1Q110P002	MOORING MAST	HAC 1-4
1Q110P003	Mooring mast	TLM 50 TLM 100 JOG A & G COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	MOORING MAST	
1Q110P004		HAC 1-3
1Q110P005	Mooring mast COE (HGT)	ATC 200 JOG R
	PREPARED RAFT OR FLOAT BRIDGE SITE	
1Q111P001		TTADB-SD PTADB-SD
	REST AREA / VEHICLE STOPING AREA	
1Q115A001	Rest area	TLM 50 TLM 100 COMBAT
	ROUTE MARKER	
1Q116P001	NAM	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1Q116P002	NAM	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1Q116P004	NAM	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	SHARP CURVE	
1Q118P001	NOC	TTADB - T PTADB - T TRANS 50 TRANS 250
	STEEP GRADE	
1Q125L001 1Q125L002		TTADB-T PTADB-T TRANS 50 TRANS 250
1Q125L003 1Q125L004		TTADB-T PTADB-T TRANS 50 TRANS 250
1Q125P001 1Q125P002		TTADB-T PTADB-T TRANS 50 TRANS 250
	TUNNEL	
1Q131L001	NAM Tunnel	TLM 50 TLM 100 JOG A & G COMBAT HAC 1-3
1Q131L002		ATC 200 JOG R ONC TPC
1Q131L003	EXS, OHC, LEN, HCA	TTADB-T PTADB-T TRANS 50 TRANS 250
1Q131L004	NAM Tunnel	TLM 50 TLM100 JOG A & G COMBAT HAC 1-3 C. G. ENVIRONS

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	TUNNEL	
1Q131L005		TLM 50 TLM 100 COMBAT
1Q131L006		JOG A JOG G
1Q131L007		TLM 50 TLM100 COMBAT JOG A & G
1Q131P001		TTADB-T PTADB-T TRANS 50 TRANS 250
1Q131P002		TLM 50 TLM100 COMBAT JOG A & G
1Q131P003		TLM 50 TLM100 COMBAT JOG A & G
1Q131P004		TLM 50 TLM100 COMBAT JOG A & G
	TUNNEL ENTRANCE / EXIT	
1Q132P001		ATC 200 JOG R ONC TPC
1Q132P002		CITY GRAPHIC

ASSOCIATED TRANSPORTATION 1Q

SYMBOL NUMBER	FEATURE SYMBOL	
	VEHICLE STORAGE / VEHICLE PARKING	
1Q140A001		TLM 50 TLM 100 COMBAT

AIR TRAFFIC SERVICES 1R

SYMBOL NUMBER	FEATURE SYMBOL	
	AIR OBSTRUCTION LIGHT	
1R005P001	o (R Lt)	HAC 1-4
1R005P002	o (R Lts)	HAC 1-4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

AIR TRAFFIC SERVICES 1R

SYMBOL NUMBER	FEATURE SYMBOL
	AIRSPACE
1R010A002	ONC TPC — NAM FIR or NAM FIR / NAM FIR
1R010A003	ONC TPC — NAM CTA
1R010A004	JOG A ONC TPC — NAM BUFFER ZONE
1R010A005	ONC TPC — NAM AID
1R010A007	JOG A ONC TPC — NAM ADIZ
1R010A010	TPC ONC — NAM
1R010A012	JOG A — ENTIRE AREA OF THIS CHART FALLS WITHIN (NAM) ADIZ
1R010A013	JOG A — ENTIRE AREA OF THIS CHART FALLS WITHIN (NAM) BUFFER ZONE
1R010A014	JOG A — **WARNING** Aircraft infringing upon non-free flying territory may be fired on without warning. Consult NOTAMS and flight information publications for the latest air information.
1R010L001	JOG A ONC TPC — NAM ADIZ
1R010L002	JOG A ONC TPC — NAM BUFFER ZONE
1R010L003	ONC TPC — NAM

AIR TRAFFIC SERVICES 1R

SYMBOL NUMBER	FEATURE SYMBOL
	AIRSPACE
1R010P001	ONC TPC — NAM AID
1R010P002	ONC TPC — NAM
	NAVAIDS (AERONAUTICAL)
1R030P001	BNPC HAC 1-9 — NST
1R030P003 1R030P004	JOG A ONC TPC — NST NAM
1R030P005	ONC TPC — NAM FRE
1R030P007	JOG A ONC TPC — NAM
1R030P008	JOG A ONC TPC — NAM
1R030P009	JOG A ONC TPC — NAM
1R030P010	JOG A ONC TPC — NAM
1R030P013	JOG A — NAM
1R030P014	JOG A — NST COE ZVL (HGT)
1R030P015	ATC 200 JOG R — NST COE (HGT)

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	CABLE	
1T005L001		BNPC HAC 1-6
1T005L002		BNPC HAC 1-6
1T005L003		BNPC HAC 1-6
1T005L004		COMBAT
1T005L005		COMBAT
1T005L006		COMBAT

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	DISH	
1T010P001	DISH (HGT)	HAC 1-4
1T010P002 1T010P003	Dish	HAC 1-3 TLM 50 TLM 100 JOG A & G COMBAT
1T010P004 1T010P007	Dish COE ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT ONC TPC
1T010P005	Dish	ATC 200 JOG R
1T010P006	Dish COE (HGT)	ATC 200 JOG R
	EARLY WARNING RADAR SITE	
1T020P001	EW	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	POWER TRANSMISSION LINE	
1T030L001		HAC 1-4
1T030L002		ONC TPC
1T030L003	 Under construction	ATC 200 JOG R
1T030L004		ATC 200 JOG R
1T030L005		TLM 50 TLM 100 JOG A & G COMBAT
1T030L006		C.G. & ENVIRONS
1T030L007		C.G. & ENVIRONS
1T030L010		ATC 200 JOG R
1T030L011		ATC 200 JOG R
1T030L012		ATC 200 JOG R
1T030L013		TLM 50 TLM 100 JOG A & G COMBAT

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	POWER TRANSMISSION PYLON	
1T040P001		HAC 1
1T040P005		ATC 200 JOG R
1T040P006 1T040P007		ONC TPC TLM 50 TLM 100 JOG A & G COMBAT
	RADAR TRANSMITTER / RADOME	
1T045P001		HAC 1-4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	COMMUNICATION FACILITY	
1T050A003	NST	ONC TPC
1T050A005	NAM NST station	TLM 50 TLM 100 COMBAT
1T050A006 1T050A007 1T050A009		ATC 200 JOG R
1T050A008 1T050A010		ATC 200 JOG R
1T050A011		ATC 200 JOG R
1T050P009	R Sta	HAC 1-2
1T050P010	RT	HAC 1-2
1T050P017	NST	ONC TPC
1T050P020		ATC 200 JOG R
1T050P021	COMM STATION COE (HGT)	ATC 200 JOG R

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	TELEPHONE LINE / TELEGRAPH LINE	
1T060L001	Tel	TLM 50 TLM 100 JOG A & G COMBAT
1T060L002	SOC SOC a b c d	HAC 1-4
1T060L003	Tel	ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

COMMUNICATION/TRANSMISSION 1T

SYMBOL NUMBER	FEATURE SYMBOL	
	TOWER (COMMUNICATION)	
1T080P001	Tower COE NAM ZVL (HGT)	TLM 50 TLM 100 JOG A & G COMBAT
1T080P002	MAST (HGT)	HAC 1-6
1T080P003	TOWER (HGT)	HAC 1-6
1T080P004	NST	HAC 1-9
1T080P007		HAC 1-6
1T080P008		HAC 1-6
1T080P009 1T080P014	Tower	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
1T080P010 1T080P012	▪ Tower	ATC 200 JOG R ONC TPC
1T080P011	Tower COE (HGT)	ATC 200 JOG R
1T080P013	Tower COE ZVL (HGT)	ONC TPC

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL	
	AIRCRAFT LANDING PAD	
1U025P001	—	ONC TPC
1U025P003	H NAM	C.G. & ENVIRONS
1U025P004	H NAM	TLM 50 TLM 100 JOG A & G COMBAT
1U025P005	H NAM	TLM 50 TLM 100 JOG A & G COMBAT
	AIRCRAFT FACILITY	
1U030A001	NAM EXS	TLM 50 TLM 100 COMBAT
1U030A005	NAM	HAC 1-3
1U030A006	NAM EXS	ATC 200 JOG R
1U030A007	NAM EXS	ATC 200 JOG R
1U030A010	NAM Seaplane base EXS ZVL	TLM 50 TLM 100 COMBAT
1U030A012	NAM AFT	HAC 1-3
1U030A014	NAM EXS	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL	
	AIRCRAFT FACILITY	
1U030A015	EXS / LEN / RST / WID	PTADB-T TRANS 50 TRANS 250 TTADB-T
1U030P001		HAC 1-3
1U030P002	EXS	TLM 50 TLM 100 COMBAT
1U030P004	EXS / L– LEN x WID	PTADB-T TRANS 250
1U030P006	EXS / NAM / ZVL	JOG A JOG G
1U030P008	EXS / NAM / ZVL	ATC 200 JOG R
1U030P009	NAM / ZVL	ATC 200 JOG R
1U030P019	H / NAM / ZVL	ATC 200 JOG R
1U030P020	H / EXS / NAM / ZVL	ATC 200 JOG R
1U030P022	H / NAM	HAC 1
1U030P024		TLM 50 TLM 100 COMBAT
1U030P025	EXS / NAM	JOG A JOG G

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL	
	AIRCRAFT FACILITY	
1U030P026	ACC / NAM	ONC TPC
1U030P027	ACC / NAM / ZVL	ONC TPC
	AIRCRAFT FACILITY BEACON	
1U040P004		TLM 50 TLM 100 JOG A ONC TPC
1U040P005	FI	TLM 50 TLM 100 JOG A ONC TPC
1U040P006	AERO COL	COMBAT HAC 1-5

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL	
	APRON / HARDSTAND	
1U060A001		ATC 200 JOG R
1U060A002		TLM 50 TLM 100 COMBAT
1U060A003		C.G. & ENVIRONS
	OVERRUN / STOPWAY	
1U130A001		TLM 50 TLM 100 COMBAT
1U130L001		JOG A JOG G

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL	
	RUNWAY	
1U160A005		CITY GRAPHIC
1U160A006		TLM 50 TLM 100 COMBAT
1U160A009		HAC 1-3
1U160A011		TTADB-T TRANS 50
1U160L001		JOG A JOG G ONC TPC
1U160L003		HAC 1-3
1U160L005		TTADB-T TRANS 50
1U160L006		ATC 200 JOG R
1U160L007		ATC 200 JOG R
1U160L008		PTADB-T TRANS 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

CULTURE

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL
	RUNWAY
1U160P001	JOG A JOG G EXS LEN / RST ZVL
1U160P003	PTADB-T TRANS 250 RST LEN x WID EXS
	SEAPLANE LANDING OR TAKEOFF AREA
1U190A001	COMBAT HAC 1-2 Seaplane Landing Area

AIRPORTS 1U

SYMBOL NUMBER	FEATURE SYMBOL
	TAXIWAY
1U200A001	TLM 50 TLM 100 COMBAT
1U200A002	CITY GRAPHIC
1U200L002	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

COASTAL HYDROGRAPHY 2A

SYMBOL NUMBER	FEATURE SYMBOL	
	COASTAL SHORELINE	
2A010L002 2A010L017		TLM 50 / TLM 100 COMBAT C.G. & ENVIRONS ATC 200 JOG A, G & R ONC / TPC
2A010L003 2A010L015		BNPC HAC 1-9
2A010L004 2A010L016		BNPC HAC 1-9
2A010L005		TLM 50 TLM 100 COMBAT C.G. & ENVIRONS JOG A JOG G
2A010L006		BNPC HAC 1-9
2A010L007		TLM 50 / TLM 100 COMBAT CITY GRAPHICS ATC 200 JOG A, G & R ONC / TPC
2A010L008		HAC 1-3
2A010L009		HAC 1-3
2A010L010		HAC 1-3
2A010L011		HAC 1-3
2A010L012		HAC 1-3
2A010L013		HAC 1-3
2A010L014		HAC 1-3

COASTAL HYDROGRAPHY 2A

SYMBOL NUMBER	FEATURE SYMBOL	
	FORESHORE	
2A020A007		HAC 4-9 JOG A JOG G
2A020A008	MCP *and* MCS	TLM 50 TLM 100 COMBAT HAC 1-3
2A020A009	MCP	ATC 200 JOG R ONC TPC
2A020P001		HAC 4-9
2A020P003	MCP *and* MCS	HAC 1-3 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

COASTAL HYDROGRAPHY 2A

SYMBOL NUMBER	FEATURE SYMBOL	
	OPEN WATER (EXCEPT INLAND)	
2A040A001		TLM 50 / TLM100 JOG A, G & R BNPC / HAC 1-9 COMBAT C.G. & ENVIRONS ONC / TPC / ATC 200
2A040A002		TTADB-SC, V, SM, SD PTADB-SC, V, SM, SD

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	ANCHORAGE	
2B010A002		HAC 1-4
2B010A003		HAC 1-4
2B010A004		HAC 1-4
2B010A011		~~TLM 50~~ TLM 100
2B010A014		COMBAT
2B010A016		COMBAT
2B010A019		COMBAT
2B010A022		HAC 1-4
2B010A023		COMBAT
2B010P001		COMBAT HAC 1-4
2B010P003		TLM 50 TLM 100 COMBAT HAC 1-4
2B010P004		HAC 1-4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	ANCHORAGE	
2B010P005		HAC 1-4
2B010P008		COMBAT
2B010P009		COMBAT
2B010P011		HAC 1-4
2B010P012	*Tanker*	COMBAT HAC 1-4
2B010P013		COMBAT HAC 1-4
2B010P014		COMBAT
2B010P015		HAC 1-4
2B010P016		COMBAT

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	BERTH	
2B020P001		HAC 1
2B020P002	RoRo	COMBAT
	BREAKWATER	
2B040A001	Breakwater 	TLM 50 TLM 100 COMBAT HAC 1-4 CITY GRAPHICS
2B040A004		COMBAT HAC 1-4
2B040A005		COMBAT HAC 1-4 TLM 50 TLM 100
2B040L001	Breakwater	TLM 50 TLM 100 JOG A & G COMBAT HAC 1-6
2B040L002		COMBAT HAC 1-6 TLM 50 TLM 100 JOG A & G
2B040L003	Breakwater	ATC 200 JOG R ONC TPC C G. & ENVIRONS
2B040L004		COMBAT HAC 1-6

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	CALLING-IN POINT	
2B050P001		HAC 1-4
2B050P002		HAC 1-4
2B050P003		HAC 1-4
2B050P004		HAC 1-4
	DOLPHIN	
2B080P001		COMBAT HAC 1-2

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	DRY DOCK	
2B090A001		HAC 1-2
2B090A002		COMBAT HAC 1-2
2B090A003		TLM 50 TLM 100 COMBAT CITY GRAPHIC
2B090A004		ATC 200 JOG R ONC TPC
2B090A005		ATC 200 JOG R ONC TPC
2B090P002	Drydock	ATC 200 JOG R ONC TPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	FISHERY / FISH STAKES	
2B100L001		COMBAT HAC 1-2
	FISHING HARBOR	
2B105P001		HAC 1-3

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	FISH TRAP / FISH WEIR	
2B110A001	*Fish trap*	COMBAT HAC 1-2
2B110L001	Weir	ONC TPC
	GRIDIRON	
2B115A001		COMBAT HAC 1

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	JETTY	
2B140A001	Jetty	TLM 50 TLM 100 COMBAT HAC 1-2 CITY GRAPHIC
2B140A004		COMBAT HAC 1-2
2B140A005		COMBAT HAC 1-2 TLM 50 TLM 100
2B140L001	Jetty	TLM 50 TLM 100 JOG A & G COMBAT HAC 1-6
2B140L002		COMBAT HAC 1-4 TLM 50 TLM 100 JOG A & G
2B140L003	Jetty	ATC 200 JOG R ONC TPC C. G. & ENVIRONS
2B140L004		COMBAT HAC 1-4

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	LANDING PLACE	
2B150A001	Lndg	COMBAT HAC 1
2B150P001	Lndg	COMBAT HAC 1
2B150P002		COMBAT HAC 1
	MARITIME STATION	
2B155P001	STN	HAC 1-2
2B155P002		HAC 1-2
2B155P003	SS STN	HAC 1-2
2B155P004	SST	COMBAT HAC 1-2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	OFFSHORE LOADING FACILITY	
2B170A001	NAM	HAC 1-6 COMBAT
2B170L001	NAM	HAC 1-6 COMBAT
2B170P001	NAM	HAC 1-6 COMBAT
2B170P002	NAM SPM	HAC 1-6 COMBAT
2B170P003	NAM SPM	HAC 1-6 COMBAT
	OYSTER OR CULTIVATED SHELLFISH BED	
2B180A001	Shellfish Bed	HAC 1-3
2B180P001	Shellfish Bed	HAC 1-3

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	PIER, WHARF	
2B190A002	NAM / LOC	HAC 1
2B190A003 2B190A006	Pier	TLM 50 TLM 100 COMBAT JOG A & G C.G. & ENVIRONS ONC TPC
2B190A004	Promenade pier	HAC 1-2 COMBAT
2B190A005		HAC 2-4
2B190L002	NAM / LOC	HAC 1
2B190L003 2B190L006	Pier	TLM 50 TLM 100 COMBAT JOG A, G & R C.G. & ENVIRONS ATC 200 ONC / TPC
2B190L004	Promenade pier	HAC 1-2 COMBAT
2B190L005		HAC 2-4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	RAMP	
2B220A001	Ramp	ATC 200 ONC / TPC TLM 50 TLM 100 JOG R HAC 1 COMBAT
2B220A002		HAC 1 COMBAT TLM 50 TLM 100
2B220A004	Ramp	ATC 200 ONC TPC JOG R
2B220A005		HAC 1 COMBAT
2B220L001	Ramp	ATC 200 ONC / TPC TLM 50 TLM 100 JOG R HAC 1 COMBAT
2B220L002		HAC 1 COMBAT TLM 50 TLM 100
2B220L004	Ramp	ATC 200 ONC TPC JOG R
2B220L005		HAC 1 COMBAT
	RIPRAP	
2B225A001		HAC 1 COMBAT
2B225A002		HAC 1 COMBAT

PORTS AND HARBORS 2B

SYMBOL NUMBER	FEATURE SYMBOL	
	RIPRAP	
2B225A003		HAC 1 COMBAT
	SEAWALL	
2B230A001	Seawall	CITY GRAPHIC
2B230L001		HAC 1-4
2B230L002		TLM 50 TLM 100 JOG A & G COMBAT
2B230L003	Seawall	ATC 200 ONC TPC JOG R C.G. ENVIRONS
	SLIPWAY	
2B240L001	Slipway	ATC 200 ONC TPC JOG R
2B240L002	Slipway	CITY GRAPHIC HAC 1-2 COMBAT
2B240L003		HAC 1-2 COMBAT
2B240L004		HAC 1-2 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL
	BUOY
2C010P001	HAC 1-4 COMBAT TMC, NAM, CCF, COL, PER, RA1, SST, RA2
2C010P002	HAC 5-7 NAM, COL, RA1, RA2
2C010P003	HAC 1-4 COMBAT ODAS, NAM, COL, PER, EOL, LVR, RA1, SST, RA2
2C010P004	HAC 5-9 BNPC ODAS, NAM, COL, RA1, RA2
2C010P005	HAC 1-4 COMBAT TMC, NAM, COL, PER, EOL, LVR, RA1, SST, RA2
2C010P006	HAC 5-8 BNPC NAM, COL, RA1, RA2
2C010P008	HAC 1-4 COMBAT NAM, COL, PER
2C010P009	HAC 1-4 COMBAT TMC, NAM, COL, PER, EOL, LVR, RA1, SST, RA2
2C010P010	HAC 5-6 NAM, COL, PER, LVR, RA1, RA2
2C010P011	HAC 7-9 BNPC NAM, COL, LVR, RA1, RA2
2C010P012	BNPC NAM, COL, RA1, RA2

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL
	BUOY
2C010P013	HAC 1-4 COMBAT TMC, NAM, CCF, Art, COL, PER, RA1, SST, RA2
2C010P014	HAC 5-7 BNPC NAM, Art, COL, RA1, RA2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL	
	CLEARING LINE	
2C020L001	COL ≠ BRG	HAC 1-4 COMBAT
2C020L002	DRP ≠ BRG	HAC 1-4 COMBAT
2C020L003	DRP bearing BRG	HAC 1-4 COMBAT
2C020L004	Dir Lt BRG	HAC 1-4 COMBAT
2C020L005		HAC 1-4
	ELECTRONIC BEACON	
2C030P001	NAM ⊙ RA1 RA2	HAC 1-6 COMBAT
2C030P002 2C030P004	⊙ RA1 RA2	HAC 7-9 BNPC

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL	
	LEADING LINE	
2C040L001	COL ≠ BRG	HAC 1-4 COMBAT
2C040L002	DRP ≠ BRG	HAC 1-4 COMBAT
2C040L003	DRP bearing BRG	HAC 1-4 COMBAT
2C040L004	Dir Lt BRG	HAC 1-4 COMBAT
2C040L005	RD BRG	HAC 1-4 COMBAT
2C040L006	BRG	HAC 1-2 COMBAT
	LIGHT	
2C050L001		HAC 1
2C050P001	NAM COL PER EOL LVR EXS RA1 SST RA2	HAC 1-4 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL
	LIGHT
2C050P002	HAC 1-4 COMBAT TMC COL PER EOL LVR EXS NAM RA1 SST RA2 CCF
2C050P003	HAC 5-6 NAM COL PER LVR RA1 RA2
2C050P004	HAC 7-9 BNPC COL LVR RA1 RA2
2C050P005	HAC 1-4 COMBAT L54 L51 NAM COL PER EOL LVR RA1 SST RA2 L54 L53 L52 L51
2C050P009	JOG A COL
2C050P010	HAC 1-2 COMBAT Dir

NAVAIDS 2C

SYMBOL NUMBER	FEATURE SYMBOL
	MARKER
2C055P001	HAC 1-2 COMBAT Mk
	VISUAL BEACON
2C060P001	HAC 1-3 COMBAT TMC NAM RA1 RA2 SST CCF
2C060P002	HAC 4-5 RA1 RA2

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL
	MISCELLANEOUS UNDERWATER FEATURE
2D000A001	DDA ACC EXS (DAT) — HAC 1-9 COMBAT
2D000A002	DDA ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A003	DDA ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A004	*Fish haven* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000A006	*Fish haven* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A007	*Fish haven* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A008	*Obstr* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000A009	*Obstr* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A010	*Obstr* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A011	DDA ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A012	DDA ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A013	*Obstr* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT
2D000A014	*Obstr* ACC EXS (DAT) (HDP) — HAC 1-9 COMBAT

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL
	MISCELLANEOUS UNDERWATER FEATURE
2D000P001	DDA ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P002	HDP DDA ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P003	HDP DDA ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P004	*Well* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P006	HDP *Well* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P007	HDP *Well* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P008	*Fish haven* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P010	HDP *Fish haven* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P011	HDP *Fish haven* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P012	*Obstr* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P013	HDP *Obstr* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P014	HDP *Obstr* ACC EXS (DAT) — HAC 1-9 COMBAT
2D000P015	ACC EXS (DAT) — BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	MISCELLANEOUS UNDERWATER FEATURE	
2D000P016	ACC EXS (DAT)	BNPC
2D000P017	*Prod well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P019	HDP *Prod well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P020	HDP *Prod well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P021	HDP *Prod well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P022	HDP *Prod well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P023	HDP *Well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P024	HDP *Well* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P025	HDP DDA ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P026	HDP DDA ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P027	HDP *Obstr* ACC EXS (DAT)	HAC 1-9 COMBAT
2D000P028	HDP *Obstr* ACC EXS (DAT)	HAC 1-9 COMBAT

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	BREAKERS	
2D010A001	*Br*	HAC 1-9 COMBAT
2D010P001	*Br* ACC EXS (DAT)	HAC 1-9 COMBAT
2D010P002		HAC 1-9 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	CRIB	
2D020A001	Crib	HAC 1-3 COMBAT
2D020A002	*Crib* ACC EXS (DAT)	HAC 1-3 COMBAT
2D020A003	*Crib*	HAC 1-3 COMBAT
2D020A004	*Crib* ACC EXS (DAT) (HDP)	HAC 1-3 COMBAT
2D020P001	Crib	HAC 1-3 COMBAT
2D020P002	*Crib* ACC EXS (DAT)	HAC 1-3 COMBAT
2D020P003	*Crib*	HAC 1-3 COMBAT
2D020P004	*Crib* ACC EXS (DAT) (HDP)	HAC 1-3 COMBAT
	DISCOLORED WATER	
2D030A001	*Discolored water* ACC EXS (DAT)	HAC 1-9 COMBAT
2D030A002	EXS discolored water	ONC TPC

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	DISCOLORED WATER	
2D030A003	Discolored water	ONC TPC
2D030P001	*Discolored water* ACC EXS (DAT)	HAC 1-9 COMBAT
	EDDIES	
2D040A001		HAC 1-4 COMBAT
2D040P001		HAC 1-4 COMBAT
	FOUL GROUND	
2D050A003	*Foul* ACC EXS (DAT)	HAC 1-9 COMBAT
2D050A004	*Foul* (HDP) ACC EXS (DAT)	HAC 1-9 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	FOUL GROUND	
2D050P003	# ACC EXS (DAT)	HAC 1-9 COMBAT
2D050P004	HDP Foul ACC EXS (DAT)	HAC 1-9 COMBAT
	KELP	
2D060A001		HAC 1-6 COMBAT
2D060P001		HAC 1-6 COMBAT
	OVERFALLS / TIDE RIPS	
2D080A001	NAM	HAC 1-4 COMBAT
2D080P001		HAC 1-4 COMBAT

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	PERCH / STAKE	
2D090P001		HAC 1-2 COMBAT
2D090P002		HAC 1-2 COMBAT
2D090P003		HAC 1-2 COMBAT
	PILING	
2D100A001 2D100A003	Piles	TLM 50 TLM 100 HAC 1-3 COMBAT
2D100A002	Subm piles ACC EXS (DAT)	HAC 1-3 COMBAT
2D100P001 2D100P005	Pile	TLM 50 TLM 100 HAC 1-3 COMBAT
2D100P002	ACC EXS (DAT)	HAC 1-3 COMBAT
2D100P003		HAC 1-3 COMBAT
2D100P004	Uncov pile ACC EXS (DAT)	HAC 1-3 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	PLATFORM	
2D110P001		HAC 1-4 COMBAT
2D110P002		HAC 1-4 COMBAT
2D110P003		HAC 1-4 COMBAT
2D110P004		HAC 1-4 COMBAT
2D110P005		HAC 5-9 BNPC
2D110P006		HAC 5-9 BNPC
2D110P007		HAC 5-9 BNPC
2D110P008		HAC 5-9 BNPC

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	REEF	
2D120A001		HAC 1-9 COMBAT
2D120A002		HAC 1-9 COMBAT
2D120A005		HAC 1-9 COMBAT
2D120A006		HAC 1-9 COMBAT
2D120A010		HAC 1-9 COMBAT BNPC
2D120A011		HAC 1-9 COMBAT BNPC
2D120A013		HAC 1-9 COMBAT BNPC
2D120A014		HAC 1-9 COMBAT BNPC
2D120A015		ATC 200 ONC TPC JOG R
2D120A016	MCP Reef Limits And Information Unknown	ONC TPC
2D120A017	NAM *Reef* ACC EXS (DAT)	HAC 1-9 COMBAT
2D120A018	NAM *Coral reef* ACC EXS (DAT)	HAC 1-9 COMBAT
2D120A019		TLM 50 TLM 100 JOG A JOG G

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	REEF	
2D120L001		ATC 200 ONC TPC JOG R
2D120L002		TLM 50 TLM 100 JOG A JOG G
	REEF POOL	
2D125A001		JOG A JOG G

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	ROCK	
2D130P001		HAC 1-9 COMBAT
2D130P002		HAC 1-9 COMBAT
2D130P003		HAC 1-9 COMBAT
2D130P004		HAC 1-9 COMBAT
2D130P005		HAC 1-9 COMBAT
2D130P006		HAC 1-9 COMBAT
2D130P007		HAC 1-9 COMBAT
2D130P008		HAC 1-9 COMBAT
2D130P009		HAC 1-9 COMBAT BNPC
2D130P010		HAC 1-9 COMBAT BNPC
2D130P011		HAC 1-9 COMBAT BNPC
2D130P012		HAC 1-9 COMBAT BNPC
2D130P013		HAC 1-9 COMBAT BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	ROCK	
2D130P014	* (NAM / HDH / MCP)	HAC 1-9 COMBAT BNPC
2D130P015	* NAM	JOG A, G & R TLM 50 TLM 100 ATC 200 ONC TPC
2D130P016	* NAM	JOG A, G & R TLM 50 TLM 100 ATC 200 ONC TPC
2D130P017	* NAM *coral*	JOG A, G & R TLM 50 TLM 100 ATC 200 ONC TPC
2D130P018	* NAM *coral*	JOG A, G & R TLM 50 TLM 100 ATC 200 ONC TPC
2D130P019	+ (HDP / MCP) ACC EXS (DAT)	HAC 1-9 COMBAT
2D130P020	+ (HDP / MCP) ACC EXS (DAT)	HAC 1-9 COMBAT

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL	
	SNAG / STUMP	
2D140A001 2D140A003	Stumps	HAC 1-3 COMBAT TLM 50 TLM 100
2D140A002	*Submerged stumps* ACC EXS (DAT)	HAC 1-3 COMBAT
2D140P001 2D140P007	• Stump	HAC 1-3 COMBAT TLM 50 TLM 100
2D140P002	ACC EXS (DAT)	HAC 1-3 COMBAT
2D140P003	HDP *Stump* ACC EXS (DAT)	HAC 1-3 COMBAT
2D140P004	HDP *Stump* ACC EXS (DAT)	HAC 1-3 COMBAT
2D140P005	• *Uncov stump* ACC EXS (DAT)	HAC 1-3 COMBAT
2D140P006		HAC 1-3 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL
	WRECK
2D180A001	HAC 1-2 COMBAT — Wk
2D180A003	HAC 1-2 COMBAT — HDP Wk
2D180A004	HAC 1-2 COMBAT — HDP Wk
2D180A005	HAC 1-2 COMBAT — HDP Wk
2D180A006	HAC 1-2 COMBAT — HDP Wk
2D180A007	HAC 1-2 COMBAT — HDP Wk
2D180A008	HAC 1-2 COMBAT — HDP Wk
2D180A009	HAC 1-2 COMBAT — Wk (EPA)
2D180A010	HAC 1-2 COMBAT — Wk
2D180A011	HAC 1-2 COMBAT — Wk
2D180P001	HAC 1-9 COMBAT — ACC EXS (DAT)

DANGERS AND UNDERWATER FEATURES 2D

SYMBOL NUMBER	FEATURE SYMBOL
	WRECK
2D180P002	HAC 1-9 COMBAT — ACC EXS (DAT)
2D180P003	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P004	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P005	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P006	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P007	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P008	HAC 1-9 COMBAT — Wk ACC EXS (DAT) HDP
2D180P009	BNPC — ACC EXS (DAT)
2D180P010	BNPC — ACC EXS (DAT)
2D180P011	HAC 1-9 COMBAT — EPA ACC EXS (DAT)
2D180P012	HAC 1-9 COMBAT BNPC — ACC EXS (DAT)
2D180P013	ATC 200 ONC / TPC TLM 50 TLM 100 JOG A, G & R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DEPTH INFORMATION 2E

SYMBOL NUMBER	FEATURE SYMBOL
	DEPTH CURVE
2E010L001	HAC 1-9 — CRV
2E010L002	HAC 1-9 — CRV
2E010L003	COMBAT — CRV
2E010L004	COMBAT — CRV
	DEPTH CONTOUR
2E015L001	BNPC — CRV
2E015L003	BNPC — CRV
2E015L005	CRV — TPC, TLM 50, TLM 100, JOG A, G & R

DEPTH INFORMATION 2E

SYMBOL NUMBER	FEATURE SYMBOL
	SOUNDING
2E020P001 2E020P008	HAC 1-9 COMBAT — HDP ACC EXS (DAT)
2E020P002 2E020P009	HAC 1-9 COMBAT — HDP ACC EXS (DAT)
2E020P003 2E020P010	HAC 1-9 COMBAT — HDP *SD* ACC EXS (DAT)
2E020P004 2E020P011	HAC 1-9 COMBAT — HDH ACC EXS (DAT)
2E020P005	BNPC — HDP ACC EXS (DAT)
2E020P006	BNPC — HDP
	TRACK LINE
2E030L001	BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

DEPTH INFORMATION 2E

SYMBOL NUMBER	FEATURE SYMBOL
	TRACK SWATH
2E040A001	BNPC

BOTTOM FEATURES 2F

SYMBOL NUMBER	FEATURE SYMBOL
	BOTTOM CHARACTERISTICS
2F010P001	HAC 1-9 COMBAT MCC MCP CSM MCS TXT / UMC MCU
2F010P002	HAC 1-9 COMBAT
2F010P003	HAC 1-9 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

TIDE AND CURRENT INFORMATION 2G

SYMBOL NUMBER	FEATURE SYMBOL	
	CURRENT ARROW / FLOW ARROW	
2G010P001	CRX kn	HAC 1-4 COMBAT
2G010P002	CRX kn	HAC 1-4 COMBAT
2G010P003	CRX kn	HAC 1-4 COMBAT
2G010P004		TLM 50 TLM 100 C.G. & ENVIRONS COMBAT ATC 200 JOG A, G & R
2G010P005	CRX kn	HAC 1-4 COMBAT
2G010P006	NAM CRN - CRX kn HS1 - HS2	HAC 1-4 COMBAT
	TIDE GAUGE	
2G020P001	Tide gauge	HAC 1

TIDE AND CURRENT INFORMATION 2G

SYMBOL NUMBER	FEATURE SYMBOL	
	TIDAL STREAM DATA POINT	
2G030P001	NAM	HAC 1-7
	CURRENT DIAGRAM	
2G040P001	11 0 1 2 3 4 5 6 7 8 9 10	HAC 1-4 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	AQUEDUCT
2H010A002	W — TTADB-SC, TTADB-V, TTADB-SM
2H010A004	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1; DVR DVL — TTADB-SD
2H010A005	CCM 50
2H010A006	Covered drainage — TTADB-SD
2H010A007	EA LEN WGP HDP — TTADB-SD
2H010A008	NAM EXS AQUEDUCT LOC — TLM 50, TLM 100, COMBAT, CITY GRAPHIC
2H010L001	Elevated aqueduct — TLM 50 / TLM 100, COMBAT, ONC / TPC, JOG A, G & R, ATC, C.G. & ENVIRONS
2H010L002	EXS Aqueduct — TLM 50, TLM 100, COMBAT, JOG A & G
2H010L003	Aqueduct — TLM 50 / TLM 100, C.G. & ENVIRONS, COMBAT, ATC 200, ONC / TPC, JOG A, G & R
2H010L004	Aqueduct — TLM 50, TLM 100, COMBAT, JOG A & G
2H010L005	Aqueduct SOC — HAC 1-4

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	AQUEDUCT
2H010L006	PTADB-O
2H010L007	EXS Aqueduct — TLM 50 / TLM 100, C.G & ENVIRONS, ATC 200, ONC / TPC, JOG A, G & R, COMBAT
2H010L011	EXS Aqueduct — TLM 50/TLM 100, COMBAT, ATC 200, ONC / TPC, JOG A, G & R, C.G. & ENVIRONS
2H010L012	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1; DVR DVL — TTADB-SD
2H010L013	4 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2; DVR DVL — PTADB-SD
2H010L014	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1; DVR DVL — TTADB-SD
2H010L015 2H010L016	CCM 50, CCM 250
2H010L017	TLM 50, TLM 100, COMBAT, JOG A & G
2H010L025 2H010L026	Covered drainage — TTADB-SD, PTADB-SD
2H010L027	EA LEN WGP HDP — TTADB-SD
2H010L028	CCM 50, CCM 250
2H010L029	OHD or PFH — TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	AQUEDUCT
2H010P003	TLM 50 TLM 100 COMBAT JOG A & G
2H010P007	TTADB-SD EA LEN WGP HDP

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	CANAL
2H020A001	TLM 50 TLM 100 CITY GRAPHIC NAM CANAL EXS
2H020A002	HAC 1-4 NAM Canal Controlling depth HDP m
2H020A003	HAC 1-4 Canal
2H020A005	TLM 50 TLM 100 CITY GRAPHIC COMBAT NAM Canal EXS
2H020A006	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H020A007	TTADB-SC TTADB-V TTADB-SM W
2H020A008	4 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL PTADB-SD
2H020A010	BNPC NAM
2H020A011	COMBAT NAM CANAL EXS Controlling depth HDP m
2H020A012	CCM 50
2H020A013	CCM 250
2H020A015 2H020A016	TTADB-SD PTADB-SD Covered drainage
2H020A017	TTADB-SD EA LEN WGP HDP

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	CANAL
2H020L001	TLM 50 TLM 100 C.G. & ENVIRONS JOG A & G
2H020L002 2H020L008	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H020L006	ATC 200 ONC / TPC JOG R
2H020L007	ATC 200 ONC / TPC JOG R
2H020L009	4 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL PTADB-SD
2H020L010	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H020L011	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H020L012	HAC 1-9 *Controlling depth* HDP *m*
2H020L013	COMBAT NAM Canal EXS Controlling depth HDP m
2H020L014 2H020L015	CCM 250 CCM 50
2H020L018 2H020L019	TTADB-SD PTADB-SD **Covered drainage**
2H020L020	TTADB-T
2H020L021	TTADB-SD EA LEN WGP HDP

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	CANAL
2H020P001	TTADB-SD EA LEN WGP HDP

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	DITCH
2H030A002	DITCH — TLM 50, TLM 100, C.G. & ENVIRONS, COMBAT
2H030A003	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H030A004	W — TTADB-SC, TTADB-V, TTADB-SM
2H030A005	4 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL — PTADB-SD
2H030A006	CCM 250
2H030A007	CCM 50
2H030A008 2H030A009	Covered drainage — TTADB-SD, PTADB-SD
2H030A010	EA LEN WGP HDP — TTADB-SD
2H030A011	HAC 1-2
2H030A012	HAC 1-2
2H030L002	Ditch — TLM 50 / TLM 100, C.G. & ENVIRONS, COMBAT, ATC 200, ONC / TPC, JOG A, G & R
2H030L006	Ditch — TLM 50 / TLM 100, C.G. & ENVIRONS, COMBAT, JOG A, G & R, ATC 200, ONC / TPC

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	DITCH
2H030L007	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H030L008	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H030L009	4 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL — PTADB-SD
2H030L010 2H030L011	CCM 50, CCM 250
2H030L014 2H030L015	Covered drainage — TTADB-SD, PTADB-SD
2H030L016	EA LEN WGP HDP — TTADB-SD
2H030L017	HAC 1-2
2H030L018	HAC 1-2
2H030P001	EA LEN WGP HDP — TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	FILTRATION / AERATION BEDS	
2H040A001	Filtration bed	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H040A002	W	TTADB-SC TTADB-V TTADB-SM TTADB-SD
	FISH HATCHERY	
2H050A001	FISH HATCHERY	HAC 1
2H050A002	Fish hatchery	TLM 50 / TLM 100 CITY GRAPHICS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H050A003	W	TTADB-SC TTADB-V TTADB-SM TTADB-SD
2H050P001	Fish hatchery	ONC TPC

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	FLUME	
2H060L002	Flume	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H060L003	Flume	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
	FORD	
2H070L001	Ford	TLM 50 TLM 100 JOG A & G C.G. & ENVIRONS COMBAT
2H070L002	Ford	ONC TPC
2H070L004 2H070L007	 Ford	TTADB-T PTADB-T TRANS 50 TRANS 250
2H070L005 2H070L006		TTADB-SD PTADB-SD
2H070L008	Ford	TTADB-T TRANS 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	FORD	
2H070P001	Ford	TLM 50 TLM 100 ONC / TPC JOG A, G & R COMBAT ATC 200
2H070P002 2H070P005	▼ ▲	TTADB-SD PTADB-SD
2H070P003 2H070P004	NOF Ford(s)	TTADB-T PTADB-T TRANS 50 TRANS 250
	INLAND SHORELINE	
2H075L001 2H075L014		TLM 50 / TLM 100 ATC 200 ONC / TPC JOG A, G & R C.G & ENVIRONS COMBAT
2H075L002		TLM 50 / TLM 100 ATC 200 ONC / TPC JOG A, G & R C.G & ENVIRONS COMBAT
2H075L003	Unsurveyed	TLM 50 TLM 100 COMBAT JOG A & G C.G & ENVIRONS
2H075L004		BNPC HAC 1-9
2H075L005		BNPC HAC 1-9
2H075L006 2H075L013		BNPC HAC 1-9
2H075L009		TLM 50 / TLM 100 ATC 200 ONC / TPC JOG A, G & R C.G & ENVIRONS COMBAT

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	LAKE / POND	
2H080A001	NAM	HAC 1-9
2H080A002	NAM ZVL salt	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A & G
2H080A003	NAM ZVL salt	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A & G
2H080A004 2H080A009	NAM ZVL	TLM 50 / TLM 100 C.G. ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H080A005 2H080A008	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H080A006	W	TTADB-SC,V,SM,SD PTADB-SC,V,SM,SD
2H080A007	IW	TTADB-SD PTADB-SD
2H080A013	NAM ZVL	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A & G

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	LAND SUBJECT TO INUNDATION	
2H090A001 2H090A003		TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H090A002		TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A & G
2H090A004		HAC 1-4
2H090A005		TTADB-SD PTADB-SD
	MISCELLANEOUS SURFACE DRAINAGE FEATURE	
2H095A001		PTADB-SD
2H095A002		TTADB-SD

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	MOAT	
2H100L001		TTADB-0
2H100L002		CCM 50
	PENSTOCK	
2H110L001		TLM 50 / TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
2H110L002		TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H110L003		TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	RAPIDS	
2H120L001	Rapids	HAC 1-4
2H120L002	Rapids	TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
2H120P001	Rapids	TLM 50 TLM 100 COMBAT ATC 200 JOG A, G & R

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	RESERVOIR	
2H130A001	NAM Reservoir	HAC 1-2
2H130A002	NAM	TLM 50 / TLM 100 C G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H130A003	W	TTADB-SC,V,SM,SD PTADB-SC,V,SM,SD
2H130A004	NAM Under construction	TLM 50 TLM 100 C G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H130P001	NAM Reservoir	ATC 200 JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	RIVER / STREAM
2H140A001	BNPC HAC 1-9 NAM
2H140A002	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R NAM
2H140A003	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A & G NAM
2H140A005	ATC 200 ONC TPC JOG R
2H140A009	HFC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H140A010	3 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H140A011	HYC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H140A012	HFC GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL PTADB-SD
2H140A013	HYC GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL PTADB-SD
2H140A014	3 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL PTADB-SD
2H140A015	TTADB-SC,V,SM PTADB-SC,V,SM W
2H140A016	CCM 250
2H140A017	CCM 50

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	RIVER / STREAM
2H140A020 2H140A021	TTADB-SD PTADB-SD Covered drainage
2H140A022	EA LEN WGP HDP TTADB-SD
2H140A023	8 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL WS TTADB-SD
2H140A024	HAC 1-4
2H140L001	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R NAM
2H140L002	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R NAM
2H140L003	HAC 1-9 NAM
2H140L004	HAC 1-4
2H140L007	HFC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H140L008	HYC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD
2H140L009	3 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL TTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	RIVER / STREAM
2H140L010	HFC GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL — PTADB-SD
2H140L011	HYC GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL — PTADB-SD
2H140L012	3 GW2 BMC HR2 HL2 SR2 SL2 WVA DW2 DVR DVL — PTADB-SD
2H140L013	HFC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H140L014	HYC GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H140L015	3 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H140L016 2H140L017	CCM 50 CCM 250
2H140L020	4 GW1 BMC HR1 HL1 SR1 SL1 WVA DW1 DVR DVL — TTADB-SD
2H140L021 2H140L022	TTADB-SD PTADB-SD Covered drainage
2H140L023	TTADB-SD EA LEN WGP HDP
2H140P001	TTADB-SD EA LEN WGP HDP

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL
	RIVER VANISHING POINT / STREAM VANISHING POINT
2H145P001	TLM 50 TLM 100 COMBAT JOG A & G
2H145P002	TLM 50 TLM 100 COMBAT JOG A & G
2H145P003	ATC 200 ONC TPC JOG F
	SALT EVAPORATOR
2H150A001	Salt evaporator TLM 50 TLM 100 JOG A & G C.G. & ENVIRONS COMBAT
2H150A003	HAC 1-5
2H150A010	Salt evaporator ATC 200 ONC TPC JOG F
2H150A011	SE TTADB-SD PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	SABKHA	
2H160A001		TLM 50 / TLM 100 C G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
2H160A002	SK	TTADB-SD PTADB-SD
	SPRING	
2H170P002	SCC	TLM 50 TLM 100 C G. & ENVIRONS COMBAT JOG A & G
2H170P003	SCC	TLM 50 TLM 100 C G. & ENVIRONS COMBAT JOG A & G
2H170P006		ONC TPC
2H170P007		ONC TPC

INLAND WATER 2H

SYMBOL NUMBER	FEATURE SYMBOL	
	WATERFALL	
2H180L001	NAM Falls	TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
2H180L002	NAM Falls	HAC 1-4
2H180P001	NAM Falls	TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

MISCELLANEOUS INLAND WATER 2I

SYMBOL NUMBER	FEATURE SYMBOL	
	CISTERN	
2I010P001	Cistern	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT JOG A, G & R
	DAM	
2I020A001	NAM MCP EXS	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT HAC 1-3 JOG A & G
2I020A002	LEN WOC HGT MCP EXS	TTADB-SD
2I020L001 2I020L005	NAM Dam MCP EXS	ATC 200 TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC
2I020L002	NAM	HAC 1-5
2I020L003	LEN WOC HGT MCP EXS	TTADB-SD PTADB-SD
2I020L008	Flood barrage	HAC 1-4
2I020L011	NAM Dam MCP EXS	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT
2I020L012		TTADB-SD

MISCELLANEOUS INLAND WATER 2I

SYMBOL NUMBER	FEATURE SYMBOL	
	DAM	
2I020L013	Flood barrage LEN WID HDP EXS	TTADB-SD PTADB-SD
2I020P002	LEN WOC HGT MCP EXS	TTADB-SD PTADB-SD
2I020P003	NAM Dam MCP EXS	TLM 50 TLM 100 JOG A & G COMBAT
2I020P004		TTADB-SD
2I020P005	Flood barrage LEN WID HDP EXS	TTADB-SD PTADB-SD
	LOCK	
2I030A001	NAM Lock	TLM 50 TLM 100 C G & ENVIRONS HAC 1-3 COMBAT
2I030A003	LEN WID MCP EXS	TTADB-SD
2I030L001	Lock	ATC 200 ONC TPC JOG A, G & R
2I030L002	LEN WID MCP EXS	TTADB-SD PTADB-SD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

MISCELLANEOUS INLAND WATER 2I

SYMBOL NUMBER	FEATURE SYMBOL	
	LOCK	
2I030P002	LEN WID MCP EXS	TTADB-SD PTADB-SD
2I030P004	Lock	TLM 50 TLM 100 COMBAT HAC 1-9
	SLUICE GATE	
2I040L001	Sluice gate	ATC 200 ONC / TPC TLM 50 TLM 100 JOG R COMBAT
2I040L002		HAC 1
2I040P001	Sluice gate	TLM 50 TLM 100 COMBAT
	WATER INTAKE TOWER	
2I050A001	Water intake tower	TLM 50 TLM 100 COMBAT
2I050P001	Water intake tower	TLM 50 TLM 100 C.G. & ENVIRONS JOG A & G COMBAT

SNOW/ICE 2J

SYMBOL NUMBER	FEATURE SYMBOL	
	GLACIAL MORAINE	
2J020A001		ATC 200 ONC / TPC TLM 50 TLM 100 JOG A, G & R COMBAT
	GLACIER	
2J030A001		TLM 50 / TLM 100 HAC 1-5 BNPC COMBAT ATC 200 ONC / TPC JOG A, G & R
	ICE CLIFF	
2J040L001		TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYDROGRAPHY

SNOW/ICE 2J

SYMBOL NUMBER	FEATURE SYMBOL	
	ICE PEAK / NUNATAK	
2J060P001		TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
2J060P002		HAC 1-5
2J060P003		TLM 50 TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
	ICE SHELF	
2J065A001	Limits of ice shelf	TLM 50 TLM 100 COMBAT ONC / TPC JOG A, G & R ATC 200
2J065A002		HAC 1-9
	PACK ICE	
2J070A002	HSA	TLM 50 TLM 100 ATC 200 ONC / TPC JOG A, G & R

SNOW/ICE 2J

SYMBOL NUMBER	FEATURE SYMBOL	
	POLAR ICE	
2J080A001	HSA	ATC 200 ONC TPC JOG R
	SNOW FIELD / ICE FIELD	
2J100A002	SIC	TLM 50 / TLM 100 HAC 1-9 COMBAT ATC 200 ONC / TPC JOG A, G & R
	TUNDRA	
2J110A001	TUNDRA	TLM 50 / TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYPSOGRAPHY

RELIEF PORTRAYAL 3A

SYMBOL NUMBER	FEATURE SYMBOL	
	CONTOUR (LAND)	
3A010L001 3A010L036		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L002		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L003		ATC 200 COMBAT JOG G & R ONC / TPC TLM 50 /TLM 100
3A010L004 3A010L037		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L005		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L006		ATC 200 COMBAT JOG A, G & R TLM 50 /TLM 100
3A010L007		COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L008		COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L010		HAC 1-5
3A010L011		HAC 1-5
3A010L012		HAC 1-5
3A010L013		HAC 1-5
3A010L014		HAC 1-3

RELIEF PORTRAYAL 3A

SYMBOL NUMBER	FEATURE SYMBOL	
	CONTOUR (LAND)	
3A010L015		HAC 1-3
3A010L017 3A010L038		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L018		ATC 200 CITY GRAPHIC COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L019		ATC 200 COMBAT JOG A, G & R TLM 50 /TLM 100
3A010L021		COMBAT TLM 50 TLM 100
3A010L027		ATC 200 COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L028		ATC 200 COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L029		COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L030		COMBAT JOG A, G & R TLM 50 /TLM 100 TPC
3A010L031		ATC 200 COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L032		ATC 200 COMBAT JOG A, G & R ONC / TPC TLM 50 /TLM 100
3A010L034		ATC 200 COMBAT JOG G & R ONC / TPC TLM 50 /TLM 100
3A010L035		COMBAT TLM 50 TLM 100

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

HYPSOGRAPHY

RELIEF PORTRAYAL 3A

SYMBOL NUMBER	FEATURE SYMBOL	
	CONTOUR	
3A030L039	ZVL	TLM 50 TLM 100 COMBAT JOG G, & R ATC 200 ONC / TPC
3A030L040	ZVL	TLM 50 TLM 100 COMBAT
3A030L041	ZVL	TLM 50 TLM 100 COMBAT JOG G, & R ATC 200 ONC / TPC
3A030L042	ZVL	TLM 50 TLM 100 COMBAT
	RIDGE LINE	
3A020L001		ATC 200 JOG R

RELIEF PORTRAYAL 3A

SYMBOL NUMBER	FEATURE SYMBOL	
	SPOT ELEVATION	
3A030P001 3A030P011	ZVL	HAC 1-9 ATC 200 ONC / TPC TLM 50 / TLM 100 CITY GRAPHIC JOG A, G & R COMBAT
3A030P002 3A030P003 3A030P009	ZVL	HAC 1-9 ONC / TPC TLM 50 / TLM 100 JOG A. G & R COMBAT ATC 200
3A030P006	ZVL ±	TLM 50 TLM 100 CITY GRAPHIC JOG A & G COMBAT ATC 200
3A030P007	ZVL ±	TLM 50 TLM 100 JOG A & G COMBAT TPC ATC 200
3A030P008 3A030P014	ZVL	TLM 50 TLM 100 COMBAT ONC / TPC JOG A, G & R ATC 200
3A030P010	ZVL	TLM 50 / TLM 100 COMBAT CITY GRAPHIC JOG A, G & R ATC 200 ONC / TPC
3A030P012	ZVL	ONC TPC
3A030P013	ZVL	ONC TPC
3A030P015	ZVL ±	CITY GRAPHIC COMBAT JOG A & G TLM 50 TLM 100
3A030P016	ZVL ±	ATC 200 CITY GRAPHIC COMBAT JOG A & G TLM 50 TLM 100

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

EXPOSED SURFACE MATERIAL 4A

SYMBOL NUMBER	FEATURE SYMBOL	
	ASPHALT LAKE	
4A005A001	Asphalt	TLM 50 TLM 100 JOG A & G COMBAT
	GROUND SURFACE	
4A010A001 4A010A025	MCP	TLM 50 TLM 100 JOG A, G & R COMBAT C.G. & ENVIRONS ONC / TPC ATC 200
4A010A002		TLM 50 TLM 100 JOG A, G & R COMBAT C.G. & ENVIRONS ONC / TPC ATC 200
4A010A003		TLM 50 TLM 100 JOG A, G & R COMBAT C.G. & ENVIRONS ONC / TPC ATC 200
4A010A004		HAC 1-4
4A010A026	MCP	TLM 50 TLM 100 JOG A & G COMBAT C.G. & ENVIRONS
4A010A027	MCP	TLM 50 TLM 100 JOG A, G & R COMBAT C.G. & ENVIRONS ONC / TPC ATC 200

EXPOSED SURFACE MATERIAL 4A

SYMBOL NUMBER	FEATURE SYMBOL	
	SALT PAN	
4A020A001	Salt pan	TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
	SURFICIAL MATERIAL	
4A030A001	STC SRQ SOG SDC	TTADB-SM PTADB-SM
4A030A002	MCP SRQ	TTADB-SM PTADB-SM

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	BLUFF / CLIFF, ESCARPMENT	
4B010L001 4B010L008		ATC 200 ONC / TPC TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT JOG A, G & R
4B010L002		PTADB-O
4B010L004		JOG A & G TLM 50 TLM 100 COMBAT
4B010L005		HAC 1-5
4B010L006	OHD or PFH	TTADB-O
4B010L007		CCM 50 CCM 250
	CAVE DWELLING	
4B030P001	NAM cave dwelling	TLM 50 TLM 100 JOG A, G & R COMBAT

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	CREVICE / CREVASSE	
4B060A001	Crevasse	TLM 50 TLM 100 COMBAT
4B060A002	Crevasse	TLM 50 TLM 100 COMBAT
4B060A003		ATC 200 ONC / TPC JOG R
4B060A004		ATC 200 ONC / TPC JOG R
4B060L001	Crevice	TLM 50 TLM 100 JOG A & G COMBAT
4B060L002	Crevice	TLM 50 TLM 100 COMBAT JOG A & G
	CUT LINE	
4B071L001 4B071L003		ATC 200 ONC / TPC TLM 50 / TLM 100 CITY GRAPHIC JOG A, G & R COMBAT
4B071L002		PTADB-O
4B071L004		COMBAT JOG A JOG G TLM 50 TLM 100

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	CUT LINE	
4B071L005		TTADB-O
4B071L006		CCM 50 CCM 250
	DEPRESSION	
4B080A001		PTADB-O
4B080A002		TTADB-O
4B080A003		CCM 50 CCM 250
	EMBANKMENT	
4B090A001		HAC 1-3 COMBAT
4B090A002		TLM 50 TLM 100 COMBAT C G & ENVIRONS
4B090A003		HAC 1-3
4B090A004		TLM 50 TLM 100 COMBAT

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	EMBANKMENT	
4B090L002		PTADB-O
4B090L004		ATC 200 JOG R
4B090L005 4B090L019		TLM 50 TLM 100 C G & ENVIRONS JOG A & G COMBAT ONC / TPC
4B090L006		HAC 1-5
4B090L007		HAC 1-3 COMBAT
4B090L008		PTADB-O
4B090L009 4B090L016		ATC 200 ONC / TPC TLM 50 / TLM 100 C G & ENVIRONS JOG A, G & R COMBAT
4B090L011		PTADB-O
4B090L012		HAC 1-3
4B090L014 4B090L026		ATC 200 ONC / TPC TLM 50 / TLM 100 CITY GRAPHIC JOG A, G & R COMBAT
4B090L017		COMBAT TLM 50 TLM 100 JOG A & G
4B090L018		COMBAT TLM 50 TLM 100 JOG A & G CITY GRAPHIC
4B090L020		TTADB-O

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	EMBANKMENT	
4B090L021	Causeway OHD or PFH	TTADB-O
4B090L022	OHD or PFH	TTADB-O
4B090L023		CCM 50 CCM 250
4B090L024	Causeway	CCM 50 CCM 250
4B090L025		CCM 50 CCM 250

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	ESKER	
4B100L001	Esker	ATC 200 ONC / TPC TLM 50 TLM 100 JOG A, G & R COMBAT
	FAULT	
4B110L001	Fault	ATC 200 ONC / TPC CITY GRAPHIC JOG R
4B110L003	NAM Fault	TLM 50 TLM 100 COMBAT JOG A & G
	GEOTHERMAL FEATURE	
4B115P001	GFT	TLM 50 TLM 100 JOG A & G COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	ISLAND	
4B135A001		TTADB-SD PTADB-SD
4B135A003	NAM	TLM 50 TLM 100 COMBAT JOG A, G & R ATC 200 ONC TPC
4B135A005	NAM	HAC 1-9 BNPC
4B135P001	NAM	HAC 1-9 BNPC

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	MISCELLANEOUS OBSTACLE FEATURE	
4B145A001	MTS MFT	TTADB-O PTADB-O
4B145A002	MTS MFT	CCM 50 CCM 250
4B145L001	MTS	PTADB-O
4B145L002	MTS MFT OHD or PFH	TTADB-O
4B145L003	OHD or PFH	TTADB-O
4B145L004	OHD or PFD	TTADB-O
4B145L005	MTS OHD or PFH	TTADB-O
4B145L006	MTS	CCM 50 CCM 250
4B145L007	MTS MFT	CCM 50
4B145L008		CCM 50
4B145L009		CCM 50

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	MOUNTAIN PASS	
4B150P001	NAM pass ZVL	TLM 50 TLM 100 JOG A & G COMBAT
4B150P002	NAM	ONC TPC JOG R
	RAVINE, GORGE, CANYON	
4B155A001	NAM	C.G. & ENVIRONS
	ROCK FORMATION	
4B160A001		TLM 50 TLM 100 COMBAT JOG A & G
4B160A003	Rock strata	ATC 200 ONC / TPC JOG R
4B160A004		TTADB-SD
4B160P001		TLM 50 TLM 100 JOG A & G COMBAT

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	SAND DUNES / SAND HILLS	
4B170A001		ATC 200 ONC / TPC TLM 50 / TLM 100 C.G. ENVIRONS JOG A, G & R COMBAT
4B170A002 4B170A008		ATC 200 ONC / TPC TLM 50 / TLM 100 C.G. ENVIRONS JOG A, G & R COMBAT
4B170A003	Sand dunes	HAC 1-5
4B170A004		TLM 50 TLM 100 C.G. ENVIRONS JOG A & G COMBAT
4B170A005		TLM 50 TLM 100 C.G. ENVIRONS JOG A & G COMBAT
4B170A006		TLM 50 TLM 100 C.G. ENVIRONS JOG A & G COMBAT
4B170A007		TLM 50 TLM 100 C.G. ENVIRONS JOG A & G COMBAT
4B170A009	Dunes	ATC 200 ONC / TPC TLM 50 / TLM 100 C.G. ENVIRONS JOG A, G & R COMBAT
	SLOPE CATEGORY	
4B176A001	SPR	TTADB-SC PTADB-SC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

PHYSIOGRAPHY

LANDFORMS 4B

SYMBOL NUMBER	FEATURE SYMBOL	
	VOLCANO	
4B180A001	NAM Sub vol ACC EXS (DAT)	HAC 1-9 BNPC COMBAT
4B180A002 4B180A003	NAM	TLM 50 / TLM 100 ATC 200 ONC TPC JOG A, G & R COMBAT
4B180P001	Cinder cone	TLM 50 TLM 100 COMBAT
	VOLCANIC DIKE	
4B190L001	Volcanic dike	PTADB-O
4B190L002	Volcanic dike OHD or PFH	TTADB-O
4B190L003	Volcanic dike	CCM 50 CCM 250

CROSS COUNTRY MOVEMENT 4C

SYMBOL NUMBER	FEATURE SYMBOL	
	CROSS COUNTRY MOVEMENT SPEED RANGE	
4C010A001	1	CCM 50
4C010A002	2	CCM 50
4C010A003	3	CCM 50
4C010A004	4	CCM 50
4C010A005	5	CCM 50
4C010A006	6	CCM 50
4C010A007	7	CCM 50
4C010A008	1	CCM 250
4C010A009	2	CCM 250
4C010A010	3	CCM 250
4C010A011	4	CCM 250
4C010A012	5	CCM 250

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

VEGETATION

CROPLAND 5A

SYMBOL NUMBER	FEATURE SYMBOL	
	CROPLAND (CULTIVATED)	
5A010A001		TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
5A010A002	Terraces	TLM 50 TLM 100 C.G. & ENVIRONS JOG A & G COMBAT
5A010A003		TLM 50 TLM 100 COMBAT
5A010A004	Cultivated	ONC TPC
	HEDGEROW	
5A020L001		TLM 50 TLM 100 CITY GRAPHIC COMBAT
5A020L002	OHD or PFH	TTADB-O
5A020L003		CCM 50
5A020L004		PTADB-O

CROPLAND 5A

SYMBOL NUMBER	FEATURE SYMBOL	
	NURSERY	
5A030A001	Nursery	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT
	ORCHARD / PLANTATION	
5A040A001		ONC TPC JOG R
5A040A002		HAC 1-2
5A040A005	PRO	TLM 50 TLM 100 C.G. & ENVIRONS COMBAT
5A040A006	PRO	JOG A JOG G
	VINEYARDS / HOPS	
5A050A001		TLM 50 TLM 100 C.G. & ENVIRONS COMBAT
5A050A003		JOG A JOG G JOG R

Source: https://assist.dla.mil -- Downloaded: 2026-06-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

VEGETATION

RANGELAND 5B

SYMBOL NUMBER	FEATURE SYMBOL	
	GRASSLAND	
5B010A001		TLM 50 TLM 100 COMBAT
5B010A002		JOG A JOG G JOG R
	SCRUB / BRUSH	
5B020A001		TLM 50 TLM 100 COMBAT

WOODLAND 5C

SYMBOL NUMBER	FEATURE SYMBOL	
	BAMBOO / CANE	
5C010A001		TLM 50 TLM 100 C,G, & ENVIRONS COMBAT
	FIREBREAK	
5C015A001 5C015L001	Firebreak	TLM 50 TLM 100 JOG A & G COMBAT
	OASIS	
5C020A001		TLM 50 TLM 100 COMBAT
5C020A002		JOG A , G & R ONC / TPC ATC 200
5C020P001		ATC 200 ONC / TPC JOG R
5C020P002		TLM 50 TLM 100 COMBAT
5C020P003 5C020P004		JOG A, G & R ONC / TPC ATC 200

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

VEGETATION

WOODLAND 5C

SYMBOL NUMBER	FEATURE SYMBOL	
	TREES	
5C030A002		TLM 50 TLM 100 COMBAT
5C030A003		TLM 50 TLM 100 COMBAT
5C030A004		TLM 50 TLM 100 COMBAT
5C030A005 5C030A034		ATC 200 ONC / TPC JOG A, G & R
5C030A006		TLM 50 TLM 100 COMBAT
5C030A007		HAC 1-4
5C030A008		HAC 1-3
5C030A009		HAC 1-3
5C030A010		HAC 1-3
5C030A011		HAC 1-3
5C030A012		HAC 1-3
5C030A013		HAC 1-3
5C030A014		HAC 1-3

WOODLAND 5C

SYMBOL NUMBER	FEATURE SYMBOL	
	TREES	
5C030A015		C.G. & ENVIRONS
5C030A024		ATC 200 ONC / TPC JOG R
5C030A025	VEGETATION LIMITS AND INFORMATION UNKNOWN	ATC 200 ONC / TPC TLM 50 TLM 100 JOG A, G & R COMBAT
5C030A027		HAC 1-3
5C030A028		JOG A & G
5C030A029		JOG A & G
5C030A030 5C030A037		TLM 50 TLM 100 COMBAT C.G. & ENVIRONS
5C030A031	Shelter belt	C.G. & ENVIRONS
5C030A032		HAC 1-3
5C030A033		JOG A, G & R
5C030A036		TLM 50 TLM 100 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

VEGETATION

WOODLAND 5C

SYMBOL NUMBER	FEATURE SYMBOL	
	TREES	
5C030L001	Shelter belt	CG & ENVIRONS
5C030L003	Shelter belt	JOG A, G & R ONC / TPC ATC 200
5C030P001		TLM 50 TLM 100 COMBAT
5C030P002		HAC 1-3
5C030P003		HAC 1-3
5C030P004		HAC 1-3
5C030P005		HAC 1-3
5C030P006		HAC 1-3
5C030P007		HAC 1-3
5C030P008		HAC 1-3
5C030P009		HAC 1-3

WETLANDS 5D

SYMBOL NUMBER	FEATURE SYMBOL	
	BOG	
5D010A001	VEG bog	TLM 50 / TLM 100 COMBAT ATC 200 ONC / TPC JOG A, G & R
	HUMMOCK	
5D020A001		TLM 50 / TLM 100 COMBAT ATC 200 ONC / TPC JOG R
	SWAMP	
5D030A001		TLM 50 / TLM 100 C.G. & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
5D030A002		HAC 1-4
5D030A004		HAC 1-4

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

VEGETATION

WETLANDS 5D

SYMBOL NUMBER	FEATURE SYMBOL
	MARSH
5D040A002	TLM 50 / TLM 100 CG & ENVIRONS COMBAT ATC 200 ONC / TPC JOG A, G & R
5D040A003	HAC 1-4
5D040A004	HAC 1-4

LAND USE / LAND COVER 5E

SYMBOL NUMBER	FEATURE SYMBOL
	LAND USE / LAND COVER
5E010A001	TTADB-V VGC STR VH1 BUD
5E010A002	PTADB-V VGC STR VH2 BUD

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (TOPOGRAPHIC) 6A

SYMBOL NUMBER	FEATURE SYMBOL	
	ADMINISTRATIVE BOUNDARY	
6A000L001	NM3 BST ACC / NM4	ATC 200 ONC / TPC TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT
6A000L002	NM3 / NM4	ATC 200 ONC / TPC TLM 50 / TLM 100 C G & ENVIRONS JOG A, G & R COMBAT
6A000L003	NM3 / NM4	ATC 200 ONC / TPC TLM 50 / TLM 100 JOG A, G & R COMBAT
6A000L005	NM3 / NM4	JOG A & G
6A000L006	NM3 / NM4	CITY GRAPHIC
6A000L008	NM3 BST ACC / NM4	HAC 1-9 BNPC
6A000L009	NM3	ATC 200 / ONC / TPC TLM 50 / TLM 100 JOG A, G & R HAC 1-9 BNPC / COMBAT
6A000L010	NM3 / NM4	TLM 50 TLM 100 COMBAT JOG A & G
6A000L011	NM3 NO DEFINED BOUNDARY NM4	ATC 200 / ONC / TPC TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 BNPC, COMBAT
6A000L012	USE	TLM 50 TLM 100 COMBAT

BOUNDARIES / LIMITS / ZONES (TOPOGRAPHIC) 6A

SYMBOL NUMBER	FEATURE SYMBOL	
	ARMISTICE LINE	
6A020L001	NM3 ARMISTICE LINE / NM4	ATC 200 ONC / TPC JOG R HAC 1-9 BNPC
6A020L002	NM3 ARMISTICE LINE / NM4	TLM 50 TLM 100 JOG A & G COMBAT
	CEASE-FIRE LINE	
6A030L001	CEASE-FIRE LINE	ATC 200 ONC / TPC JOG R HAC 1-9 BNPC
6A030L002	CEASE-FIRE LINE ACC	TLM 50 TLM 100 COMBAT JOG A & G
	CLAIM LINE	
6A040L001	NM3 CLAIM LINE TXT	ATC 200 ONC / TPC JOG R HAC 1-9 BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (TOPOGRAPHIC) 6A

SYMBOL NUMBER	FEATURE SYMBOL	
	INTERNATIONAL MARITIME BOUNDARY	
6A050L001	NM3 TXT NM4	TLM 50 / TLM 100 ONC / TPC JOG A, G & R ATC 200 COMBAT
6A050L002	NM3 TXT NM4	HAC 1-9 BNPC
	DEFACTO BOUNDARY / OTHER LINE OF SEPARATION	
6A060L001	NM3 TXT ACC NM4	HAC 1-9 BNPC
6A060L002	NM3 TXT ACC NM4	TLM 50 TLM 100 JOG A & G COMBAT
6A060L003	NM3 NM4 DEFACTO	TLM 50 TLM 100 JOG A, G & R COMBAT
6A060L004	NM3 NM4 DEFACTO	TLM 50 TLM 100 COMBAT JOG A & G
6A060L005	NM3 TXT ACC NM4	ATC 200 ONC / TPC JOG R
6A060L006	NM3 NM4	TLM 50 TLM 100 COMBAT JOG A & G

BOUNDARIES / LIMITS / ZONES (TOPOGRAPHIC) 6A

SYMBOL NUMBER	FEATURE SYMBOL	
	DEMILITARIZED ZONE	
6A070A001	DEMILITARIZED ZONE	TLM 50 / TLM 100 ONC / TPC JOG A, G & R ATC 200 HAC 1-9 BNPC COMBAT
	INTERNATIONAL DATE LINE	
6A110L001	INTERNATIONAL DATE LINE (Monday) (Sunday)	TLM 50 / TLM 100 ATC 200 ONC / TPC JOG A, G & R HAC 9 COMBAT
	ZONE OF OCCUPATION	
6A170A001	NM3 OCCUPIED	TLM 50 / TLM 100 ATC 200 ONC / TPC JOG A, G & R HAC 1-9 BNPC COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	COLREGS DEMARCATION LINE
6C020L001	HAC 1-2 — COLREGS Demarcation Line
	CUSTOMS BOUNDARY
6C030L001	HAC 1
	DIRECTION OF BUOYAGE INDICATOR
6C035P001	HAC 1-9 COMBAT — GENERAL DIRECTION OF BUOYAGE ON THIS CHART

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	DREDGED CHANNEL / DREDGED AREA
6C040A001	HAC 1-6 COMBAT — *Dredged to* HDP *m* (DAT) DAN
6C040A004	HAC 1-6 COMBAT — *Maintained depth* HDP *m* DAN
6C040L001	HAC 1-6 COMBAT — *Dredged to* HDP *m* (DAT) DAN
6C040L004	HAC 1-6 COMBAT — *Maintained depth* HDP *m* DAN

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	HARBOR LIMIT	
6C070L001	Harbor Limit	HAC 1
	INSHORE TRAFFIC ZONE	
6C075A001	Inshore Traffic Zone	HAC 1-6
6C075L001	Inshore Traffic Zone	HAC 1-6
6C075L002		HAC 1-6

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	MARITIME LIMIT	
6C090A001	NAM	HAC 1-9 BNPC
6C090A002	NAM	HAC 1-9 BNPC
6C090A010	TXT	HAC 1-9 COMBAT
6C090A011	TXT	COMBAT
6C090A012	TXT	HAC 1-9
6C090A013		HAC 1-4 COMBAT
6C090A014	Spoil Area OPS	HAC 1-2 COMBAT
6C090A021	PRO DUMPING AREA OPS	COMBAT
6C090A022	PRO DUMPING AREA OPS	HAC 1-6 BNPC
6C090A033	Pilot Boarding Area NAM PBV	HAC 1-6
6C090A038	Degaussing Range	HAC 1-2
6C090A039	MLT	COMBAT
6C090A040	MLT	HAC 1-7 BNPC

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	MARITIME LIMIT	
6C090A041		HAC 1-9 COMBAT
6C090A042		COMBAT
6C090L001		HAC 1-9
6C090P001		HAC 1-8
6C090P002		HAC 1-8
	MEASURED DISTANCE LINE	
6C100L001		HAC 1-4

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	MINE DANGER AREA	
6C110A001		HAC 1-6 BNPC
6C110A002		COMBAT
6C110A003		HAC 1-6
6C110A004		COMBAT
6C110A005		HAC 1-6
6C110A006		COMBAT
6C110P001		HAC 1-6 BNPC
6C110P002		COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	PROHIBITED AREA	
6C120A001	*ENTRY PROHIBITED*	HAC 1-6 BNPC
6C120A002	*ENTRY PROHIBITED*	COMBAT
6C120P001	*ENTRY PROHIBITED*	HAC 1-6 BNPC
6C120P002	*ENTRY PROHIBITED*	COMBAT
	RADAR-REFERENCE LINE	
6C130L001	*Ra* BRR	HAC 1-3

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	RESTRICTED AREA	
6C150A001	RAA	HAC 1-6 BNPC
6C150A002	RAA	COMBAT
6C150A003		HAC 1-6
6C150A004		HAC 1-6 BNPC
6C150A005		COMBAT
6C150A006	PRO	HAC 1-6 BNPC
6C150A007	 PRO	COMBAT
6C150A008	*Cables and* PRO *pipelines*	HAC 1-6 BNPC
6C150A009	 *Cables and* PRO *pipelines*	COMBAT
6C150A010		HAC 1-6 BNPC
6C150A011		COMBAT
6C150A012	*Power cables and* PRO *pipelines*	HAC 1-6 BNPC
6C150A013	 *Power cables and* PRO *pipelines*	COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	RESTRICTED AREA	
6C150A014	*Area to be Avoided*	HAC 1-6
6C150A015		HAC 1-6
6C150A016		COMBAT
6C150A017		HAC 1-6
6C150A018		COMBAT
6C150A019	*Area to be Avoided*	COMBAT
6C150A020	DTC	HAC 1-3 COMBAT
6C150A021		COMBAT
6C150A022		HAC 1-6
6C150L001		HAC 1-6 BNPC
6C150L002		COMBAT
6C150L003	PRO	HAC 1-6 BNPC

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	RESTRICTED AREA	
6C150L004	PRO	COMBAT
6C150L005		HAC 1-6 BNPC
6C150L006		COMBAT
6C150L007	*Cables and* PRO *pipelines*	HAC 1-6 BNPC
6C150L008	*Cables and* PRO *pipelines*	COMBAT
6C150L009	*Power cable and* PRO *pipelines*	HAC 1-6 BNPC
6C150L010	*Power cable and* PRO *pipelines*	COMBAT
6C150L011	DTC	HAC 1-3 COMBAT
6C150P001	RAA	HAC 1-6 BNPC
6C150P002	RAA	COMBAT
6C150P003		HAC 1-6
6C150P004		HAC 1-8

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	RESTRICTED AREA	
6C150P005		COMBAT
6C150P006	Area to be Avoided	HAC 1-6
6C150P007	Area to be Avoided	COMBAT
	ROUNDABOUT	
6C160A005		HAC 1-6
6C160L001		HAC 1-6
6C160P001		HAC 1-6
6C160P002		HAC 1-6

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL	
	ROUTE	
6C165A001	DW	HAC 1-6
6C165A002	DW HDP m	HAC 1-6
6C165A003		HAC 1-6
6C165A004	MINESWEPT AREA	HAC 1-6
6C165A005	MINESWEPT AREA	COMBAT
6C165L001	 DRP BRR	HAC 1-6 COMBAT
6C165L002	DRP BRS	HAC 1-6 COMBAT
6C165L003	DRP BRR HDP m	HAC 1-6 COMBAT
6C165L004	DRP BRS HDP m	HAC 1-6 COMBAT
6C165L005	BRR	HAC 1-6 COMBAT
6C165L006	 BRS	HAC 1-6 COMBAT
6C165L007	BRR HDP m	HAC 1-6 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	ROUTE
6C165L008	HAC 1-6 COMBAT — BRS, HDP m
6C165L009	HAC 1-6 — DW, DRP, BRR
6C165L010	HAC 1-6 — DW, DRP, BRS
6C165L011	HAC 1-6 — DW, DRP, BRR, HDP m
6C165L012	HAC 1-6 — DW, DRP, BRS, HDP m
6C165L013	HAC 1-6 — DW, BRR
6C165L014	HAC 1-6 — DW, BRS
6C165L015	HAC 1-6 — DW, BRR, HDP m
6C165L016	HAC 1-6 — DW, BRS, HDP m
6C165L017	HAC 1-6 — NAM, DAN
6C165L018	COMBAT — NAM, DAN
6C165P001	HAC 1-6

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	SAFETY FAIRWAY
6C170A001	HAC 1-4 — SAFETY FAIRWAY
6C170A002	COMBAT — SAFETY FAIRWAY
6C170L001	HAC 1-4 — SAFETY FAIRWAY
6C170L002	COMBAT — SAFETY FAIRWAY
	SWEPT AREA
6C177A001	HAC 1-4 COMBAT — HDP, DAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS
DEMARCATION

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	TRAFFIC SEPARATION SCHEME
6C180A002	HAC 1-6
6C180L001	HAC 1-6
6C180L002	HAC 1-6
6C180P001	HAC 1-6

BOUNDARIES / LIMITS / ZONES (HYDROGRAPHIC) 6C

SYMBOL NUMBER	FEATURE SYMBOL
	WORK IN PROGRESS AREA
6C210A001	*Being reclaimed* (DAT) HAC 1-6 COMBAT
6C120A002	*Under construction* (DAT) HAC 1-4 COMBAT
6C210A003	*Work in progress* (DAT) DAN HAC 1-4 COMBAT
6C210A004	*Work in progress* (DAT) HAC 1-4 COMBAT
6C210L001	*Under construction* (DAT) HAC 1-4 COMBAT

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS
GENERAL

CONTROL POINTS 9B

SYMBOL NUMBER	FEATURE SYMBOL	
	BOUNDARY MARKER	
9B030P001	NAM Boundary marker	TLM 50 TLM 100 COMBAT
	CONTROL POINT	
9B035P001	NAM △	TLM 50 TLM 100 C.G. & ENVIRONS JOG A & G COMBAT
9B035P002	BM △ ZVL	JOG R
9B035P003	BM · ZVL	JOG R
9B035P004	NAM ⊕ ZVL	JOG A & G
9B035P005	NAM VABM · ZVL	TLM 50 TLM 100 JOG A & G COMBAT
9B035P006	NAM BM △ ZVL	TLM 50 TLM 100 JOG A & G COMBAT
9B035P007	NAM BM · ZVL	TLM 50 TLM 10 C.G. & ENVIRONS JOG A & G COMBAT
	PRECISE RADAR SIGNIFICANT LOCATION	
9B070P001		JOG R

MAGNETIC VARIATION INFORMATION 9C

SYMBOL NUMBER	FEATURE SYMBOL	
	MAGNETIC DISTURBANCE AREA	
9C040A001	VAV	HAC 1-9 BNPC COMBAT
9C040A002	Local Magnetic Anomaly	HAC 1-9 BNPC COMBAT
9C040A003	**CAUTION** Compass variations of VA1° to VA2° reported to exist in this area.	JOG A
9C040A004	**CAUTION** Variations of VA1° to VA2° reported to exist in this area.	JOG A

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS
GENERAL

MISCELLANEOUS 9D

SYMBOL NUMBER	FEATURE SYMBOL	
	MISCELLANEOUS CULTURAL FEATURE	
9D012A001 9D012A002 9D012A003	NAM TXT	TLM 50 / TLM 100 JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D012L001 9D012L002 9D012L003	NAM TXT	TLM 50 / TLM 100 JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D012P001	NAM TXT	TLM 50 / TLM 100 JOG A, G & R COMBAT ONC / TPC / ATC 200
9D012P002	NAM TXT	HAC 1-9 BNPC
9D012P003	NAM TXT	HAC 1-9 BNPC
	POINT OF CHANGE	
9D015P001		TLM 50 TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ATC 200
9D015P003		TTADB-SD,T,O PTADB-SD,T TRANS 50 TRANS 250
9D015P004		TTADB-T PTADB-T TRANS 50 TRANS 250
9D015P005		TLM 50 TLM 100 JOG A, G & R C.G. & ENVIRONS COMBAT ATC 200
9D015P006		HAC 1-6 COMBAT
9D015P007		HAC 1-6

MISCELLANEOUS 9D

SYMBOL NUMBER	FEATURE SYMBOL	
	VOID COLLECTION AREA	
9D020A001	RELIEF DATA INCOMPLETE	TLM 50 TLM 100 JOG A, G & R ONC / TPC COMBAT ATC 200
9D020A002	LIMITS OF RELIABLE INFORMATION	TLM 50 TLM 100 JOG A & G ONC / TPC COMBAT
	NAMED LOCATION	
9D040A001 9D040A003	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D040A002	NAM	TLM 50 / TLM100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200
9D040L001 9D040L003	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D040L002	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200
9D040P001 9D040P003	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D040P002	NAM	TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

APPENDIX A - SYMBOLOGY GRAPHICS

GENERAL

MISCELLANEOUS 9D

SYMBOL NUMBER	FEATURE SYMBOL
	TEXT DESCRIPTION
9D045A001 9D045A003 9D045A006	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D045A002	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200
9D045A004	MTS — TTADB-O PTADB-O
9D045A005	MTS — CCM 50 CCM 250
9D045L001 9D045L003 9D045L006	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D045L002	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200
9D045L004	MTS — TTADB-O PTADB-O
9D045L005	MTS — CCM 50 CCM 250
9D045P001 9D045P003 9D045P004	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R HAC 1-9 / COMBAT ONC / TPC / ATC 200 BNPC
9D045P002	LAB — TLM 50 / TLM 100 C.G. & ENVIRONS JOG A, G & R COMBAT ONC / TPC ATC 200

MISCELLANEOUS 9D

SYMBOL NUMBER	FEATURE SYMBOL
	VERTICAL RELIABILITY AREA LIMITS
9D060A001	ATC 200
	ANNOTATION DESCRIPTION
9D066A001	DRI — JOG R ATC 200
9D066A002	DRI — JOG R ATC 200
9D066P001	DRI — JOG R ATC 200
9D066P002	DRI — JOG R ATC 200
9D066P003	RLT, RLN, ZVL, DRI — JOG R ATC 200

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

ALPHABETICAL LISTING OF FACS FEATURES

		Page
ADMINISTRATIVE BOUNDARY	6A000.....	716
AERIAL CABLEWAY LINE / SKI LIFT LINE	1Q010.....	651
AERIAL CABLEWAY PYLON / SKI PYLON	1Q020.....	651
AIR OBSTRUCTION LIGHT	1R005.....	657
AIRCRAFT FACILITY	1U030.....	662
AIRCRAFT FACILITY BEACON	1U040.....	663
AIRPORT LANDING PAD	1U025.....	662
AIRSPACE	1R010.....	658
AMUSEMENT PARK	1K030.....	621
AMUSEMENT PARK ATTRACTION	1K020.....	621
ANCHORAGE	2B010.....	667
ANNOTATION DESCRIPTION	9D066.....	728
APRON / HARDSTAND	1U060.....	664
AQUEDUCT	2H010.....	688
ARMISTICE LINE	6A020.....	716
ASPHALT LAKE	4A005.....	704
ATHLETIC FIELD	1K040.....	622
BAMBOO / CANE	5C010.....	712
BATTERY	1H020	619
BERTH	2B020.....	668
BLUFF / CLIFF, ESCARPMENT	4B010.....	705
BOG	5D010.....	714
BOTTOM CHARACTERISTICS	2F010.....	686
BOUNDARY MARKER	9B030.....	726
BREAKERS	2D010.....	678
BREAKWATER	2B040.....	668
BRIDGE / OVERPASS / VIADUCT	1Q040.....	652
BRIDGE SPAN	1Q045.....	653
BRIDGE SUPERSTRUCTURE	1Q050.....	654
BUILDING	1L015.....	626
BUILDING SUPERSTRUCTURE ADDITION	1L018.....	630
BUILT-UP AREA	1L020.....	631
BUOY	2C010.....	674
CABLE	1T005.....	659
CAIRN	1L025.....	631
CALLING-IN POINT	2B050.....	669
CAMPGROUND / CAMPSITE	1K060.....	622
CANAL	2H020.....	689
CART TRACK	1P010.....	649
CATALYTIC CRACKER	1C020	614
CAVE DWELLING	4B030.....	705
CEASE FIRE LINE	6A030.....	716
CEMETERY	1L030.....	632
CHIMNEY / SMOKESTACK	1F010	617
CISTERN	2I010.....	699
CLAIM LINE	6A040.....	716
CLEARING LINE	2C020.....	675
COASTAL SHORELINE	2A010.....	666
COLREGS DEMARCATION LINE	6C020.....	718
COMMUNICATIONS FACILITY	1T050.....	661
COMPLEX OUTLINE	1L045.....	632
CONSTRICTION	1Q058.....	654
CONTOUR (LAND)	3A010.....	702
CONTROL POINT	9B035.....	726
CONTROL TOWER	1Q060.....	654

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

CONVEYOR	1F020	617
COOLING TOWER	1F030	617
CRANE	1F040	618
CREVICE / CREVASSE	4B060	705
CRIB	2D020	679
CROPLAND (CULTIVATED)	5A010	711
CROSS COUNTRY MOVEMENT SPEED RANGE	4C010	710
CULVERT	1Q065	654
CURRENT ARROW / FLOW ARROW	2G010	687
CURRENT DIAGRAM	2G040	687
CUSTOMS BOUNDARY	6C030	718
CUT LINE	4B071	705
DAM	2I020	699
DEFACTO BOUNDARY/OTHER LINE OF SEPARATION	6A060	717
DEMILITARIZED ZONE	6A070	717
DEPOT (STORAGE)	1M010	642
DEPRESSION	4B080	706
DEPTH CONTOUR	2E015	685
DEPTH CURVE	2E010	685
DIRECTION OF BUOYAGE INDICATOR	6C035	718
DISCOLORED WATER	2D030	679
DISH	1T010	659
DISPLAY SIGN	1L050	632
DISPOSAL SITE / WASTE PILE	1B000	613
DISTANCE MARKER	1Q100	655
DITCH	2H030	691
DOLPHIN	2B080	669
DRAGON (TIGER) TEETH	1L060	633
DREDGED CHANNEL / DREDGED AREA	6C040	718
DRIVE-IN THEATER	1K070	622
DRIVE-IN THEATER SCREEN	1K080	622
DROP GATE / ROLLING BLOCK	1Q068	654
DRY DOCK	2B090	669
EARLY WARNING RADAR SITE	1T020	659
EDDIES	2D040	679
ELECTRONIC BEACON	2C030	675
EMBANKMENT	4B090	706
ESKER	4B100	707
FAIRGROUNDS	1K090	623
FAULT	4B110	707
FEED LOT / STOCKYARD / HOLDING PEN	1J030	620
FENCE	1L070	633
FERRY CROSSING	1Q070	655
FERRY SITE / FERRY SLIP	1Q080	655
FILTRATION / AERATION BEDS	2H040	692
FIREBREAK	5C015	712
FIRING RANGE	1H045	619
FISH HATCHERY	2H050	692
FISH TRAP / FISH WEIR	2B110	670
FISHERY / FISH STAKES	2B100	670
FISHING HARBOR	2B105	670
FLAGSTAFF / FLAGPOLE	1L073	633
FLARE PIPE	1F070	618
FLUME	2H060	692
FORD	2H070	692
FORESHORE	2A020	666
FORT	1H050	619
FOUL GROUND	2D050	679

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

GALLERY	1L075	633
GEOPHYSICAL PROSPECTING GRID	1L085	634
GEOTHERMAL FEATURE	4B115	707
GLACIAL MORAINE	2J020	700
GLACIER	2J030	700
GOLF COURSE	1K100	623
GRAIN BIN	1M020	642
GRAIN ELEVATOR	1M030	643
GRANDSTAND	1K110	623
GRASSLAND	5B010	712
GRIDIRON	2B115	670
GROUND SURFACE	4A010	704
HARBOR LIMIT	6C070	719
HEDGEROW	5A020	711
HOMOGENEOUS RADAR SIGNIFICANT AREA	1L095	634
HUMMOCK	5D020	714
HUT	1L100	634
ICE CLIFF	2J040	700
ICE PEAK / NUNATAK	2J060	701
ICE SHELF	2J065	701
INLAND SHORELINE	2H075	693
INSHORE TRAFFIC ZONE	6C075	719
INTERCHANGE	1P020	649
INTERNATIONAL DATE LINE	6A110	717
INTERNATIONAL MARITIME BOUNDARY	6A050	717
ISLAND	4B135	708
JETTY	2B140	671
KELP	2D060	680
LAKE / POND	2H080	693
LAND SUBJECT TO INUNDATION	2H090	694
LAND USE / LAND COVER	5E010	715
LANDING PLACE	2B150	671
LEADING LINE	2C040	675
LIGHT	2C050	675
LOCK	2I030	699
MAGNETIC DISTURBANCE AREA	9C040	726
MARITIME LIMIT	6C090	719
MARITIME STATION	2B155	671
MARKER	2C055	676
MARSH	5D040	715
MEASURED DISTANCE LINE	6C100	720
MINE	1A010	611
MINE DANGER AREA	6C110	720
MINERAL PILE	1M040	643
MISCELLANEOUS CULTURAL FEATURE	9D012	727
MISCELLANEOUS OBSTACLE FEATURE	4B145	708
MISCELLANEOUS SURFACE DRAINAGE FEATURE	2H095	694
MISCELLANEOUS UNDERWATER FEATURE	2D000	677
MISSILE SITE	1L120	634
MOAT	2H100	694
MOBILE HOME PARK	1I020	620
MONUMENT	1L130	635
MOORING MAST	1Q110	655
MOUNTAIN PASS	4B150	709
NAMED LOCATION	9D040	727
NATIVE SETTLEMENT	1L135	635
NAVAIDS (AERONAUTICAL)	1R030	658
NUCLEAR ACCELERATOR	1L140	635

Source: https://assist.dla.mil -- Downloaded: 2026-03-26T07:58Z
Check the source to verify that this is the current version before use.

NURSERY	5A030	711
OASIS	5C020	712
OFFSHORE LOADING FACILITY	2B170	672
OPEN WATER (EXCEPT INLAND)	2A040	667
ORCHARD / PLANTATION	5A040	711
OUTDOOR THEATER / AMPHITHEATER	1K115	623
OVERFALLS / TIDE RIPS	2D080	680
OVERHEAD OBSTRUCTION LOCATION	1L155	636
OVERRUN / STOPWAY	1U130	664
OYSTER OR CULTIVATED SHELLFISH BED	2B180	672
PACK ICE	2J070	701
PARK	1K120	624
PENSTOCK	2H110	694
PERCH / STAKE	2D090	680
PIER, WHARF	2B190	672
PILING	2D100	680
PIPELINE / PIPE	1L160	636
PIPELINE / PIPE CROSSING POINT	1L165	637
PLATFORM	2D110	681
PLAZA / CITY SQUARE	1L170	637
POINT OF CHANGE	9D015	727
POLAR ICE	2J080	701
POWER PLANT FACILITY	1D010	615
POWER TRANSMISSION LINE	1T030	660
POWER TRANSMISSION PYLON	1T040	660
PRECISE RADAR SIGNIFICANT LOCATION	9B070	726
PREPARED RAFT OR FLOAT BRIDGE SITE	1Q111	656
PROCESSING PLANT / TREATMENT PLANT	1C000	614
PROHIBITED AREA	6C120	721
PUMPING STATION	1L180	638
QUARRY	1A030	611
RACE TRACK	1K130	624
RADAR TRANSMITTER	1T045	660
RADAR-REFERENCE LINE	6C130	721
RAILROAD TRACK	1N010	645
RAMP	2B220	673
RAPIDS	2H120	695
RAVINE, GORGE, CANYON	4B155	709
RECREATIONAL VEHICLE AREA	1K140	624
REEF	2D120	681
REEF POOL	2D125	682
RESERVOIR	2H130	695
REST AREA / VEHICLE STOPPING AREA	1Q115	656
RESTRICTED AREA	6C150	721
RIDGE LINE	3A020	703
RIG / SUPERSTRUCTURE	1A040	612
RIPRAP	2B225	673
RIVER / STREAM	2H140	696
RIVER VANISHING POINT / STREAM VANISHING POINT	2H145	697
ROAD	1P030	650
ROCK	2D130	682
ROCK FORMATION	4B160	709
ROUNDABOUT	6C160	723
ROUTE	6C165	723
ROUTE MARKER	1Q116	656
RR SIDING / RR SPUR	1N050	647
RR TURNTABLE	1N075	648
RR YARD	1N080	648

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

RUINS ..... 1L200..... 638
RUNWAY ..... 1U160..... 664
SABKHA ..... 2H160..... 698
SAFETY FAIRWAY ..... 6C170..... 724
SALT EVAPORATOR ..... 2H150..... 697
SALT PAN ..... 4A020..... 704
SAND DUNES / SAND HILLS ..... 4B170..... 709
SCRUB / BRUSH ..... 5B020..... 712
SEAPLANE LANDING OR TAKEOFF AREA ..... 1U190..... 665
SEAWALL ..... 2B230..... 673
SETTLING BASIN / SLUDGE POND 1C030 615
SHANTY TOWN ..... 1L208..... 639
SHARP CURVE ..... 1Q118..... 656
SILO ..... 1M050..... 643
SKI JUMP ..... 1K150..... 624
SLIPWAY ..... 2B240..... 673
SLOPE CATEGORY ..... 4B176..... 709
SLUICE GATE ..... 2I040..... 700
SNAG / STUMP ..... 2D140..... 683
SNOW FIELD / ICE FIELD ..... 2J100..... 701
SNOW SHED / ROCK SHED ..... 1L210..... 640
SOLAR PANEL 1D020 616
SOUNDING ..... 2E020..... 685
SPECIAL AREA ..... 1L215..... 640
SPOT ELEVATION ..... 3A030..... 703
SPRING / WATER-HOLE ..... 2H170..... 698
STADIUM ..... 1K160..... 625
STEEP GRADE ..... 1Q125..... 656
STEEPLE ..... 1L220..... 640
STORAGE BUNKER / STORAGE MOUND ..... 1M060..... 644
SUBSTATION / TRANSFORMER YARD 1D030 616
SURFICIAL MATERIAL ..... 4A030..... 704
SWAMP..... 5D030..... 714
SWEPT AREA ..... 6C177..... 724
SWIMMING POOL ..... 1K170..... 625
TANK ..... 1M070..... 644
TAXIWAY ..... 1U200..... 665
TELEPHONE LINE / TELEGRAPH LINE ..... 1T060..... 661
TENT DWELLING ..... 1L228..... 640
TEXT DESCRIPTION ..... 9D045..... 728
TIDAL STREAM DATA POINT ..... 2G030..... 687
TIDE GAUGE ..... 2G020..... 687
TOWER (COMMUNICATION) ..... 1T080..... 662
TOWER (NON-COMMUNICATION) ..... 1L240..... 641
TRACK LINE ..... 2E030..... 685
TRACK SWATH ..... 2E040..... 686
TRAFFIC SEPARATION SCHEME ..... 6C180..... 725
TRAIL ..... 1P050..... 651
TRAMWAY / INCLINE RAILWAY ..... 1N090..... 648
TREES ..... 5C030..... 713
TUNDRA ..... 2J110..... 701
TUNNEL ..... 1Q131..... 656
TUNNEL ENTRANCE / EXIT ..... 1Q132..... 657
UNDERGROUND DWELLING ..... 1L250..... 641
VEHICLE STORAGE / VEHICLE PARKING ..... 1Q140..... 657
VERTICAL RELIABILITY AREA LIMITS..... 9D050..... 728
VINEYARD / HOPS ..... 5A050..... 711
VISUAL BEACON ..... 2C060..... 676

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

VOID COLLECTION AREA ..... 9D020..... 727
VOLCANIC DIKE ..... 4B190..... 710
VOLCANO ..... 4B180..... 710
WALL ..... 1L260..... 641
WATER INTAKE TOWER ..... 2I050..... 700
WATER TOWER ..... 1M080..... 645
WATERFALL ..... 2H180..... 698
WELL 1A050 612
WINDMILL / WINDMOTOR 1J050 620
WORK IN PROGRESS AREA ..... 6C210..... 725
WRECK ..... 2D180..... 684
WRECKING YARD / SCRAP YARD 1B010 613
ZONE OF OCCUPATION ..... 6A170..... 717
ZOO ..... 1K180..... 625

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

INDEX

TITLE	PARAGRAPH	PAGE
APPENDIX A - Symbology Graphics	-	601
Applicable documents	2	2
Application	1.3	1
Capitalization of type	4.4.2	9
Concluding material	-	735
Content of symbol graphics	4.2.2	8
Definitions	3	3
Detailed requirements	5	10
Foreword	-	i
General	4.1	6
General requirements	4	6
Government documents	2.1	2
Graphic symbol requirements	4.2	7
Intended use	6.1	599
International MC&G agreements	6.5.4	600
Issue of DoDISS	6.2	599
Key to MC&G product abbreviations	4.5	9
MC&G symbology	5.1	10
NATO standardization agreements (STANAGs)	6.5.1	600
Non-Government publications	2.2	2
Notes	6	599
Order of precedence	2.3	2
Origin (definition)	3.1	3
Orientation (definition)	3.2	3
Other Government documents, drawings, and publications	2.1.2	2
Other MC&G products	4.5.2	9
Other symbol graphic requirements	4.4	8
Parameter fields (definition)	3.3	3
Placement of type	4.4.3	9
Purpose	1.2	1
Reproduction of symbol graphics	4.2.3	8
Scope	1, 1.1	1
Security	1.4	1
Specifications, standards, and handbooks	2.1.1	2
Standardization agreements	6.5	599
Structure	4.1.1	6
Subject term (key word) listing	6.4	599
Supersession	6.3	599
Symbol (definition)	3.4	5
Symbol graphics	4.2.1	7
Symbol graphics shown in combination	4.3	8
Symbol phasing requirements	4.4.1	8
Table of contents	-	ii
Terrain analysis products	4.5.1	10

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T04:58Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
DMA-MP

Preparing activity:
DMA-MP

(Project MCGT-0037)

Source: https://assist.dla.mil -- Downloaded: 2026-00-26T07:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-STD-2402(DMA)	2. DOCUMENT DATE (YYMMDD) 950421

3. DOCUMENT TITLE: Standard Practice for for MC&G Symbols for Graphic Products

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(if applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY

a. NAME Defense Mapping Agency ATTN: ATISS, ST A-10	b. TELEPHONE *(Include Area Code)* (1) Commercial (703) 285-9238	(2) AUTOVON 356-9238
c. ADDRESS *(Include Zip Code)* 8613 Lee Highway Fairfax, VA 22031-21.37	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.* 198-290

Source: https://assist.dla.mil -- Downloaded: 2026-08-26T04:38Z
Check the source to verify that this is the current version before use.