INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

BLEACH, LAUNDRY, ORGANIC CHLORINE

This Interim Amendment was developed by the U.S. Army Natick Development Center, Natick, MA 01760, for use by Defense General Supply Center, based on currently available technical information. It is recommended that Federal Agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this Interim Amendment as a valid exception to Federal Specification O-B-420B dated July 22, 1970.

PAGE 1

2.1, under listing of Federal Specifications

PPP-B-636 - Delete title and substitute "Boxes, Shipping Fiberboard"
PPP-T-60 - Delete title and substitute "Tape Packaging Waterproof"

2.1, under listing of Federal Standards

FED. STD. NO. 123 - Delete "(Civilian Agencies)" and substitute "(Civil Agencies)"

Add the following new standard

"FED. STD. 313 - Symbols for Packages and Containers for Hazardous Industrial Chemicals and Materials."

PAGE 2

2.1 Add the following at the end of the paragraph:

"Laws and Regulations

U. S. Postal Service Manual

Source: https://assist.dla.mil -- Downloaded: 2026-[illegible]
Check the source to verify that this is the current version before use.

(Copies of the manual may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402)".

PAGE 3

Line 1. Delete "National Classification Board" and substitute

"National Motor Freight Traffic Association, Inc., Agent"

Line 4. Delete "Attn:" and substitute "Inc."
Line 5. Delete "Committee:" and substitute "Committee Agent".
Line 8. Delete in its entirety and substitute:

"Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606"

Table I, line 2, after "Phosphates, as P_2O_5 percent 1/" and in column for "Maximum" requirements. Add "20.0"

PAGE 4

Table I, after footnote 1/. Add the following: "Twenty percent P_2O_5 is equivalent to 8.7 percent phosphorus."

PAGE 5

4.3.1.1 Delete the defect applicable to "Closure" and substitute the following: "Incomplete, imperfect, leakage or damage to the polyethylene or polyvinylidene liner as applicable."

Delete the third defect applicable to "Liner" and substitute the following: "Not completely heat sealed at seams, mouth not double folded and taped, not tightly knotted, or not twisted, folded and closed with plastic coated wire as applicable."

PAGE 6

4.3.2 and 4.3.2.1. Delete entirely and substitute:

"4.3.2 Examination of preparation for delivery requirements. An examination shall be made to determine that the packaging, packing, and marking complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects of closure listed below shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:13Z
Check the source to verify that this is the current version before use.

Examine	Defect
Marking (exterior)	Omitted, incorrect; illegible; of improper size, location, sequence or method of application.
Materials	Any component missing, damaged or not as specified.
Workmanship	Inadequate application of components, such as: Drum or plastic film material not as specified. Bulged or distorted container.
Content	Quantity not as specified."

4.3.3, under "Examination paragraph". Delete "4.3.2.1" and substitute "4.3.2".

PAGE 8

Table II, lines 11 to 14, after "Insoluable matter content, percent", in the column for Requirements applicable to Individual unit" Delete "X"; in the column for "Requirements applicable to Composite sample". Add "X".

PAGES 14 thru 17

Section 5. Delete and substitute:

"5. PREPARATION FOR DELIVERY

5.1 Packing. Packing shall be level A, B or C as specified (see 6.2).

5.1.1 Level A. Twenty-five, fifty and 125-pound quantities of bleach shall be packed in a snug-fitting fiber drum conforming to type III, grade A, class 2 of PPP-D-723. Each fiber drum shall be fitted with a 0.004-inch minimum thickness polyethylene bag conforming to type I or II, grade A of PPP-B-26 or 0.002-inch minimum thickness polyvinylidene chloride bag. The plastic film bag may be closed by heat sealing; double-folding the plastic material at the mouth and taping it to the bag body with 1-inch minimum width pressure-sensitive tape conforming to PPP-T-60 or PPP-T-76; by tightly knotting the plastic material at the mouth; or tightly twisting the mouth opening, then folding over half of the twisted portion and applying a plastic coated wire tie around the center of the fold. Prior to or during the final closure operation, excess air

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:13Z
Check the source to verify that this is the current version before use.

within the plastic bag shall be expelled. Regardless of the closure method used, the plastic bag shall be of sufficient length to allow for a knotting closure. Each fiber drum shall be closed in accordance with the applicable requirements of PPP-D-723.

5.1.2 Level B. Twenty-five, fifty and 125-pound quantities of bleach shall be packed in a snug-fitting fiber drum conforming to type I, grade A, class 2 of PPP-D-723. Each fiber drum shall be fitted with a plastic bag and the bag closed as specified in 5.1.1. Each fiber drum shall be closed in accordance with the applicable requirements of PPP-D-723.

5.1.3 Level C (Commercial Packing). Bleach shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The quantity per shipping container shall be the same as that normally used by the supplier for retail distribution. Containers shall comply with U. S. Postal Service, Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.2 Marking.

5.2.1 Civil agencies. In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with FED-STD-123.

5.2.2 Military requirements. In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with MIL-STD-129.

5.2.3 Labeling. Unless otherwise specified in the contract or order, each shipping container shall be labeled in accordance with the Federal Hazardous Substances Act.

5.2.4 Special marking. Each shipping container shall be legibly printed, stencilled or stamped in black ink with capital letters with the following special marking:

"STORE IN COOL DRY PLACE".

6.2, subparagraphs (b) through (f). Delete and substitute:

"(b) Selection of the applicable level of packing (see 5.1)".

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:13Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - SH
Air Force - 68

Review activities:

Army - MD, MU
Navy - MS

Preparing activity:

Army - GL

Civilian Agency Coordinating Activities:

AGR-CMS
DC GOVT-DCG
GSA-FSS
HEW-NIH, FDA
JUS-FPI
VA-DMS

Project No. 6850-A569

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:13Z
Check the source to verify that this is the current version before use.