FEDERAL SPECIFICATION

CLEANER, VACUUM, (ELECTRIC, PORTABLE)

This Interim Amendment was developed by the Standardization Division, Federal Supply Service, General Services Administration, Washington, D.C., 20407, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above. The General Services Administration has authorized Federal agencies to use this Interim Amendment as a valid exception to Federal Specification W-C-421f, dated July 25, 1963.

Page 1, paragraph 1.1.1: Delete and substitute:

"1.1.1 Federal specification coverage. - Federal specifications do not include all varieties of the commodity as indicated by the title of the specification, or which are commercially available, but are intended to cover only those generally used by the Federal Government."

Page 1, paragraph 1.2.1: In fifth line, delete the words "in the invitation to bid, contract or order."

Under Type I, Class B, Size 1: Delete "3/4" and substitute "5/8."

Page 2, paragraph 2.1 under "Federal Specifications" delete the following:

"PPP-B-585 - Boxes, Wood, Wirebound.
PPP-B-591 - Boxes; Fiberboard, Wood-Cleated.
PPP-B-601 - Boxes, Wood, Cleated Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock Corner.
PPP-B-636 - Box, Fiber."

Page 2, paragraph 2.1 under "Federal Specifications" add the following:

"PPP-P-600 - Porcelain Enamel Products and Household Appliances, Electrical and Mechanical - Requirements for Packing."

Page 2, paragraph 2.1 under "Military Specifications" delete the following:

"JAN-P-100 - Packaging and Packing for Overseas Shipment, General Specification.
MIL-C-104 - Crates, Wood, Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-C-132 - Crates, Open, Wood, Maximum Capacity 2500 pounds.
MIL-L-10547 - Liners, Case, Waterproof."

Page 3, paragraph 2.2: Add the following;

"American Standards Association Standard:
ASA-C50.4 - Direct Current Generators, Direct Current Motors, and Direct Current Commutating Machines in General.

(Copies may be obtained from the American Standards Association, 10 East 40th Street, New York, New York, 10016.)

Page 3, paragraph 3.2.1: In first line, delete the word "bidder" and substitute "contractor."

Page 3, paragraph 3.2.2: In second line, delete the word "bidder" and substitute "contractor."

Page 3, paragraph 3.4.1: In second and third lines, delete the words "class B, size 2 and."

Page 4, paragraph 3.7.1: Delete and substitute;

"3.7.1 Dry separation. - Vacuum cleaners shall be designed and constructed for dirt separation by the commercially designated dry method, unless the commercially designated wet method is specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Page 4, paragraph 3.7.2: Delete the last sentence.

Page 4, paragraph 3.9: Delete the first sentence and substitute;

"Except as specified herein, direct current motors shall conform to ASA Standard C50.4, as applicable."

In lines 19 and 26, delete the words "invitation for bids" and "invitation to bid," respectively, and substitute "contract."

Page 5, paragraph 3.10: Delete.

Page 5, paragraph 3.10.1: Delete paragraph number "3.10.1" and substitute "3.10."

Pages 6 and 7, table I: In line for type I, class B, size 1, style 1; in column 5, delete "3/4" and substitute "5/8"; in column 7, delete "9,000" and substitute "8,000"; in column 14, delete "22" and substitute "16"; in column 15, delete "1.6" and substitute "1.2"; in column 16, delete "33" and substitute "24"; in column 17, delete "2.5" and substitute "1.8"; in column 19, delete "37" and substitute "25"; in column 20, delete "190" and substitute "75"; and in column 21, delete "690" and substitute "1450."

In line for type I, class D: in column 6, delete "18,000" and substitute "20,000."

In line for type II, class B, size 2: in column 7, delete "SV or SVT" and substitute "SV, SVT, or SJ."

Page 8, paragraph 3.14: Delete the last sentence and substitute;

"Type II, class A and class B, size 1 cleaners shall be provided with interior throw-away dust bags."

Page 9, table III, in section of table titled "(Type I, class D, and type II, classes A and B vacuum cleaners).1/", delete the words "Extension tube" and substitute "Floor handle."

Below "Floor handle", insert in column 1, "Extension tube 6/" and add as columns 2,3, and 4 the dimensions "1, 2, and 9," respectively.

Add the following footnote to the table;

"6/ To be provided only when the effective floor handle length, including the hose end and handle grip construction, is not less than 4 feet, 5 inches."

Following "Carpet tool" in first column, add "Combination floor tool 5/."

Add the following footnote to the table;

"5/ See 3.15.7."

Page 8, paragraph 3.15.2: Delete and substitute;

"3.15.2 Bare floor tool. Bare floor tools shall comply with the requirements in table III. Except where the tool is an integral part of the cleaner, the tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle."

Page 10, paragraph 3.15.3: Delete and substitute;

"3.15.3 Carpet tool. Carpet tools shall comply with the requirements in table III. Except where the tool is an integral part of the cleaner, the tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle.

Page 10, Add a new paragraph as follows:

"3.15.7 Combination floor tool. The combination floor tool shall be for use with type I, class D cleaners. The tool shall clean carpets or bare floors and shall be readily convertible from one use to the other. The tool shall be so constructed that when the floor handle is held stationary the tool head may be rotated at least 175 degrees about the swivel coupling on the floor handle."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Page 10, paragraph 3.16.1.1: In second sentence, delete the words "invitation for bids," and substitute "contract."

In third sentence, delete the words "in the invitation to bid, contract, or order."

Page 10, paragraph 3.16.1.2: Delete and substitute;

"3.16.1.2 Class D. Type I, class D vacuum cleaners shall clean by suction only. The cleaners shall be self-contained canister construction. The cleaners shall use throw-away paper bag dirt receptacles. Unless otherwise specified (see 6.1), each cleaner shall be provided with not less than 12 paper bag receptacles."

Page 14, figure 6: Delete "Model 1. - Horizontal cylinder" including the figure. Delete the words "Model 2. - Vertical canister."

Page 14, paragraph 3.16.1.2.1: Delete.

Page 14, paragraph 3.16.3.1: In fourth line, delete "government" and substitute "Government."

Page 14, paragraph 3.16.3.3: Delete the second sentence and substitute;

"Unless otherwise specified (see 6.1), type I, style 2 and type II, class F cleaners shall be provided with either arrangement 1 or arrangement 2 mounting."

Page 15, paragraph 3.16.6: Delete the first sentence and substitute;

"The dirt shall be retained in a suitable receptacle which can be readily emptied and cleaned except in class D cleaners (see 3.16.1.2)."

Page 16, paragraph 3.16.8: In second sentence, delete the words "in the invitation for bids."

Page 16, paragraph 3.16.8.7: Delete the second sentence and substitute;

"For type I, class D vacuum cleaners, the hose may have a swivel joint at the machine end or attach directly to the cleaner and shall have suitable means for applying attachments at the other end."

Page 16, paragraph 3.16.9: Delete and substitute;

"3.16.9 Attachment list. When attachments are specified for type I cleaners (see 3.16.8), they shall be furnished in accordance with the following list unless otherwise specified (see 6.1)."

In list of attachments for type I, class D cleaners, following "1 bare floor tool," insert "1 combination floor tool."

Page 17, paragraph 3.17: Delete and substitute;

"3.17 Type II vacuum cleaners, exposed filter. Unless otherwise specified (see 6.1), the handle of classes A and B cleaners shall be adjustable to an approximately horizontal position. The overall height of the cleaner housing shall not exceed 7 inches for class A and Class B, size 1 cleaners nor 8 inches for class B, size 2 cleaners. The dust bags for type II cleaners shall consist of an outer container and an inner throw-away paper bag except that the inner throw-away bag shall not be required for class B, size 2 and class F cleaners."

Page 19 paragraph 3.17.4: Delete the last sentence.

Page 19, paragraph 3.17.4.1: Delete the last two sentences.

Page 20, paragraph 3.17.6: Delete and substitute;

"3.17.6 Attachments. Type II, classes A, B, and F vacuum cleaners shall be furnished with or without attachments as specified (see 6.1)."

Page 20, paragraph 3.17.6.3: In third line, delete the word "test" and substitute "requirement."

Page 20, paragraph 3.17.6.4: Delete the first sentence and substitute;

"For type II, classes A and B vacuum cleaners, the hose shall have suitable means at one end for attaching to the cleaner and suitable means at the other end for applying attachments."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:27Z
Check the source to verify that this is the current version before use.

Page 20, paragraph 3.17.7: Delete and substitute:

"3.17.7 Attachment list. When attachments are specified for type II, classes A, B, and F cleaners (see 3.17.6), they shall be furnished in accordance with the following list unless otherwise specified (see 6.1)."

Page 21, paragraph 4.2.2.1: Delete the words "type, class, and size" and substitute "type, class, size, and style."

Page 22, paragraph 4.2.2.3: In second column of table, delete "L4 and substitute "S-2."

Page 22, paragraph 4.3.2: In fifth line, delete "L8" and substitute "S-4."

Page 22, paragraph 4.3.4: Delete and substitute;

"4.3.4 Radio interference reduction. Radio interference suppression tests shall be performed in accordance with 4.6.3 to determine compliance with 3.10.1."

Page 22, paragraph 4.3.5: In twelfth line, delete "L4" and substitute "S-2."

Page 23, paragraph 4.4.1: In fifth line, following the word "purchaser," insert "(see 6.1)."

Page 27, paragraph 4.5: In fifth line, following the word "specified," insert (see 6.1).

Delete the third sentence and substitute:

"At the end of the continuous run periods, the observable temperature rise of motor windings shall not exceed the temperatures specified in CC-M-636 or CC-M-641, as applicable."

Page 27, paragraph 4.5.1: Delete.

Page 28, paragraphs 4.13 and 4.13.1: Delete.

Page 28, paragraph 5.1.1: In first sentence, delete the words "Unless otherwise specified."

Page 28, paragraphs 5.2, 5.2.1, 5.2.2 and 5.2.3: Delete and substitute:

"5.2 Packing. Packing shall be level A, B, or C as specified (see 6.1)."

5.2.1 Level A. Vacuum cleaners shall be packed in accordance with the applicable requirements of Specification PPP-P-600.

5.2.2 Level B. Vacuum cleaners shall be packed in accordance with the applicable requirements of Specification PPP-P-600.

5.2.3 Level C. Vacuum cleaners preserved and packaged in accordance with 5.1 shall be packed in a manner to insure carrier acceptance and safe delivery at destination. Containers shall be in accordance with the rules and regulations of carrier as applicable to the mode of transportation.

Page 29, paragraph 5.3.1: In second line, following the word "order", insert "(see 6.1)."

Pages 29 and 30, paragraph 6.1:

Add new sub-paragraphs as follows:

"(u) When the wet method of dirt separation is required (see 3.7.1).
(v) Size of motor if different from 3.9.1.
(w) When tanks of other than metal are required (see 3.17.2.6).
(x) Attachments required if different from 3.17.7.
(y) Current required for operating tests (see 4.4.1).
(z) Ambient temperature if different from 4.5.
(aa) Level of packing required (see 5.2)."

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:27Z
Check the source to verify that this is the current version before use.

Sub-paragraph (g): Delete.
Sub-paragraph (h): Delete and substitute;
"(h) When vacuum cleaners shall be equipped for reduction of radio interference and if so equipped whether reduction of radio interference shall be in accordance with MIL-I-11748, MIL-I-26600, or MIL-I-16910 (see 3.10.1)."

Sub-paragraph (m): Delete and substitute;
"(m) Number of paper bag receptacles to be provided if different from 3.16.1.2."

Sub-paragraph (n): Delete.

Sub-paragraph (o): Delete and substitute;
"(o) Mounting arrangement if different from (3.16.3.3)."

Sub-paragraph (s): Delete and substitute;
"(s) Level of preservation and packaging required (see 5.1)."

Sub-paragraph (t): Delete and substitute;
"(t) Special marking when required (see 5.3.1 and 5.3.2)."

Page 31: Add a new paragraph as follows:

"6.9 Civil agency procurement. When level B packaging is specified for civil agency procurement the requirements in 5.1.1 shall apply."

Page 31: Delete the "Notice."

Source: https://assist.dla.mil -- Downloaded: 20260-26T11:27Z
Check the source to verify that this is the current version before use.