DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

2 TITLE	1 IDENTIFICATION NUMBER
INTEGRATED COSAL (I-COSAL) DATA	DI-ILSS-80958

3 DESCRIPTION/PURPOSE

3.1 I-COSAL data identifies to the government all changes made to the loading COSAL as required by Allowance Appendix Pages (AAPs) developed after the loading COSAL cut-off date. The data is used by the government to produce an Integrated COSAL (I-COSAL) and for updating the shipboard mechanized configuration records.

4 APPROVAL DATE (YYMMDD)	5 OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a DTIC APPLICABLE	6b GIDEP APPLICABLE
900227	SH/CEL-MS		

7 APPLICATION/INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content instructions for the preparation of I-COSAL data required by 5.6.1 of MIL-STD 1339.

7.2 This DID is applicable to ship acquisition, conversion, and modernization programs.

8 APPROVAL LIMITATION	9a APPLICABLE FORMS	9b AMSC NUMBER
		N4908

10 PREPARATION INSTRUCTIONS

10.1 General. I-COSAL data shall consist of six (6) magnetic tapes as follows:

a. Summary of effective allowance parts/equipage lists (SOEAPL) tape
b. Part I A, B, C, D, and E tape
c. Part IIA and C tape(s)
d. Part III A, B, CF, and CR tape
e. Part III D tape
f. Part Number Stock Number Sequence List (SNSL) tape (additions only)

With the exception of 10.1f, each of the above tapes equate to the parts and sections of the loading COSAL and shall identify the changes made in each part and section of the loading COSAL resulting from AAP processing actions.

10.2 Content requirements.

10.2.1 SOEAPL. The SOEAPL tape shall include all AAPs (being added to Part II A or C) which have a Logistic Support Status Code (LSSC) of either "AA", "AU", or "AP". Additionally, any Allowance Parts List (APL) or Allowance Equipage List (AEL) listed in the loading COSAL with an LSCC "AP" that does not appear in the loading COSAL SOEAPL shall be included in the SOEAPL AAP tape.

10.2.1.1 SOEAPL AAP tape format. The SOEAPL AAP tape shall be formatted as follows:

11 DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

10.2.1.1 SOEAPL AAP tape format (Cont'd)

SOEAPL AAP TAPE FORMAT

The I-COSAL program will accept add and delete transactions.

File Number - AAP-SOEAPL
File Name - SOEAPL Work Tape
Record Size - 30 characters
Block Size - 1800 characters
Sequence - Random
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-9	D036B	*Ship Type and Hull Number	9
10		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
11		*APL/AEL Indicator 1 = APL 2 = AEL	1
16-25	D008	*APL//EL (see note)/AAP number	10
30		*Update transaction code A = Add D = Delete Change not applicable	1

*Signifies Control Data Fields

NOTE: *AEL Conversion (applies to all AEL input)

0- = A Ordnance
1- = B Space
2- = C Miscellaneous
3- = D Material Handling
4- = E Flag Allowance
5- = F Special Purpose
6- = G Nuclear Reactor Plant
7- = H Electronic
8- = J Trident
9- = K Nuclear Weapons

10.2.2 Part I A, B, C, D, and E AAP tape. This tape shall include appropriate entries to reflect the result of AAP action elsewhere in the loading COSAL. Entries shall be made to this tape regardless of the LSSC on the AAP.

10.2.2.1 Part I A, B, C, D, and E AAP tape format. The Part 1A, B, C, D and E AAP tape shall be in the following format:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART I A, B, C, D, & E AAP TAPE FORMAT

The I-COSAL program will accept add and delete transactions. Changes may only be made to character position indicated with a "C".

File Number - AAP-Indicies
File Name - Index Work Tape
Record Size - 265 characters
Block Size - 2915 characters
Sequence - Random
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

Char. Pos		DEN	DATA NAME	NO. CHARACTERS
1-10		E010A	*Service Application Code	10
11-20		D008	*Repairable Item Code APL/AEL	10
21-29		D036B	*Ship Type and Hull Number	9
30			Record Type (1)	1
35		D034	Type Technical Document Code for DEN D032/E093 M = Valve Mark N = Elect Symbol No. S = Serial No.	1
37			*Index A/B Control Word (Y)	1
38			*Index C/D/E Control Word (Y)	1
41-45		E221	RIN (Use "NORIN" for pseudo numbers)	5
46-60		D032/E093	Serial No/Valve Mark or Electronic Symbol Number	15
61-72		E052	Preliminary Eqpt. Index Loc. Code	12
73	C	E012	AEL Column Number	1
75-78		D011	Qty per Application (RIN)	4
80-83	C	D011	Qty per Application per SAC	4
86-88	C	E058	FBM MEC	3
89-90	C	E098	MEC Class	2
91-94		E128	Work Center for Equipment	4
95-101		D008D	Equipment Identification Code	7
102	C	C008D	MEC N/V (FLSIP)	1
103	C	C003Y	Mission Criticality Code (MOD-FLSIP)	1
104		E035	COSAL Computation 1 = FLSIP .15 5 = FLSIP .25 2 = TRIDENT 6 = MOD-FLSIP 3 = Conventional 7 = FBM HOE 4 = MCO	1
105-116		E129/E208	AILSIN (Automated Integrated Language System Identification Number)	12
117-120		E127	Work Center for Compartment	4
121-122	C	E013	Index Notes Code (Reserved for future use)	2
123	C	D044	Tech Cog Code	1
125-126		D029	Application/Identification Number Acty Code	2
127-128	C	D031	Logistic Support Status Code	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART I A, B, C, D, & E AAP TAPE FORMAT (Cont'd)

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
129		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
130-177 C	E224/E001	TMSD (Type Model Series Designator) and/or Equip Nomenclature	48
178-182	C035	Commercial and Government Entity (CAGE)	5
183-197	E130A	Maintenance Index Page	15
198-203	A002	Unit Identification Code	6
204-211		COSAL Date (MO-DA-YR)	8
265		*Update Transaction Code A = Add D = Delete C = Change (Blank records will create blanks)	1

*Signifies Control Data Fields

10.2.3 Part II A and C tape(s). The Part II A and C tape shall include APLs/AELs to be added, deleted, or changed in the loading COSAL resulting from AAP action.

10.2.3.1 Part II A and C AAP tape format. This tape shall be in the following format:

PART II A & C TAPE FORMAT

The I-COSAL program will accept additions, deletions, and changes. Each transaction record type contains an action code in character position 175. These codes are "D" (Deletion), "A" (Addition), and "C" (Change). Update transactions are processed in that order to allow SPCC to delete existing records and add new ones in the same cycle. Processing deletions for each type requires only control data (indicated by an asterisk (*) and an update code of "D".

The following information summarizes the relationship between record type and update codes:

RT	UPDATE CODE(S)
10	A, C, D
20	A, C, D
30	A
40	A, C, D
50	A, C, D
51	A
52	A
60	A, D
61	A, D

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

RT	UPDATE CODE(S)
65	A, D
70	A, D
71	A, D

The record type must be 10, 20, 30, 40, 50-51, 52, 60, 61, 65, 70, or 71.

Additions and deletions are accomplished using a record type 10.

a. To delete a total APL/AEL record, only one record type "10" input transaction is required using control data only. All associated information will be automatically deleted.

b. To add a "new" APL/AEL, all subsequent data must also be contained on the input tape. Record type "10" must be followed by a record type "20" together with all other applicable records.

c. Changes are accomplished by individual replacement of entire record. Control data can only be changed by deletion of the type 10 record and subsequent addition of the total record, type 10, 20, and other applicable record types.

File No. - AAP-APL/AAP-AEL
File Name - AAP Transactions Work Tape
Record Size - 175 characters
Block size - 2625 characters
Sequence - ORD IND/RIC/AINAC/RT (Except 50 series (e.g., 50-51-50-51-51 etc.))
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

Record type 10 layout - RIC HEADER

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-10	D008	*RIC (Repairable Identification Code)	10
11-12	D029	*AINAC (Application/Identification Number Activity Code)	2
13-14		*Record Type (10)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-64	E001	Equipment Nomenclature	48
65-66	D031	Logistics Support Status Code	2
67		NIINs Available Indicator	1
175		*Update Transaction Code	1

*Signifies Control Data Fields

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 20 layout - SHIP HEADER

Additions must contain a Type "10" and a Type "20" record.
Deletions and changes should use record Type "1-".

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-10	D008	*Repairable Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (20)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-25	D036B	*Ship Type and Hull Number	9
26-57	D033	Technical Document Number	32
58		Manual Plan Code	1
59-106	E224/E001	*TMSD and/or Equipment Nomenclature	48
169	E369	SNAP II Select Code	1
170	C061	Document Security Code	1
175		*Update Transaction Code	1

*Signifies Control Data Fields

Record type 30 layout - CCF DATA

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (30)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-74	E002	Component Characteristics	58
76-79	E003	Component Characteristics Sequence Number	4
175		*Update Transaction Code	1

*Signifies Control Data Fields

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 40 layout - PARENT TO ACCESSORY DATA

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (40)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-26	D009	*Accessory RIC	10
27-74	E001	Accessory RIC Nomenclature	48
75-78		Accessory Quantity per Component	4
79-133	E010	Service Application Description	55
134-142	D036B	*Ship Type and Hull Number	9
169	E369	SNAP II Select Code	1
170	C061	Document Security Code	1
175		*Update Transaction Code	1

*Signifies Control Data Fields

Record type 50 layout - NIIN DATA

The I-COSAL program will accept deletion, addition, and/or change transactions. A combination deletion and addition process will be used to modify an existing APL/AEL.

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (50)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-21	C035	Commercial and Government Entity (CAGE)	5
22-51	D001W	*Reference Number (Mandatory for APLs)	30
52-76	C004/C004C	*Item Name/Item Name Navy (Mandatory for AELs)	25
77-78	C003	Cognizance Code	2
79	C003A	Material Control Code	1
80-83	C042	Federal Supply Classification	4
84-92	D046D	*National Item Identification Number	9
93-94	C003B	Special Material Identification Code	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 50 layout - NIIN DATA (Cont'd)

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
95	C008E	Military Essentiality Code - Parts to Component	1
96-97	D012	Source Code	2
98-99	D013A/B	Maintenance Code	2
100	D013C	Recoverability Code	1
101	E006	Note Codes	1
102	D011C	QRDALT/SPALT Quantity Adj	1
103-104	C005	Unit of Issue	2
105	E020	Custody Code	1
106-109	D011	Quantity per Application	4
110-113	C007A	Allowance Override Quantity	4
114	C007B	Allowance Override Designator	1
115	C017	Security Class	1
116-121	F027	Best Replacement Factor	99V9999
122-127	F001A	Application Replacement Factor	99V9999
128	C008A	Military Essentiality Code -FBM	1
146-170	E007	AEL Column Quantities	25
175		*Update Transaction Code	1

*Signifies Control Data Fields

Record type 51 layout - SNF (SUPPLEMENTARY NOMENCLATURE FILE) DATA

Contractor-generated SNF lines are treated as CCF Type 30 lines. That is, to add SNF line(s), the contractor will provide the complete entry. Only additional are acceptable. Neither changes nor deletions can be accomplished using a Type 51 record.

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (51)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-46	D001W	*Reference Number (APL)	30
17-46	C004/C004C	*Item Name/Navy (AEL)	30
47-71		Supplemental Nomenclature Data	25
84-92	D046D	*National Item Identification Number	9
175		*Update Transaction Code	1

*Signifies Control Data Fields

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 52 layout - LSSC (LOGISTIC SUPPORT STATUS CODE)

For LSSC definition, see the COSAL introduction.

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (52)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
19-71		LSSC Definition Lines	53
175		*Update Transaction Code	1
		*Signifies Control Data Fields	

Record type 60 layout - ADDITIONAL MANUAL FOR SHIP

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application Identification Number Acty Code	2
13-14		*Record Type (60)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-25	D036B	*Ship Type and Hull Number	9
26-57	D033	*Additional Manual for Ship	32
169	E369	SNAP II Select Code	1
170	C061	Document Security Code	1
175		*Update Transaction Code	1
		*Signifies Control Data Fields	

Record type 61 layout - ADDITIONAL PLAN FOR SHIP

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (61)	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 61 layout - ADDITIONAL PLAN FOR SHIP (Cont'd)

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-25	D036B	*Ship Type and Hull Number	9
26-57	D033	*Additional Plan for SHip	32
169	E369	SNAP II Select Code	1
170	C061	Document Security Code	1
175		*Update Transaction Code	1

*Signifies Control Data Fields

Record type 65 layout - ADDITIONAL TMSD FOR SHIP

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application Identification Number Acty Code	2
13-14		*Record Type (65)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-25	D036B	*Ship Type and Hull Number	9
26-57	E224	*Additional TMSD for Ship	32
169	E369	SNAP II Select Code	1
170	C061	Document Security Code	1
175		*Update Transaction Code	1

*Signifies Control Data Fields

Record type 70 layout - ADDITIONAL MANUAL FOR RIC

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (70)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART II A & C AAP TAPE FORMAT (Cont'd)

Record type 70 layout - ADDITIONAL MANUAL FOR RIC (Cont'd)

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-48	D033	Additional Manual for RIC	32
175		*Update Transaction Code	1
		*Signifies Control Data Fields	

Record type 71 layout - ADDITIONAL PLAN FOR RIC

1-10	D008	*Repairables Identification Code	10
11-12	D029	*Application/Identification Number Acty Code	2
13-14		*Record Type (71)	2
15		*APL/AEL Indicator 1 = APL 3 = AEL	1
16		*Ordnance Indicator A = Aviation E = Electronic O = Ordnance S = Hull, Mechanical & Electrical	1
17-48	D033	Additional Plan for RIC	32
175		*Update Transaction Code	1
		*Signifies Control Data Fields	

10.2.4 Part III A, B, CF, and CR tape. All national stock numbers (NSN) added to, deleted from, or modified in the baseline asset file (BAF) as a result of AAP processing shall be included in this tape.

10.2.4.1 Part III A, B, CF, and CR tape format. The Part III A, B, CF and CR tape shall be in the following format:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

PART III A, B, CF, & CR AAP TAPE FORMAT

The I-COSAL program will accept add, delete, and change transactions.

File Number - AAP-SNSL
File Name - NIINs for SNSL
Record Size - 145 characters
Block Size - 2900 characters
Sequence - Random
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-9	D046/C002	*NIIN (Navy Item Identification Number)	9
11-12	D029	*Application/Identification Number Acty Code	2
13-22	D008	*Repairables Item Code	10
26-34	D036B	*Ship Type and Hull Number	9
41-46	A002	Unit Identification Code	6
47	E012	AEL Column Number	1
48-51	D011	Quantity = Total Ship Population (Overlay)	4
52	C008D/C003Y	MEC/MCC	1
66	E013A (1)	Allowance Factor Code SRI "1"	1
67-70		Allowance Factor Quantity SRI	4
71	E013B (1)	Allowance Factor Code OSI "1"	1
72-75		Allowance Factor Quantity OSI	4
116		Special Note Code for OSI 1 = AEL X = APL	1
117-118	C005	Unit of Issue	2
121-140		Item Name	20
		(1) Allowance factor quantity is additive If no change in quantity, required 0000 fill.	
141-142		*Section Indicator Ab = Section A SRI Bb = Section B OSI CF = Section CF MAMs CR = Section CR RSS	2
145		*Update Transaction Code A = Add C = Change D = Delete	1
		*Signifies Control Data Fields	

10.2.5 Part III D tape. The Part III D tape shall include the part numbers and national item identification number (NIIN) assigned to the part number resulting from NSNs added, deleted, or changed during AAP processing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.

10. PREPARATION INSTRUCTIONS (Cont'd)

10.2.5.1 Part III D AAP tape format. The Part III D AAP tape shall be in the following format:

PART III D AAP TAPE FORMAT

The I-COSAL program will accept add, delete, and change transactions.

File Number - AAP-PART-IIID
File Name - APL/AEL Reference Number
Record Size - 60 characters
Block Size - 2700 characters
Sequence - Random
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

Char. Pos	DEN	DATA NAME	NO. CHARACTERS
1-9	D036B	*Ship Type and Hull Number	9
10		Record Type (1)	1
11-40	D001W/D001P	*APL Reference Number/Prime APL Reference No.	30
41-49	D046/C002	*NIIN (National Item Identification Number)	9
51-55	C035	Commercial and Government Entity (CAGE)	5
60		*Update Transaction Code A = Add C = Change D = Delete	1

*Signifies Control Data Fields

10.2.6 Part number SNSL tape (additions only). All part numbers added to the BAF for which no NSN can be identified shall be included in this tape.

10.2.6.1 Part number SNSL AAP tape format. The part number SNSL AAP tape shall be prepared in the following format:

PART NUMBER SNSL AAP TAPE FORMAT

File Number - U72EZ2
File Name - Part Numbers for SNSL
Record Size - 100 characters
Block Size - 2000 characters
Sequence - Random
Label - IBM VOL TYPE - 9 TRACK - 1600 BPI

2-6	C035	Commercial and Government Entity (CAGE)	5
7-36	D001	Reference Number	30
37-56		Item Name	20
57-67		AAP or RIC	11
68-69	C005	Unit of Issue	2
70		Special OSI Note Code 1 = AEL X = APL	1
71-74		Allowed Quantity	4
76-80		Location	5
82-90	D036B	Ship Type and Hull Number	9

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:41Z
Check the source to verify that this is the current version before use.