INCH - POUND

MIL-DTL-41819/50
14 May 2012

DETAIL SPECIFICATION SHEET

RIBBON ATTACHMENT, FEDERAL LAW ENFORCEMENT, CONGRESSIONAL BADGE OF BRAVERY, U.S. DEPARTMENT OF JUSTICE

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-41819.



MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

DIMENSIONS:

HEIGHT: 11/32 inch (REF)

WIDTH: 11/32 inch (REF)

THICKNESS (across designation band): 0.076 inch ± 0.010 inch

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:02Z
Check the source to verify that this is the current version before use.

FINISH:


NICKEL: Center disc and outer scalloped area shall be Nickel Plated, Matte Finish, and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 17.

GOLD: Borders of designation band and the Congressional Seal (including stars) on center disc shall be 24K Gold Plated, Matte Finish, Polished Highlights, and shall match TIOH Metal Finish Chip Number 8.

EPOXY: Hard epoxy enamel shall be applied as indicated below, and shall match TIOH Hard Enamel Color Chip Number listed:

TIOH HARD ENAMEL COLOR CHIP NUMBER	LOCATION
Blue #20	Designation Band

ATTACHING DEVICE: Attaching device shall be a staple type prong (see illustration below). The prong shall be located on the horizontal center line and at least 1/16 inch ± 1/64 inch from either end of the ribbon attachment, and either fused or hard soldered to the attaching device. The arms of the prong shall be of suitable length for bending across the back of the service ribbon bar to secure the ribbon attachment in place.



NOTES:

1. The term (REF) refers to the measurements taken from the obverse Government furnished hub or die.

2. The manufacturer may deviate from MIL-DTL-3943 by using nickel underplating prior to plating with 24K gold.

3. Hard cloisonné enamel may be used in lieu of epoxy. If hard cloisonné enamel is used, the required base material for -1 and -2 is Gilding Metal 95/5 (UNS Alloy C-210).

4. This item is not authorized for commercial sale, and may be produced only under Government contract and at the request of the U.S. Department of Justice.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:02Z
Check the source to verify that this is the current version before use.

Custodian:
Army - IH

Civil agency:
DOJ - BJA

Preparing activity:
Army - IH

(Project No. 8455-2012-030)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:02Z
Check the source to verify that this is the current version before use.