INCH-POUND

A-A-55277

May 5, 1995

COMMERCIAL ITEM DESCRIPTION

SWEATSHIRT, PHYSICAL CONDITIONING UNIFORM

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE. This commercial item description covers the requirements for a sweatshirt used by Air Force personnel as a component of the Physical Conditioning Uniform.

2. CLASSIFICATION. The sweatshirt shall be of one type and class.

3. SALIENT CHARACTERISTICS.

3.1 Description. The fleece sweatshirt (See Figure I) shall have long sleeves and have a 1 X 1 ribbed crew neck collar of double thickness. The collar shall finish 1-1/8 ± 1/8 inches wide and shall be coverstitched. The sweatshirt shall have sewn on cuffs of the same material as collar in double thickness. The cuffs shall finish 2-1/2 ± 1/4 inches long and 3-3/4 ± 1/4 inches wide when measured across center of cuff. The cuff seam may be cover

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FQSC, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

stitched. The bottom of the sweatshirt shall have a waistband of the same material as the collar in double thickness. The waistband shall finish 2-1/2 ± 1/4 inches long and may have seam covered stitched. The sweatshirt shall have the inscription "AIR FORCE" screen printed across the front in accordance with Figure II and positioned for each size in accordance with Table I. The lettering shall be the same style and type as shown in Figure II except that the letters used shall be 2 inches in height. The screen print shall match Navy Blue shade 35048 of FED-STD-595.

TABLE I. Screen Print Location
(Below Bottom of Neckband to top of lettering in inches)

SIZE	XSMALL	SMALL	MEDIUM	LARGE	XLARGE	Tolerance
Placement of LOGO	3	3-1/2	4	4-1/2	5	±1/4

3.2 Basic Material. The sweatshirt shall be fabricated from fleece fabric having 55 ± 5 percent cotton with the remaining percentage polyester. The fleece fabric shall weigh 9.0 ± 0.5 ounces per square yard, have a minimum of 20 wales per inch and a minimum of 27 courses per inch when tested in accordance with ASTM D-3887. The material shall have a minimum bursting strength of 75 pounds when tested in accordance with ASTM D-3787 and shall not shrink or elongate more than 10 percent when tested in accordance with AATCC Method 150 using normal machine cycle. The material shall match the standard sample for shade Lt. Heather Grey 466. (see 7.4)

3.2.1 Matching. The color of the finished cloth shall match the Standard sample when viewed under filtered tungsten lamps that approximate artificial daylight and having a correlated color temperature of 7500 ±200K, with illumination of 100 ±20 foot candles, and shall be a good match to the standard sample under incandescent lamplight at 2300 ±200K.

3.3 Label. Commercial type label is acceptable, provided that an additional printed cloth label containing the contractor's name, contract number, size and National Stock number (NSN) is caught on the stitching of the commercial label. The commercial label shall include fiber and laundering information.

3.3.1 Label/tag. Each item shall be individually bar-coded with a paper tag for personal clothing items. The paper tag shall be standard bleached sulfate having a basis weight of 100 pounds. The paper used for the tags shall have a smooth finish to accept thermal transfer and direct printing. The tags shall have a hole and shall be attached to each item by a fastener, clearly legible and readable by a scanner. The bar coding element shall be a 13

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

digit national stock number (NSN). The bar code type shall be a medium to high code density and shall be located so that it is completely visible on the item when it is folded and/or packaged as specified and so that it causes no damage to the item.

3.4 SIZES AND MEASUREMENTS. The sweatshirt shall be in the following sizes and shall conform to the measurements in TABLE II.

TABLE II. Finished Measurements.
(inches)

SIZE		XSMALL	SMALL	MEDIUM	LARGE	XLARGE	TOLERANCE
1/2 CHEST	A	18	20	22	24	26	±1
LENGTH	B	26	27	28	29	30	±1
NECK OPENING	C	7-1/2	8	8	8-1/2	8-1/2	±1
SLEEVE LENGTH	D	23	23-1/2	24	24-1/2	25	±1/2
BOTTOM BAND	E	14	15	16	17	18	±1
ARMHOLE	F	11-1/2	11-1/2	12-1/2	12-1/2	12-1/2	±1/2

A. 1/2 CHEST: Measure across chest front from folded edge approximately 3 inches below armhole.

B. LENGTH: Measure from top edge of collar to bottom edge of sweatshirt.

C. NECK OPENING: Grasp neckband at center front and center back, form a straight line but do not stretch collar. Measure across neckband from center front to center back.

D. SLEEVE LENGTH: Measure from top of sleeve at shoulder seam to end of sleeve cuff.

E. BOTTOM BAND: Measure across bottom of sweatshirt from folded edge to folded edge.

F. ARMHOLE: Measure from shoulder seam point to underarm in a straight line, point to point.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.1 Flammability requirements. The basic material shall conform to the rules and regulations of the Flammable Fabrics Act without

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

the application of a flame retardant finish to the material or to the end item.

5. QUALITY ASSURANCE PROVISIONS

5.1. Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description; conforms to the producer's own drawings, specifications, standards, and quality assurance practices; and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5.2. Visual examination. The sweatshirts shall be examined for the defects listed in paragraph 5.3.

5.3 Defects. Any hole, cut, tear; color not as specified; thread ends not removed or not trimmed; any component missing or not as specified; seam twisted, puckered, open; needle chew or tight tension; label incorrect or illegible; logo incorrect, illegible or misplaced; measurement of sweatshirts not as specified.

5.4 Market acceptability. The item offered, or a generic equivalent, must have been sold to the commercial market or to the Government for at least 2 years.

6. PACKAGING

6.1 Preservation, packing, and marking. The preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

7.2 Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

AATCC Test Method

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P.O. Box 12215, Triangle Park, NC 27709-2215.)

7.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

7.4 Sample. For access to standard sample for shade address the contracting activity issuing the invitation for bid.

MILITARY INTERESTS:

Custodians
Air Force - 45

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
DLA - CT

Project 8415-0045

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.




FIGURE I. SWEATSHIRT, PHYSICAL CONDITIONING UNIFORM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.




FIGURE II. AIR FORCE LOGO

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.