INCH POUND

A-A-55279
May 12, 1995

# COMMERCIAL ITEM DESCRIPTION

## COVER, PISTOL HOLSTER AND FLAP, 9MM

The General Services Administration has authorized the use of this commercial item description.

## 1. SCOPE

1.1 Scope. This commercial item description covers the requirements for one type and size holster cover. The cover is intended to be worn over the 9MM pistol holster by military police of the Marine Corps as a part of the Marine police equipment set.

2. SALIENT CHARACTERISTICS. The cover shall consist of a holster cover and separate flap cover. Each piece shall be two-ply with all edges bound with 1 to 1 1/8 inch tape. The two-plies shall be individually constructed, bound, and sewn together, or bound together in one operation. The holster cover is intended to fit the 9MM holster for either right or left handed use. Each side of the holster cover shall have two rectangular eyelet openings (1/2 inch by 2 inches), with serged edges to accommodate the belt attachment and flap closure hardware of the holster (see Figures 1 and 2).

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FQSE, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

3. Materials

3.1. Basic material. The basic material shall be cotton, 8.0 ounce, 3/1 left-hand twill. As an alternate cloth, polyester(65)/cotton(35), 6.8 ounce, 3/1 left-hand twill, may be used of similar construction. The color shall be bleached white as specified in contract.

3.1.2 Tape. The tape for binding the raw edges of the cover shall be cotton, bleached white. Construction shall be a minimum of 100 ends /minimum 38 picks per inch. As an alternate, polyester(65)/cotton(35) blend, may be used of similar construction.

3.1.3 Thread. The thread shall be cotton conforming to A-A-52094, soft finish, bleached white, ticket No 40, 3 ply for all seaming and stitching. As an alternate thread, polyester, cotton covered, white shade, size 70 may be used.

3.1.4 Shademarking. The component parts shall be marked to insure a uniform shade throughout the cover. Any method of shade marking may be used except:

(a) Corrosive metal devices.
(b) Adhesive type tickets which show discoloration or leave traces of paper or adhesive mass to the material upon removal of the tickets.

3.1.5 Patterns. The patterns generally provide for a seam allowance of 1/8 inch for joining seams. The guide patterns are available upon request. However, commercial patterns may be used in lieu of the Government guide patterns provided they conform to the cited design and finished measurements.

3.1.6 Sized and measurements. The finished cover shall conform to the measurements on Figures 1 and 2.

3.1.7 Labels. A commercial-type label is acceptable, provided that an additional printed cloth label containing the contractor's name, contract number, nomenclature and National Stock Number (NSN) is caught in the stitching of the commercial label. The commercial label shall include fiber and laundering information.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

| End fastenings | Not securely clinched or clinched | | |

## 5. QUALITY ASSURANCE PROVISIONS

5.1 Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description; conforms to the producer's own drawings, specifications, standards, and quality assurance practices; and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5.1.1 Certificate of compliance. Where certificates of compliance are submitted, the Government reserves the right to inspect such items to determine the validity of the certification.

5.1.2 Defects. The pistol holster cover and flap shall be examined for the following defects: any hole, cut, tear; color not as specified; any spot or stain (outside); thread ends not removed; tape not tightly woven, frayed edges; seams/stitching open; broken or skipped stitches; loose tension; puckering of fabric on seams; measurement of item not as specified; binding; improperly or loosely applied, overlapped ends misplaced; ends of binding not overlapped; eyelet openings not as specified; frayed edges; missing eyelets, eyelets not completely serged; skipped stitching; opening not smooth; item not able to perform for intended use; any items not packaged in accordance with the contract or purchase order.

5.2 Market acceptability. The item offered, or a generic equivalent, must have been sold to the commercial market or to the Government for at least 2 years.

5.3 Warranty. The item offered shall include the standard warranty given to the commercial market beginning with the date of delivery of the individual items.

## 6 PACKAGING

6.1 Preservation, packing, and marking. The preservation, packing, and marking shall be as specified in the contract or order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

7.2 Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

AATCC Test Method

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P.O. Box 12215, Triangle Park, NC 27709-2215.)

7.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

7.4 Figures. Figures 1 and 2 are furnished for guidance and information purposes only. When inconsistencies exist between the written document and the figures, the written document shall govern.

MILITARY INTERESTS:

Custodian:
Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
DLA - CT

(Project No. 8465-0219)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.





FIGURE 1. Cover, Pistol Holster & Flap 9MM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.





FIGURE 2. Cover, Pistol Holster & Flap 9MM



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.