INCH-POUND

A-A-55289
December 12, 1995

COMMERCIAL ITEM DESCRIPTION

SWEAT SHIRT

The General Services Administration has authorized the use of this commercial item description as a replacement for BBB-S-1268 for all Federal agencies.

1. SCOPE.

1.1 Scope. This commercial item description covers the requirements for a knitted, cotton blended, fleeced sweat shirt for use by personnel of Government agencies.

2. CLASSIFICATION. The sweat shirt shall be furnished in the following classes and sizes:

Class 1 -	White (bleached)
Class 2 -	Silver gray
Class 3 -	Nickel gray

Schedule of sizes

Small	Large
Medium	Extra large

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FNSC, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS

3.1 Description. The sweat shirt shall have a full cut jersey knit body, raglan sleeve design, ribbed knit sleeve cuffs, waistband and crewneck collarette. The body shall be seamless circular knit or shall have side seams. The joining seams shall be coverstitched.

3.2 Material.

3.2.1 Basic material. The basic material shall be a blend of cotton and polyester, having a minimum of 50 percent cotton and the remainder polyester. The material shall be a jersey knit with fleece backing, weighing a minimum 6.75 ounces per square yard when tested in accordance with ASTM D-3776, Option C. The dyed, knitted cloth shall have a minimum rating of 4 when tested for colorfastness to laundering (after 3 wash and dry cycles) in accordance with AATCC 61-Test 3A. The knitted cloth shall have a minimum rating of 4 when tested for colorfastness to perspiration in accordance with AATCC 15. The test for colorfastness to alkaline solution shall apply. The cloth shall meet the Flammable Fabrics Act as required by law. No flame-retardant finish shall be permitted.

3.2.1.1 Shade matching. The color and appearance of the cloth shall match the standard sample when viewed under filtered tungsten lamps that approximate artificial daylight and that have a correlated color temperature of 7500 + 200K, with illumination of 100 + 20 foot candles and shall be a good match to the standard sample under incandescent lamplight at 2300 + 200K.

3.2.2 Knit trim. The 1x1 inch rib knit trim for the waistband, sleeve cuffs, and collarette shall be a double thick cloth sufficiently matched in for the basic cloth in appearance and color. The same tests used for testing the color fastness of the basic cloth shall apply. The waistband and cuff shall finish at least 4 inches in length.

3.2.3 Thread. The thread shall be cotton, match the color of the knitted cloth, and shall show good colorfastness to perspiration and laundering.

3.3 Labels. Each sweat shirt shall have a commercial-type identification and size label attached to the center back below the collarette or caught in the seam on the inside. The label shall contain laundering instructions (according to the manufacturers' recommendations).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

3.4 Label/tag. Each item shall be individually bar-coded with a paper tag for personal clothing items. The paper tag shall be standard bleached sulfate having a basis weight of 100 pounds. The paper used for the tags shall have a smooth finish to accept thermal transfer and direct printing. The tags shall have a hole and shall be attached to each item by a fastener, clearly legible and readable by a scanner. The bar coding element shall be a 13 digit national stock number (NSN). The bar code type shall be a medium to high code density and shall be located so that it is completely visible on the item when it is folded and/or packaged as specified and so that it causes no damage to the item.

3.5 Figure. Figure 1 is furnished for information purposes only. To the extent of any inconsistencies between the written commercial item description and the figure, the written commercial item description shall govern.

3.6 Measurements. The finished sweat shirts shall conform to the following measurements:

Measurements in inches

	Fig. 1	Small	Medium	Large	X-Large
Body width 1/	A	18	20	23	23
Sleeve length 2/	B	25-1/2	27	30	30
Body length 3/	C	26	27	29	29
Neck opening 4/	D	7-1/2	8	9	9
Waistband	E	3 to 4	3 to 4	3 to 4	3 to 4
Cuff length	F	3 to 4	3 to 4	3 to 4	3 to 4
Cuff width	G	3-1/2	3-1/2	3-1/2	3-1/2
Armhole	H	11-1/2	12	12-1/2	13

1/ Body width measurement shall be taken 1 inch below bottom of armholes.

2/ Sleeve length measurement shall be taken from collarette seam at shoulder to edge of cuff.

3/ Body length measurement shall be taken from collarette at shoulder straight to bottom of shirt.

4/ Neck opening measurement shall be made by grasping collarette at each end and forming a straight edge.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS

5.1 Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5.2 Market acceptance criteria. The item offered, or a generic equivalent, must have been sold to the commercial market or to the Government for at least 2 years.

5.3 Visual examination. Each sweat shirt shall be examined for the defects listed below in accordance with ANSI/ASQC Z1.4.

5.3.1 Defects. Any hole, cut, or tear; uneven, ridgy cloth, or fleeced cloth not well napped on inside; any thin areas; slubby yarns more than normally visible on outside of shirt; color or shade not as specified; any spot or stain; any rancid odors; any component part missing or defective; any seams twisted, puckered, or pulled, affecting appearance; any part of garment caught in any unrelated part or stitching; any needle chews; tight or loose tension affecting appearance; any thread ends not cut; label missing, incorrect, or illegible; measurement of item not as specified; bar code omitted or not readable by scanner; human-readable interpretation (HRI) omitted or illegible; bar code not visible on folded, packaged item; bar code causes damage to the item; any requirement not as specified; any items not packaged in accordance with the contract or purchase order.

5.4 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

6. PACKAGING

6.1 Preservation, packing, and marking. The preservation, packing, and marking shall be as specified in the contract or purchase order.

7. NOTES

7.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

7.2 Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.)

AATCC Test Methods

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P. O. Box 12215, Triangle Park, NC 27709-2215.)

ANSI/ASQC Z1.4 - Sampling Procedures and Table for Inspection of Attributes

(Applications for copies should be addressed to American National Standards Institute, 11 West 42nd Street, New York, NY 10036-8002.)

Rules and Regulations under the Flammable Fabrics Act

(Applications for copies should be addressed to the Federal Trade Commission, Washington, DC 20580.)

MILITARY INTERESTS:

Custodians:

Army - GL
Navy - SA

Review Activities:

Army - MD
Navy - NU, MC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
DLA - CT

(Project 8415-0041)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.




FIGURE 1. Sweat Shirt

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.