INCH-POUND

MIL-DTL-52525/13B
30 June 1998
SUPERSEDING
MIL-F-52525/13A
30 June 1987

DETAIL SPECIFICATION SHEET

FITTINGS, HOSE, SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE 100R10

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-52525. The fittings described herein are for use with MIL-DTL-52471, type 100R10, 4-spiral wrap hose.



FIGURE 1. Fitting, screw-on to 4-bolt split-flange, straight.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:22Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions for type 100R10 fittings. 1/

Part number	Hose dash number	Hose I.D.	Tube dash number	Flange head		C	D	O
				dash no.	size			
M52525/13-12-12	12	3/4	12	12	3/4	5.28	1.94	1-5/8
M52525/13-16-16	16	1	16	16	1	5.53	2.03	2
M52525/13-20-20	20	1-1/4	20	20	1-1/4	7.34	3.00	2-5/8
M52525/13-24-24	24	1-1/2	24	24	1-1/2	7.75	2.87	2-7/8

1/ Dimensions not shown shall conform to SAE J516.

TABLE II. Maximum operating pressures of fittings.

Hose I.D.	PSI
3/4	5000
1	4000
1-1/4	3000
1-1/2	2500

REQUIREMENTS:

1. Fittings shall be in accordance with figure 1 and tables I and II.

2. Materials and finishes shall be as specified in MIL-DTL-52525.

3. Marking shall include the manufacturer's name or trademark, size, and hose identifier R10. Location of marking is optional.

NOTES:

1. Dimensions are in inches.

2. Part number.

Example of a Military part number: M52525/13-12-12



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:22Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodian:
Army - AT
Air Force - 99

Review activities:
Air Force - 82
Army - AR

Preparing activity:
DLA - CC

(Project 4730-0859-13)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:22Z
Check the source to verify that this is the current version before use.