INCH-POUND

MIL-DTL-50512A
1 February 2010
SUPERSEDING
MIL-M-50512 (MU)
29 February 1972

DETAIL SPECIFICATION
MINE, APERS, PRACTICE, M68
ASSEMBLING AND PACKING

Inactive for new design after 19 August 1997

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification prescribes the requirements and identifies the verification procedures for the Mine, APERS, Practice, M68.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 or 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3, or 4 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

Comments, suggestions, or questions on this document should be addressed to: Commander, U.S. Army ARDEC, ATTN: RDAR-QES-E, Picatinny Arsenal, New Jersey 07806-5000 or e-mailed to ardecstdzn@conus.army.mil. Since contact information can change, you may want to verify the currency of this information using ASSIST Online database at http://assist.daps.dla.mil.

AMSC N/A FSC 1345

DISRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-1916	-	DoD Preferred Methods for Acceptance of Product
MIL-STD-1168	-	Ammunition Lot numbering and Ammunition Data Card

(Copies of these documents are available online at http://assist.daps.dla.mil or from the Standardization Documents Order Desk, 700 Robbins Avenue, Bldg. 4D, Philadelphia, PA 19111-5094.)

2.2.2 Other Government documents, drawings and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER (ARDEC) DRAWINGS

9251503	-	Mine, APERS, Practice, M68
8800900	-	Packing and marking for Box, Wirebound for Mine, APERS, M18A1 w/Accessories or Mine, APERS, Practice, M68 or MCCM, M5 w/Accessories
8800901	-	Packing and Marking for Box, Fiberboard for Mine, APERS, M18A1 or Mine, APERS, Practice, M68 or MCCM w/Accessories, M5 or M5A1

(Copies of these drawings are available from U.S. Army ARDEC, ATTN: RDAR-EIS-PE, Picatinny, NJ 07806-5000, or email pica.Drawing.Request@conus.army.mil.)

2.3 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample of the Practice Mine Assembly shall be subjected to first article inspection in accordance with 4.3.

3.2 Conformance inspection. A sample shall be subjected to conformance inspection in accordance with section 4.4.

3.3 Assemblies. The assemblies shall comply with all requirements specified on Dwg. 9251503.

3.4 Ammunition lot numbering. Ammunition lot numbers shall be assigned in accordance with MIL-STD-1168.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

3.5 Workmanship. All mines and accessories shall be free of burrs, sharp edges, cracks, dirt, grease, rips, rust and other foreign matter. Colors shall be uniform. All required markings shall be neat and sharply defined. All packing components shall be dry.

4. VERIFICATION

TABLE I. Requirement / Verification cross reference matrix

Methods of Verification		Classes of Verification						
1 – Analysis 2 – Demonstration 3 – Examination 4 – Test		A – First Article B – Conformance						
Section 3 Requirements	Description	Verification Method				Verification Class		Section 4 Verification Method
		1	2	3	4	A	B	
3.1	First article inspection			X		X		4.3
3.2	Conformance inspection			X		X	X	4.4
3.3	Assemblies			X		X	X	4.4.2.1 through 4.4.2.5
3.4	Ammunition lot numbering			X		X	X	4.5.1
3.5	Workmanship			X		X	X	4.5.2

4.1 Classification of inspection. The verification requirements specified herein are classified as follows:

a. First article inspection (see paragraph 4.3)
b. Conformance Inspection (see paragraph 4.4)

4.2 Inspection conditions. Unless otherwise specified, all inspections shall be performed in accordance with the test conditions specified herein.

4.3 First article. When specified, a sample of the training assembly and subcomponents shall be subjected to first article inspection in accordance with Table II.

4.3.1 First article quantity. The first article sample shall consist of the following items in sample quantities as indicated in Table II.

4.3.2 First article rejection. If any assembly, component or test specimen fails to comply with requirements, the first article sample shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

TABLE II. First article tests and inspection.

Examination or Test	No. of Sample Units	Requirement Paragraph	Paragraph Reference/ Inspection Method
MINE, APERS, PRACTICE M68 (Dwg. 9251503) Examination of defects	12	3.3	4.4.2.1
Carton, prior to sealing (Dwg. 8800901) Examination of defects	12	3.3	4.4.2.2
Carton, sealed (Dwg. 8800901) Examination of defects	12	3.3	4.4.2.3
Bag, packing (Dwg. 8800900) Examination of defects	12	3.3	4.4.2.4
Wood packing box (Dwg. 8800900) Examination of defects	12	3.3	4.4.2.5

4.4 Conformance inspection.

4.4.1 Lot formation. Lot formation shall be in accordance with MIL-STD-1916. In addition, each inspection lot of M68 assemblies shall be produced with components complying with the following constraints:

4.4.1.1 Part no. 9251503-1.

a. M33 practice mine from not more than one lot interfix number from one manufacturer.
b. M7 bandoleer from not more than one lot interfix number from one manufacturer.
c. M10 practice blasting cap assembly from not more than one lot interfix number from one manufacturer.
d. M57 firing device assembly from not more than one lot interfix number from one manufacturer.
e. M40 electrical test set assembly from not more than one lot interfix number from one manufacturer.

4.4.1.2 Part no. 9251503-2.

a. M33 practice mine from not more than one lot interfix number from one manufacturer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

b. M7 bandoleer from not more than one lot interfix number from one manufacturer.
c. Mini-det assembly from not more than one lot interfix number from one manufacturer.

4.4.2 Classification of characteristics.

a. Sampling requirements. Inspection sampling requirements for critical, major, and minor characteristics are defined in MIL-STD-1916, Table I and Table II. Critical characteristics shall be addressed in accordance with MIL-STD-1916. Unless specified otherwise, Major Characteristics shall be Level III, and Minor characteristics shall be Level II.

b. Conformance inspection. Conformance inspection shall be performed in accordance with section 4.4.2.1 through 4.4.2.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2.1	Title MINE, APERS, PRACTICE M68				Drawing Number 9251503
Category	Examination or Test	No. of Sample Units	Verification Level	Requirement Paragraph	Paragraph Reference / Inspection Method
Critical	None defined				
Major					
101	Mine or accessory missing		III	3.3	Visual
102	Mine or accessory damaged		III	3.5	Visual
103	Mine or accessory incorrectly packed		III	3.5	Visual
Minor					
201	Poor workmanship		II	3.5	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2.2	Title Carton, prior to sealing				Drawing Number 8800901 Next Higher Assembly 8800900
Category	Examination or Test	No. of Sample Units	Verification Level	Requirement Paragraph	Paragraph Reference / Inspection Method
Critical	None Defined				
Major					
101	Number of field packs incorrect		III	3.3	Visual
102	Packing components missing		III	3.3	Visual
Minor	None Defined				

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2.3	Title Carton, sealed				Drawing Number 8800901 Next Higher Assembly 8800900
Category	Examination or Test	No. of Sample Units	Verification Level	Requirement Paragraph	Paragraph Reference / Inspection Method
Critical	None Defined				
Major					
101	Contents move when carton is shaken (insufficient filler material)		III	3.3	Visual & Manual
102	Contents damaged so that contents are exposed or liable to be exposed		III	3.5	Visual
Minor					
201	Marking improper or unidentifiable		II	3.5	Visual
202	Evidence of poor workmanship		II	3.5	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2.4	Title Bag, packing				Drawing Number 8800901 Next Higher Assembly 8800900
Category	Examination or Test	No. of Sample Units	Verification Level	Requirement Paragraph	Paragraph Reference/ Inspection Method
Critical	None Defined				
Major					
101	Bag ruptured, punctured, or seal incomplete		III	3.5	Visual & Manual
Minor					
201	Heat seal incorrectly located		II	3.3	Visual
202	Air not removed from bag		II	3.5	Manual
203	Marking improper or unidentifiable		II	3.5	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2.5	Title Wood packing box				Drawing Number 8800900
Category	Examination or Test	No. of Sample Units	Verification Level	Requirement Paragraph	Paragraph Reference / Inspection Method
Critical	None Defined				
Major					
101	Box damaged to the extent that contents are exposed or liable to become exposed		III	3.3	Visual
102	Strapping or hardware missing, broken, or loose		III	3.5	Visual & Manual
Minor					
201	Hardware on strapping improperly assembled or engaged		II	3.5	Visual
202	Contents loose		II	3.5	Manual
203	Case seal missing, unsealed, or improperly positioned		II	3.5	Visual
204	Marking improper or unidentifiable		II	3.5	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

4.5 Methods of inspection.

4.5.1 Ammunition lot numbering. Visually verify that ammunition lot number has been applied to each lot as described in MIL-STD-1168.

4.5.2 Workmanship. Visually verify that all parts and assemblies meet requirements of 3.5.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in contract or order (see 6.2). When actual packaging of materiel is to be performed by DoD or in-house personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Service or Defense Agency, or within the military service's system command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The Mine, APERS, Practice M68 with accessories is an anti-personnel mine inert used in training personnel.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number and date of this specification.
b. Applicable stock number.
c.. Packaging requirements, if other than specified in Section 5.
d.. Serialization requirements, if applicable.
e. Certificate of conformance for each lot or shipment of product.

6.3 Drawings. Drawings listed in section 2 of this specification under the heading U.S. Army Armament, Research, Development and Engineering Center (ARDEC) may also include drawings prepared by, and identified as U.S. Army Armament, Research and Development Command (ARRADCOM), Frankford, Rock Island, or Picatinny drawings. Technical data originally prepared by these activities is now under the cognizance of ARDEC.

6.4 Submission of inspection equipment designs for approval. Submit equipment designs as required to Commander, ARDEC, ATTN: RDAR-QEM-G, Picatinny, NJ 07806-5000. In addition, inspection equipment used for acceptance of product should be capable of repeatable measurements, by various experienced inspection/test personnel, to an accuracy of 10% of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

total tolerance of the characteristic being inspected. This inspection requirement should also be specified in the contract. Request letter of submittal should state contractor, contract number, specification number, item nomenclature and classification of defects or test paragraph, inspection equipment, inspection method, accuracy of equipment, and the frequency of inspection should be submitted for approval to Commander, ARDEC, ATTN: RDAR-QEM-G, Picatinny, NJ 07806-5000.

6.5 Submission of alternative conformance provisions. All contractor proposed alternative conformance provisions will be submitted to the Government for evaluation/approval as directed by the contracting activity. Submit equipment designs as required to Commander, ARDEC, ATTN: RDAR-QEM-G, Picatinny, NJ 07806-5000.

6.6 Automated acceptance inspection equipment. Equipment for which no, or minimal, human involvement is required in the acceptance determination. This would include equipment employing probes/sensors/transducers that are automatically manipulated to perform measuring and detection functions. If readout is provided, the equipment will be categorized as automated even if operator interpretation is needed in the accept/reject decision.

6.7 Subject term (key word) listing.

Claymore
Claymore Mine
Firing Device
Test Set
Mini-det

6.8 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army – AR
Navy - MC
Air Force - 11

Preparing activity:
Army – AR
(Project: 1345-2009-001)

Review activities:
Navy – NP
Air Force – 70, 99

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.