INCH-POUND
MIL-C-50523 (AR)
AMENDMENT 3
13 August 1996
SUPERSEDING
AMENDMENT 2
29 April 1993

MILITARY SPECIFICATION

CHARGE, DEMOLITION, M112
PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This amendment forms a part of MIL-C-50523 (AR), dated 8 May 1970, and is approved for use by the U.S. Army Armament Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Under SPECIFICATIONS, MILITARY: After MIL-A-2550 delete "and Special Weapons".

PAGE 2

Delete "U.S. ARMY MUNITIONS COMMAND", Substitute: "U.S. ARMY PICATINNY ARSENAL"

Delete "PUBLICATIONS", Delete "U.S. ARMY MUNITIONS COMMAND", Delete "ET-9204248 - Equipment Tabulation".

Delete "(Copies of specification, etc.") and substitute:

"(Copies of specifications, standards and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)"

AMSC N/A FSC 1375
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

* Add new paragraphs 3.4, 3.5 and 3.6 as follows:

"3.4 Parts. All parts shall comply with the applicable drawings, specifications and standards.

3.5 First article inspection. This specification contains technical provisions for the submission and inspection of the first article sample as specified in the contract.

3.6 Energy output of assembly. The assembly shall be tested for energy output in accordance with 4.2.3.3."

* Add new paragraphs 4.1.2, 4.1.2.1, 4.1.2.2 and 4.1.2.3 as follows:

"4.1.2 First article inspection.

4.1.2.1 Submission. The contractor shall submit a first article sample as designated by the contracting officer for evaluation in accordance with the provisions of 4.1.2.2. The first article sample shall consist of the assemblies, sub-assemblies and components in accordance with Table I.

4.1.2.2 Inspections to be performed. As determined by the Government, the first article samples may be subjected to any or all of the examinations and tests specified in the specification (See Table I), inspected for compliance with any or all of the requirements of this specification and applicable drawings.

4.1.2.3 Rejection. If any sample fails to comply with any of the specified requirements, the first article shall be rejected. The Government reserves the right to terminate inspection or test upon failure of any sample to comply with any requirement."

* Add new Table I as included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

TABLE I. First article inspection.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE Charge, Demolition, M112, Parts For and Loading, Assembling and Packing	SHEET 1 OF 1		DRAWING NUMBER 9204248
				NEXT HIGHER ASSEMBLY ---
CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
	Examination for Defects	25	3.2	4.2.2.2
	Composition of explosive	--	3.1	Certification (see 6.6)
	Energy Output test	5	3.6	4.2.3.3
NOTES:				

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

PAGE 4

* 4.2.1, subparagraph b: Delete in its entirety and substitute "Composition C-4 of one interfix number from one manufacture".

4.2.2.2: Delete Major 103 in its entirety and substitute with:

"Major 103 Charge container missing or damaged exposing explosive Visual/Manual 02004"

PAGE 6

4.2.2.3: Add Minor "204. Evidence of poor workmanship (see 3.3) Visual 03006".

4.2.2.4: Delete "AQL 0.65 percent" and substitute "AQL 1.00 percent" Add Minor "202. Evidence of poor workmanship (see 3.3) ... Visual 04003".

4.2.2.5: Add Minor "204. Evidence of poor workmanship (see 3.3) ... Visual 05007".

* Add new paragraph 4.2.3.3 as follows:

"4.2.3.3 Energy output test. A sample of five (5) charges shall be randomly selected from each lot. The M112 demolition charge assembly shall be measured against steel witness plate to verify effectiveness of the explosive as follows:

a. The charge shall be cut from each M112 block to the dimensions of 0.5 x 1.5 x 10.0 inches. The steel witness is an ASTM A36 steel with dimensions of 1.0 x 10.0 x 10.0 inches. The charge shall be applied to the witness plate and primed at the center using either M6 or M7 blasting cap on top of the charge. The blasting cap end shall be covered with a strip of C-4 explosive approximately 0.5 x 1.0 x 4.0 inches. The primed area shall be secured with tape to ensure intimate contact between the charge and the witness plate (see Figure 1).

b. Each witness plate shall be placed on two (2) solid steel supports with a 4 inch span between the supports. Each side of the steel plate shall be completely cut into two (2) separate sections after detonation."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

* Add new Figure 1 as follows:




FIGURE 1. Energy output test set up.

PAGE 7

4.2.4: Delete in its entirety and substitute as follows:

"4.2.4: Inspection Equipment - Inspection equipment required to perform the inspection prescribed in this specification is identified in the Examination (4.2.2) and Test Method (4.3) paragraphs herein. See 6.3 for details concerning responsibilities for inspection design and approval."

4.2.4.1: Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

6: Delete paragraph 6.2, 6.3, 6.3.1, 6.3.2, 6.3.3, 6.3.4, and 6.3.5 in their entireties and substitute as follows:

"6.2 Inspection code numbers - The five digit code numbers assigned to the inspections herein are to facilitate future data collection and analysis by the Government. They should be cited as references on the drawings of equipment designs submitted by the contractor to the Government for approval (see 6.3.3).

6.3 Inspection Equipment Designs - Inspection equipment designs are of two types - Government Special Inspection Equipment (SIE) designs and contractor designs. The SIE designs are designated by drawing numbers under the "Method of Inspection" headings in section 4. Design responsibility for all other inspection equipment is assigned to the contractor. The contractor need not furnish any design when a complete Government SIE design is provided. Unless otherwise specified, however, the contractor may submit alternate or modified contractor designs of SIE in accordance with 6.3.2 and 6.3.3 should he elect to do so.

6.3.1 SIE designs - SIE designs may consist of any of the following:

a. Detailed drawing which completely depict all information necessary for the fabrication and use of the item of inspection equipment.

b. A source control drawing or a specification control drawing as defined in MIL-STD-100.

c. An envelope drawing, as defined in MIL-STD-100, which establishes the criteria which a detailed design shall meet. When envelope drawings are specified, the contractor shall prepare designs which comply with the criteria therein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

6.3.2 Contractor designs - Contractor designs are required for all inspection equipment for which SIE designs are not specified and may include commercial equipment which the contractor proposes to use. (Commercial equipment is defined as unmodified equipment which is cataloged and available for purchase by the general public). Contractor designs shall include appropriate operating instructions, calibration procedures and maintenance procedures. Commercial equipment shall be fully described by catalog listings or other means which provide sufficient information to permit identification and evaluation by the Government and may include illustrations and engineering data. Designs shall be prepared for any special fixture(s) required to be used with commercial equipment, or with SIE designs if not otherwise covered thereby (see 6.3.1c). Designs shall be of the category and form (per MIL-D-1000) specified in the contract Data Requirements Lists (DD Form 1423). The contractor is referred to MIL-HDBK-204, "Inspection Equipment Design" for guidance.

The specification number and applicable five digit defect code number (or other specific identifying information) from Section 4 of this specification shall be referenced on each contractor design together with the component or assembly drawing number and revision letter to which the specific design applies.

6.3.3 Submission of Designs for Approval - Contractor designs shall be approved by the Government prior to fabricating or procuring the equipment. Designs shall be submitted for approval to Picatinny Arsenal, ATTN: SARPA-QA-A-M, Dover, New Jersey 07801 in accordance with the stipulations, time frame and distribution specified in the Contract Data Requirements List (DD Form 1423) or in the contract. The contractor must include in his submission of designs a listing of any and all Government SIE designs which will be utilized. Partial submission of inspection designs is permissible and encouraged. However, the completion date for design review will be based on the date of the final submission of designs. Picatinny Arsenal design review will normally be accomplished within one month after receipt."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

The specification number and applicable five digit defect code number (or other specific identifying information) from Section 4 of this specification shall be referenced on each contractor design together with the component or assembly drawing number and revision letter to which the specific design applies.

6.3.3 Submission of Designs for Approval - Contractor designs shall be approved by the Government prior to fabricating or procuring the equipment. Designs shall be submitted for approval to Picatinny Arsenal, ATTN: SARPA-QA-A-M, Dover, New Jersey 07801 in accordance with the stipulations, time frame and distribution specified in the Contract Data Requirements List (DD Form 1423) or in the contract. The contractor must include in his submission of designs a listing of any and all Government SIE designs which will be utilized. Partial submission of inspection designs is permissible and encouraged. However, the completion date for design review will be based on the date of the final submission of designs. Picatinny Arsenal design review will normally be accomplished within one month after receipt."

6.5: Add paragraph as follows:

"6.5 International standardization agreement - Certain provisions of this specification (section 3 and 4.2.2 and 4.2.3) are the subject on international standardization agreement (STANAG No. 2818). When amendment, revision, or cancellation of this specification is proposed which will effect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization changes including departmental standardization offices, if required."

* Add new paragraph 6.6 as follows:

"6.6 Certification. Unless otherwise specified by the Contracting Officer, certification shall be submitted by the contractor in accordance with the contract. Distribution shall include: Commander, U.S. Army Armaments Research, Development and Engineering Center (ARDEC), ATTN: AMSTA-AR-QAA-B, Picatinny Arsenal, NJ 07806-5000."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1375-0038)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:27Z
Check the source to verify that this is the current version before use.