INCH-POUND

A-A-55090
22 November 1991


COMMERCIAL ITEM DESCRIPTION

FILTER, RADIO FREQUENCY INTERFERENCE

The General Services Administration has authorized the use of this commercial item description.

1. Abstract. This commercial item description (CID) covers the general requirements for radio frequency interference suppression power line filters. These filters consist of capacitors and inductors used in combination with each other and may be provided with resistors. This series of RFI filters incorporate the special IEC (International Electrotechnical Commission) power line connector. Filters covered by this CID are intended for commercial/industrial applications and should not be used in military systems needing stringent environmental and electrical requirements.

2. Part or Identifying Number (PIN). The PIN for this CID shall be as shown in the following example:



3. Salient characteristics.

3.1 Rated voltage. 120/250 V ac.

3.2 Operating frequency. 50/60 Hz.

3.3 Rated current. See table I.

3.4 Maximum leakage current, line to ground. .25 mA at 120 V ac 60 Hz, .50 mA at 250 V ac 50 Hz.

3.6 Hipot rating (1 minute). 2250 V dc line-to-ground, 1450 V dc line-to-line.

3.7 Insertion loss. See table I.

3.8 Design and construction. The dimensions and configuration are shown on figure 1.


3.9 Marking. Filters supplied to this CID shall be marked with the manufacturer's standard commercial PIN.

TABLE I. Current rating and insertion loss.


Dash number	Current rating	Minumum insertion loss (dB) line-to-ground in 50 ohm circuit					
		Frequency (MHz)					
		.15	.5	1	5	10	30
01	1A	22	35	40	46	50	49
02	3A	15	25	30	45	50	54
03	6A	9	20	25	41	45	50

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.



A (max)	B (max)	C (max)	D ±.015 ±0.38	E (max)
1.55 39.4	1.19 30.1	.85 21.6	1.575 40.01	1.98 50.3



ELECTRICAL SCHEMATIC

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.

Figure 1. Configuration and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

4. Quality assurance provisions.

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for inspection requirements specified herein, unless otherwise disapproved by the acquiring activity. The acquiring activity reserves the right to perform any of the inspections set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Contractor certification statement. The contractor shall certify and maintain objective quality evidence that the product offered meets the requirements of this CID, and that the product conforms to the producers own drawings, specifications, standards, quality assurance practices, and is the same as the product provided as a bid sample. The acquiring activity reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.3 Certificate of compliance. A certificate of compliance shall accompany all filters supplied to this CID.

5. Packaging.

5.1 Packaging. Preservation, packaging, labeling, and marking shall be as specified in the contract or purchase order.

6. Notes. This section contains relevant information which is useful to buyers, users, and suppliers in the process of acquiring the item.

6.1 Ordering data. The contract or purchase order shall specify the following:

a. CID number and revision.
b. Quality assurance provisions.
c. Any additional marking requirements.
d. Packaging requirements.

6.2 Suggested sources of supply. A suggested source of supply is listed herein. Additional sources will be added as they become available.

CID dash number (PIN)	Vendor commercial PIN	Vendor CAGE number
A-A-55090-01	1EF2	05245
A-A-55090-02	3EF2	05245
A-A-55090-03	6EF2	05245

Vendor CAGE number	Vendor name and address
05245	CORCOM, INC. 1600 Winchester Rd. Libertyville, IL 60048

CONCLUDING MATERIAL

Civil agency coordinating Activity:
GSA - 7FXE

Preparing Activity:
DLA-ES

(Project 5915-0216)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.