INCH-POUND
A-A-55099A
January 3, 1997
SUPERSEDING
A-A-55099
December 16, 1992

COMMERCIAL ITEM DESCRIPTION

ROD AND CLAMP, INSECT BAR

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-R-2341 for all Federal agencies.

1. **SCOPE**. This commercial item description covers a rod and clamp assembly used in supporting insect bars over certain types of military beds and cots.

2. **SALIENT CHARACTERISTICS**. The rod (upright, crossbar, ring) and clamp (body, clip, carriage bolt/wing nut) assembly shall be in accordance with Figures 1, 2, and 3 to be able to interface with existing military cots/beds. The clamp body and clip shall be manufactured from commercial quality carbon steel sheet or strip. The upright (1/2 inch in diameter) and crossbar (3/8 inch in diameter) shall be manufactured from standard quality carbon steel bar. The carriage bolt (2 inches in length, 0.3125-18 UNC-2A) and the wing nut shall be made of steel.

2.1 Materials

2.1.1 Steel bar. The carbon steel bar shall conform to grades 1010 through 1020 of ASTM A-108 or 1008 through 1020 or M1008 through M1020 of ASTM A-575.

2.1.2 Steel, sheet or strip. The composition of the steel sheet shall conform to ASTM A-366. The composition of the steel strip shall conform to ASTM A-109.

2.1.3 Primer. The primer shall be a quick-drying, corrosion-inhibiting, high solids alloyed primer for pretreated ferrous metals. The primer shall be lead and chromate free and contain no more than 420 grams per liter of volatile organic compounds (VOC), as applicable.

2.1.4 Enamel. The enamel shall be an air-drying, semi-gloss enamel for use on primed exterior metal. The enamel shall be lead and chromate-free and shall meet the air pollution requirements for solvent emission. The enamel color shall be No. 24084 in accordance with FED-STD-595.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FNS, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A **FSC 7210**

DISTRIBUTION STATEMENT A.Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

2.1.5 Coatings. As an alternate to the primer and enamel, the crossbar and upright may be coated with a commercial epoxy coating.

2.2 Finish

2.2.1 Clamps. The clamp assembly shall be thoroughly cleaned and electro-zinc plated and chromated in accordance with type II, service condition-3 of ASTM B-633.

2.2.2 Rods. All rod surfaces shall be prepared for painting by any suitable commercial method. The prepared rod surfaces shall be given one coat of primer and thoroughly dried prior to application of the enamel. The primed surfaces of the insect bar rod shall be coated with enamel and baked.

2.3 Marking. The letters "U.S." and the manufacturer's identification shall be indented prior to finishing on each clamp assembly, crossbar, and upright.

2.4 Instruction sheet. An instruction sheet illustrating the methods of mounting the insect bar clamps on various types of beds shall be packed with each box of clamps. See Figure 4.

3. **REGULATORY REQUIREMENTS**. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

4.2 Visual examination. Each rod and clamp assembly shall be examined for the defects listed below.

4.2.1 Defects. Enameled or epoxy coating not finished, wrong color, area of no film, or not smooth, uniform, or adherent; surfaces not plated, not uniformly plated, area of no plating, or dirt or foreign matter imbedded; any inoperative functioning component; any ring missing or not as specified; any component missing; component not in proper alignment, broken, fractured, or split; any sharp edge, burr, or sliver; any corners on clamp not rounded as indicated; hole not the proper size; any end of bar not chamfered as required; any sharp corners not broken or rounded where required; marking missing, incorrect, or illegible; dimensions of item not as specified; any items not packaged in accordance with the contract or purchase order.

4.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

5. PACKAGING

5.1 Preservation, packing, and marking. The preservation, packing, and marking shall be as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

6. **NOTES**

6.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

6.2 Source of non-Government documents

ASTM Documents

(Applications for copies should be addressed to American Society For Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428.)

MILITARY INTERESTS:

Custodians
Army - GL
Air Force - 99

Review Activities
Army - MD
Air Force - 82, 45

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
DLA - CT

Project 7210-0341

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.



CLAMP ASSEMBLY



CROSSBAR

FIGURE 1. ROD AND CLAMP, INSECT BAR

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.



FIGURE 2. ROD AND CLAMP, INSECT BAR

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.



CLIP



BODY

FIGURE 3. ROD AND CLAMP, INSECT BAR

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.



Figure 4. Rod and Clamp, Insect Bar

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.