INCH-POUND

A-A-55109

8 January 1993

COMMERCIAL ITEM DESCRIPTION

FOOT MEASURING DEVICE, MEN'S

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-F-43782

Abstract. This commercial item description covers a Foot Measuring device for men. The foot measuring device is intended for use by induction centers and supply stations of the Department of Defense to determine footwear sizes for men.

Salient Characteristics. There shall be two single foot measuring devices mounted on a plywood base so that both feet can be measured at the same time. Applicable drawings are a follows:

2-1-1095 - Foot Measuring Device; Assembly complete
2-1-1096 - Foot Measuring Device; left and Right Foot Measuring Device Assemblies
2-1-1097 - Foot Measuring Device; Plate Detail
2-1-1098 - Foot Measuring Device; Miscellaneous Details
2-1-1099 - Foot Measuring Device; Base Detail
2-1-1100 - Foot Measuring Device; Scales and Label
2-1-1101 - Foot Measuring Device; Detail of Label Placement

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8335

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 20261O-26T09:42Z
Check the source to verify that this is the current version before use.

Material.
The foot measuring device shall be made with aluminum alloy. The aluminum alloy bar, rod and wire shall conform to temper T-6 of QQ-A-225/8. Aluminum alloy plate and sheet shall conform to temper T-6 of QQ-A250/11. The wood base shall be five ply plywood, group B grade AB conforming to PS1. The materials are noted on the applicable drawings.

Label/marking. The manufacturers label shall be a plate or photo-sensitive metal etched, stamped, processed, or painted, using characters 3/16 inch high, with the name of the manufacturer and year of manufacture. The label shall be fastened securely to the base of the device.

Finish.
Aluminum components (except the scales and labels) shall be coated with a primer followed by a coat of black lacquer. Scales and labels shall be coated with clear lacquer after installation. The plywood bases shall be coated with a clear high gloss varnish that will produce a uniform finish.

Workmanship. After completion, the finished foot measuring device. shall be thoroughly cleaned, and free of all obvious visual defects such as dents, miscasts, sharp edges and burrs.

Product Demonstration Model. When required, offerers shall submit sample foot measuring devices of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description specified above.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Examination. Lots of foot measuring devices shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The inspection level for visual examination shall be II and the AQL 2.5. The sample unit is one foot measuring device.

Dimensional Examination. The finished foot measuring devices shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one foot measuring device; the inspection level shall be 4.0 and the AQL shall be S-2.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-2 and AQL shall be 2.5.

EXAMINE	DEFECT
Marking (exterior and interior)	Omitted; incorrect; illegible; of improper size, location, or method of application
Materials	Any component missing, damaged, or not as specified
Workmanship	Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, or inadequate stapling
Content	Number of items in container is more or less than required
	NSN shown on one or more items not as specified on shipping container
Palletization	Length, width, or height exceeds specified maximum requirements
	Pallet type not as specified
	Load not bonded as specified

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Regulatory Requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Defects. The foot measuring device shall be examined for the following defects: finish, design, welding, bolts, nuts, screws, markings, scales, and labels, incorrect, or illegible; measurement of item not as specified.

End Item Performance Testing.
The slides shall be pulled forward and back, fully opening and closing the measuring area for at least six times. The alignment of the length and width scales shall be checked for conformance with the drawings.

Preservation, Packing, and Marking. The preservation, packing, and marking shall be as specified in the contract or order.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Sources of Nongovernment Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

Custodian:
Army - GL
Air Force

Review Activity:
Navy - NU
Air Force - 99

User Activity
Air Force - 45

Civil Agency Coordinating Activity:
GSA - FSS

Preparing Activity:
DLA - CT

Project No.8435-0059

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-55109	92 12 18

3. DOCUMENT TITLE: FOOT MEASURING DEVICE, MEN'S

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
DEFENSE PESONNEL SUPPORT CENTER ATTN: DPSC-FSSD (12-3-D)	(1) Commercial 215-737-8105	(2) AUTOVON 444-8105
c. ADDRESS (Include Zip Code) 2800 SOUTH 20th STREET PHILADELPHIA, PA 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 20261026T09:42Z
Check the source to verify that this is the current version before use.