MILITARY SPECIFICATION

MACHINE GUN, CALIBER .50: FIXED, M85

This Amendment is issued for use by the Department of the Army, with Military Specification MIL-M-45590A(AR) dated 1 August 1975.

PAGE 2

* 2.1, Under STANDARDS add:

"MIL-STD-1189 - Standard Department of Defense Bar Code Symbology"

PAGE 6

3.2.7.4, line 2, following "on the cover by the two" - Change "spripper" to stripper".

PAGE 10

* 3.2.15, add:

"Bar Code label shall be firmly affixed to the receiver assembly and shall be readable in accordance with MIL-STD-1189."

PAGE 11

3.3.7, Delete:

"high and low cyclic rate of fire of 800 to 950 and 400 to 500 rounds per minute respectively"

Substitute:

"minimum high cyclic rate of 625 rounds per minute (RPM) and a minimum low cyclic rate of 400 RPM."

3.3.8, Delete second sentence and substitute:"'

"The average high and average low cyclic rate of fire shall be 700 to 950 and 400 to 500 RPM, respectively."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:29Z
Check the source to verify that this is the current version before use.

PAGE 13

* 3.5, Add:

"The bar code label shall be firmly affixed to the weapon receiver, the bar coding shall be clearly defined and the number on the label shall agree with the serial number stamped on the receiver."

PAGE 14

* 4.5.2.2, Delete in its entirely and substitute:

"4.5.2.2 Machine guns. Visually and manually examine each machinegun in accordance with the following. Each step in the examination shall include a visual examination for proper cleaning and presence of the specified protective coating and to determine the general quality, completeness of manufacture, assembly, finish, marking (identification, bare code marking, proof firing, and magnetic particle inspection), and workmanship. The examination provisions shall be applied at the earliest practical point in manufacture at which it is feasible to inspect for acceptance without risk of change in the characteristic by subsequent operations. Reinspection of these characteristics on the completed product is not required provided assurance exists that the characteristic has not been changed, degraded or damaged by subsequent manufacturing, assembly or-handling and that adequate inspection records are maintained. Machine guns failing to meet the requirements shall be rejected.

PAGE 15

4.5.2.2.5, letter C, second line - Change "C11686373" to "C12006363".

PAGE 23

4.6.6.2, second sentence - Change "F77977501" to "F7797501".

PAGE 26

4.6.8.3, Delete second sentence and substitute:

"The cyclic rate of fire shall be measured and recorded during one continuous burst at the high rate setting and, using a timer gage conforming to 4.6.7.5. A high and a low cyclic rate

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:29Z
Check the source to verify that this is the current version before use.

shall be taken on the first and second 90 round continuous burst, respectively, after 1620, 3240, and 4860 rounds of firing."

PAGE 28

Group III, twelveth item, change "8228228" to "8448228"-

Group IV, nineth item, delete in its entirety and substitute: "Slide, belt feed (8448227)".

PAGE 29

Group V, fourth item, change "8228225" to "8448225".

Group VIII, second item, change "11686373" to "12006363".

PAGE 30

Group IX, thirtenth item, change "7793058" to "7793085".

Add "Group X" above the group of items headed by "Detent, sear block "7793195".

Group X, fifth item, change "8448225" to "8448209".

PAGE 31

* 6.1, Add: "1. Bar code marking requirements."

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions, from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notation and relationship to the last previous issue.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1005-A625)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T03:29Z
Check the source to verify that this is the current version before use.