
MIL-B-41809 / 11F(IH)
26 APRIL 1983
SUPERSEDING
MIL-B-41809/11E(IH)
9 Sep 81

MILITARY SPECIFICATION SHEET

BADGE, IDENTIFICATION; US ARMY RECRUITER, ARMY

This specification is approved for use by all Departments and Agencies of the Department of Defense. The complete requirements for procuring the item(s) described herein shall consist of this document and the issue in effect of Specification MIL-B-41809.



DASH NO.
-1: Silver with mounted stars
-2: Gold with mounted stars
-3: Star, Silver
-4: Star, Gold
-5: Star, Gold with Sapphire (see Note. 11)

MATERIAL: RED BRASS
DIMENSIONS (INCHES):
-1,-2:
HEIGHT: 2-1/8 (REF)
WIDTH: 1-3/4 (REF)
THICKNESS (MIN): .030
-3,-4,-5:
DIAMETER (CIRCUMSCRIBED): 3/16 (REF)
THICKNESS (THICKEST POINT): .060 ± .005
ASSEMBLED WEIGHT (MAX): 1 oz. (480 Grains)
FINISH:
-1: ENAMELED, NICKEL PLATED, SILVER PLATED, OXIDIZED RELIEVED SATIN FINISH. THE FACE AND SIDE (EDGES VISIBLE FROM THE FRONT) SHALL BE COATED WITH LACQUER.
-2: ENAMELED, GOLD PLATED POLISHED FINISH
-3: NICKEL PLATED, RHODIUM PLATED, SATIN FINISH
-4,-5: GOLD PLATED SATIN FINISH

NOTES:

1. PIERCED AREAS SHALL BE AS INDICATED.

2. THE ATTACHING DEVICE SHALL BE THREE PRONGS AND CLUTCHES. THE PRONGS SHALL BE LOCATED ON THE CENTER OF THE RING AND SHALL BE EQUALLY SPACED AROUND THE RING WITH ONE PRONG LOCATED ON THE VERTICAL CENTER LINE AT THE TOP OF THE RING.

3. THE PRONGS SHALL HAVE A FREE LENGTH ABOVE THE BACK OF THE BADGE OF 5/16 ± 1/64 INCH.

4. A FULL FORCER SHALL BE USED TO BRING UP THE DESIGN AND MEET THE WEIGHT REQUIREMENTS.

5. THE ATTACHING DEVICE FOR THE STARS SHALL BE A STAPLE TYPE PRONG. THE PRONG SHALL BE 1/8, +1/16, -0 INCH LONG AND SHALL BE FORMED FROM .010 ± .002 INCH THICK FLAT BRASS WIRE .040 ± .002 INCH WIDE. THE PRONG SHALL BE CENTERED ON AND SOLDERED TO THE REVERSE OF THE STAR.

6. A .050 ± .005 INCH DIAMETER HOLE SHALL BE DRILLED IN THE CENTERS OF THE RECESSED STAR OUTLINE ON THE BADGE.

7. STARS SHALL BE MOUNTED ON THE BADGE WITH THE TABS PUSHED THROUGH THE HOLES SO THAT THE STARS ARE POSITIONED IN THE RECESSED STAR OUTLINE ON THE BADGE AND THE TABS BENT OVER TO INSURE A TIGHT SNUG FIT.

8. STARS:

UNIT PACKAGING: THIRTY STARS (30) OF ONE FINISH ONLY SHALL BE PLACED IN A POLYETHYLENE BAG AND HEAT SEALED.

PACKING: STARS SHALL BE PACKED IN ACCORDANCE WITH LEVEL C OF THE BASIC SPECIFICATION MIL-B-41809.

9. ENAMEL SHALL BE A SOFT BAKED ENAMEL.

10. ENAMELED AREAS SHALL BE AS INDICATED AND THE COLOR SHALL BE GREEN MATCHING THE ENAMEL ON THE STANDARD SAMPLE AND THE TIOH COLOR CHIP NO. 12.

11. THE DASH NO. 5 STAR SHALL HAVE A 3 POINT FULL CUT WHITE SAPPHIRE SET IN A 4 BEAD SETTING. THE SETTING SHALL BE ACCOMPLISHED BY FILING THE STAR POINT FLAT AND DRILLING A HOLE IN THE CENTER OF THE FLAT AREA OF SUFFICIENT SIZE TO ACCEPT THE STONE.

CUSTODIANS:	REVIEW ACTIVITIES:	USER ACTIVITIES:
ARMY	IH	
NAVY		
AIR FORCE		
DLA	CT	

PREPARING ACTIVITY:
THE INSTITUTE OF HERALDRY,
UNITED STATES ARMY

Project No. 8455 - A047

/FSC 8455/

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:33Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-B-41809/11F(IH)	Bdg, ID, US Army Recruiter, Army

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*:
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:33Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for u submitting comments and suggestions for improvements. All users of military standardization documents are invited to pr suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

THE INSTITUTE OF HERALDRY, US ARMY
Cameron Station, 5010 Duke Street
Alexandria, Virginia 22314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Director
The Institute of Heraldry, US Army
ATTN: DAAG-HDT
5010 Duke Street
Alexandria, VA 22314

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:33Z
Check the source to verify that this is the current version before use.