

MIL-B-41809 / 14D
31 DECEMBER 1978
SUPERSEDING
MIL-B-41809/14C
7 July 75

MILITARY SPECIFICATION SHEET

BADGE, IDENTIFICATION; INSTRUCTOR, AIR FORCE TRAINING COMMAND

This specification is approved for use by all Departments and Agencies of the Department of Defense. The complete requirements for procuring the item(s) described herein shall consist of this document and the issue in effect of Specification MIL-B-41809.





DASH NO.
-1: Instructor
-2: Master Instructor

MATERIAL: GILDING METAL
DIMENSIONS (INCHES):
DIAMETER: 2 (REF)
THICKNESS (THICKEST POINT): .080 + .010
FINISH: ENAMELED, NICKEL PLATED, SILVER PLATED, EDGES, INNER AND OUTER RIM AND LETTERS MIRROR-LIKE POLISHED. TORCH AND WINGS OXIDIZED RELIEVED SATIN FINSIH.

NOTES:

1. ATTACHING DEVICE SHALL BE PRONG AND CLUTCH TYPE. THREE PRONGS SHALL BE LOCATED ON A 1-3/4 INCH DIAMETER CIRCLE. THE PRONGS SHALL BE SPACED 120 DEGREES APART WITH THE TOP PRONG LOCATED ON THE VERTICAL CENTER LINE AT THE TOP OF THE BADGE.

2. THE BADGE SHALL BE SPHERICALLY DAPPED 1/32 + 1/64 INCH. THE DAP SHALL BE MEASURED ON THE REVERSE OF THE BADGE.

3. THE ENAMEL COLORS SHALL CONFORM TO THE ENAMEL COLORS ON THE TIOH COLOR CHIPS LISTED BELOW AND SHALL MATCH THE ENAMEL COLORS ON THE STANDARD OR APPROVED SAMPLE:

	TIOH CHIP NO.
RED	1
BLUE	18
WHITE	28

4. PRONGS SHALL BE ELECTRONICALLY FUSED TO THE BADGE IN THE LOCATIONS SPECIFIED. SOLDERING OF THE PRONGS TO THE BADGE SHALL NOT BE PERMITTED.

CUSTODIANS:	REVIEW ACTIVITIES:	USER ACTIVITIES:
ARMY	IH	
NAVY		
AIR FORCE		
DLA	CT	

PREPARING ACTIVITY:

THE INSTITUTE OF HERALDRY,
UNITED STATES ARMY

FSC 8455/

Project No. 8455-0248

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:34Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-D-41809/14D

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

FORM 1426
1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:34Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DOD 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Director
The Institute of Heraldry, US Army
Attn: DAAG-HDT
Cameron Station
Alexandria, VA 22314

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:34Z
Check the source to verify that this is the current version before use.