MIL-B-41809 / 1B
31 DECEMBER 1978
SUPERSEDING
MIL-B-41809/ 1A
30 September 70

MILITARY SPECIFICATION SHEET

BADGE, IDENTIFICATION; PRESIDENTIAL SERVICE

This specification is approved for use by all Departments and Agencies of the Department of Defense. The complete requirements for procuring the item(s) described herein shall consist of this document and the issue in effect of Specification MIL-B-41809.



MATERIAL:
BASE AND CENTER DISC: GILDING METAL
SUPERIMPOSED DEVICE: BRASS
DIMENSIONS (INCHES):
OUTSIDE DIAMETER: 1-15/16 (REF)
DIAMETER OF CENTER DISC: 1-23/32 (REF)
OVERALL HEIGHT OF DEVICE: 1-13/64 (REF)
DEVICE (THICKNESS AT SHIELD): 1/16 (REF)
ASSEMBLED THICKNESS (AT SHIELD): .250,-.010, +.000
FINISH:
BASE: GOLD PLATED, SATIN FINISH, PEAKS OF RAYS POLISHED
CENTER DISC: ENAMELED, STARS SILVER PLATED, SATIN FINISH
SUPERIMPOSED DEVICE: GOLD PLATED, SATIN FINISH, POLISHED HIGHLIGHTS

NOTES:

1. THREE PRONGS SHALL BE LOCATED ON A 1-1/2 INCH DIAMETER CIRCLE. THE PRONGS SHALL BE SPACED 120 DEGREES APART WITH THE TOP PRONG LOCATED ON THE VERTICAL CENTER LINE AT THE TOP OF THE BADGE.

2. THE CENTER DISC AND THE SUPERIMPOSED DEVICE SHALL BE SECURED TO THE BASE BY MEANS OF TWO OR MORE SOLID RIVETS. RIVETS MAY BE AN INTERGRAL PART OF THE SUPERIMPOSED DEVICE OR MAY BE FABRICATED FROM COMMERCIAL BRASS AND SOLDERED TO THE BACK OF THE DEVICE. THE DEVICE SHALL FOLLOW THE CONTOUR OF THE BLUE ENAMEL DISC.

3. ENAMEL SHALL CONFORM TO TIOH COLOR CHIP NO. 20 AND SHALL MATCH THE STANDARD OR APPROVED SAMPLE.

4. EACH BADGE SHALL BE ENGRAVED WITH A SERIAL NUMBER AS SPECIFIED IN THE CONTRACT OR ORDER USING A CONDENSED ROMAN NUMERAL. THE NUMERALS SHALL BE 3/32 INCH IN HEIGHT. THE SERIAL NUMBER SHALL BE CENTERED ON THE REVERSE OF THE BADGE WITH THE BASE LINE OF THE NUMBER 1/4 INCH FROM THE LOWER EDGE OF THE BADGE.

5. THE ENTIRE BADGE SHALL BE LACQUERED AFTER ASSEMBLY.

	CUSTODIANS:	REVIEW ACTIVITIES:	USER ACTIVITIES:	PREPARING ACTIVITY:
ARMY	IH			THE INSTITUTE OF HERALDRY, UNITED STATES ARMY
NAVY				
AIR FORCE				
DLA		CT		

Project No. 8455-0248

/FSC 8455/

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

STRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and hance its use. DoD contractors, government-activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-B-41669/1B

NAME, ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

FORM 1426
1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

FOLD

POSTAGE AND FEES PAID
DOD 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Director
The Institute of Heraldry, US Army
Attn: DAAG-HDT
Cameron Station
Alexandria, VA 22314

FOLD