MILITARY SPECIFICATION

PANELS, AIRPORT LIGHTING CONTROL, GENERAL SPECIFICATION FOR

This amendment forms a part of Military Specification MIL-P-8944A dated 11 December 1970, and is approved for use by all Departments and Agencies of the Department of Defense.

Add to bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio ALC/MMEDO, Kelly AFB, Texas 78241 by using the self addressed Standardization Document Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 1

2.1, delete in its entirety and substitute the following 2.1 and new paragraph 2.1.1:

"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein."

2.1, under SPECIFICATIONS, FEDERAL, PPP-B-601, delete title and substitute "Boxes, Wood, Cleated-Plywood."

Delete title for PPP-B-636 and substitute "Boxes, Shipping, Fiberboard."

PAGE 2

Under STANDARDS, MILITARY, delete "MIL-STD-100" and substitute "DOD-STD-100" same subject.

Delete title opposite MIL-STD-889 and substitute "Dissimilar Metals."

Delete title opposite MS24509 and substitute "Circuit Breaker Aircraft, Trip-Free, Toggle, 3 through 35 amps, Type I, Size C."

Delete parenthetical source paragraph and substitute the following:

"(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

FSC 6210

Source: https://assist.dla.mil -- Downloaded: 20261O-17T11:44Z
Check the source to verify that this is the currentversion before use.

2.2, delete in its entirety and substitute the following:

"2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable."

Under NATIONAL FIRE PROTECTION ASSOCIATION, delete:

"Pamphlet 70 National Electrical Code (Electric Wiring and Apparatus)

(Application for copies should be addressed to the National Fire Protection Association, 60 Batterymarch Street, Boston, Massachusetts 02110.)"

and substitute:

"NFPA 70 National Electrical Code

(Application for copies should be addressed to the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.)"

Add the following industry document and parenthetical source statement:

"AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM D 3951-82 Packaging, Commercial

(Application for copies of ASTM publications should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, Pennsylvania 19103.)"

Add the following new paragraph 2.3:

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the test of this specification shall take precedence."

PAGE 5

3.5.10, line 9, delete "type T" and substitute "type MTW."

PAGE 6

3.8, line 4, delete "MIL-STD-100" and substitute "DOD-STD-100."

PAGE 7

4.1, line 2 and line 4, delete "supplier" and substitute "contractor."

PAGE 9

Delete paragraph 5, 5.1, 5.1.1, 5.1.2 and 5.2 and substitute the following:

"5. PACKAGING

5.1 Preservation. Preservation shall be level A or Commercial as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:44Z
Check the source to verify that this is the current version before use.

5.1.1 Level A. Airport lighting control panels shall be preserved and packaged one each in accordance with method II of MIL-P-116. Unit containers shall conform to PPP-B-636.

5.1.2 Commercial. Airport lighting control panels shall be packaged in accordance with ASTM D 3951.

5.2 Packing. Packing shall be level A, B, or Commercial, as specified (see 6.2)."

5.2.1, delete line 2 and substitute "as specified in paragraph 5.1, shall be packed in a wood cleated-plywood."

5.2.2, delete in its entirety and substitute the following:

"5.2.2 Level B. Airport lighting control panels, preserved and packaged as specified in 5.1, shall be packed in a wood cleated-plywood shipping container conforming to PPP-B-601, overseas type. As far as practicable, shipping containers shall be similar in shape and size, shall contain identical quantities, and shall be of minimum cube and tare consistent with the protection required. Container closure and strapping shall be in accordance with the appendix to PPP-B-601."

5.2.3, delete and substitute:

"5.2.3 Commercial. Airport lighting control panels shall be packed in accordance with ASTM D 3951."

5.4, delete and substitute:

"5.4 Marking. In addition to any special marking required by the contract or order (see 6.2), unit containers and exterior shipping containers shall be marked in accordance with MIL-STD-129, or ASTM D 3951 as applicable."

Custodians:
Navy - AS
Air Force - 99

Review activities:
Navy - YD
Air Force - 11
DLA - GS

Preparing activity:
Air Force - 82

(Project 6210-0600)

FSC 6210

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:44Z
Check the source to verify that this is the current version before use.