MILITARY SPECIFICATION

MINE DISPERSING SUBSYSTEM AIRCRAFT, PRACTICE, M132

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the inspection and test for the assembling and packing of the M132 Practice Mine Dispersing Subsystem.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids a request for proposal, forms a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

DRAWINGS

U.S. ARMY PICATINNY ARSENAL

PRODUCT AND PACKING DRAWINGS

9296700 - Mine Dispersing Subsystem Aircraft, Practice, M132
9298966 - Packing and Marking for Shipping and Storage Container; CNU-79 A/E for Mine, Dispersing Subsystem Aircraft, Practice: M132
9296697 - Packing and Marking for Shipping and Storage Container, Mine Canister: M602 for Reload Kit, Mine, Dispenser Subsystem Aircraft, Practice: M132

FSC: 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

INSPECTION EQUIPMENT DRAWINGS

9209981 - Test Set, A/E 24 T-79
9289146 - Test Set, A/E 24T-30

(Copies of specifications, standards drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Cuntracting Officer).

2.2 Other publications. - The following documents forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids shall apply.

CODE OF FEDERAL REGULATIONS, TITLE 49 - TRANSPORTATION, PARTS 100-199

(The Code of Federal Regulations is available from the Superintendent of Documents, U.S. Government Printing Office, Washington D.C. 20402. Orders shall specify CFR 100-199 (latest revision)}.

3. REQUIREMENTS

3.1 Material. - Materials shall be in accordance with the applicable drawing and specification.

3.2 Assembly. - The M132 Practice, Mine Dispersing Subsystem Aircraft shall comply with all requirements specified on drawings 9296700 and 9296697 as applicable, all associated crawings and with all requirements specified in applicable specifications.

3.3 Workmanship. - All parts and assemblies shall be fabricated and finished (or fabricated and loaded) in a thorough workmanlike manner, and all manufacturing, processing, and assembly operations shall be correctly performed. They shall be clean and free of burrs, sharp edges, unblended radii, surface defects, chips, dirt, grease and oil (except where specifically required), corrosion products and other foreign matter. The cleaning method used shall not be injurious to any part or assembly nor shall they becontaminated by the cleaning agent. Exterior surface coatings shall be continuous except for a few light scratches not exposing base material. All required markings shall be neat and sharply defined. (Required packing shall be dry).

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:43Z
Check the source to verify that this is the currentversion before use.

3.4 Submission of results of contractor- conducted examinations and tests. - The contractor shall forward copies of the results of any of his examinations or tests to the designated address as required by the contract. (see 6.4). (Use only when required).

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions. - Unless otherwise specifies herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspection. - The following type of inspection shall be conducted. on this item.

a. Quality conformance inspection.

4.3 First Article Inspection. - None required.

4.4 Quality Conformance Inspection.

4.4.1 Inspection lot formation.. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. - (See MIL-A-48078). Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.4.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48383 (PA)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.1	Canisters, Mine, Practice (Prior to uploading into dispenser)		9255991
			NEXT HIGHER ASSEMBLY 9296700

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A					
101	Shorting clip not removed		100%	3.2	Visual
102	Charge damaged		100%	3.2	Visual
103	Any component missing		100%	3.2	Visual
Major B					
131	Canister markings incorrect, illegible or missing		1.0%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.2	Canisters, Mine, Practice (Prior to packing into reload kit)				9255991
					NEXT HIGHER ASSEMBLY 9296696
CATEGORY	EXAMINATION OR TEST	NO OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A					
101	Shorting clip removed		100%	3.2	Visual
102	Charge damaged		100%	3.2	Visual
103	Any component missing		100%	3.2	Visual
Major B					
131	Canister markings incorrect, illegible or missing		1.0%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-78882 (EA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.3	Mine Dispersing Subsystem Aircraft, Practice, M132 (Prior to assembly of pallet)	1 OF 1	9296700
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A					
101	Canisters missing, damaged, improperly positioned or improperly aligned		100%	3.2	Visual
102	Safety pin not in dispenser		100%	3.2	Visual
103	Locking spring broken, bent or not engaging canister assembly		100%	3.2	Visual
Major B					
131	Dispenser markings illegible or missing		1.0%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.4	Mine Dispersing Subsystem Aircraft , Practice, UH32 (Pallet in position)		9296700
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A					
101	Safety pin not in dispenser		100%	3.2	Visual
Major B					
131	Pallet damaged or locking pin missing or loose		100%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES.

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.5	Packing and Marking for Shipping and Storage Container: CNU-79 A/E for Mine, Dispersing Subsystem Aircraft, Practice: M132 (Prior to installing cover)	1 OF 1	9298966
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A	None defined				
Major B					
131	Dispenser not positioned on suspension frame assembly		0.40%	3.2	Visual
132	Dessicant bags missing		0.40%	3.2	Visual
133	Strap assemblies loose or missing on dispenser		0.40%	3.2	Visual/Manual
134	Adapter cable or connector adapter missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.6	Packing and Marking for Shipping and Storage Container: CNU-79 A/E for Mine, Dispersing Subsystem Aircraft, Practice: M132 (after installing cover)	1 OF 1	9298966
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A	None defined				
Major B					
131	Bracket missing, damaged or misaligned		0.40%	3.2	Visual
132	Relative humidity indicator damaged or missing		0.40%	3.2	Visual
133	V-Bolts not secured		0.40%	3.2	Visual
134	Metallic seals missing or broken		0.40%	3.2	Visual
135	Markings incomplete, illegible or incorrect		0.40%	3.2	Visual
Minor					
01	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

Source: https://assist.dla.mil -- Downloaded: 20260-22T19:43Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.7	Packing and Marking for Shipping and Storage Container, Mine Canister: M602 for Reload Kit, Mine,Dispenser Subsystem Aircraft,Practice: M132 (prior to installing cover)	1 OF 1	9296697
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A					
101	Any shorting clip damaged or missing from any canister		100%	3.2	Visual
102	Any charge damaged		100%	3.2	Visual
103	Tie down channels improperly installed or missing		0.40%	3.2	Visual
Major B					
131	Canisters loose or damaged		0.40%	3.2	Visual/Manual
132	Fillers missing		0.40%	3.2	Visual
133	Dessicant bags missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48883 (PA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2 8	Packing and Marking for Shipping and Storage Container, Mine Canister: M602 for Reload Kit, Mine,Dispenser Subsystem Aircraft,Practice: M132 (after installing cover)	1 OF 1	9296697
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major A	None defined				
Major B					
131	Relative humidity indicator missing or damaged		0.40%	3.2	Visual
132	Gasket damaged, missing or misaligned		0.40%	3.2	Visual
133	T-bolts not secured		0.40%	3.2	Visual
134	Marking illegible, incomplete or incorrect				
135	Metallic seals broken or missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		1.0%	3.3	Visual

NOTES

SARPA-QA FORM 2567 FEB 74 4810

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

4.4.3 Testing

4.4.3.1 Dispenser resistance test (dwg. 9296700) - Major A Defect. - Each dispenser lot shall be tested 100 percent for the specified requirement in accordance with 4.5.1. Any dispenser classed defective shall be removed from the lot.

4.4.3.2 Intervalometer test (dwg. 9296700) - Major A Defect. - Each dispenser lot shall be tested 100 percent for the specified requirements in accordance with 4.5.2. All dispensers classed defective shall be removed from the lot.

4.3.3 Container Leak Test (dwg. 9298966) - Major A Defect. - Each completed CNU-79/E container assembly shall be tested for the specified requirement in accordance with 4.5.3. Any container assembly classed defective shall be removed from the lot.

4.4.4 Inspection Equipment, - The inspection equipment required to perform the inspections and tests prescribed in this specification is identified in the 'Paragraph Reference/ Inspection Method' column in the tables starting with paragraph 4.4.2.1, and the test method paragraphs (see 4.5). The contractor shall submit for approval, inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-46078, and 6.3 herein.

4.5.1 Dispenser resistance. - Each dispenser shall be tested for the specified resistance using the U.S.A.F. test, set No. 24 AET-79 (Bomb, Dispenser test set), dwg. 9209981. Any dispenser failing to comply with all of the specified requirements shall be classed defective. Testing is non-destructive and only accepted dispensers shall be returned to the lot.

4.5.2 Intervalometer test. - Each dispenser shall be tested for the specified requirement using the U.S.A.F. test set No. 24 AET-80 (Intervalometer test set), dwg. 9289146. Any dispenser failing to comply with all of the specified requirements shall be classed defective. Testing is non-destructive and only accepted dispensers shall be returned to the lot.

4.5.3 Container Leak Test. - The container shall be pressurized to the specified 3 1/2 p.s.i. requirement and

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

left standing for a minimum of 30 minutes. The container shall then be tested for the specified leakage rate of 0.1 p.s.i. If the leakage rate exceeds the specified requirement the container shall be classed defective and removed from the lot. Testing is non-destructive and only accepted containers shall be returned to the lot.

5. PREPARATION FOR DELIVERY

5.1 Preservation, Packing and Marking.

5.1.1 Dispensers.

5.1.1.1 Level A. - The dispenser assembly shall be preserved, packed and marked in accordance with dwg. 9298966.

5.1.1.2 Packing. - The dispenser assembly shall be packed in accordance with the Code of Federal Regulations, CFR 49 Parts 100-199.

5.1.2 Canisters and Reload Kits.

5.1.2.1 Level A. - The canister assemblies and reload kits shall be preserved packed and marked in accordance with dwg. 9296697.

5.1.2.2 Packing. - The canister assemblies shall be packed in the reload kit in accordance with the Code of Federal Regulation, CFR 49, Parts 100-199,

5.2 Shipping. - When components of more than one lot are shipped, each lot shall be kept separate and the division between lots clearly indicated to prevent mixing of the lots in transit.

6. NOTES

6.1 Intended Use. -

6.2 Ordering Data. - Procurement documents shall specify the following:

a. Title, number and date of this specification.
b. Provisions for submission of first article samples.
c. Provisions of MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

6.3 Submission of Inspection Equipment Designs for Approval (See MIL-A-48078) - Submit equipment designs as required, to Commander: Picatinny Arsenal, ATTN: SARPA-QA-I Dover, New Jersey 07801.

6.4 Submission of results of contractor conducted examinations and tests (see 3.4). - The contractor shall send his results to:

Commander
Picatinny Arsenal
ATTN: SARPA-QA-A-M
Dover, New Jersey 07801

6.5 Distribution of ammunition data cards. - Distribution Of data cards shall include the following: Commander, Picatinny Arsenal, ATTN: SARPA-QA-A-M Dover, New Jersey 07801.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1345-A-149

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:43Z
Check the source to verify that this is the current version before use.