QUALIFICATIONS CERTIFIED
EVERY 2 YEARS

QPL-81044-I2
31 October 1994
SUPERSEDING
QPL-81044-11
1 December 1993

QUALIFIED PRODUCTS LIST

OF “

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-W-81044 FSC 6145

WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice: revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR **SYSTEMS COMMAND (ATTENTION:** COMMANDING OFFICER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION LAKEHURST **CODE SR33, LAKEHURST,** NJ 08733-5100).

Questions concerning this **QPL** may be directed to the Naval Air Warfare Center, Aircraft Division, Indianapolis, Code DP704N, 6000 E. 21st Street, Indianapolis, IN 46219-2189.

Manufacturer’s full name cage #, office address and manufacturing plant address are listed at the end of this QPL.

AMSC N/A
Distribution Statement A“ Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

For the sake of brevity, part number designations are displayed and interpreted as shown:

M81044/7-[26 thru 20]-* XXXXX-[26 thru 20]

Matrices generate the following fictitious part numbers: (intervals of two)

1481044/7-26-*	XXXXX-26
-24-	-24
-22-	-22
-20-	-20

* The asterisk in the part number will be replaced by with the color code designations specified in the applicable MIL-W-81044 specification sheet.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/5	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Normal Weight, 600-Volt, 150 degrees C	
M81044/5-[24 thru 16]-*	BR81044/5-(1/24) thru (1/16)	Brand-Rex NAC K18.09/2-28-94
M81044/5- 24 thru 0 -*	44A0712- 24 thru 1 0 1	Raychem Corporation NAC H18.07/02-28-94
M81044/6	Wire, Electric, Crosslinked Polyalkene Insulated,Tin-Coated Copper, Normal Weight, 600-Volt, 150 degrees C	
M81044/6-[24 thru 16]-*	BR81044/6-(1/24) thru (1/16)	Brand-Rex NAC K18.09/2-28-94
M81044/6- 24 thru 0 -*	44A0711- 24 thru 0	Raychem Corporation NAC H18.07/02-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/7	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Normal Weight, 600-Volt, 150 degrees C	
M81044/7-[24 thru 20]-*	BR81044/7-[(1/24) thru (1/20)]	Brand-Rex NAC K18.09/2-28-94
M81044/7-[26 thru 20]-*	44A0714-[26 thru 20]	Raychem Corporation NAC H18.07/02-28-94
M81044/8	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Medium Height, 600-Volt, 150 degrees C	
M81044/8-[24 thru 0]-*	BR81044/8-[24 thru I 0]	Brand-Rex NAC K18.09/2-28-94
M81044/8-24-*	ARR1936A	Surprenant Cable Corp. NAC R18.06/2-28-94
-22-	ARR1934A	
-20-	ARR1932A	
-18-	ARR1930A	
-16-	ARR1929A	
-14-	ARR1927A	
-12-	ARR3728A	
-10-	ARR3726A	
M81044/8-24-*	513576	Huber and Suhner AG NAC E18.10/2-28-94
-22	577	
-20	578	
-18	579	
-16	580	
-14	570	
-12	571	
-10	572	
- 8	566	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/8- 24 -* **thru H3008 thru**		Judd Wire NAC F18.11/2-28-94
M81044/8- 24 thru 0 -*	44A0812- 24 thru 0	Raychem Corporation NAC H18.07/02-28-94
M81044/8- 24 thru 0 -*	44A0812- 24 thru 0 -*	Raychem, Ltd. NAC G18.08/02-28-94
M81044/9 Hire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Medium Weight, 600-Volt, 150 degrees C		
M81044/9 24 thru 0 —*	BR81044/9 24 thru 0	Brand-Rex NAC K18.09/2-28-94
M81044/9-24-*	ARR1936U	Surprenant Cable Corp. NAC R18.06/2-28-94
-22-	ARR1934	
-20-	ARR1932	
-18-	ARR1930	
-16-	ARR1929	
-14-	ARR1927	
-12-	ARR3728	
-10-	ARR3726	
-8	ARR13329U	
-6	ARR13327U	
-4	ARR13325U	
-2	ARR66530U	
-0	ARR10453OU	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/9-24-* -22 -20 -18 -16 -14 -12 -lo - 8 - 6 - 4 - 2 - 0	513-581-* -582 -583 -584 -585 -573 -574 -575 -568 -569 -563 -564 -565	Huber & Suhner AG NAC E18.10/2-28-94
M81044/9-[24 thru 16]-*	H3009 [24 thru 16] 4	Judd Wire NAC F18.11/2-28-94
M81044/9-[24 thru 0]-*	44A0811-[24 thru 0]	Raychem Corporation NAC H18.07/02-28-94
M81044/9-[24 thru 0]-*	44A0811-[24 thru 0]	Raychem, Ltd. NAC G18.08/02-28-94
M81044/10	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Medium Weight, 600-Volt, 150 degrees C	
M81044/10-[26 thru 20]-*	BR81044/10 [26 thru 20]	Brand-Rex NAC K18.09/2-28-94
M81044/10-[24 thru 20]-* ARR19	36 thru 20 AAY73	Surprenant Cable Corp. NAC R18.06/2-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/10-26-* -24 -22 -20	513-568-* -586 -587 -588	Huber and Suhner AG NAC E18.10/2-28-94
M81044/10- 26 -* thru 20	26 thru 20 H3010	Judd Wire NAC F18.11/2-28-94
M81044/10- 26 -* thru 20	44A0814- 26 thru 20	Raychem Corporation NAC H18.07/02-28-94
1481044/10- 26 thru 20 -*	44A0814- 26 thru 20 -*	Raychem, Ltd. **NAC G18.08/2-28-94**
M81044/11	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Light Height, 600-Volt, 150 degrees C	
M81044/11- 30 -* thru 12	BR81044/11 30 thru 12	Brand-Rex NAC K18.09/02-28-94
M81044/11-30-* -28 -26 -24 -22 -20- -18- -16- -14- -12-	AR738A AR736A AR1938A AR1936A AR1934A AR1932A AR1930A AR1929A AR1927A AR3728A	Surprenant Cable Corp. NAC R18.06/2-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/11-30-* -28 -26 -24 -22- -20 -18 -16 -14 -12	513-589-* 590 591 598 599 600 601 602 614 615	Huber and Suhner AG NAC E18.10/2-28-94
M81044/11-30-* -28 -26 -24 -22 -20 -18 -16 -14 -12	H3011302 282 264 244 224 204 184 164 144 126	Judd Wire NAC F18.11/2-28-94
M81044/11- 30 thru 12 -*	44A0112- 30 thru 12	Raychem Corporation NAC H18.07/02-28-94
M81044/11- 30 thru 12 -*	44AOl12- 30 thru 12 *	Raychem, Ltd. NAC G18.08/02-28-94
M81044/11- 30 -* thru 12	30 84411 thru 12	Teledyne Thermatics NAC C18.12/2-28-92
M81044/12	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Light Weight, 600-Volt, 150 degrees C	
M81044/12- 30 thru 12 -*	BR81044/12 30 thru 12	Brand-Rex NAC K18.09/02-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
11481044/12-30-*	AR738U	Surprenant Cable Corp. NAC R18.06/2-28-94
-28	AR736U	
-26	AR1938U	
-24	AR1936U	
-22	AR1934U	
-20-	AR1932U	
-18-	AR1930U	
-16-	AR1929U	
-14-	AR1927U	
-12-	AR3728U	
M81044/12-30-*	513-592-*	Huber and Suhner AG NAC E18.10/2-28-94
-28	593	
-26	594	
-24	603	
-22	607	
-20	608	
-18	609	
-16	610	
-14	616	
-12	617	
M81044/12-30-*	H3012302	Judd Wire NAC F18.11/2-28-94
-28	28.2	
-26	264	
-24	244	
-22	224	
-20	204	
-18	184	
-16	164	
-14	144	
-12	126	
M81044/12-{30 thru 12}-*	44A0111-{30 thru 12}	Raychem Corp. NAC H18.07/02-28-94
M81044/12-{30 thru 12}-*	44A0111-{30 thru 12}-*	Raychem, Ltd. NAC G18.08/02-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/12	30 thru 12 -*	84412	30 thru 12	Teledyne Thermatics NAC C18.12/2-28-92
M81044/13	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Light Weight 600-Volt, 150 degrees C			
M81044/13-	30 thru 20 -* -	BR81044/13	30 thru 20	Brand-Rex NAC K18.09/02-28-94
M81044/13-30-* -28- -26- -24- -22- -20-		AR738AAY73 AR736AAY73 AR1938AAY73 AR1936AAY73 AR1934AAY73 AR1932AAY73		Surprenant Cable Corp. NAC R18.06/2-28-94
M81044/13-30-* -28 -26 -24 -22 -20		513-595-* 596 597 611 612 613		t-tuber and Suhner AG NAC E18.10/2-28-94
M81044/13-30-* -28 -26 -24 -22 -20		H3013302 282 264 244 224 204		Judd Wire NAC F18.11/2-28-94
M81044/13-	30 thru 20 -*	44AOl14-	30 thru 20	Raychem Corporation NAC H18.07/02-28-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME & TEST & QUAL. REF.
M81044/13- 30 thru 20 -*	44A0114- 30 thru 20	Raychem, Ltd. NAC G18.08/02-28-94
M81044/13- 30 thru 20 -*	84413 30 thru 20 '*	Teledyne Thermatics NAC C18.12/2-28-92

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S ADDRESSES

		CAGE #
Office:	Brand-Rex Company P.O. Box 498, Route 32 Willimantic, CT 06226-1128	71124
Plant:	Same as above	
Office:	Delta Surprenant Wire & Cable 172 Sterling St. Clinton, MA 01510	90484
Plant:	Same as above	
Office:	Huber and Suhner AG Tumbelenstrasse 20 CH-8330 Pfaffikon Switzerland	7W263
Plant:	Same as above	
Office:	Judd Wire Incorporated 55 Turnpike Road Turners Falls, MA 01376	12703
Plant:	Same as above	
Office:	Raychem Corporation 300 Constitution Drive Menlo Park, CA 94025	06090
Plant:	Raychem Corporation Wire and Cable Plant Oakside at Northside Redwood City, CA 94063	
Office:	Raychem, Ltd. Faraday Road Dorcan, Swindon Wiltshire SN3 5HH England	K1O1O
Plant:	Same as above	
Office:	Teledyne Thermatics, Inc. P.O. Box 909 Elm City, NC 27822	12515
Plant:	Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.