QUALIFICATIONS CERTIFIED
NOVEMBER 2000

QPL-81659-15
01 November 2000
SUPERSEDING
QPL-81659-14
10 March 1999

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-81659

CONNECTORS, ELECTRICAL, RECTANGULAR CRIMP CONTACTS,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST AND QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND (CODE 4.4.4), 48298 SHAW ROAD, BLDG 1461, UNIT 4, PATUXENT RIVER, MD 20670-5304.

MANUFACTURER'S FULL NAME, CAGE NUMBER, OFFICE ADDRESS, MANUFACTURING PLANT ADDRESS AND ASSEMBLY PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

For the sake of brevity, Part Number designations are displayed as shown in the following example:

Government Designation		Manufacturer's Designation			
M81659/XXA2-	1111	0000-	UU	-33	P00
/YYA2-	2222		VV	-34	S00
	3333		WW		P00
	4444		XX		S00

M81659/XXA2-1111	0000-UU-33P00
-2222	-VV-33S00
-3333	-WW-33P00
-4444	-XX-33S00
M81659/YYA2-1111	0000-UU-34P00
-2222	-VV-34S00
-3333	-WW-34P00
-4444	-XX-34S00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION				MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
/29 - Connector, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, (Single Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).						
M81659/29A2- /31A2-	0001 0002 0009 0010 0017 0018 0025 0026 0033 0034 0041 0042 0083 0084 0103 0104 0139 0140 0141 0142	MME1P MME1R	26P 26S 40P 40S 45P 45S 57P 57S 67P 67S 106P 106S D8P D8S 33C4P 33C4S 32C2P 32C2S 40C1P 40C1S	-00		AMP, Inc. 00701301.AB/3-31-98
M81659/29A2- /31A2-	0001 0002 0009 0010 0017 0018 0025 0026 0033 0034 0041 0042 0083 0084 0135 0136 0137 0138 0139	DPXBNE	26M 26M 40M 40M 45M 45M 57M 57M 67M 67M A106 A106 D8M D8M W8M W8M 10W3M 10W3M 32W2M	-33 -34	P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00	ITT Cannon 00712901.AC/12-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0140	32W2M	S00		ITT Cannon
	0141	40W1M	P00		(Continued)
	0142	40W1M	S00		
	0149	32W4M	P00		
	0150	32W4M	S00		
M81659/29A2-	0001	DSXE1P	S26P	73	Radiall, S.A.
/31A2-	0002	DSXE1R	S26S	00	
	0009		S40P		00720001.AE/11-30-98
	0010		S40S		
	0017		S45P		
	0018		S45S		
	0025		S57P		
	0026		S57S		
	0033		S67P		
	0034		S67S		
	0041		S106P		
	0042		S106S		
	0083		SD8P		
	0084		SD8S		
	0103		S33C4P		
	0104		S33C4S		
	0135		XC8P		
	0136		XC8S		
	0139		S32C2P		
	0140		S32C2S		
	0141		S40C1P		
	0142		S40C1S		
	0149		S32C4P		
	0150		S32C4S		

/33 - Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

/35 - Connector, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

M81659/33A2-	0003	MME2P	26P26P	-00	AMP, Inc.
/35A2-	0004	MME2R	26S26S		
	0011		40P40P		00701301.AB/3-31-98
	0012		40S40S		
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0043	106P106P		AMP, Inc. (Continued)
	0044	106S106S		
	0057	106S26P		
	0058	106P26S		
	0059	26P106S		
	0060	26S106P		
	0071	67P106S		
	0072	67S106P		
	0089	106S67P		
	0090	106P67S		
	0117	C8S106P		
	0118	C8P106S		
	0121	32C2P40C1P		
	0122	32C2S40C1S		
	0123	32C2P45P		
	0124	32C2S45S		
	0125	32C2P57P		
	0126	32C2S57S		
	0127	32C2P67P		
	0128	32C2S67S		
	0129	32C2P106S		
	0130	32C2S106P		
	0131	40C1P40C1P		
	0132	40C1S40C1S		
	0133	57P106S		
	0134	57S106P		
	0145	C8P57P		
	0146	C8S57S		
	0147	57P26P		
	0148	57S26S		
M81659/33A2- /35A2-	0003 0004	DPX2NE	26MP26MP 26MS26MS	33B00 34B00	ITT Cannon
	0011		40MP40MP		00712901.AC/12-30-99
	0012		40MS40MS		
	0019		45MP45MP		
	0020		45MS45MS		
	0027		57MP57MP		
	0028		57MS57MS		
	0035		67MP67MP		
	0036		67MS67MS		
	0043		A106PA106P		
	0044		A106SA106S		
	0057		A106S26MP		
	0058		A106P26MS		
	0059		26MPA106S		
	0060		26MSA106P		
	0071		67MPA106S		
	0072		67MSA106P		
	0087		A106SW8MP		
	0088		A106PW8MS		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0089	A106S67MP		ITT Cannon
	0090	A106P67MS		(Continued)
	0109	C2P40W1MP		
	0110	C2S40W1MS		
	0111	C2P57MP		
	0112	C2S57MS		
	0113	AC3P67MP		
	0114	AC3S67MS		
	0115	AC3PA106S		
	0116	AC3SA106P		
	0117	W8MPA106S		
	0118	W8MSA106P		
	0119	10W3MP32W2MP		
	0120	10W3MS32W2MS		
	0121	32W2MP40W1MP		
	0122	32W2MS40W1MS		
	0123	32W2MP45MP		
	0124	32W2MS45MS		
	0125	32W2MP57MP		
	0126	32W2MS57MS		
	0127	32W2MP67MP		
	0128	32W2MS67MS		
	0129	32W2MPA106S		
	0130	32W2MSA106P		
	0131	40W1MP40W1MP		
	0132	40W1MS40W1MS		
	0133	57MPA106S		
	0134	57MSA106P		
	0145	W8MP57MP		
	0146	W8MS57MS		
	0147	57MP26MP		
	0148	57MS26MS		
	0151	32W4MPA106S		
	0152	32W4MSA106P		
	0155	W8MP32W4MP		
	0156	W8MS32W4MS		
	0159	32W4MPW8MP		
	0160	32W4MSW8MS		
M81659/33A2-	0003	DSXE2P	S26PS26P	73 Radiall, S.A.
/35A2-	0004	DSXE2R	S26SS26S	00
	0011		S40PS40P	00720001.AE/11-30-98
	0012		S40SS40S	
	0019		S45PS45P	
	0020		S45SS45S	
	0027		S57PS57P	
	0028		S57SS57S	
	0035		S67PS67P	
	0036		S67SS67S	
	0043		S106PS106P	
	0044		S106SS106S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
0057	S106SS26P	Radiall, S.A. (Continued)
0058	S106PS26S	
0059	S26PS106S	
0060	S26SS106P	
0071	S67PS106S	
0072	S67SS106P	
0087	S106SXC8P	
0088	S106PXC8S	
0089	S106SS67P	
0090	S106PS67S	
0105	S33C4PS106S	
0106	S33C4SS106P	
0107	S33C4PXC8P	
0108	S33C4SXC8S	
0109	XMC2PS40C1P	
0110	XMC2SS40C1S	
0111	XMC2PS57P	
0112	XMC2SS57S	
0113	XMC3PS67P	
0114	XMC3SS67S	
0115	XMC3PS106S	
0116	XMC3SS106P	
0117	XC8PS106S	
0118	XC8SS106P	
0121	S32C2PS40C1P	
0122	S32C2SS40C1S	
0123	S32C2PS45P	
0124	S32C2SS45S	
0125	S32C2PS57P	
0126	S32C2SS57S	
0127	S32C2PS67P	
0128	S32C2SS67S	
0129	S32C2PS106S	
0130	S32C2SS106P	
0131	S40C1PS40C1P	
0132	S40C1SS40C1S	
0133	S57PS106S	
0134	S57SS106P	
0145	XC8PS57P	
0146	XC8SS57S	
0147	S57PS26P	
0148	S57SS26S	
0151	S32C4PS106S	
0152	S32C4SS106P	
0155	XC8PS32C4P	
0156	XC8SS32C4S	
0159	S32C4PXC8P	
0160	S32C4SXC8S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
/37 - Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).					
/39 - Connector, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).					
M81659/37A2- /39A2-	0005 0006 0013 0014 0021 0022 0029 0030 0037 0038 0045 0046 0075 0076 0079 0080 0091 0092	MME3P- MME3R-	26P26P26P 26S26S26S 40P40P40P 40S40S40S 45P45P45P 45S45S45S 57P57P57P 57S57S57S 67P67P67P 67S67S67S 106P106P106P 106S106S106S 67P67P106S 67S67S106P 67P106S67P 67S106P67S 106S106S67P 106P106P67S	-00	AMP, Inc. 00701301.AB/3-31-98
M81659/37A2- /39A2-	0005 0006 0013 0014 0021 0022 0029 0030 0037 0038 0045 0046 0065 0066 0067 0068 0073 0074 0075 0076 0079 0080	DPX3NE	78M 78M 120M 120M 135M 135M 171M 171M 201M 201M A318 A318 24M 24M 122M 122M 142M 142M 240M 240M A240M A240M	-33 -34	P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 P00 S00 SP00 PS00 P00 S00 P00 S00 SP00 PS00	ITT Cannon 00712901.AC/12-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0091	279M	SP00	ITT Cannon
	0092	279M	PS00	(Continued)
	0157	244M	SP00	
	0158	244M	PS00	
M81659/37A2-	0005	DSXE3P	S26PS26PS26P	73 Radiall, S.A.
/39A2-	0006	DSXE3R	S26SS26SS26S	00
	0013		S40PS40PS40P	00720001.AE/11-30-98
	0014		S40SS40SS40S	
	0021		S45PS45PS45P	
	0022		S45SS45SS45S	
	0029		S57PS57PS57P	
	0030		S57SS57SS57S	
	0037		S67PS67PS67P	
	0038		S67SS67SS67S	
	0045		S106PS106PS106P	
	0046		S106SS106SS106S	
	0065		XC8PXC8PXC8P	
	0066		XC8SXC8SXC8S	
	0067		XC8PXC8PS106S	
	0068		XC8SXC8SS106P	
	0073		S67PS67PXC8P	
	0074		S67SS67SXC8S	
	0075		S67PS67PS106S	
	0076		S67SS67SS106P	
	0079		S67PS106SS67P	
	0080		S67SS106PS67S	
	0091		S106SS106SS67P	
	0092		S106PS106PS67S	
	0157		S106SS106SS32C4P	
	0158		S106PS106PS32C4S	

/41 - Connector, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

/43 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

M81659/41A2-	0007	MME4P-	26P26P26P26P	00 AMP, Inc.
/43A2-	0008	MME4R-	26S26S26S26S	
	0015		40P40P40P40P	00701301.AB/3-31-98
	0016		40S40S40S40S	
	0023		45P45P45P45P	
	0024		45S45S45S45S	
	0031		57P57P57P57P	
	0032		57S57S57S57S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0039	67P67P67P67P			AMP, Inc. (Continued)
	0040	67S67S67S67S			
	0047	106P106P106P106P			
	0048	106S106S106S106S			
	0061	26P26P26P26S			
	0062	26S26S26S26P			
	0101	106S106S67P67P			
	0102	106P106P67S67S			
M81659/41A2-	0007	DPX4NE	104M	-33	P00 ITT Cannon
/43A2-	0008		104M	-34	S00
	0015		160M		P00 00712901.AC/12-30-99
	0016		160M		S00
	0023		180M		P00
	0024		180M		S00
	0031		228M		P00
	0032		228M		S00
	0039		268M		P00
	0040		268M		S00
	0047		A424		P00
	0048		A424		S00
	0061		104M		P00
	0062		104M		S00
	0063		95M		P00
	0064		95M		S00
	0085		150M		P00
	0086		150M		S00
	0095		326M		SP00
	0096		326M		PS00
	0097		287M		SP00
	0098		287M		PS00
	0099		189M		SP00
	0100		189M		PS00
	0101		346M		SP00
	0102		346M		PS00
M81659/41A2-	0007	DSXE4P	S26PS26PS26PS26P		73 Radiall, S.A.
/43A2-	0008	DSXE4R	S26SS26SS26SS26S		00
	0015		S40PS40PS40PS40P		0720001.AE/11-30-98
	0016		S40SS40SS40SS40S		
	0023		S45PS45PS45PS45P		
	0024		S45SS45SS45SS45S		
	0031		S57PS57PS57PS57P		
	0032		S57SS57SS57SS57S		
	0039		S67PS67PS67PS67P		
	0040		S67SS67SS67SS67S		
	0047		S6PS106PS106PS106P		
	0048		106SS106SS106SS106S		
	0061		S26PS26PS26PS26S		
	0062		S26SS26SS26SS26P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0081		S67PS67PS33C4PS33CEP		Radiall, S.A. (Continued)
	0082		S67SS67SS33C4SS33C4		
	0085		SC8PSC8PS67PS67P		
	0086		SC8SSC8SS67SS67S		
	0095		S106SSC8PS106SS106S		
	0096		S106PSC8SS106PS106P		
	0097		S106SS67PS106SSC8P		
	0098		S106PS67SS106PSC8S		
	0099		S106SS67PSC8PSC8P		
	0100		S106PS67SSC8SSC8S		
	0101		S106SS106SS67PS67P		
	0102		S106PS106PS67SS67S		

/61 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type III, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

M81659/61A2-	0001	MM1R-	26P	-00	AMP, Inc.
	0002		26S		
	0009		40P		00701301.AB/3-31-99
	0010		40S		
	0017		45P		
	0018		45S		
	0025		57P		
	0026		57S		
	0033		67P		
	0034		67S		
	0041		106P		
	0042		106S		
	0083		D8P		
	0084		D8S		

M81659/61A2-	0001	DPXBNE-	26M-34P	29	ITT Cannon
	0002		26M-34S		
	0009		40M-34P		00712901.AC/12-30-98
	0010		40M-34S		
	0017		45M-34P		
	0018		45M-34S		
	0025		57M-34P		
	0026		57M-34S		
	0033		67M-34P		
	0034		67M-34S		
	0041		A106-34P		
	0042		A106-34S		
	0083		D8M-34P		
	0084		D8M-34S		
	0135		W8M-34P		
	0136		W8M-34S		
	0137		10W3M-34P		
	0138		10W3M-34S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0139		32W2M-34P		ITT Cannon
	0140		32W2M-34S		(Continued)
	0141		40W1M-34P		
	0142		40W1M-34S		
	0149		32W4M-34P		
	0150		32W4M-34S		
M81569/61A2-	0001	DSXT1R	S26P	00	Radiall, S.A.
	0009		S40P		
	0017		S45P		00720001.AE/11-30-98
	0025		S57P		
	0033		S67P		
	0042		S106S		
	0083		SD8P		
	0103		S33C4P		
	0135		XC8P		
	0139		S32C2P		
	0141		S40C1P		
	0149		S32C4P		

/62 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type III, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

M81659/62A2-	0003	MM2R-	26P26P	-00	AMP, Inc.
	0004		26S26S		
	0011		40P40P		00701301.AB/3-31-98
	0012		40S40S		
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		
	0043		106P106P		
	0044		106S106S		
	0057		106S26P		
	0058		106P26S		
	0059		26S106P		
	0060		26P106S		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		
	0133		57P106S		
	0134		57S106P		
	0147		57P26P		
	0148		57S26S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
M81659/62A2-	0003	DPX2NE-	26MP26MP	-34B-29 ITT Cannon
	0004		26MS26MS	
	0011		40MP40MP	00712901.AC/12-30-99
	0012		40MS40MS	
	0019		45MP45MP	
	0020		45MS45MS	
	0027		57MP57MP	
	0028		57MS57MS	
	0035		67MP67MP	
	0036		67MS67MS	
	0043		A106PA106P	
	0044		A106SA106S	
	0057		A106S26MP	
	0058		A106P26MS	
	0059		26MPA106S	
	0060		26MSA106P	
	0071		67MPA106S	
	0072		67MSA106P	
	0087		A106SW8MP	
	0088		A106PW8MS	
	0089		A106S67MP	
	0090		A106P67MS	
	0109		C2P40W1MP	
	0110		C2S40W1MS	
	0111		C2P57MP	
	0112		C2S57MS	
	0113		AC3P67MP	
	0114		AC3S67MS	
	0115		AC3PA106S	
	0116		AC3SA106P	
	0117		W8MPA106S	
	0118		W8MSA106P	
	0119		10W3MP32W2MP	
	0120		10W3MS32W2MS	
	0121		32W2MP40W1MP	
	0122		32W2MS40W1MS	
	0123		32W2MP45MP	
	0124		32W2MS45MS	
	0125		32W2MP57MP	
	0126		32W2MS57MS	
	0127		32W2MP67MP	
	0128		32W2MS67MS	
	0129		32W2MPA106S	
	0130		32W2MSA106P	
	0131		40W1MP40W1MP	
	0132		40W1MS40W1MS	
	0133		57MPA106S	
	0134		57MSA106P	
	0145		W8MP57MP	
	0146		W8MS57MS	
	0147		57MP26MP	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0148		57MS26MS		ITT Cannon (Continued)
	0151		32W4MPS106S		
	0152		32W4MSA106P		
	0155		W8MP32W4MP		
	0156		W8MS32W4MS		
	0159		32W4MPW8MP		
	0160		32W4MSW8MS		
M81659/62A2-	0003	DSXT2R	S26PS26P	00	Radiall, S.A.
	0011		S40PS40P		
	0019		S45PS45P		00720001.AE/11-30-98
	0027		S57PS57P		
	0035		S67PS67P		
	0044		S106SS106S		
	0057		S106SS26P		
	0059		S26PS106S		
	0071		S67PS106S		
	0087		S106SXC8P		
	0089		S106SS67P		
	0105		S33C4PS106S		
	0107		S33C4PXC8P		
	0109		XMC2PS40C1P		
	0111		XMC2PS57P		
	0113		XMC3PS67P		
	0115		XMC3PS106S		
	0117		XC8PS106S		
	0121		S32C2PS40C1P		
	0123		S32C2PS45P		
	0125		S32C2PS57P		
	0127		S32C2PS67P		
	0129		S32C2PS106S		
	0131		S40C1PS40C1P		
	0133		S57PS106S		
	0145		XC8PS57P		
	0147		S57PS26P		
	0151		S32C4PS106S		
	0155		XC8PS32C4P		
	0159		S32C4PXC8P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
/63 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type III, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).				
M81659/63A2-	0005	MM3R-	26P26P26P	-00 AMP, Inc.
	0006		26S26S26S	
	0013		40P40P40P	00701301.AB/3-31-98
	0014		40S40S40S	
	0021		45P45P45P	
	0022		45S45S45S	
	0029		57P57P57P	
	0030		57S57S57S	
	0037		67P67P67P	
	0038		67S67S67S	
	0045		106P106P106P	
	0046		106S106S106S	
	0075		67P67P106S	
	0076		67S67S106P	
	0079		67P106S67P	
	0080		67S106P67S	
	0091		106S106S67P	
	0092		106P106P67S	
M81659/63A2-	0005	DPX3NE-	78M	-34P-29 ITT Cannon
	0006		78M	
	0013		120M	00712901.AC/12-30-99
	0014		120M	
	0021		135M	
	0022		135M	
	0029		171M	
	0030		171M	
	0037		201M	
	0038		201M	
	0045		A318	
	0046		A318	
	0065		24M	
	0066		24M	
	0067		122M	
	0068		122M	
	0073		142M	
	0074		142M	
	0075		240M	
	0076		240M	
	0079		A240M	
	0080		A240M	
	0091		279M	
	0092		279M	
	0157		244M	
	0158		244M	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE	
M81659/63A2-	0005	DSXT3R	S26PS26PS26P	00	Radiall, S.A.
	0013		S40PS40PS40P		
	0021		S45PS45PS45P		00720001.AE/11-30-98
	0029		S57PS57PS57P		
	0037		S67PS67PS67P		
	0046		S106SS106SS106S		
	0065		XC8PXC8PXC8P		
	0067		XC8PXC8PS106S		
	0073		S67PS67PXC8P		
	0075		S67PS67PS106S		
	0079		S67PS106SS67P		
	0091		S106SS106SS67P		
	0157		S106SS106SS32C4P		

/64 - Connector, Electrical Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type III, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

M81659/64A2-	0007	MM4R-	26P26P26P26P	-00	AMP, Inc.
	0008		26S26S26S26S		
	0015		40P40P40P40P		00701301.AB/3-31-98
	0016		40S40S40S40S		
	0023		45P45P45P45P		
	0024		45S45S45S45S		
	0031		57P57P57P57P		
	0032		57S57S57S57S		
	0039		67P67P67P67P		
	0040		67S67S67S67S		
	0047		106P106P106P106P		
	0048		106S106S106S106S		
	0061		26P26P26P26S		
	0062		26S26S26S26P		
	0101		106S106S67P67P		
	0102		106P106P67S67S		

M81659/64A2-	0007	DPX4NE-	104M-34P	-29	ITT Cannon
	0008		104M-34S		
	0015		160M-34P		00712901.AC/12-30-99
	0016		160M-34S		
	0023		180M-34P		
	0024		180M-34S		
	0031		228M-34P		
	0032		228M-34S		
	0039		268M-34P		
	0040		268M-34S		
	0047		A424-34P		
	0048		A424-34S		
	0061		104M-34P		
	0062		104M-34S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0063		95M-3P	ITT Cannon (Continued)
	0064		95M-34S	
	0085		150M-34P	
	0086		150M-34S	
	0095		326M-34SP	
	0096		326M-34PS	
	0097		287M-34SP	
	0098		287M-34PS	
	0099		189M-34SP	
	0100		189M-34PS	
	0101		346M-34SP	
	0102		346M-34PS	
M81659/64A2-	0007	DSXT4R	S26PS26PS26PS26P	00 Radial, S.A.
	0015		S40PS40PS40PS40P	
	0023		S45PS45PS45PS45P	0720001.AE/11-30-98
	0031		S57PS57PS57PS57P	
	0039		S67PS67PS67PS67P	
	0048		S106SS106SS106SS106S	
	0081		S67PS67PS33C4PS33C4P	
	0085		SC8PSC8PS67PS67P	
	0095		S106SSC8PS106SS106S	
	0097		S106SS67PS106SSC8P	
	0099		S106SS67PSC8PSC8P	
	0101		S106SS106SS67PS67P	

/65 - Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 to +125 °C), Series 2, Shell Designator A).

/66 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

/67 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 to +125 °C), Series 2, Shell Designator A, Clinch Nut Mounting).

/68 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 to +125 °C), Series 2, Shell Designator A, Float Mounting).

M81659/65A2-	0001	M1P-	26P	-00	AMP, Inc.
/66A2-	0002	M1R-	26S	-00	
/67A2-	0009	M1R-	40P	-01	00701301.AB/3-31-98
/68A2-	0010	M1R-	40S	-23	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0017		45P		AMP, Inc. (Continued)
	0018		45S		
	0025		57P		
	0026		57S		
	0033		67P		
	0034		67S		
	0041		106P		
	0042		106S		
	0083		D8P		
	0084		D8S		
M81659/65A2-	0001	DPXBNA	26M-33P	00	ITT Cannon
	0002		26M-33S		
	0009		40M-33P		00712901.AC/12-30-98
	0010		40M-33S		
	0017		45M-33P		
	0018		45M-33S		
	0025		57M-33P		
	0026		57M-33S		
	0033		67M-33P		
	0034		67M-33S		
	0041		A106-33P		
	0042		A106-33S		
	0083		D8M-33P		
	0084		D8M-33S		
	0135		W8M-33P		
	0136		W8M-33S		
	0137		10W3M-33P		
	0138		10W3M-33S		
	0139		32W2M-33P		
	0140		32W2M-33S		
	0141		40W1M-33P		
	0142		40W1M-33S		
	0149		32W4M-33P		
	0150		32W4M-33S		
M81659/66A2-	0001	DPXBNA	26M-34P	00	
/67A2-	0002		26M-34S	01	
/68A2-	0009		40M-34P	23	
	0010		40M-34S		
	0017		45M-34P		
	0018		45M-34S		
	0025		57M-34P		
	0026		57M-34S		
	0033		67M-34		
	0034		67M-34S		
	0041		A106-34P		
	0042		A106-34S		
	0083		D8M-34P		
	0084		D8M-34S		
	0135		W8M-34P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0136		W8M-34S		ITT Cannon
	0137		10W3M-34P		(Continued)
	0138		10W3M-34P		
	0139		32W2M-34P		
	0140		32W2M-34S		
	0141		40W1M-34P		
	0142		40W1M-34S		
	0149		32W4M-34P		
	0150		32W4M-34S		
M81659/65A2-	0001	DSXN1P	S26P	73	Radiall, S.A.
/66A2-	0002	DSXN1R	S26S	00	
/67A2-	0009	DSXN1R	S40P	01	00720001.AE/11-30-98
/68A2-	0010	DSXN1R	S40S	23	
	0017		S45P		
	0018		S45S		
	0025		S57P		
	0026		S57S		
	0033		S67P		
	0034		S67S		
	0041		S106P		
	0042		S106S		
	0083		SD8P		
	0084		SD8S		
	0103		S33C4P		
	0104		S33C4S		
	0135		XC8P		
	0136		XC8S		
	0139		S32C2P		
	0140		S32C2S		
	0141		S40C1P		
	0142		S40C1S		
	0149		S32C4P		
	0150		S32C4S		

/69 - Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 to +125 °C), Series 2, Shell Designator A).

/70 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1 (-65 to +125 °C), Series 2, Shell Designator A).

/71 - Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 to +125 ° C), Series 2, Shell Designator A, Clinch Nut Mounting).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE	
/72 - Connector, Electrical Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 to +125 °C), Series 2, Shell Designator A, Float Mounting).					
M81659/69A2-	0003	M2P-	26P26P	-00	AMP, Inc.
/70A2-	0004	M2R-	26S26S	-00	
/71A2-	0011	M2R-	40P40P	-01	00701301.AB/3-31-98
/72A2-	0012	M2R-	40S40S	-23	
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		
	0043		106P106P		
	0044		106S106S		
	0057		106S26P		
	0058		106P26S		
	0059		26P106S		
	0060		26S106P		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		
	0117		C8P106S		
	0118		C8S106P		
	0133		57P106S		
	0134		57S106P		
	0147		57P26P		
	0148		57S26S		
M81659/69A2-	0003	DPX2NA	26MP26MP	33B00	ITT Cannon
/70A2-	0004		26MS26MS	34B00	
/71A2-	0011		40MP40MP	34B01	00712901.AC/12-30-99
/72A2-	0012		40MS40MS	34B23	
	0019		45MP45MP		
	0020		45MS45MS		
	0027		57MP57MP		
	0028		57MS57MS		
	0035		67MP67MP		
	0036		67MS67MS		
	0043		A106PA106P		
	0044		A106SA106S		
	0057		A106S26MP		
	0058		A106P26MS		
	0059		26MPA106S		
	0060		26MSA106P		
	0071		67MPA106S		
	0072		67MSA106P		
	0087		A106SW8MP		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
	0088		A106PW8MS		ITT Cannon
	0089		A106S67MP		(Continued)
	0090		A106P67MS		
	0109		C2P40W1MP		
	0110		C2S40W1MS		
	0111		C2P57MP		
	0112		C2S57MS		
	0113		AC3P67MP		
	0114		AC3S67MS		
	0115		AC3PA106S		
	0116		AC3SA106P		
	0117		W8MPA106S		
	0118		W8MSA106P		
	0119		10W3MP32W2MP		
	0120		10W3MS32W2MS		
	0121		32W2MP40W1MP		
	0122		32W2MS40W1MS		
	0123		32W2MP45MP		
	0124		32W2MS45MS		
	0125		32W2MP57MP		
	0126		32W2MS57MS		
	0127		32W2MP67MP		
	0128		32W2MS67MS		
	0129		32W2MPA106S		
	0130		32W2MSA106P		
	0131		40W1MP40W1MP		
	0132		40W1MS40W1MS		
	0133		57MPA106S		
	0134		57MSA106P		
	0145		W8MP57MP		
	0146		W8MS57MS		
	0147		57MP26MP		
	0148		57MS26MS		
	0151		32W4MPA106S		
	0152		32W4MSA106P		
	0155		W8MP32W4MP		
	0156		W8MS32W4MS		
	0159		32W4MPW8MP		
	0160		32W4MSW8MS		
M81659/69A2-	0003	DSXN2P	S26PS26P	73	Radiall, S.A.
/70A2-	0004	DSXN2R	S26SS26S	00	
/71A2-	0011	DSXN2R	S40PS40P	01	00720001.AE/11-30-98
/72A2-	0012	DSXN2R	S40SS40S	23	
	0019		S45PS45P		
	0020		S45SS45S		
	0027		S57PS57P		
	0028		S57SS57S		
	0035		S67PS67P		
	0036		S67SS67S		
	0043		S106PS106P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
0044	S106SS106S	Radiall, S.A. (Continued)
0057	S106SS26P	
0058	S106PS26S	
0059	S26PS106S	
0060	S26SS106P	
0071	S67PS106S	
0072	S67SS106P	
0087	S106SXC8P	
0088	S106PXC8S	
0089	S106SS67P	
0090	S106PS67S	
0105	S33C4PS106S	
0106	S33C4SS106P	
0107	S33C4PXC8P	
0108	S33C4SXC8S	
0109	XMC2PS40C1P	
0110	XMC2SS40C1S	
0111	XMC2PS57P	
0112	XMC2SS57S	
0113	XMC3PS67P	
0114	XMC3SS67S	
0115	XMC3PS106S	
0116	XMC3SS106P	
0117	XC8PS106S	
0118	XC8SS106P	
0121	S32C2PS40C1P	
0122	S32C2SS40C1S	
0123	S32C2PS45P	
0124	S32C2SS45S	
0125	S32C2PS57P	
0126	S32C2SS57S	
0127	S32C2PS67P	
0128	S32C2SS67S	
0129	S32C2PS106S	
0130	S32C2SS106P	
0131	S40C1PS40C1P	
0132	S40C1SS40C1S	
0133	S57PS106S	
0134	S57SS106P	
0145	XC8PS57P	
0146	XC8SS57S	
0147	S57PS26P	
0148	S57SS26S	
0151	S32C4PS106S	
0152	S32C4SS106P	
0155	XC8PS32C4P	
0156	XC8SS32C4S	
0159	S32C4PXC8P	
0160	S32C4SXC8S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MANUFACTURERS NAME, ADDRESS AND PLANT	CAGE NUMBER
Office: AMP, Inc. P.O. Box 3608 Harrisburg, PA 17105-3608	00779
Manufacturing Plant: AMP, Inc. 1250 E. Main Street Mount Joy, PA 17552	
Assembly Plant: Avnet/Hamilton HallMark 10A Centennial Drive Peabody, MA 01960	
Office: ITT Cannon 666 e. Dyer Road Santa Ana, CA 92705-5684	71468
Manufacturing Plant: Same as above	
Assembly Plant: Avnet/Electgro Air Corporation 500 Lakeridge Drive S.E. Smyrna, GA 30082 Capstone Electronics Corp. 9801 Legler Road Lenexa, KS 66219 Avnet/Time Electronics 1301 West Geneva Drive Tempe, AZ 85282	17549
Office: Radiall, S.A. Rue Velpeau Z.I. No. 1 37110 Chateau-Renault France	F0987
Manufacturing Plant: Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MANUFACTURERS NAME, ADDRESS AND PLANT	CAGE NUMBER

Assembly Plants:

Air Electro, Inc.
9452 Desota Avenue
Chatsworth, CA 91313-2231

Jerrik, A Radiall Company
102 W. Julie Drive
Tempe, AZ 85283

Wings Electro Sales
11300 Fortune Circle
Wellington, FL 33414

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.