MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD KEYS, POLARIZING

NOT FOR USE IN NEW DESIGNS OF ARMY EQUIPMENT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the keys described herein shall consist of this specification and the latest issue of MIL-C-21097.




FIGURE 1. Polarizing keys for type CR connector.

Ⓗ denotes changes

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.

1/ Dash number	Size	Dimensions	
		A	B±.010 (±.25)
03	2	.109 $^{+.004}_{-.003}$ (2.77) $^{(+.10)}_{(-.08)}$	.271 (6.88)
04	3	.135 $^{+.005}_{-.003}$ (3.43) $^{(+.13)}_{(-.08)}$	.271 (6.88)


1/ Dash numbers 01, 02, 05 and 06 have been deleted from this specification sheet.

INCHES	MM	INCHES	MM
.005	0.13	.031	0.79
.008	0.20	.034	0.86
.010	0.25	.036	0.91
.015	0.38	.040	1.02
.016	0.41	.076	1.93
.017	0.43	.082	2.08
.020	0.51	.098	2.49
		.107	2.72

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are in parentheses.
3. Metric equivalents are given for general information only.
4. Unless otherwise specified, tolerance is ±.010 (0.25 mm) three place decimals.
5. Polarizing key is for use with connectors conforming to MIL-C-21097/2 or /4.
6. Material: Polyamide, type I, MIL-M-20693; FED-STD-595, color 23690, or natural (clear).

FIGURE 1. Polarizing keys for type CR connector - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.




INCHES	MM	INCHES	MM
.003	0.08	.050	1.27
.005	0.13	.055	1.40
.010	0.25	.062	1.57
.012	0.30	.070	1.78
.015	0.38	.088	2.24
.034	0.86	.106	2.69
.040	1.02	.115	2.92
		.410	10.41

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (0.13 mm) for three place decimals.
4. Polarizing key is for use with connectors conforming to MIL-C-21097/13.
(H) 5. Material: Polyamide, type I, MIL-M-20693; FED-STD-595, color 23690, or natural (clear).

FIGURE 2. Polarizing key, part no. M21097/11-07, for type CR connectors.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.



Dash number	Size	Dimensions			
		K	L	M	N
08	2	.070 (1.78) .066 (1.68)	.122 (3.10) .118 (3.00)	.022 (0.56) .020 (0.51)	.042 (1.07) .036 (0.91)
09	3	.102 (2.59) .098 (2.49)	.154 (3.91) .150 (3.81)	.022 (0.56) .020 (0.51)	.042 (1.07) .036 (0.91)
10	4	.133 (3.38) .129 (3.28)	.185 (4.70) .181 (4.60)	.022 (0.56) .020 (0.51)	.042 (1.07) .036 (0.91)

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are in parentheses.
3. Metric equivalents are given for general information only.
4. Serrations are permitted in this area provided the outer extremities are within tolerance limits.
5. Polarizing key is for use with connectors conforming to MIL-C-21097/21 types A and AD.
(H) 6. Material: Polyamide, type I, MIL-M-20693; FED-STD-595, color 23690, or natural (clear).

FIGURE 3. Polarizing key, between contact positions, for types A and AD connectors, part numbers M21097/11-08, -09 and -10.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figures 1, 2, and 3.

Material: See figures 1, 2, and 3.

Part number: M21097/11- (dash number from figures 1, 2, and 3).

Keys:

Keys for MIL-C-21097/23 and /24 will be supplied with the connector and cannot be ordered separately.

Custodians:
Army - CR
Navy - EC
Air Force - 17

Review activities:
Army - MI
Navy - AS
Air Force - 11
DLA - ES

User activities:
Army - AR, ME, AV, AT,
Navy - SH, MC, OS
Air Force - 19

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3454)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND (ELEX 8111)
WASHINGTON, DC 20360

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:49Z
Check the source to verify that this is the current version before use.