INCH-POUND

MIL-C-21097/15F
15 February 1989
SUPERSEDING
MIL-C-21097/15E
21 July 1986


MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CS, BLADE CONTACT (NO MOUNTING PROVISION)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-C-21097.

Inches	mm	Inches	mm
.001	0.03	.155	3 94
.010	0.25	.160	4.06
.015	0 38	.200	5.08
.0245	0 62	.230	5.84
082	2.08	280	7 11
100	2.54	.400	10 16
.106	2.69	.415	10.54
.125	3.18	.460	11.68
150	3 81		




NOTES
1. Dimensions are in inches
2. Unless otherwise specified, tolerance is ±.005 (.13 mm) for three-place decimals.
3. Metric equivalents are given for general information only.
4. See table I for dimensions
5. All even numbered contacts to be identified with .047 (1.19 mm) minimum high characters, as shown.

FIGURE 1. Blade contact type CS alternate dual row contacts.

(F) denotes changes


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:50Z
Check the source to verify that this is the current version before use.



Printed wiring board	
Size	T dim
2	.062 (1.57)
3	.093 (2.36)
4	.125 (3.18)

Inches	mm
.002	0 05
050	1 27
.052	1 32
093	2 36
100	2 54
200	5.08
300	7 62
.350	8.89
.625	15 88
.895	22.73
4.731	120.17



NOTES
1. Dimensions are in inches
2. Unless otherwise specified, tolerance is ± 005 (13 mm) for three-place decimals
3. Metric equivalents are given for general information only
4. Millimeters are in parentheses.
5. See table II for dimensions B and C.

FIGURE 2 Printed wiring test board

Source: https://assist.dla.mil -- Downloaded: 202610-19T08:50Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configurations: See figure 1 and table I.

Contact material: Gilding metal brass conforming to copper alloy number 210 of MIL-C-21768.

Mating receptacle: Shall conform to MIL-C-21097/13.

Printed wiring test board: Two-ounce copper one side only, gold plated as specified in MIL-STD-275. Board shall conform to MIL-STD-275. See figure 2 for the applicable connector size.

Finish: See MIL-C-21097.

Part number: M21097/15-(dash number from table I).

TABLE I. Connector, electrical, male adapter, type CS, class b, no mounting provision.

Dash number	Style	Size	Dimensions (inches) 1/		
			A (maximum)	B	C ±0.010 (0.25)
01	17	2			0.120 (3.05)
02	17	3	2.070 (52.58)	1.600 (40.64)	0.152 (3.86)
03	17	4			0.183 (4.65)
04	23	2			0.120 (3.05)
05	23	3	2.670 (67.82)	2.200 (55.88)	0.152 (3.86)
06	23	4			0.183 (4.65)
07	29	2			0.120 (3.05)
08	29	3	3.270 (83.06)	2.800 (71.12)	0.152 (3.86)
09	29	4			0.183 (4.65)
10	35	2			0.120 (3.05)
11	35	3	3.870 (98.30)	3.400 (86.36)	0.152 (3.86)
12	35	4			0.183 (4.65)
13	41	2			0.120 (3.05)
14	41	3	4.470 (113.54)	4.000 (101.60)	0.152 (3.86)
15	41	4			0.183 (4.65)

See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 202610-19T08:50Z
Check the source to verify that this is the current version before use.

TABLE I. Connector, electrical, male adapter, type CS, class b, no mounting provision - Continued.

Dash number	Style	Size	Dimensions (inches) 1/		
			A (maximum)	B	C ±0.010 (0.25)
16	47	2			0.120 (3.05)
17	47	3	5.070 (128.78)	4.600 (116.84)	0.152 (3.86)
18	47	4			0.183 (4.65)

1/ Millimeters are in parentheses.

TABLE II. Printed wiring test board.

Style	Dimensions (inches) 1/	
	B	C
17	3.390 (86.10)	1.600 (40.64)
23	3.990 (101.34)	2.200 (55.88)
29	4.590 (116.58)	2.800 (71.12)
35	5.190 (131.82)	3.400 (86.36)
41	5.790 (147.06)	4.000 (101.60)
47	6.390 (162.23)	4.600 (116.84)

1/ Millimeters are in parentheses.

Source: https://assist.dla.mil -- Downloaded: 202610-19T08:50Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - EC
Air Force - 17

Review activities:
Army - MI
Navy - AS
DLA - ES

User activities:
Army - AR, AT, AV, ME
Navy - MC, OS, SH
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 5935-3725)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:50Z
Check the source to verify that this is the current version before use.