
MILITARY SPECIFICATION SHEET

CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, BACKSHELL, RADIO FREQUENCY INTERFERENCE

This specification is approved for use by Engineering and Technical Support Division, Department of the Air Force, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the backshell described herein shall consist of this document and the latest issue of Specification MIL-C-83733(USAF).



Ⓐ denotes changes

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:36Z
Check the source to verify that this is the current version before use.

Ⓐ


INCHES	MM
.02	.51
.083	2.11
.104	2.64
.112	2.84
.312	7.92
.811	20.60
.815	20.70
.969	24.61
1.031	26.19
2.00	50.80
3.75	95.25

Ⓐ

Part number	Dimensions			
	Shell size	A Max	B ±.005 (.13)	C
M83733/15-1	A	2.126 (54.00)	1.895 (48.13)	.625 (15.88) 1/ .500 (12.70)
M83733/15-2	A	2.126 (54.00)	1.895 (48.13)	.750 (19.05) 2/ .625 (15.88)
M83733/15-3	B	3.426 (87.02)	3.195 (81.15)	.625 (15.88) 1/ .500 (12.70)
M83733/15-4	B	3.426 (87.02)	3.195 (81.15)	.750 (19.05) 2/ .625 (15.88)


1/ Standard cable entry.
2/ Oversize cable entry.

Ⓐ




RFI SHELL GROUNDING GASKET
(MONEL MESH)

Ⓐ



GASKET, BACKSHELL
(METALASTIC)

Ⓐ



GASKET ENTRY
(METALASTIC)

NOTES:
1. Dimensions are in inches.
2. Shell material shall be aluminum alloy.
3. Screws shall be cadmium plated steel.
Ⓐ 4. RFI gaskets (metalastic and monel mesh) are to be supplied and perform required RFI shielding function for M83733/15-1, -2, -3 and -4.
5. RFI gaskets (metalastic) shall be manufactured to fit backshell assembly.
6. RFI gasket (monel mesh) shall be manufactured to fit associated connector receptacle shell.
7. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
8. Metric equivalents are in parentheses.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:36Z
Check the source to verify that this is the current version before use.

Custodian:
Air Force - 85

Review activities:
Air Force - 80, 82, 11
DSA - ES

Preparing activity:
Air Force - 85

(Project 5935-F011-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:36Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-83733/15A (USAF) Connector, Electrical, Miniature, REc-

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER tangular Type, Back-
shell, Radio Frequency Interfer-

MATERIAL PROCURED UNDER A ence FSC 5935

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

C16061

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:36Z
Check the source to verify that this is the current version before use.