MIL-S-52561A(ME)
14 January 1972
SUPERSEDING
MIL-S-52561(ME)
3 February 1967

# MILITARY SPECIFICATION

# SUPPLEMENTARY EQUIPMENT SET,

# TOPOGRAPHIC PHOTOMAPPING,

# PACKAGING OF

## 1. SCOPE

1.1 This specification covers the requirements for preservation, packaging, packing, and marking of a topographic photomapping, supplementary equipment set (SC 6675-97-CL-E41).

## 2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

| | |
|---|---|
| GG-T-416 | - Timer, Interval. |
| QQ-S-781 | - Strapping, Steel, Flat and Seals. |
| UU-P-268 | - Paper, Kraft, Untreated, Wrapping. |
| PPP-B-601 | - Boxes, Wood, Cleated-Plywood. |
| PPP-B-636 | - Box, Fiberboard. |
| PPP-C-843 | - Cushioning Material, Cellulosic. |
| PPP-F-320 | - Fiberboard; Corrugated and Solid Sheet Stock (Container Grade ), and Cut Shapes. |
| PPP-T-45 | - Tape, Gummed, Paper, Reinforced and Plain, for Sealing and Securing. |
| PPP-T-60 | - Tape: Packaging, Waterproof. |



Source: https://assist.dla.mil -- Downloaded: 202610-22T21:25Z
Check the source to verify that this is the current version before use.

Military

| | |
|---|---|
| MIL-C-104 | - Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted. |
| MIL-P-116 | - Preservation, Methods of. |
| MIL-B-121 | - Barrier Material, Greaseproofed, Waterproofed, Flexible. |
| MIL-T-1180 | - Thermometer, Self-Indicating, Liquid in Glass. |
| MIL-C-3635 | - Compasses, Drafting, Beam. |
| MIL-C-3774 | - Crates, Wood; Open, 12,000- and 16,000-Pound Capacity. |
| MIL-C-10085 | - Cutter, Photogrammetic, Slotted-Templet: Hand Operated. |
| MIL-S-20660 | - Stereoscope, Lens-Prism-Mirror, Aerial Photograph Interpretation (With Binoculars and Case). |
| MIL-P-20664 | - Planimeter, Polar, Compensating, with Case. |

STANDARDS

Military

| | |
|---|---|
| MIL-STD-105 | - Sampling Procedures and Tables for Inspection by Attributes. |
| MIL-STD-129 | - Marking for Shipment and Storage. |
| MIL-STD-1186 | - Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; with Appropriate Test Methods. |

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, 222 S. Riverside Plaza, Room 1106, Chicago, Illinois 60606.)



Source: https://assist.dla.mil -- Downloaded: 202610-22T21:25Z
Check the source to verify that this is the current version before use.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, D. C. 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified to prove prior to starting production packaging and packing that the applied preservation, packaging, packing and marking comply with the requirements of this specification (see 6.3). Examination shall be as specified herein.

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C, as specified.

3.3.1 Level A.

3.3.1.1 Preservation. Preservatives specified herein shall conform to the applicable specifications listed in, and shall be applied in accordance with, MIL-P-116. Methods of preservation specified herein, indicated by symbols, shall conform to the corresponding symbols in MIL-P-116.

3.3.1.2 Cans of acacia, cans of adhesive, bottles of alcohol, bottles of ink, bottles of watch oil, jars of pen cleaner, cans of shellac, and cans of trichloroethane. These items of like description, in the quantity required for each set, shall be packaged together in boxes conforming to PPP-B-636, W5c or W6c. Cushioning between cans and bottles, as required to prevent movement and damage within the box, shall be provided by the use of corrugated fiberboard forms conforming to PPP-F-320, class domestic, SW variety, grade 125. After closure, the boxes shall be waterproof sealed with tape, as specified for slotted style boxes in accordance with the appendix to PPP-B-636.

3.3.1.3 Applicator bottles, empty jars, hand oilers, clipboard files, polyethylene bottles, sponge bowls, wallet envelopes, rubber erasers, wood cased erasers, packages of pencils, boxes of paper fasteners, boxes of rubber bands, paper perforators, pencil pointers, metal pails, liquid measurers, steel funnels, processing trays, rolls of tape, boxes of paper fasteners, ball of twine and sponges. These items of like description, in



Source: https://assist.dla.mil -- Downloaded: 202610-22T21:25Z
Check the source to verify that this is the current version before use.

the quantity required for each set, shall be packaged together in boxes conforming to PPP-B-636, W5c, W6c, or V3c, as applicable. Items shall be nested where possible or otherwise arranged to provide for minimum size boxes. Glass items and other fragile items shall be cushioned with fiberboard as specified in 3.3.1.2. Other items requiring immobilization shall be cushioned in a manner to prevent movement of the items within the boxes using material conforming to PPP-C-843, type I, class A. After closure the boxes shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.4 Steel erasers, dress makers needles, etching needles, erasing shields, and stylus. These items of like description, in the quantity required for each set, shall be preserved together method IC-1.

3.3.1.5 Laboratory aprons, chamois, yards of cotton, pairs of surgeons gloves, astronomy manuals, sleeves of abrasive paper, hand towels, and packages of writing paper pads. These items, in the unit of issue, shall be preserved in accordance with method IC-1.

3.3.1.6 Lamps, incandescent and fluorescent. Each lamp shall be contained in a corrugated paper sleeve. Lamps of like description shall be packaged together. Incandescent lamps and the 40-watt fluorescent lamps shall be packaged in the quantity required for each set. The 15-watt fluorescent lamps shall be packaged in quantities of 24. Containers shall be boxes conforming to PPP-B-636, W5c. After closure, the boxes shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.7 Trimmer, paper, drop knife. Metal surfaces of the trimmer, except graduated surfaces, requiring the application of a contact preservative in accordance with MIL-P-116 shall be wiped with type P-7 preservative. Coated surfaces shall be covered with barrier-material conforming to MIL-B-121, type II, grade A, class 2. The wrap or cover shall be secured in place with tape conforming to PPP-T-60, type III, class 2. The trimmer shall be packaged in a box conforming to PPP-B-636, W5c. After closure, the box shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.8 Artist brushes and varnish brushes. Artist brushes shall be packaged in commercial type artist envelopes. The envelopes containing the brushes for each set shall be packaged in a box conforming to PPP-B-636, W5c. The box shall contain not less than three balls of napthalene. The brushing part of each varnish brush shall be encased in a commercial type kraft envelope. The envelopes containing the brushes for each set shall be packaged in a box conforming to PPP-B-636, W5c. After closure, the boxes containing the artist brushes and the varnish brushes shall be waterproof sealed with tape as specified in 3.3.1.2.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.1.9 Plywood. The plywood for each set shall be uniformly stacked. The stack shall be strapped with two girthwise straps, placed approximately 16 inches from each end of the stack, and one lengthwise strap placed in the center of the stack. Strapping shall conform to QQ-S-781, type I or IV, class A, 3/4 inch by .035 inch. Edge protectors shall be used under straps to prevent damage to the plywood.

3.3.1.10 Building board. The finished surfaces of each two sheets shall be placed together and the board uniformly stacked. The stack shall be strapped as specified in 3.3.1.9 for plywood.

3.3.1.11 Cardboard. The cardboard shall be uniformly stacked. Each stack shall contain 100 sheets. Each stack shall be wrapped with kraft paper conforming to UU-P-268 grade B. The wraps shall be secured with tape conforming to PPP-T-45, type III, grade B. Each wrapped stack shall be packaged in a box conforming to PPP-B-636, W5c. After closure, the boxes shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.12 Toolbox. The toolbox shall not require packaging. However, the space within the box shall be utilized to consolidate small items such as needles, stylus, tools, etc. Cushioning shall be provided to prevent movement of the items within the box. The box lid shall be closed and secured by the means provided.

3.3.1.13 Cutter, photogrammetric. The cutter shall be preserved in accordance with MIL-C-10085, level A.

3.3.1.14 Printed forms. The sheets of printed forms of like description in the quantities required for each set shall be uniformly stacked. Each stack shall be wrapped with kraft paper conforming to UU-P-268, grade B. The wraps shall be secured with tape conforming to PPP-T-45, type III, grade B. Each wrapped stack shall be preserved method IC-1.

3.3.1.15 Hot plate, electric. Each electric hot plate shall be packaged in a box conforming to PPP-B-636, W5c. Cushioning shall be provided to prevent movement within the box. After closure, the boxes shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.16 Paper, blotting; paper, graph; and paper, lens. The packs of blotting paper, the packages of graph paper, and the books of lens paper, in the quantities required for each set, shall be preserved method IC-1.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.1.17 Paper, drawing; paper, tracing; and plastic sheet. Each roll shall be wrapped with a double wrap of kraft paper conforming to UU-P-268, grade B, and the wrap secured with tape conforming to PPP-T-45, type III, grade B. Each roll shall then be packaged in a box conforming to PPP-B-636, W5c. After closure, the boxes shall be waterproof sealed with tape as specified in 3.3.1.2.

3.3.1.18 Pen points. Each box of pen points shall be preserved method IC-1.

3.3.1.19 Planimeter. The complete planimeter shall be preserved and packaged in accordance with MIL-P-20664, level A.

3.3.1.20 Reducing glasses. Each reducing glass shall be cushioned with commercial lens tissue. Each cushioned glass shall be preserved method IC-1.

3.3.1.21 Steel machinist rules. Each steel machinist rules shall be preserved method IC-1.

3.3.1.22 Scale, plotting. Each plotting scale shall be preserved method IC-1.

3.3.1.23 Stereoscope. Each stereoscope shall be preserved in accordance with MIL-S-20660, level A.

3.3.1.24 Straightedges. Each straightedge shall be preserved method IC-1.

3.3.1.25 Thermometers. The thermometers shall be preserved and packaged in accordance with MIL-T-1180, level A, except the intermediate packaging quantity shall be six.

3.3.1.26 Interval timers. Each interval timer shall be preserved in accordance with GG-T-416, level A.

3.3.1.27 Compass, drafting, beam. Each complete compass shall be preserved and packaged in accordance with MIL-C-3635, level A.

3.3.1.28 Consolidated packaging. The packaged and unpackaged components of the set, except the building board and plywood, shall be consolidated packaged in close-fitting boxes conforming to PPP-B-601, domestic type, style I. The items shall be arranged within the boxes to realize minimum cube. The items shall be cushioned within the box to prevent movement, damage, or distortion of the items within the box. The boxes need not be strapped.



Source: https://assist.dla.mil -- Downloaded: 202640-22T21:25Z
Check the source to verify that this is the currentversion before use.

3.3.2 Level C. The components of the set shall be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination.

3.4 Packing. Packing shall be level A, B, or C, as specified.

3.4.1 Level A. The components of the set, preserved and packaged as specified in 3.3, shall be packed together in a crate conforming to MIL-C-104, type I, class 2, style a. The components shall be arranged within the crate to provide maximum compactness, low center of gravity, and good balance; void spaces shall be held to the minimum. The contents shall be blocked, braced, and anchored in accordance with MIL-STD-1186 and the appendix to MIL-C-104.

3.4.2 Level B. The components of the set, preserved and packaged as specified in 3.3, shall be packed together in a crate conforming to MIL-C-3774, type I, style A. The components shall be arranged within the crate to provide maximum compactness, low center of gravity, and good balance; void spaces shall be held to the minimum. The contents shall be blocked, braced, anchored, and protected with a full shroud in accordance with MIL-STD-1186, and the appendix to MIL-C-3774.

3.4.3 Level C. The components of the set, preserved and packaged as specified in 3.3, shall be packed or prepared for shipment to assure carrier acceptance and safe delivery to destination at lowest ratings in compliance with Uniform Freight Classification rules or with National Motor Freight Classification rules.

3.5 Marking. In addition to special marking required, packages and shipping containers shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Materials and construction of packages and packs shall provide maximum protection to the set components to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

4.1.1. Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.4.4. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in three stages as follows:

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking, prior to placing the packaged and unpackaged items into the consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement, blocking, and bracing of the items and consolidated containers within the shipping container.
(c) The third stage shall include inspection of the closed, strapped, and marked shipping container as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

Table I. Classification of Defects.

| No. | Defect | Level | | |
|---|---|---|---|---|
| | | A | B | C |
| 101 | Materials not as specified for preservation, packaging, and packing (3.2, 3.3, 3.4). | X | X | - |
| 102 | Methods not as specified for preservation (3.3.1). | X | - | - |
| 103 | Containers not as specified for packaging and packing (3.3.1, 3.4.1, 3.4.2). | X | X | - |
| 104 | Bottles and cans not cushioned as specified (3.3.1.2). | X | - | - |
| 105 | Fiber boxes not waterproof sealed with tape as specified (3.3.1.2, 3.3.1.3, 3.3.1.6, 3.3.1.7, 3.3.1.8, 3.3.1.11, 3.3.1.15, 3.3.1.17). | X | - | - |
| 106 | Cushioning not applied as specified (3.3.1.3). | X | - | - |
| 107 | Lamps not contained in sleeves as specified (3.3.1.6). | X | - | - |
| 108 | Lamps not packaged in the quantities specified (3.3.1.6). | X | - | - |
| 109 | Surfaces of the drop knife trimmer not coated with preservative as specified (3.3.1.7). | X | - | - |
| 110 | Preserved surfaces of the drop knife trimmer not covered with barrier material and the barrier material not secured as specified (3.3.1.7). | X | - | - |
| 111 | Artist brushes and varnish brushes not placed in envelopes and not packaged as specified (3.3.1.8). | X | - | - |



Source: https://assist.dla.mil -- Downloaded: 202610-22T21:25Z
Check the source to verify that this is the current version before use.

Table I. Classification of Defects (Cont'd)

| No. | Defect | Level | | |
|---|---|---|---|---|
| | | A | B | C |
| 112 | Boxes containing artist brushes not provided with napthalene as specified (3.3.1.8). | X | - | - |
| 113 | Plywood and building board not stacked and strapped as specified (3.3.1.9, 3.3.1.10) | X | - | - |
| 114 | Edge protectors not used under straps as specified (3.3.1.9, 3.3.1.10). | X | - | - |
| 115 | Cardboard not stacked and packaged as specified (3.3.1.11). | X | - | - |
| 116 | Toolbox lid not closed and secured as specified (3.3.1.12). | X | - | - |
| 117 | Reducing glasses not cushioned with tissue as specified (3.3.1.20). | X | - | - |
| 118 | Thermometers not intermediate packaged in quantities of six as specified (3.3.1.25). | X | - | - |
| 119 | Consolidated packaging not as specified (3.3.1.28). | X | - | - |
| 120 | Arrangement of components in crates not as specified (3.4.1, 3.4.2). | X | X | - |
| 121 | Marking illegible, incomplete, incorrect, missing (3.5). | X | X | X |



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

(This section is not applicable to this specification.)

6. NOTES

6.1 Intented use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Supplementary Equipment Set, Topographic Photomapping (FSN 6675-543-1292). It is also intended to be used as a guide in the preparation of packaging data sheets.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification (see 3.1).

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A150



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZG
FORT BELVOIR, VIRGINIA 22060

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZG
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

# SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

MIL-S-52561A(ME) Supplementary Equipment Set, Topographic Photomapping, Pkg Of

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:25Z
Check the source to verify that this is the current version before use.